

Technical Appendix 10.1: Statement of Authority

10.1.1 This assessment has been undertaken by RES, with at least one in-house Member of the Institute of Acoustics involved in its production. RES has undertaken acoustic impact assessments in every single one of its UK wind farm development applications since 2000. RES has also carried out noise assessments and reported to several local planning authorities on operational wind energy projects, including taking measurements on newly constructed wind farms to ensure compliance with planning conditions.

10.1.2 Additionally, RES has been project co-ordinator for several Joule¹ projects, leading European research into wind turbine noise, was involved in producing the guideline 'The Assessment and Rating of Noise from Wind Farms'² for the DTI in 1996, acted as peer reviewer for the 'Good Practice Guide to the Application of ETSU-R-97 for the Assessment and Rating of Wind Turbine Noise'³, and contributed to the RenewableUK work on Amplitude Modulation⁴. Publications include:

- 'An Investigation of Blade Swish from Wind Turbines', P Dunbabin, Proceedings of the 1996 International Congress on Noise Control Engineering (Internoise '96), 30 July – 2 August 1996, Book 1, pp 463 – 469;
- 'An Automated System for Wind Turbine Tonal Assessment', R Ruffle, Proceedings of the 1996 International Congress on Noise Control Engineering (Internoise '96), 30 July – 2 August 1996, Book 6, pp 2997 – 3002;
- 'Wind Turbine Measurements for Noise Source Identification', ETSU W/13/003914/00.REP, 1999, Dr P Dunbabin, RES et al;
- 'A Critical Appraisal of Wind Farm Noise Propagation', ETSU W/13/00385/REP, 2000 Dr J Bass, RES;
- 'Aerodynamic Noise Reduction for Variable Speed Turbines', ETSU/W/45/00504/REP, 2000, Dr P Dunbabin, RES;
- 'Fundamental research in amplitude modulation - a project by RenewableUK', Dr J Bass et al, Fourth International Meeting on Wind Turbine Noise, Rome, April 2011;
- 'Investigation of the 'Den Brook' Amplitude Modulation methodology for wind turbine noise', Dr J Bass, Acoustics Bulletin Vol 36 No 6 November/December 2011;
- 'How does noise influence the design of a wind farm?', Dr M Cassidy, Fifth International Conference on Wind Turbine Noise, Denver, 2013;
- 'Propagation of Noise from Wind Farms According to the Good Practice Guide', A Birchby, Sixth International Conference on Wind Turbine Noise, Glasgow, 2015;
- 'Addressing the Issue of Amplitude Modulation', Dr M Cassidy, Sixth International Conference on Wind Turbine Noise, Glasgow, 2015;

¹ DGXII European Commission funded projects in the field of Research and Technological Development in non-nuclear energy

² 'The Assessment and Rating of Noise from Wind Farms', The Working Group on Noise from Wind Turbines, ETSU Report for the DTI, ETSU-R-97

³ 'A Good Practice Guide to the Application of ETSU-R-97 for the Assessment and Rating of Wind Turbine Noise', Institute of Acoustics, May 2013

⁴ 'Wind Turbine Amplitude Modulation: Research to Improve Understanding as to its Cause and Effects', RenewableUK, 2013

- **'A Method for Rating Amplitude Modulation in Wind Turbine Noise'**, Institute of Acoustics Noise Working Group, August 2016; and
- **'Pre-construction Site Prediction Tool for Wind Farm AM – Do We Now Know Enough?'**, A Birchby, Seventh International Conference on Wind Turbine Noise, Rotterdam, 2017.

Technical Appendix 10.2: Assessment of Energy Storage Facility

- 10.2.1 In addition to the wind farm it is also proposed to include energy storage on site. An acoustic assessment in accordance with BS 4142:2014 + A1:2019¹ has been undertaken in order to determine the acoustic impact due to the operation of this part of the Development.
- 10.2.2 The baseline data adopted is that recorded at a wind speed of 1 ms⁻¹ during the background sound measurement surveys made to inform the acoustic assessment of operational noise from the proposed wind farm which correspond to the worst case, or quietest, levels.
- 10.2.3 The main sources of sound within the Development are the four inverters, four transformers and air conditioning for the Energy Storage Systems (ESS). The four ESS units are expected to be continuously charging and discharging. If there are any rest periods for the inverters these are likely to be infrequent and the Heating Ventilation and Air Conditioning systems (HVAC) would still be functioning.
- 10.2.4 Acoustic emission data for the proposed equipment is detailed in Table 10.2.1. The data corresponds to the maximum acoustic emission for each device as advised by the manufacturer. Predictions based on this data therefore represent the worst case and the **sound levels would be expected to be less when the site isn't operating at maximum capacity**. The amount of the time that this is the case is unknown at this stage as it depends upon which services the site is used to provide.

Equipment	Sound Pressure Level at 1m, dB LAeq
Inverter	79
ESS unit HVAC	75
Transformer	69

- 10.2.5 Predicted specific sound levels due to the proposed energy storage facility at nearby residential properties, calculated using the ISO 9613-2 propagation model, are detailed in Table 10.2.2. A sound footprint for the energy storage facility is shown in Figure 9.2.1.
- 10.2.6 The propagation model takes account of sound attenuation due to geometric spreading and **atmospheric absorption**. The assumed temperature and relative humidity are 10 °C and 70 % respectively.
- 10.2.7 Ground effects are also taken into account by the propagation model, with a ground factor of 0.5 adopted to reflect a mix of hard and porous ground between the site and the assessment locations. A 4 m receiver height has been used. The effect of surface features such as buildings and trees has not been considered. There is a degree of conservatism built into the model as a result of the adoption of these settings.
- 10.2.8 ISO 9613-2 is a downwind propagation model. Where conditions less favourable to sound propagation occur, such as when the assessment locations are crosswind or upwind of the proposed energy storage facility, the predicted sound levels would be expected to be less and the downwind predictions presented here would be regarded as conservative.

¹ "Methods for rating and assessing industrial and commercial sound", The British Standards Institution 2019

House ID	Sound Pressure Level, dB LAeq
H1	4
H2	4
H3	4
H4	4
H5	4
H6	4
H7	5
H8	2
H9	3
H10	6
H11	6
H12	7
H13	6
H14	4
H15	4
H16	6
H17	10
H18	11
H19	10
H20	12
H21	10
H22	11
H23	11
H24	5
H25	12
H26	10
H27	12
H28	12
H29	9
H30	11
H31	10
H32	10
H33	6
H34	15
H35	10
H36	8
H37	6

H38	11
H39	10
H40	11
H41	7
H42	8
H43	6
H44	10
H45	8
H46	7
H47	7
H48	10
H49	8
H50	7
H52	8
H53	8
H54	7
H55	8
H56	9
H57	9
H58	9
H59	9
H60	9
H61	9
H62	9
H63	9
H64	9
H65	9
H66	9
H67	9
H68	14
H69	15
H70	13
H71	8
H72	5
H73	13
H74	13
H75	13
H76	13
H77	13

H78	13
H79	14
H80	12
H81	13
H82	12
H83	12
H84	11
H85	8
H86	8
H87	8
H88	11
H89	12

10.2.9 The sound emitted by the inverter cooling fans and HVAC units can have distinctive character. A correction of 2 dB has been applied in the event that tones are just perceptible at the assessment locations. This is a conservative measure as it may not be the case in practice.

10.2.10 The results of an acoustic assessment at the property where the predicted sound level is largest relative to the background sound level, H34, are shown in Table 10.2.3.

Results	Day	Night
Residual sound level	27 dB $L_{Aeq, 16 \text{ hour}}$	24 dB $L_{Aeq, 16 \text{ hour}}$
Background sound level	22 dB $L_{A90, 10 \text{ min}}$	21 dB $L_{A90, 10 \text{ min}}$
Predicted specific sound level	15 dB L_{Aeq}	
Acoustic feature correction	2 dB	
Rating sound level	17 dB L_{Aeq}	
Excess of rating level over background	-5 dB	-4 dB
Predicted ambient sound level	27 dB $L_{Aeq, 16 \text{ hour}}$	25 dB $L_{Aeq, 16 \text{ hour}}$
Conclusion	Low impact	Low impact

10.2.11 The proposed energy storage facility is predicted to have a low impact during both day and night time periods as the rating sound level is below the existing background sound level.


10.2.12 There is expected to be no change in the daytime ambient sound level and a 1 dB increase in the ambient sound level at night due to the introduction of the energy storage facility, consistent with it having a low impact.

10.2.13 The sound levels due to the proposed energy storage facility are predicted to be greater than 10 dB below the wind farm sound levels such that they would be deemed insignificant in comparison.

10.2.14 In conclusion, the acoustic assessment shows that the impact due to the operation of the proposed energy storage facility is predicted to be low during both day and night time periods such that no adverse impacts would be expected.

10.2.15 Sound emitted during construction of the energy storage facility, including that due to associated traffic flows, is not predicted to exceed the criteria specified in BS 5228-1:2009² such that significant effects would not be anticipated.

Figure 9.2.1 – Predicted Energy Storage Sound Footprint



© Crown copyright 2022. All rights reserved. Licence number 0100031673.

² 'Code of Practice for Noise and vibration control on construction and open sites - Part 1: Noise', British Standards Institution, BS 5228-1:2009

Technical Appendix 10.3: Scope of Assessment

Low Frequency Noise

- 10.3.1 The frequency range of 'audible noise' is generally taken to be 20 Hz to 20,000 Hz, with the greatest sensitivity to sound typically in the central 500 Hz to 4,000 Hz region. The range from 10 Hz to 200 Hz is generally used to describe 'low frequency noise', and noise with frequencies below 20 Hz used to describe 'infrasound'¹, although there is sometimes a lack of consistency regarding the definition of these terms in both common usage and the literature.
- 10.3.2 Low frequency noise is always present, even in an ambient 'quiet' background¹. It is generated by natural sources, including the sea, earthquakes, the rumble of thunder and wind. It is additionally an emission from many artificial sources found in modern life, such as household appliances (e.g. washing machines, dishwashers) and all forms of transport.
- 10.3.3 Noise emitted from wind turbines covers a broad spectrum from low to high frequencies. In relation to human perception of the broadband noise produced by wind turbines, the dominant frequency range is not the low frequency or infrasonic ranges². The reason for this is that the perception threshold for hearing in these ranges is much higher than for speech frequencies of between 250 Hz and 4000 Hz. As a result of this decreased sensitivity, wind turbine noise at the lowest frequencies of the range described as 'low frequency noise' would be below the average hearing threshold.
- 10.3.4 A comprehensive literature review of 'Low Frequency Noise and Infrasound Associated with Wind Turbine Generator Systems', undertaken for the Ontario Ministry for the Environment in 2010, indicated that low frequency noise from wind turbines crosses the threshold boundary, and thus would be considered to become audible, above frequencies of around 40-50 Hz². The degree of audibility depends upon the wind conditions, the degree of masking from background noise sources and the distance from the wind turbines².
- 10.3.5 Although audible under some conditions, a paper; 'Infrasound and low frequency noise from wind turbines: exposure and health effects'³, published by the authors of a literature review on the subject prepared for the Swedish Environmental Protection Agency in 2011⁴, concludes that the level of low frequency noise produced by wind turbines does not exceed levels from other common sources, such as road traffic noise³.
- 10.3.6 In response to an article published in the national press in 2004, alleging that low frequency noise from wind turbines may give rise to adverse health effects, the Department of Trade and Industry (DTI) commissioned the Hayes McKenzie Partnership to perform an independent

¹ 'A Review of Published Research on Low Frequency Noise and Its Effects', Leventhall, Report for DEFRA, 2003

² 'Low Frequency Noise and Infrasound Associated with Wind Turbine Generator Systems, a Literature Review', Ontario Ministry of the Environment, OSS078696, December 2010

³ 'Infrasound and low frequency noise from wind turbines: exposure and health effects', Bolin et al, Environmental Research Letters Volume 6, September 2011

⁴ 'A literature review of infra and low frequency noise from wind turbines: exposure and health effects', prepared for Swedish Environmental Protection Agency, November 2011

study to investigate these claims⁵. The Government released the following advice based on the report's findings⁶:

"The report concluded that there is no evidence of health effects arising from infrasound or low frequency noise generated by wind turbines."

10.3.7 This is re-iterated in the review undertaken for the Ontario Ministry for the Environment, which concludes that publications by medical professionals indicate that; at typical setback distances, the noise levels produced by wind turbines, including noise at low and infrasound frequencies, do not represent a direct health risk.

10.3.8 The Oregon Health Authority's Public Health Division conducted a strategic Health Impact Assessment in response to a convergence of questions about potential health impacts from wind energy facilities in Oregon. The report, titled 'Strategic Health Impact Assessment on Wind Energy Development in Oregon'⁷ states that:

"Some field studies have found that in some locations near wind turbine facilities, low frequency noise (frequencies between 10 and 200 Hz) may be near or at levels that can be heard by humans. However, there is insufficient evidence to determine if low frequency noise from wind turbines is associated with increased annoyance, disturbance or other health effects".

10.3.9 Whilst low frequency content of the noise from wind farms shall be considered through the use of octave band specific noise emission and propagation modelling within the assessment presented here, it is considered that a specific and targeted assessment on the low frequency content of noise emissions from the proposed development is not necessary in light of available information and scientific reviews detailed above.

Infrasound

10.3.10 In relation to infrasound in general, frequencies below 20 Hz may be audible, although tonality is lost below 16 - 18 Hz, thus losing a key element of perception¹. In relation to modern, upwind turbines; there is strong evidence that the levels of infrasound produced will be well below the average threshold of human hearing². The aforementioned DTI report extended this conclusion to more sensitive members of the population⁵:

"Even assuming the most sensitive members of the population have a hearing threshold which is 12 dB lower than the median hearing threshold, measured infrasound levels are well below this criterion".

10.3.11 As such³:

"infrasound from wind turbines is not audible at close range and even less so at distances where residents are living".

⁵ 'The Measurement of Low Frequency Noise at Three UK Wind Farms', Hayes, Contract Number W/45/00656/00/00, URN 06/1412, 2006, www.berr.gov.uk/files/file31270.pdf

⁶ 'Advice on findings of the Hayes McKenzie report on noise arising from Wind Farms', DTI, URN 06/2162, November 2006, www.berr.gov.uk/files/file35592.pdf

⁷ 'Strategic Health Impact Assessment on Wind Energy Development in Oregon', Sujata Joshi et al, Prepared By: Public Health Division Oregon Health Authority, March 2013, www.healthimpactproject.org

10.3.12 In February 2005, the BWEA⁸ published background information on low frequency noise from wind farms⁹. The conclusion states that:

"It has been repeatedly shown, by measurements of wind turbine noise undertaken in the UK, Denmark, Germany and the USA over the past decade, and accepted by experienced noise professionals, that the levels of infrasonic noise and vibration radiated from modern upwind configuration wind turbines are at a very low level; so low that they lie below the threshold of perception, even for those people who are particularly sensitive to such noise, and even on an actual wind turbine site".

10.3.13 The BWEA report goes on to quote Dr Geoff Leventhall, author of the DEFRA report on 'Low Frequency Noise and its Effects', as saying:

"I can state, quite categorically, that there is no significant infrasound from current designs of wind turbines".

10.3.14 With regard to health effects, the DTI report quotes the document 'Community Noise', prepared for the World Health Organisation (WHO), which states that⁵:

"there is no reliable evidence that infrasound below the hearing threshold produce physiological or psychological effects".

10.3.15 The DTI report goes on to conclude that:

"infrasound associated with modern wind turbines is not a source which will result in noise levels which may be injurious to the health of a wind farm neighbour".

10.3.16 Furthermore, researchers at Keele University explain that:

"The infrasound generated by wind turbines can only be detected by the most sensitive equipment, and again this is at levels far below that at which humans will detect the low frequency sound. There is no scientific evidence to suggest that infrasound has an impact on human health."¹⁰

10.3.17 In January 2013 the Environment Protection Authority, South Australia, presented their findings of a study into the level of infrasound within typical environments with a particular focus on comparing wind farm environments to urban and rural environments away from wind farms¹¹. The report states:

"This study concludes that the level of infrasound at houses near the wind turbines assessed is no greater than that experienced in other urban and rural environments, and is also significantly below the human perception threshold. Also, that the contribution of wind turbines to the measured infrasound levels is insignificant in comparison with the background level of infrasound in the environment."

⁸ BWEA is now known as RenewableUK, a group representing the concerns of companies in the Renewable Energy Industry

⁹ 'Low Frequency Noise and Wind Turbines', The British Wind Energy Association, 2005, www.bwea.com/ref/lowfrequencynoise.html & Technical Annex www.bwea.com/pdf/lfn-annex.pdf

¹⁰ 'Wind farm noise', Styles, & Toon, printed in the Scotsman newspaper as a rebuttal of claims made by the Renewable Energy Foundation, August 2005

¹¹ 'Infrasound Levels Near Windfarms and in Other Environments', Environment Protection Authority & Resonate Acoustics, January 2013, www.epa.sa.gov.au

10.3.18 The Australian Medical Association¹² in March 2014 issued a position statement which detailed their findings on the health impacts due to the generation of infrasound from wind turbines. The findings concluded that:

"The available Australian and international evidence does not support the view that the infrasound or low frequency sound generated by wind farms, as they are currently regulated in Australia, causes adverse health effects on populations residing in their vicinity. The infrasound and low frequency sound generated by modern wind farms in Australia is well below the level where known health effects occur, and there is no accepted physiological mechanism where sub audible infrasound could cause health effects".

10.3.19 In April 2015, at the International Conference on Wind Turbine Noise in Glasgow¹³, a number of papers were presented on Low Frequency Noise and Infrasound. The findings of the research work undertaken were as follows.

10.3.20 A paper by Berger et al¹⁴, investigates whether current audible noise-based guidelines for wind turbines account for the protection of human health, given the levels of infrasound and low frequency noise typically produced by wind turbines. New field measurements of indoor infrasound and outdoor low frequency noise at locations between 400m and 900m from the nearest turbine, which were previously underrepresented in the scientific literature, are reported and put into context with existing published work. The findings concluded that:

"The analysis showed that indoor IS (infrasound) levels were below auditory threshold levels while LFN (low frequency noise) levels at distances >500m were similar to background LFN levels. Overall, the available data from this and other studies suggest that health-based audible noise wind turbine siting guidelines provide an effective means to evaluate, monitor, and protect potential receptors from audible noise as well as IS and LFN".

10.3.21 Research by Hansen et al¹⁵ proposed to examine the effect of infrasound tonal components on perceived low frequency noise annoyance for short exposure durations. The investigated spectra were synthesized based on measured wind turbine noise, which consisted of amplitude modulated tonal components. Listening tests were developed, based on data measured outside a residence, 1.3 km from a wind farm in South Australia. The research concluded that:

"For evaluation times of 5 minutes, it has been shown that for the persons tested, the presence of infrasound at realistic levels does not influence audibility, annoyance or ability to fall asleep."

10.3.22 Leventhall¹⁶ presented a paper which assesses the scientific basis of the "Plympton-Wyoming bylaw". This is a bylaw which has recently introduced limits on infrasound from wind turbines. The author concludes:

¹² "AMA Position – Wind Farms and Health 2014", Australian Medical Association, March 2014

¹³ International Conference on Wind Turbine Noise, An INCE Series of International Conferences on Wind Turbine Noise Held Biennially, Wind Turbine Noise 2015, 20th – 23rd April 2015, Glasgow

¹⁴ "Health-based Audible Noise Guidelines Account for Infrasound and Low Frequency Noise Produced by Wind Turbines", Berger et al, Sixth International Meeting on Wind Turbine Noise, Glasgow 20-23 April 2015, Frontiers in Public Health, 24 February 2015

¹⁵ "Perception and annoyance of low frequency noise versus infrasound in the context of wind turbine noise", Hansen et al, Sixth International Meeting on Wind Turbine Noise, Glasgow 20-23 April 2015

¹⁶ "On the overlap region between wind turbine infrasound and infrasound from other sources and its relation to criteria", G Leventhall, Sixth International Meeting on Wind Turbine Noise, Glasgow 20-23 April 2015

"Science does not support the conditions of the bylaw, which is largely aimed at restricting blade pass tones. There is no evidence that the very low level of blade pass tones affects humans, whilst there is evidence that it does not."

10.3.23 The work carried out by Tonin et al¹⁷ was an investigation into the effect on the reported pathological symptoms of simulated infrasound produced by wind turbines. The infrasound waveform was generated using a custom-made headphone apparatus. Volunteers were manipulated into states of either high or low expectancy of negative effects from infrasound and their reactions to either infrasound or a sham noise were recorded in a double blind experiment. The findings of the investigation state that:

"It was found, at least for the short-term exposure times conducted here-in, that the simulated infrasound has no statistically significant effect on the symptoms reported by volunteers, however the state of prior concern that volunteers had about the effect of infrasound has a statistically significant influence."

10.3.24 A study by Walker & Celano¹⁸ considered the subjective effects of wind turbine noise in a controlled environment and how to faithfully generate acoustic signatures produced by actual turbines. Field measurements indicate that these signatures encompass a wide frequency range, extending from below 1Hz to several kHz. The authors present conceptual descriptions and preliminary demonstrations of an infrasound synthesizer that is capable of producing turbine-faithful signals at least 10 dB greater than experienced in the field. The authors concluded from their research:

"It has been demonstrated that simulation of wind turbine noise and infrasound levels representative of those observed at distances of 100 meters can be accomplished in a typical residential-sized room with a modest array of electro-acoustic actuators. To date, subjective reactions to the synthesized signals are not conclusive due to the small number of test subjects and constrained exposure times. However, no individual thus far has reported any sensation when exposed to infrasound alone at peak levels up to 97dB."

10.3.25 Therefore, in accordance with literature, it is not considered appropriate or relevant to undertake specific assessment in relation to infrasound for the proposed development.

Sleep Disturbance

10.3.26 Research evidence supports the conclusion that noise from any source would result in measurable effects on sleep when it reaches a certain level. Such effects may comprise changes in sleep state without those exposed actually awakening, or they may comprise complete awakenings. Either of these responses may or may not have a consequential long-term effect on wellbeing depending on the subjects concerned and the extent of the effects being considered.

10.3.27 There is no reason why wind turbine noise should be any different to other forms of noise, in that there will be a certain level at which wind turbine noise would impact on the sleep of those exposed to it. As with other forms of noise, some variability in response across the exposed population would be expected, with some people being more noise sensitive and others more noise tolerant.

¹⁷ "Response to Stimulated Wind Farm Infrasound Including Effect of Expectation", Tonin et al, Sixth International Meeting on Wind Turbine Noise, Glasgow 20-23 April 2015

¹⁸ "Progress Report on Synthesis of Wind Turbine Noise and Infrasound", Walker & Celano, Sixth International Meeting on Wind Turbine Noise, Glasgow 20-23 April 2015

10.3.28 While some studies have found an association between wind turbine noise and sleep disturbance, others have not¹⁹. A selection of these studies is summarised below, followed by an explanation of how the night time noise limit recommended by the ETSU-R-97 guidelines²⁰, used to assess wind farm noise in the UK, was derived and an outline of the latest WHO advice.

10.3.29 A review undertaken by the Chief Medical Officer of Health of Ontario²¹ in response to public health concerns about wind turbine noise concluded that:

"...while some people living near wind turbines report symptoms such as dizziness, headaches, and sleep disturbance, the scientific evidence available to date does not demonstrate a direct causal link between wind turbine noise and adverse health effects. The sound level from wind turbines at common residential setbacks is not sufficient to cause hearing impairment or other direct health effects..."

10.3.30 A report published the Massachusetts Department of Environmental Protection concludes that²²:

"Evidence regarding wind turbine noise and human health is limited. There is limited evidence of an association between wind turbine noise and both annoyance and sleep disruption, depending on the sound pressure level at the location of concern".

10.3.31 A study carried out by Health Canada²³ found that self-reported sleep (including general disturbance, use of sleep medication, diagnosed sleep disorders and sleep quality) was not associated with wind turbine noise exposure. Furthermore, when sleep quality was measured objectively, calculated **wind turbine noise levels outside the participants' homes were not** found to be associated with sleep efficiency, the rate of awakenings, duration of awakenings, total sleep time, or how long it took to fall asleep.

10.3.32 In contrast to the conclusions of the three studies described above, a report entitled 'Sleep Disturbance and Wind Turbine Noise' by Dr Christopher Hanning reviewed the potential consequences of wind turbine noise and its effect on sleep and health, making recommendations on setback distances²⁴. The report was created on behalf of 'Stop Swinford Wind Farm Action Group' (SSWFAG) and states that:

"There can be no doubt, that groups of industrial wind turbines ("wind farms") generate sufficient noise to disturb the sleep and impair the health of those living nearby."

10.3.33 In another article by Dr Hanning and Professor Alun Evans published in the British Medical Journal²⁵ it states:

¹⁹ 'A Review of the Potential Impacts of Wind Farm Noise on Sleep', Micic et al., Acoustics Australia, February 2018

²⁰ 'The Assessment and Rating of Noise from Wind Farms', The Working Group on Noise from Wind Turbines, ETSU Report for the DTI, ETSU-R-97

²¹ 'The Potential Health Impact of Wind Turbines', Chief Medical Officer of Health (CMOH) Report, May 2010

²² 'Wind Turbine Health Impact Study: Report of Independent Expert Panel'" Jeffrey M. Ellenbogen et al, Prepared for: Massachusetts Department of Environmental Protection Massachusetts Department of Public Health, January 2012

²³ "Wind Turbine Noise and Health Study: Summary of Results", Health Canada, November 2014, <http://www.hc-sc.gc.ca/ewh-semt/noise-bruit/turbine-eoliennes/summary-resume-eng.php>

²⁴ 'Sleep Disturbance and Wind Turbine Noise', Hanning, on behalf of Stop Swinford Wind Farm Action Group (SSWFAG), June 2009

²⁵ 'Wind Turbine Noise', Hanning et al, British Medical Journal, March 2012

"A large body of evidence now exists to suggest that wind turbines disturb sleep and impair health at distances and external noise levels that are permitted in most jurisdictions, including the United Kingdom."

- 10.3.34 **A criticism of Dr Hanning's work is its focus on recommending a fixed setback distance** between wind turbines and residential properties. This generalisation obscures the link between noise level and sleep disturbance in that it does not account for variations in the size of wind farm sites and differences in the noise levels emitted by different turbine types. Care is required when interpreting the findings of studies undertaken in multiple countries as different noise limits would likely apply such that the participants could be exposed to different noise levels. It might also be the case that the relevant noise guidance in a given country has changed over time such that older wind farms were assessed against different standards. Other differences between countries might include the specification of a noise limit that applies at all times or separate limits for day and night time periods. If separate limits for day and night time periods are defined it may be the case that the noise limit for one period effectively restricts the amount of noise that can be emitted during the other period such that the limit for the period where a higher limit is permitted on paper is rarely, if ever, reached in practice.
- 10.3.35 UK wind farm noise guidance, ETSU R 97, states that different limits should be applied during daytime and night-time periods. The daytime limits are intended to preserve outdoor amenity, while the night-time limits are intended to prevent sleep disturbance. A lower fixed limit of 35-40 dB LA90 applies during daytime periods. The night-time lower fixed limit of 43 dB LA90 is derived from the 35 dB(A) sleep disturbance criterion referred to in ETSU R 97, with an allowance of 10 dB for attenuation through an open window (which is at the conservative end of the 10 – 15 dB range deemed typical) and a correction of 2 dB to allow for the use of LA90, rather than LAeq.
- 10.3.36 The 35 dB(A) sleep disturbance criterion was consistent with WHO advice at the time²⁶. The WHO Guidelines for Community Noise²⁷, published in 1995, reduced the indoor limit to 30 dB LAeq but translated this into an outdoor limit of 45 dB LAeq which remained consistent with the recommendations of ETSU-R-97.
- 10.3.37 The Night Noise Guidelines for Europe²⁸, published by the WHO in 2009, recommend target levels for the protection of public health from night time noise. The limits proposed are aspirations and have yet to be adopted by any EU Member State. The Night Noise Guideline (NNG) is an outdoor annualised free field noise level of 40 dB LAeq during night time periods. An interim target of 55 dB LAeq is recommended in situations where the NNG is not feasible in the short term. Annual averaging would allow noise levels in excess of 40 dB LAeq to occur for a certain amount of the time without the NNG being breached. The WHO guidelines are therefore not directly comparable to the noise limits for the Proposed Development derived from ETSU R-97 as these are specified as levels that should not be exceeded. Likewise, the predicted wind farm noise levels shown in the acoustic assessment are not directly comparable to the NNG as they do not represent annual average night time values. The annual average wind farm noise level would depend upon the range of wind speeds and wind directions experienced during night time periods over the year in question.

²⁶ WHO Environmental Health Criteria 12 - Noise: 1980

²⁷ WHO Guidelines for Community Noise, 1995

²⁸ 'Night Noise Guidelines for Europe', World Health Organisation, 2009

10.3.38 The Environmental Noise Guidelines for the European Region²⁹, published by the WHO in 2018, are described as complementary to the Night Noise Guidelines and state that:

"No statistically significant evidence was available for sleep disturbance related to exposure from wind turbine noise at night."

10.3.39 Since ETSU-R-97 accounted for sleep disturbance when setting night time noise limits and continues to be endorsed by planning guidance it is concluded that protection from sleep disturbance is considered within the acoustic impact assessment of the proposed development.

Vibration

10.3.40 Structure borne noise, originating in vibration, is also low frequency, as is neighbour noise heard through a wall, since walls generally block higher frequencies more than lower frequencies.

10.3.41 In 2004/2005, researchers at Keele University investigated the effects of the extremely low levels of vibration resulting from wind farms on the operation of the seismic array at Eskdalemuir, one of the most sensitive installations in the world¹⁰. The results of this study have frequently been misinterpreted and, to clarify the position, the authors have explained that:

"The levels of vibration from wind turbines are so small that only the most sophisticated instrumentation and data processing can reveal their presence, and they are almost impossible to detect."

10.3.42 They go on to say:

"Vibrations at this level and in this frequency range will be available from all kinds of sources such as traffic and background noise - they are not confined to wind turbines. To put the level of vibration into context, they are ground vibrations with amplitudes of about one millionth of a millimetre. There is no possibility of humans sensing the vibration and absolutely no risk to human health."

10.3.43 **The Ministry of Defence's approach to safeguarding the Eskdalemuir seismic array is to** allocate a budget in terms of the cumulative level of seismic vibration from wind turbines. This restricts the number of wind farms that can be located within a certain distance of the Eskdalemuir seismic array (EKA) without adversely impacting upon its operation. In June 2014, a report was prepared by Xi Engineering Consultants with the full cooperation and significant input from the Ministry of Defence³⁰. The report builds on initial Phase 0 work which identified that the current budget over estimates the seismic vibration produced by wind turbines and that there is a likelihood of significant prospective head room that would allow the building of wind farms without breaching the 0.336 nm threshold. The goal of the research was to produce an algorithm that could better predict the amplitude of seismic vibrations produced by wind turbines in the 0.5 to 0.8 Hz passband, which might allow the exploitation of wind resource in the Southern Uplands while maintaining protection of the detection capabilities of EKA. The work of the research allows for the determination of how close to EKA wind turbines can be built while optimising the generating capacity within the

²⁹ 'Environmental Noise Guidelines for the European Region, World Health Organisation, 2018

³⁰ "Seismic vibration produced by wind turbines in the Eskdalemuir region. Release 2.0 of Substantial Research project" prepared by Xi Engineering Consultants Ltd, Document Number FMB_203_FINAL_V5R, 15th June 2014

consultation zone. The application of a physics based algorithm allowed for the calculation of cumulative seismic vibration at EKA. From these calculations they were able to predict that:

"The cumulative amplitude of all turbines currently allocated budget and currently subject to objection with a utilisation factor of unity and minimum hub height of 40 m is 0.193833 nm."

This value falls well below the 0.336 nm threshold as set by the MOD.

- 10.3.44 A scientific advisory panel comprising independent experts in acoustics, audiology, medicine and public health conducted a comprehensive review of the available literature on the issue of perceived health effects of wind turbines, titled 'Wind Turbine Sound and Health Effects - An Expert Panel Review', and prepared a report for the American and Canadian Wind Energy Associations in December 2009³¹. The authors explain that:

"Vibration of the body by sound at one of its resonant frequencies occurs only at very high sound levels and is not a factor in the perception of wind turbine noise".

- 10.3.45 The authors further state that:

"Airborne sound can cause detectable body vibration, but this occurs only at very high levels - usually above sound pressure levels of 100 dB. There is no scientific evidence to suggest that modern wind turbines cause perceptible vibration in homes or that there is an associated health risk".

- 10.3.46 Therefore, in accordance with relevant literature and evidence reviews, it is not considered appropriate or relevant to undertake specific assessment in relation to vibration caused by the operation of the proposed development.

Aerodynamic Modulation

- 10.3.47 **A noise sometimes associated with wind turbines and commonly referred to as 'blade swish'** is the modulation of aerodynamic noise produced at blade passing frequency (the frequency at which a blade passes a fixed point). This noise character is acknowledged by, and accounted for, in the recommendations of ETSU-R-97. However, the aforementioned DTI report³² **noted that 'Aerodynamic Modulation', alternatively referred to as 'Amplitude Modulation' (AM) was, in some isolated circumstances, occurring in ways not anticipated by ETSU-R-97. AM above and beyond that considered by ETSU-R-97 is often referred to as Excess, or Other, Amplitude Modulation (EAM/OAM).**

- 10.3.48 In December 2013, the wind industry trade association, RenewableUK, published detailed new scientific research³³ into causes and effects of wind turbine AM. The work was carried out by a group of independent experts, including academics from the Universities of Salford and Southampton, the National Aerospace Laboratory of the Netherlands, Hoare Lea Acoustics, Robert Davies Associates and DTU Riso in Denmark.

- 10.3.49 The Chairman of the IOA Noise Working Group said of the study:

"This research is a significant step forward in understanding what causes amplitude modulation from a wind turbine, and how people react to it."

³¹ 'Wind Turbine Sound and Health Effects - An Expert Panel Review' W.D. Colby et al, 2009

³² 'The Measurement of Low Frequency Noise at Three UK Wind Farms', Hayes, Contract Number W/45/00656/00/00, URN 06/1412, 2006, www.berr.gov.uk/files/file31270.pdf

³³ 'Wind Turbine Amplitude Modulation: Research to Improve Understanding as to its Cause and Effects', RenewableUK, 2013, www.renewableuk.com

- 10.3.50 The RenewableUK work encouraged further research in the area, which has led to the identification of suitable mitigation methods. At the EWEA Technology Workshop on Wind Turbine Sound in 2014, Hoare Lea Acoustics presented a paper entitled: "Measurements to assess the effectiveness of turbine modifications to reduce the occurrence of AM in the far-field"³⁴. The paper concludes that turbine blade modifications can result in significant reductions in AM in the far-field and that similar effects can also be achieved through blade pitch modification.
- 10.3.51 The authors state that:
"This shows that effective mitigation of AM on operational turbines is technically feasible."
- 10.3.52 The other notable outcome of the RenewableUK research was a proposed planning condition informed by listening tests and work undertaken to determine how AM should be measured. The IOA recommended a period of testing and validation before the condition was adopted such that the work again proved valuable as a catalyst for further research.
- 10.3.53 The IOA created a dedicated AM Working Group to undertake the further testing and validation recommended. A discussion document³⁵ on methods for rating amplitude modulation in wind turbine noise was published in April 2015. The document proposed a definition of AM and provided a literature review of the available metrics before selecting three for detailed discussion. The intention was to obtain feedback from the acoustic community, allowing a preferred rating method to be selected following the consultation period. The final report³⁶, detailing the recommended metric for the quantification of the level of AM in wind turbine noise, and the reasoning behind it, was published in August 2016.
- 10.3.54 A separate, government funded, study was commissioned by the Department of Energy and Climate Change (DECC) with a view to recommending how an appropriate AM threshold should be defined. A report summarising the work³⁷, undertaken by WSP Parsons Brinckerhoff, was published in August 2016 and proposes an appropriate penalty scheme informed by studies into subjective response to a given level of AM.
- 10.3.55 There is therefore a method of quantification of the level of AM over a given 10 minute period and the appropriate penalty to apply where necessary. It should be noted that this is in addition to any penalty for tonal noise.
- 10.3.56 There are no standard or agreed methods, however, by which to predict with any certainty, the likelihood of AM occurring at a level requiring a penalty, only some possible indicators such as relatively high wind shear conditions under certain circumstances or particular turbine designs and/or dimensions for example.
- 10.3.57 Appropriate elements for a planning condition to control AM were proposed by the acoustic experts undertaking the research. The specific wording for a condition was not within the

³⁴ "Measurements to assess the effectiveness of turbine modifications to reduce the occurrence of AM in the far-field", Bullmore & Cand, Hoare Lea Acoustics, EWEA Technology Workshop: Wind Turbine Sound 2014, Malmo, Sweden, 9-10 December 2014

³⁵ Institute of Acoustics, IOA Noise Working Group (Wind Turbine Noise), Amplitude Modulation Working Group, Discussion Document, "Methods for Rating Amplitude Modulation in Wind Turbine Noise", April 2015

³⁶ Institute of Acoustics Noise Working Group, A Method for Rating Amplitude Modulation in Wind Turbine Noise, 9 August 2016

³⁷ WSP Parsons Brinckerhoff, Wind Turbine AM Review, Phase 2 Report, August 2016

scope of the research report and it was noted that legal advice would be required to ensure any proposed condition for a particular proposal met the necessary policy guidance tests.

Wind Turbine Syndrome

- 10.3.58 The condition proposed by paediatrician Dr Nina Pierpont in her report 'Wind Turbine Syndrome: A Report on a Natural Experiment' cites a range of physical sensations and effects as being caused by living near a wind farm³⁸. This study is based on a series of interviews comprising a study group of 10 families. It is a self-published report with none of the research being published in any peer reviewed medical journal.
- 10.3.59 In a NHS response to the Pierpont report, a report titled 'Are wind farms a health risk?' states that there is no conclusive evidence that wind turbines have an effect on health or are causing the set of symptoms described as 'wind turbine syndrome'³⁹. It was noted that the group study by Pierpont was not sufficient to grant the claims stated.
- 10.3.60 The aforementioned report 'Wind Turbine Sound and Health Effects - An Expert Panel Review'³¹, prepared by a scientific advisory panel for the American and Canadian Wind Energy Associations, concludes that Wind Turbine Syndrome is:
- "not a recognized medical diagnosis, is essentially reflective of symptoms associated with noise annoyance and is an unnecessary and confusing addition to the vocabulary on noise".*
- 10.3.61 The report went on to say:
- "There are no unique symptoms or combinations of symptoms that would lead to a specific pattern of this hypothesized disorder."*
- 10.3.62 An independent review of the state of knowledge about the alleged health condition was carried out⁴⁰. This report includes three expert opinions provided by: Richard J.Q. McNally - Reader in Epidemiology at the Institute of Health and Society Newcastle University; Geoff Leventhall - an independent consultant specialising in low frequency noise, infrasound and vibration; and Mark E. Lutman - Professor of Audiology at the University of Southampton. Their critique of Pierpont's study concludes that the reported symptoms are the effects mediated by stress and anxiety when exposed to an adverse element in their environment. There is no evidence that they are patho-physiological effects of wind turbine noise.
- 10.3.63 A paper by Pedersen explores data from three cross-sectional studies comprising A-weighted sound pressure levels of wind turbine noise, and subjectively measured responses from 1,755 people, to find the relationships between sound levels and aspects of health and well-being⁴¹. It was concluded that there is no consistent association between wind turbine noise exposure and the symptoms associated with Wind Turbine Syndrome.

³⁸ 'Wind Turbine Syndrome - A Report on a Natural Experiment', Pierpont, K-Selected Books, 2009

³⁹ 'Are wind farms a health risk?', NHS, 2009, www.nhs.uk

⁴⁰ 'Wind Turbine Syndrome (WTS) - An independent review of the state of knowledge about the alleged health condition', RenewableUK, 2010, www.bwea.com

⁴¹ 'Health aspects associated with wind turbine noise—results from three field studies' Pedersen, Noise Control Engineering Journal, Volume 59, Issue 1, 2011

10.3.64 A study conducted by Simon Chapman, Professor of Public Health at Sydney University, provides evidence that noise and health complaints about wind turbines are psychogenic⁴². The authors conclude that:

"In view of scientific consensus that the evidence for wind turbine noise and infrasound causing health problems is poor, the reported spatio-temporal variations in complaints are consistent with psychogenic hypotheses that health problems arising are communicated diseases with nocebo effects likely to play an important role in the aetiology of complaints".

10.3.65 Therefore, in accordance with this literature and the studies detailed above, it is not considered appropriate or relevant to undertake any assessment in relation to Wind Turbine Syndrome in relation to the proposed development.

Wind Turbine Noise and Associated Health Effects Studies

10.3.66 **In 2014 Health Canada released its findings from the "Wind Turbine Noise and Health Study"**⁴³. Health Canada, in partnership with Statistics Canada, conducted the study between residents of southern Ontario and Prince Edward Island where there were a sufficient number of homes within the vicinity of wind turbine installations. Twelve and six wind turbine developments were sampled in Ontario and PEI, representing 315 and 84 wind turbines, respectively. All potential homes within approximately 600 m of a wind turbine were selected, as well as a random selection of homes between 600 m and 10 km. A total of 1,238 households participated out of a possible 1,570.

10.3.67 The study was comprised of three parts: an in-person questionnaire given to randomly selected participants living at various distances from wind turbines; a collection of physical health measures that assessed stress levels using hair cortisol, blood pressure and resting heart rate as well as measures of sleep quality; and more than 4,000 hours of wind turbine noise measurements conducted by Health Canada to support calculations of wind turbine noise levels (WTN) in all homes in the study.

10.3.68 Health Canada broke the findings into five parts: illness and chronic disease, stress, sleep, annoyance and quality of life and noise.

10.3.69 Under Self-reported Illnesses and Chronic Diseases, Health Canada states:

"Self-reports of having been diagnosed with a number of health conditions were not found to be associated with exposure to WTN levels. These conditions included, but were not limited to chronic pain, high blood pressure, diabetes, heart disease, dizziness, migraines, ringing, buzzing or whistling sounds in the ear (i.e., tinnitus)".

10.3.70 Under the heading of Self-Reported Stress, Health Canada states no association was found between the multiple measures of stress (such as hair cortisol, blood pressure, heart rate, self-reported stress) and exposure to wind turbine noise.

"Self-reported stress, as measured by scores on the Perceived Stress Scale, was not found to be related to exposure to WTN levels".

10.3.71 For Self-Reported Sleep:

"Results of self-reported measures of sleep, that relate to aspects including, but not limited to general disturbance, use of sleep medication, diagnosed sleep disorders and scores on the

⁴² 'Spatio-temporal differences in the history of health and noise complaints about Australian wind farms: evidence for the psychogenic, communicated disease hypothesis', Chapman et al, University of Sydney, 2013

⁴³ "Wind Turbine Noise and Health Study: Summary of Results", Health Canada, November 2014, <http://www.hc-sc.gc.ca/ewh-semt/noise-bruit/turbine-eoliennes/summary-resume-eng.php>

Pittsburgh Sleep Quality Index (PSQI), did not support an association between sleep quality and WTN levels".

10.3.72 However, the study states, while some people reported some of the aforementioned health conditions, their existence was not found to change in relation to exposure to wind turbine noise.

10.3.73 An association was found, however, between increasing levels of wind turbine noise and individuals reporting to be very or extremely annoyed. No association was found with any significant changes in reported quality of life or with overall quality of life and satisfaction with health. This was assessed using the abbreviated version of the World Health Organization's Quality of Life Scale.

"The overall conclusion to emerge from the study findings is that the study found no evidence of an association between exposure to WTN and the prevalence of self-reported or measured health effects beyond annoyance. Collectively, the findings related to annoyance suggest that health and well-being effects may be partially related to activities that influence community annoyance, over and above exposure to WTN. Therefore, efforts that aim to identify and mitigate high levels of annoyance with wind turbines may have benefits that go beyond annoyance".

10.3.74 Lastly, under noise, calculated noise levels were found to be below levels that would be expected to directly affect health, according to the World Health Organization Community Noise Guidelines, 1999.

10.3.75 A review conducted by McCunney et al⁴⁴ in November 2014, examines the literature related to health effects of wind turbines. The review was intended to assess the peer-reviewed literature regarding evaluations of potential health effects among people living in the vicinity of wind turbines. It included analysis and commentary of the scientific evidence regarding potential links to health effects, such as stress, annoyance, and sleep disturbance, among others, that have been raised in association with living in proximity to wind turbines. Also addressed were specific components of noise associated with wind turbines such as infrasound and low-frequency sound and their potential health effects.

10.3.76 The review attempts to address the following questions regarding wind turbines and health:

- Is there sufficient scientific evidence to conclude that wind turbines adversely affect human health? If so, what are the circumstances associated with such effects and how might they be prevented?
- Is there sufficient scientific evidence to conclude that psychological stress, annoyance, and sleep disturbance can occur as a result of living in proximity to wind turbines? Do these effects lead to adverse health effects? If so, what are the circumstances associated with such effects and how might they be prevented?
- Is there evidence to suggest that specific aspects of wind turbine sound such as infrasound and low-frequency sound have unique potential health effects not associated with other sources of environmental noise?

10.3.77 The co-authors represent professional experience and training in occupational and environmental medicine, acoustics, epidemiology, otolaryngology, psychology, and public health.

⁴⁴ "Wind Turbines and Health: A Critical Review of the Scientific Literature" McCunney et al, Journal of Occupational & Environmental Medicine, November 2014

10.3.78 The findings of the review are summarised thus:

- Measurements of low-frequency sound, infrasound, tonal sound emission, and amplitude-modulated sound show that infrasound is emitted by wind turbines. The levels of infrasound at customary distances to homes are typically well below audibility thresholds.
- No cohort or case-control studies were located in this updated review of the peer-reviewed literature. Nevertheless, among the cross-sectional studies of better quality, no clear or consistent association is seen between wind turbine noise and any reported disease or other indicator of harm to human health.
- Components of wind turbine sound, including infrasound and low-frequency sound have not been shown to present unique health risks to people living near wind turbines.
- Annoyance associated with living near wind turbines is a complex phenomenon related to personal factors. Noise from turbines plays a minor role in comparison with other factors in leading people to report annoyance in the context of wind turbines.

10.3.79 **The WHO's Environmental Noise Guidelines conditionally recommend that average exposure** to wind turbine noise is limited to 45 dB L_{den} as wind turbine noise above this level is associated with adverse health effects. The recommendation is conditional as evidence of the adverse effects of wind turbine noise was rated as being of low quality. The limit is set at this level as there was deemed to be sufficient, albeit still low quality, evidence that this represented the threshold at which 10 % of people would be expected to be highly annoyed. The risk of other health outcomes at given levels of wind turbine noise could not be assessed due to a lack of evidence.

10.3.80 The day-evening-night level (L_{den}) is an annual average L_{eq} with a 5 dB penalty applied to noise levels occurring during the evening and a 10 dB penalty applied to noise levels during the night. The WHO limit is not directly comparable to the noise limits for the Proposed Development derived from ETSU R-97 which are specified as L_{90} levels that should not be exceeded. Likewise, the predicted wind farm noise levels shown in the acoustic assessment are not directly comparable to the WHO limit as they do not represent annual average values and do not have the penalties applicable during evening and night time periods applied. The annual average wind farm noise level experienced by nearby residents would depend upon the range of wind speeds and wind directions over the year in question.

10.3.81 Given the lack of evidence of health effects caused by wind turbine noise, the conditional nature of the WHO guidance and the continued endorsement of ETSU-R-97 by planning policy, no additional assessment of health effects due to the proposed development has been undertaken.

Technical Appendix 10.4: Calculating Standardised Wind Speed

- 10.4.1 In order to derive appropriate noise limits the ETSU-R-97 guidance requires the correlation of background noise survey data with wind speed data referenced to 10 m height. In contrast to this, acoustic emission measurements on wind turbines are undertaken in accordance with international standard IEC 61400-11, 'Wind Turbine Generator Systems – Part 11: Acoustic Noise Measurement Techniques'¹, which specifies that the turbine noise emission should be reported as a function of 'standardised' wind speed at 10 m height. In practice this translates as extrapolation of wind speed at hub height down to 10 m height using a specified, and fixed, relationship.
- 10.4.2 The use of a fixed relationship between hub height and 10 m wind speed means that potential exists for the background noise data and acoustic emission data to be misaligned i.e. a wind speed measured at 10 m height is not necessarily equivalent to a 'standardised' 10 m wind speed of the same magnitude, with the difference depending upon the site specific shear exponent (the rate of change of wind speed with height).
- 10.4.3 To account for the effects of wind shear, the background noise data is referenced to the same wind speed as the acoustic emission data. This approach is defined as appropriate, both by a group of independent acoustic consultants who have undertaken work on behalf of wind farm developers, local planning authorities and third parties in the IoA Bulletin, and in the subsequent IoA GPG. The methodology outlined below is followed to convert the wind speed measured concurrently with the background noise data to 'standardised' 10 m height:
- The 'standardised' 10 m wind speed is determined from the measured hub height wind speed according to the procedure specified in IEC 61400-11. The 'standardised' wind speed is essentially a proxy for hub height wind speed (the primary driver of noise emission from the turbine) and is found by extrapolating the hub height wind speed to 10 m height according to the following formula:

$$v_s = v_z \left[\frac{\ln \frac{z_{ref}}{z_{0ref}}}{\ln \frac{z}{z_{0ref}}} \right]$$

Where: v_s is the 'standardised' wind speed

v_z is the wind speed at height z (the hub height wind speed)

z_{0ref} is the reference roughness length (0.05 m)

z_{ref} is the reference height, 10 m

z is the proposed hub height

- The resulting 'standardised' 10 m wind speed is correlated with the measured background noise survey data.

¹ 'Wind turbine generator systems – Part 11: Acoustic noise measurement techniques', IEC 61400-11:2003 (Amendment 1: 2006)

Technical Appendix 10.5: Propagation Height & Valley Effect

- 10.5.1 To model the propagation of noise between each proposed turbine and residential property in accordance with the IoA GPG the mean propagation height has to be calculated in order to determine whether the correction specified by the guidance for propagation over a concave ground profile, or where the ground falls away significantly between the source and receiver, is applicable.
- 10.5.2 Due to the relatively flat terrain between the proposed development and nearby properties there are no instances where the threshold specified by the IoA GPG is exceeded, such that 3 dB(A) does not need to be added to the noise level predicted by the ISO 9613-2 propagation model due to any specific turbine at any property.

Technical Appendix 10.6: Background Noise Survey Photos

Photo 1: Noise Apparatus in Relation to Braighmor (H39)



Photo 2: Noise Apparatus in Relation to Dunhobby (H75)



Photo 3: Noise Apparatus in Relation to Hopefield (H34)



Photo 4: Noise Apparatus in Relation to Taldale (H69)



Technical Appendix 10.7: Instrumentation Records

Survey Location	Meter Type	Meter S/N	Calibration Certificate No.	Date of Issue	Microphone S/N	Preamplifier S/N	Calibrator Type	Calibrator S/N	Calibrator Certificate No.	Date of Issue
Braighmor (H39)	Rion NL31	00952272	07559	18/02/14	309098	17123	Rion NC74	34851904	7557	18/02/14
Dunhobby (H75)	Rion NL31	00952273	06937	24/01/13	315828	17125	Rion NC74	34851904	7557	18/02/14
Hopefield (H34)	Rion NL31	00983380	06936	24/01/13	315831	28713	Rion NC74	34851904	7557	18/02/14
Taldale (H69)	Rion NL31	00983381	06954	31/01/13	319828	28714	Rion NC74	34851904	7557	18/02/14

Technical Appendix 10.8: Charts

Chart 1: Wind Speed and Direction during the Background Noise Survey




Chart 2: Measured Wind Rose over an Extended Period




Chart 3: Quiet Daytime Background Noise Levels & Derived Daytime Limits at Braighmor (H39)




Chart 4: Quiet Daytime Background Noise Levels & Derived Daytime Limits at Dunhobby (H75)




Chart 5: Quiet Daytime Background Noise Levels & Derived Daytime Limits at Hopefield (H34)




Chart 6: Quiet Daytime Background Noise Levels & Derived Daytime Limits at Taldale (H69)




Chart 7: Night-time Background Noise Levels & Derived Night-time Limits at Braighmor (H39)




Chart 8: Night-time Background Noise Levels & Derived Night-time Limits at Dunhobby (H75)




Chart 9: Night-time Background Noise Levels & Derived Night-time Limits at Hopefield (H34)




Chart 10: Night-time Background Noise Levels & Derived Night-time Limits at Taldale (H69)




Chart 11: Comparison of Quiet Daytime Background Noise Levels with Previous Surveys




Chart 12: Comparison of Night-time Background Noise Levels with Previous Surveys




Chart 13: Cumulative Exposure at Braighmor (H39)




Chart 14: Cumulative Exposure at Dunhobby (H75)




Chart 15: Cumulative Exposure at Hopefield (H34)





Chart 16: Cumulative Exposure at Taldale (H69)



Technical Appendix 10.9: Directional Cumulative Noise Levels without Proposed Development

Table 10.9.1: Cumulative Predicted Noise Levels in 0 Degree Sector - Day												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	22.0	22.0	22.3	22.5	23.7	24.8	26.4	28.3	28.7	29.0	30.4	30.9
H2	21.9	21.9	22.2	22.5	23.6	24.8	26.4	28.2	28.7	28.9	30.3	30.8
H3	22.1	22.1	22.4	22.6	23.8	24.9	26.5	28.4	28.8	29.0	30.5	31.0
H4	22.1	22.1	22.4	22.7	23.8	24.9	26.5	28.4	28.8	29.1	30.5	31.0
H5	22.2	22.2	22.5	22.8	23.9	25.0	26.6	28.5	28.9	29.2	30.6	31.1
H6	17.5	17.5	18.1	18.7	20.1	20.9	22.2	23.7	24.4	25.0	26.1	26.7
H7	23.4	23.4	23.8	24.3	25.5	26.5	28.0	29.6	30.2	30.5	31.8	32.2
H8	25.2	25.2	25.5	25.8	26.9	28.0	29.6	31.4	31.8	32.1	33.6	34.0
H9	23.3	23.3	23.6	24.0	25.1	26.2	27.7	29.5	30.0	30.3	31.7	32.1
H10	23.5	23.6	24.2	24.8	26.1	26.9	28.3	29.8	30.5	30.9	32.0	32.4
H11	23.5	23.6	24.1	24.8	26.1	26.9	28.3	29.8	30.5	30.9	32.0	32.4
H12	23.6	23.7	24.3	25.1	26.4	27.1	28.4	29.9	30.6	31.1	32.1	32.5
H13	17.2	17.2	17.8	18.5	19.9	20.6	21.9	23.4	24.1	24.7	25.8	26.4
H14	23.0	23.0	23.5	24.2	25.4	26.2	27.6	29.1	29.8	30.2	31.3	31.7
H15	22.8	22.9	23.4	24.2	25.4	26.2	27.5	28.9	29.6	30.1	31.1	31.5
H16	14.8	14.9	15.6	16.5	18.0	18.7	19.8	21.0	22.0	22.9	23.7	24.4
H17	17.0	17.1	17.8	18.7	20.2	20.8	22.1	23.4	24.3	25.0	25.9	26.5
H18	17.6	17.7	18.4	19.4	20.8	21.5	22.7	24.0	24.9	25.6	26.5	27.0
H19	16.8	16.9	17.7	18.8	20.2	20.8	22.0	23.2	24.2	25.0	25.7	26.4
H20	17.6	17.7	18.5	19.4	20.9	21.5	22.7	24.0	24.9	25.7	26.5	27.1
H21	16.6	16.7	17.6	18.6	20.1	20.7	21.8	23.0	24.1	24.9	25.6	26.2
H22	16.8	16.9	17.7	18.8	20.2	20.8	22.0	23.1	24.2	25.0	25.7	26.4
H23	16.8	16.9	17.7	18.8	20.3	20.9	22.0	23.2	24.2	25.1	25.8	26.4
H24	23.4	23.5	24.5	25.7	27.2	27.6	28.7	29.8	30.8	31.6	32.1	32.3
H25	17.6	17.7	18.5	19.5	20.9	21.6	22.7	24.0	24.9	25.7	26.5	27.1
H26	16.6	16.7	17.5	18.6	20.1	20.7	21.8	23.0	24.0	24.9	25.6	26.3
H27	17.2	17.3	18.1	19.1	20.6	21.2	22.3	23.5	24.6	25.4	26.1	26.8
H28	17.0	17.1	17.9	18.9	20.4	21.0	22.1	23.3	24.4	25.2	25.9	26.6
H29	16.4	16.5	17.3	18.3	19.8	20.5	21.6	22.8	23.8	24.7	25.4	26.1
H30	16.7	16.8	17.6	18.6	20.1	20.7	21.8	23.0	24.1	25.0	25.7	26.4
H31	16.4	16.6	17.4	18.4	19.9	20.5	21.6	22.8	23.9	24.7	25.5	26.2
H32	16.4	16.6	17.4	18.4	19.9	20.5	21.6	22.8	23.9	24.8	25.5	26.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H33	16.0	16.1	16.8	17.7	19.2	19.9	21.0	22.2	23.3	24.3	25.2	26.2
H34	18.1	18.3	19.0	20.0	21.5	22.1	23.2	24.4	25.5	26.3	27.0	27.7
H35	16.6	16.7	17.5	18.6	20.1	20.7	21.8	23.0	24.1	25.0	25.7	26.4
H36	16.0	16.1	16.9	18.0	19.5	20.1	21.1	22.2	23.3	24.3	25.0	25.8
H37	16.2	16.3	16.9	17.9	19.4	20.1	21.2	22.4	23.5	24.5	25.4	26.4
H38	16.7	16.8	17.6	18.6	20.1	20.8	21.9	23.0	24.1	25.0	25.7	26.5
H39	23.5	23.7	24.8	26.2	27.7	28.1	29.1	30.1	31.2	32.0	32.4	32.6
H40	16.7	16.9	17.7	18.7	20.2	20.8	21.9	23.1	24.2	25.1	25.8	26.6
H41	16.5	16.6	17.3	18.2	19.7	20.4	21.5	22.7	23.9	24.9	25.8	26.8
H42	16.0	16.1	16.9	17.9	19.4	20.1	21.2	22.3	23.5	24.4	25.1	25.9
H43	16.3	16.4	17.0	17.9	19.4	20.1	21.3	22.5	23.6	24.7	25.6	26.5
H44	16.5	16.6	17.4	18.5	20.0	20.6	21.7	22.9	24.0	24.9	25.6	26.4
H45	15.9	16.0	16.8	17.8	19.4	20.0	21.0	22.1	23.3	24.2	25.0	25.8
H46	16.5	16.6	17.3	18.2	19.7	20.4	21.5	22.7	23.9	25.0	25.9	26.9
H47	16.6	16.7	17.4	18.2	19.8	20.5	21.6	22.8	24.0	25.1	26.0	27.0
H48	23.7	23.9	25.2	26.7	28.2	28.6	29.6	30.6	31.8	32.7	33.0	33.2
H49	24.4	24.6	25.9	27.3	28.9	29.3	30.4	31.4	32.7	33.5	33.8	34.0
H50	24.4	24.6	25.9	27.5	29.1	29.4	30.5	31.5	32.7	33.5	33.7	33.9
H52	24.9	25.1	26.4	27.9	29.5	29.8	30.9	31.9	33.1	34.0	34.2	34.5
H53	24.8	25.0	26.2	27.7	29.3	29.7	30.7	31.8	33.0	33.9	34.1	34.4
H54	25.0	25.2	26.5	28.0	29.7	30.0	31.1	32.1	33.4	34.2	34.5	34.7
H55	25.4	25.5	26.8	28.3	29.9	30.2	31.2	32.2	33.5	34.3	34.6	34.8
H56	25.3	25.5	26.6	28.0	29.6	29.9	30.9	31.9	33.1	34.0	34.3	34.6
H57	25.3	25.5	26.6	27.9	29.5	29.9	30.9	31.8	33.1	33.9	34.2	34.6
H58	25.3	25.5	26.7	28.0	29.6	30.0	31.0	31.9	33.2	34.1	34.3	34.7
H59	25.3	25.5	26.7	28.0	29.6	30.0	31.0	31.9	33.2	34.1	34.3	34.7
H60	25.3	25.5	26.7	28.0	29.6	30.0	31.0	31.9	33.2	34.0	34.3	34.7
H61	25.4	25.5	26.6	28.0	29.6	30.0	31.0	31.9	33.2	34.0	34.3	34.7
H62	25.4	25.5	26.6	28.0	29.6	29.9	30.9	31.9	33.1	34.0	34.3	34.6
H63	25.4	25.5	26.7	28.0	29.6	30.0	31.0	31.9	33.2	34.0	34.3	34.7
H64	25.4	25.5	26.7	28.0	29.6	30.0	31.0	31.9	33.2	34.0	34.3	34.7
H65	25.4	25.5	26.7	28.0	29.6	30.0	31.0	31.9	33.2	34.0	34.3	34.7
H66	25.4	25.5	26.7	28.0	29.6	30.0	31.0	31.9	33.2	34.0	34.3	34.7
H67	25.4	25.6	26.6	27.9	29.5	29.9	30.9	31.8	33.0	33.9	34.2	34.6
H68	29.8	29.8	30.1	30.6	32.3	32.5	32.9	33.4	34.1	34.8	35.2	35.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H69	33.8	33.8	33.9	34.0	35.9	36.0	36.2	36.5	37.0	37.4	37.8	38.3
H70	26.6	26.6	27.2	27.9	29.6	29.9	30.5	31.2	32.2	33.0	33.5	34.1
H71	24.6	24.8	26.0	27.5	29.0	29.3	30.3	31.1	32.4	33.3	33.5	33.8
H72	15.5	15.6	16.0	16.5	18.1	19.1	20.3	21.6	22.8	23.9	24.8	26.1
H73	28.5	28.5	28.8	29.2	30.6	31.1	31.9	32.7	33.7	34.5	35.3	36.2
H74	28.7	28.8	29.0	29.4	30.8	31.3	32.1	33.0	34.0	35.0	35.8	36.8
H75	22.9	22.9	23.2	23.9	25.3	26.4	27.7	29.0	29.8	30.3	30.7	32.1
H76	27.8	27.8	28.1	28.6	29.7	30.2	30.9	31.8	32.6	33.4	34.1	34.9
H77	27.8	27.9	28.2	28.6	29.8	30.2	31.0	31.8	32.7	33.5	34.1	35.0
H78	24.7	24.7	25.0	25.5	27.0	28.1	29.4	30.8	31.5	31.8	32.0	33.5
H79	25.7	25.8	26.0	26.5	27.9	28.9	30.1	31.4	32.1	32.5	32.8	34.2
H80	27.8	27.9	28.0	28.4	29.9	31.2	32.6	34.1	34.6	34.8	34.9	36.6
H81	26.8	26.8	27.1	27.5	28.5	29.1	30.0	31.0	31.7	32.2	32.6	33.6
H82	29.2	29.2	29.3	29.7	31.1	32.5	34.0	35.4	36.0	36.1	36.2	38.0
H83	29.2	29.2	29.3	29.7	31.1	32.5	34.0	35.4	36.0	36.1	36.2	38.0
H84	40.5	40.5	40.5	40.5	40.7	40.8	41.0	41.2	41.4	41.6	41.8	42.0
H85	24.3	24.3	24.9	25.6	26.6	27.0	27.7	28.5	29.4	30.1	30.4	30.9
H86	23.6	23.6	24.2	25.0	26.1	26.4	27.2	28.0	29.0	29.7	30.0	30.4
H87	23.3	23.4	24.0	24.8	26.0	26.4	27.2	28.0	29.0	29.7	30.0	30.5
H88	16.9	17.0	17.8	18.8	20.3	21.0	22.1	23.2	24.4	25.3	26.0	26.8
H89	17.4	17.5	18.2	19.2	20.7	21.3	22.5	23.7	24.8	25.7	26.4	27.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	18.6	18.6	19.2	19.8	21.1	21.9	23.4	24.9	25.8	26.3	27.1	27.5
H2	18.5	18.6	19.1	19.7	21.1	21.9	23.3	24.9	25.8	26.2	27.1	27.5
H3	18.7	18.7	19.3	19.9	21.2	22.0	23.4	25.0	25.9	26.4	27.2	27.6
H4	18.7	18.8	19.3	19.9	21.2	22.0	23.5	25.0	25.9	26.4	27.2	27.7
H5	18.8	18.9	19.4	20.0	21.3	22.1	23.6	25.1	26.0	26.5	27.3	27.7
H6	14.6	14.7	15.3	16.1	17.5	18.2	19.4	20.7	21.8	22.5	23.4	24.1
H7	20.6	20.7	21.4	22.2	23.6	24.2	25.5	26.9	27.9	28.4	29.1	29.5
H8	22.2	22.3	22.8	23.3	24.5	25.4	26.7	28.3	29.2	29.6	30.5	30.9
H9	20.9	20.9	21.5	22.0	23.3	24.1	25.4	26.9	27.8	28.3	29.2	29.6
H10	21.3	21.5	22.3	23.3	24.7	25.3	26.4	27.7	28.7	29.4	30.0	30.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H11	21.3	21.5	22.3	23.3	24.8	25.3	26.5	27.7	28.7	29.4	30.0	30.3
H12	21.5	21.7	22.6	23.7	25.1	25.6	26.7	28.0	29.0	29.7	30.2	30.5
H13	14.6	14.7	15.3	16.1	17.5	18.2	19.4	20.7	21.7	22.5	23.3	24.0
H14	21.3	21.4	22.1	22.9	24.3	24.9	26.1	27.4	28.4	29.0	29.7	30.0
H15	21.2	21.4	22.1	23.1	24.5	25.0	26.2	27.4	28.4	29.1	29.7	30.1
H16	13.2	13.3	14.0	14.8	16.3	17.0	18.2	19.3	20.5	21.4	22.1	23.0
H17	15.3	15.4	16.1	16.9	18.4	19.1	20.3	21.5	22.6	23.4	24.2	24.9
H18	15.9	15.9	16.6	17.5	19.0	19.7	20.8	22.1	23.1	24.0	24.7	25.4
H19	15.2	15.3	16.1	17.0	18.5	19.2	20.3	21.5	22.6	23.5	24.2	24.9
H20	15.9	16.0	16.7	17.6	19.1	19.7	20.9	22.1	23.2	24.0	24.8	25.5
H21	15.0	15.1	15.8	16.7	18.2	18.8	20.0	21.2	22.3	23.2	23.9	24.7
H22	15.0	15.1	15.8	16.7	18.2	18.9	20.0	21.2	22.4	23.3	24.0	24.8
H23	15.1	15.2	15.9	16.7	18.2	18.9	20.1	21.3	22.4	23.3	24.0	24.9
H24	22.4	22.6	23.8	25.2	26.7	27.1	28.1	29.2	30.3	31.1	31.5	31.7
H25	15.9	16.0	16.6	17.5	19.0	19.7	20.8	22.1	23.2	24.0	24.7	25.5
H26	14.8	14.9	15.5	16.4	17.9	18.5	19.7	20.9	22.0	22.9	23.7	24.6
H27	15.4	15.5	16.1	16.9	18.4	19.1	20.2	21.4	22.5	23.4	24.2	25.1
H28	15.2	15.3	15.9	16.7	18.2	18.9	20.0	21.2	22.3	23.3	24.0	25.0
H29	14.5	14.6	15.1	15.8	17.3	18.1	19.2	20.5	21.6	22.5	23.4	24.4
H30	14.7	14.8	15.3	16.0	17.5	18.3	19.5	20.7	21.8	22.8	23.6	24.6
H31	14.5	14.6	15.1	15.8	17.3	18.1	19.3	20.6	21.7	22.6	23.5	24.5
H32	14.6	14.7	15.2	15.9	17.4	18.2	19.4	20.6	21.7	22.7	23.5	24.6
H33	14.1	14.2	14.6	15.1	16.6	17.6	18.8	20.1	21.3	22.4	23.5	24.7
H34	16.4	16.5	17.1	17.8	19.3	20.0	21.1	22.3	23.4	24.3	25.1	26.0
H35	14.8	14.9	15.4	16.1	17.6	18.4	19.6	20.8	21.9	22.9	23.8	24.8
H36	14.0	14.1	14.6	15.2	16.7	17.5	18.7	20.0	21.1	22.1	23.1	24.2
H37	14.4	14.4	14.8	15.3	16.8	17.8	19.1	20.4	21.6	22.7	23.7	25.0
H38	14.8	14.9	15.3	15.9	17.4	18.3	19.5	20.7	21.9	22.8	23.7	24.8
H39	22.0	22.2	23.3	24.6	26.2	26.5	27.5	28.5	29.6	30.5	30.8	31.0
H40	14.8	14.9	15.3	15.9	17.4	18.3	19.5	20.8	22.0	22.9	23.8	24.9
H41	14.8	14.9	15.2	15.7	17.2	18.2	19.5	20.8	22.0	23.1	24.2	25.4
H42	13.9	13.9	14.4	15.0	16.5	17.4	18.6	19.9	21.1	22.0	22.9	24.0
H43	14.6	14.6	15.0	15.5	17.0	18.0	19.2	20.5	21.8	22.9	23.9	25.2
H44	14.6	14.7	15.1	15.8	17.2	18.1	19.4	20.7	21.8	22.8	23.7	24.8
H45	13.9	13.9	14.4	15.0	16.5	17.4	18.6	19.9	21.0	22.0	22.9	24.1

Table 10.9.2: Cumulative Predicted Noise Levels in 30 Degree Sector - Day												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H46	14.9	15.0	15.3	15.8	17.3	18.3	19.6	20.9	22.1	23.3	24.4	25.6
H47	15.1	15.2	15.5	16.0	17.5	18.5	19.8	21.1	22.3	23.5	24.6	25.9
H48	22.5	22.7	23.9	25.3	26.9	27.2	28.2	29.3	30.4	31.3	31.6	31.9
H49	23.0	23.2	24.3	25.6	27.2	27.6	28.7	29.8	31.0	31.9	32.2	32.5
H50	22.9	23.1	24.3	25.7	27.3	27.7	28.7	29.8	31.0	31.8	32.0	32.2
H52	23.2	23.3	24.4	25.7	27.3	27.7	28.8	29.9	31.1	31.9	32.3	32.7
H53	23.0	23.2	24.2	25.5	27.1	27.5	28.7	29.8	31.0	31.8	32.2	32.5
H54	23.1	23.3	24.3	25.6	27.2	27.7	28.9	30.0	31.2	32.0	32.3	32.7
H55	23.0	23.1	24.0	25.1	26.7	27.1	28.1	29.1	30.3	31.1	31.6	32.1
H56	23.3	23.4	24.2	25.1	26.7	27.1	28.1	29.1	30.2	31.1	31.6	32.2
H57	23.3	23.4	24.0	24.9	26.5	26.9	27.9	28.9	30.0	30.9	31.4	32.1
H58	23.1	23.2	23.9	24.9	26.5	26.9	27.9	28.9	30.0	30.9	31.4	32.1
H59	23.1	23.2	23.9	24.9	26.5	26.9	27.9	28.9	30.0	30.9	31.4	32.1
H60	23.2	23.3	24.0	24.9	26.5	26.9	27.9	28.9	30.0	30.9	31.4	32.1
H61	23.2	23.3	24.0	24.9	26.5	26.9	27.9	28.9	30.0	30.9	31.4	32.1
H62	23.3	23.4	24.0	24.9	26.5	26.9	27.9	28.9	30.0	30.9	31.5	32.1
H63	23.2	23.3	24.0	24.9	26.5	26.9	27.9	28.9	30.1	30.9	31.5	32.1
H64	23.2	23.3	24.0	24.9	26.5	27.0	27.9	28.9	30.1	30.9	31.5	32.1
H65	23.2	23.3	24.0	24.9	26.5	27.0	27.9	28.9	30.1	30.9	31.5	32.1
H66	23.3	23.4	24.0	24.9	26.5	27.0	27.9	28.9	30.1	30.9	31.5	32.1
H67	23.5	23.6	24.2	25.0	26.6	27.0	28.0	29.0	30.1	30.9	31.5	32.2
H68	29.3	29.3	29.5	29.6	31.4	31.6	32.0	32.4	32.9	33.5	34.0	34.6
H69	33.6	33.6	33.7	33.7	35.5	35.7	35.9	36.1	36.5	36.9	37.3	37.9
H70	27.2	27.2	27.3	27.6	29.3	29.6	30.0	30.6	31.2	31.9	32.5	33.2
H71	23.1	23.2	23.8	24.7	26.2	26.7	27.6	28.5	29.6	30.5	31.1	31.8
H72	11.0	11.0	11.4	12.0	13.5	14.5	15.8	17.1	18.3	19.3	20.3	21.5
H73	31.0	31.0	31.1	31.2	32.7	33.3	34.1	35.0	36.0	37.0	38.1	39.3
H74	30.9	30.9	31.0	31.1	32.5	33.3	34.3	35.3	36.4	37.6	38.8	40.1
H75	22.3	22.3	22.5	22.8	24.3	25.6	27.1	28.5	29.3	29.8	30.4	32.0
H76	29.2	29.2	29.3	29.4	30.7	31.4	32.2	33.2	34.2	35.2	36.2	37.4
H77	29.3	29.3	29.4	29.5	30.8	31.5	32.3	33.3	34.3	35.3	36.3	37.6
H78	24.0	24.0	24.1	24.5	26.0	27.3	28.8	30.3	30.9	31.2	31.5	33.2
H79	24.8	24.8	24.9	25.2	26.6	27.8	29.2	30.6	31.2	31.5	31.7	33.4
H80	27.4	27.4	27.5	27.8	29.3	30.8	32.3	33.8	34.3	34.4	34.5	36.4
H81	25.3	25.3	25.5	25.7	26.7	27.6	28.6	29.7	30.4	30.8	31.2	32.6

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H82	28.9	28.9	28.9	29.2	30.7	32.2	33.7	35.2	35.8	35.8	35.9	37.8
H83	28.9	28.9	28.9	29.2	30.7	32.2	33.7	35.2	35.8	35.8	35.9	37.8
H84	40.5	40.5	40.5	40.5	40.6	40.8	41.0	41.2	41.4	41.6	41.8	42.0
H85	25.4	25.5	25.6	25.9	26.6	27.1	27.8	28.6	29.3	29.8	30.4	31.2
H86	24.7	24.7	24.8	25.1	25.9	26.4	27.2	28.0	28.7	29.3	29.9	30.8
H87	25.9	25.9	26.1	26.3	27.0	27.4	28.1	28.8	29.5	30.0	30.5	31.4
H88	15.1	15.1	15.6	16.2	17.6	18.5	19.8	21.1	22.2	23.2	24.1	25.2
H89	15.4	15.4	15.9	16.4	17.9	18.8	20.1	21.4	22.5	23.4	24.3	25.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	15.7	15.8	16.2	16.5	17.8	18.8	20.2	21.9	22.9	23.3	24.2	24.7
H2	15.7	15.7	16.1	16.5	17.7	18.7	20.2	21.8	22.8	23.2	24.1	24.7
H3	15.8	15.9	16.3	16.6	17.9	18.8	20.3	22.0	23.0	23.4	24.3	24.8
H4	15.9	15.9	16.3	16.6	17.9	18.9	20.3	22.0	23.0	23.4	24.3	24.8
H5	15.9	16.0	16.4	16.7	18.0	18.9	20.4	22.1	23.1	23.5	24.4	24.9
H6	12.3	12.3	12.7	13.2	14.5	15.5	16.8	18.3	19.4	20.1	21.1	22.1
H7	17.9	18.0	18.5	18.9	20.2	21.1	22.5	24.1	25.1	25.5	26.3	26.8
H8	20.3	20.4	20.9	21.3	22.6	23.5	24.9	26.4	27.4	27.8	28.7	29.1
H9	19.2	19.3	19.7	20.1	21.4	22.3	23.7	25.3	26.3	26.7	27.6	28.1
H10	18.7	18.8	19.3	20.0	21.3	22.0	23.4	24.8	25.8	26.3	27.1	27.5
H11	18.7	18.8	19.3	20.0	21.3	22.1	23.4	24.9	25.9	26.4	27.1	27.6
H12	18.9	19.0	19.6	20.3	21.6	22.4	23.7	25.1	26.1	26.6	27.4	27.8
H13	12.4	12.5	12.9	13.3	14.7	15.6	17.0	18.4	19.5	20.1	21.1	22.0
H14	19.5	19.6	20.2	20.7	22.1	22.8	24.2	25.7	26.7	27.2	28.0	28.4
H15	19.4	19.5	20.0	20.6	21.9	22.7	24.1	25.6	26.6	27.1	27.9	28.4
H16	11.0	11.1	11.5	12.0	13.4	14.4	15.7	17.1	18.2	19.0	19.9	21.0
H17	13.3	13.3	13.7	14.2	15.6	16.6	17.9	19.3	20.4	21.2	22.1	23.1
H18	13.9	13.9	14.3	14.8	16.2	17.2	18.5	19.9	20.9	21.7	22.6	23.6
H19	13.1	13.2	13.6	14.2	15.6	16.5	17.8	19.2	20.3	21.2	22.0	23.1
H20	13.9	14.0	14.4	14.9	16.3	17.2	18.5	19.9	21.0	21.8	22.7	23.6
H21	12.7	12.8	13.2	13.8	15.2	16.1	17.4	18.8	19.9	20.7	21.6	22.6
H22	13.1	13.1	13.5	14.1	15.5	16.5	17.8	19.1	20.2	21.1	22.0	23.1
H23	13.1	13.2	13.6	14.1	15.6	16.5	17.8	19.2	20.3	21.2	22.1	23.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H24	19.9	20.0	20.8	21.7	23.2	23.7	24.9	26.2	27.3	27.9	28.5	28.9
H25	13.9	13.9	14.3	14.8	16.2	17.2	18.5	19.9	21.0	21.8	22.7	23.8
H26	12.7	12.8	13.2	13.7	15.2	16.1	17.4	18.7	19.8	20.7	21.6	22.7
H27	13.3	13.3	13.7	14.2	15.6	16.6	17.9	19.3	20.3	21.2	22.0	23.1
H28	13.2	13.2	13.6	14.1	15.5	16.5	17.8	19.1	20.2	21.1	22.0	23.1
H29	12.6	12.6	13.0	13.4	14.9	15.9	17.3	18.7	19.8	20.6	21.6	22.8
H30	12.9	12.9	13.2	13.7	15.2	16.2	17.5	18.9	19.9	20.8	21.7	22.9
H31	12.7	12.7	13.0	13.5	15.0	16.0	17.3	18.7	19.8	20.7	21.7	22.9
H32	12.7	12.8	13.1	13.6	15.0	16.1	17.4	18.8	19.9	20.8	21.8	23.0
H33	12.8	12.8	13.1	13.4	14.8	16.0	17.4	18.8	20.1	21.2	22.4	23.7
H34	14.5	14.6	14.9	15.4	16.8	17.8	19.1	20.5	21.6	22.4	23.3	24.4
H35	13.0	13.0	13.3	13.8	15.3	16.3	17.7	19.0	20.2	21.1	22.0	23.2
H36	12.1	12.1	12.4	12.9	14.3	15.4	16.7	18.1	19.3	20.3	21.4	22.6
H37	13.1	13.1	13.3	13.6	15.1	16.3	17.7	19.1	20.4	21.5	22.7	24.1
H38	13.0	13.1	13.4	13.8	15.3	16.3	17.7	19.1	20.2	21.1	22.1	23.3
H39	19.8	19.9	20.6	21.4	22.9	23.4	24.5	25.7	26.8	27.4	28.0	28.5
H40	13.1	13.2	13.5	13.9	15.4	16.5	17.8	19.2	20.3	21.3	22.2	23.5
H41	13.5	13.5	13.8	14.1	15.5	16.7	18.1	19.5	20.8	22.0	23.2	24.5
H42	12.1	12.1	12.4	12.9	14.3	15.4	16.7	18.1	19.3	20.3	21.4	22.6
H43	13.3	13.3	13.5	13.8	15.3	16.5	17.9	19.3	20.6	21.8	23.0	24.3
H44	12.7	12.7	13.0	13.5	14.9	16.0	17.3	18.7	19.9	20.9	22.0	23.2
H45	12.2	12.2	12.5	12.9	14.4	15.5	16.8	18.2	19.4	20.4	21.5	22.8
H46	13.7	13.7	13.9	14.2	15.7	16.9	18.3	19.7	21.0	22.2	23.5	24.8
H47	14.0	14.0	14.2	14.5	15.9	17.1	18.5	19.9	21.2	22.5	23.7	25.1
H48	20.3	20.4	21.1	22.0	23.5	24.1	25.2	26.4	27.5	28.2	28.8	29.3
H49	21.1	21.2	21.8	22.6	24.1	24.7	25.9	27.1	28.2	29.0	29.6	30.2
H50	20.7	20.8	21.5	22.4	23.9	24.5	25.6	26.8	27.8	28.5	29.0	29.5
H52	21.4	21.5	22.1	22.9	24.4	25.0	26.2	27.4	28.5	29.2	29.9	30.5
H53	21.3	21.4	22.0	22.8	24.3	24.9	26.1	27.3	28.4	29.1	29.8	30.5
H54	21.3	21.4	22.1	22.9	24.4	25.0	26.2	27.4	28.5	29.3	29.9	30.5
H55	21.8	21.9	22.4	23.0	24.6	25.1	26.2	27.3	28.3	29.2	29.9	30.6
H56	22.4	22.4	22.8	23.3	24.9	25.5	26.4	27.5	28.5	29.4	30.1	31.0
H57	22.5	22.5	22.9	23.4	24.9	25.5	26.5	27.5	28.5	29.4	30.2	31.0
H58	22.3	22.3	22.7	23.2	24.8	25.4	26.3	27.4	28.5	29.3	30.1	30.9
H59	22.3	22.3	22.7	23.2	24.8	25.4	26.4	27.4	28.5	29.3	30.1	30.9

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H60	22.3	22.4	22.7	23.3	24.8	25.4	26.4	27.4	28.5	29.3	30.1	30.9
H61	22.4	22.4	22.8	23.3	24.8	25.4	26.4	27.5	28.5	29.3	30.1	31.0
H62	22.4	22.5	22.9	23.3	24.9	25.5	26.4	27.5	28.5	29.4	30.1	31.0
H63	22.4	22.4	22.8	23.3	24.9	25.4	26.4	27.5	28.5	29.3	30.1	31.0
H64	22.4	22.5	22.8	23.3	24.9	25.5	26.4	27.5	28.5	29.4	30.1	31.0
H65	22.4	22.5	22.8	23.3	24.9	25.5	26.4	27.5	28.5	29.4	30.1	31.0
H66	22.5	22.5	22.9	23.4	24.9	25.5	26.5	27.5	28.5	29.4	30.2	31.0
H67	22.8	22.8	23.1	23.6	25.1	25.7	26.6	27.7	28.7	29.5	30.3	31.2
H68	29.2	29.2	29.3	29.3	31.1	31.3	31.6	32.0	32.5	33.0	33.6	34.3
H69	33.6	33.6	33.6	33.6	35.4	35.6	35.8	36.0	36.3	36.7	37.1	37.7
H70	27.0	27.0	27.1	27.2	28.9	29.2	29.6	30.2	30.8	31.4	32.0	32.8
H71	22.4	22.4	22.8	23.3	24.8	25.4	26.3	27.3	28.4	29.2	30.0	30.8
H72	8.4	8.5	8.8	9.4	10.8	11.8	13.1	14.5	15.7	16.7	17.7	18.9
H73	33.7	33.7	33.7	33.7	35.4	35.8	36.2	36.8	37.4	38.2	39.0	40.1
H74	33.0	33.0	33.0	33.0	34.6	35.1	35.8	36.6	37.4	38.3	39.3	40.5
H75	20.7	20.8	20.9	21.2	22.7	24.0	25.5	26.9	27.8	28.4	29.1	30.7
H76	31.6	31.6	31.7	31.7	33.2	33.8	34.5	35.3	36.2	37.1	38.2	39.4
H77	31.7	31.7	31.7	31.8	33.3	33.8	34.5	35.4	36.3	37.2	38.3	39.5
H78	23.8	23.8	23.8	24.1	25.7	27.1	28.6	30.1	30.7	31.0	31.2	33.0
H79	24.1	24.1	24.2	24.5	26.0	27.3	28.8	30.2	30.8	31.1	31.3	33.0
H80	27.3	27.3	27.3	27.6	29.2	30.6	32.2	33.7	34.2	34.3	34.4	36.3
H81	23.7	23.7	23.8	24.0	25.3	26.4	27.7	29.0	29.7	30.2	30.7	32.2
H82	28.8	28.8	28.8	29.1	30.6	32.1	33.6	35.2	35.7	35.7	35.8	37.7
H83	28.8	28.8	28.8	29.1	30.6	32.1	33.6	35.2	35.7	35.7	35.8	37.7
H84	39.9	39.9	39.9	39.9	40.0	40.2	40.4	40.6	40.9	41.1	41.3	41.6
H85	26.5	26.5	26.6	26.7	27.7	28.2	29.0	29.9	30.7	31.4	32.3	33.4
H86	25.8	25.8	25.9	26.0	27.0	27.6	28.4	29.3	30.2	31.0	31.8	32.9
H87	26.9	26.9	26.9	27.0	27.9	28.5	29.2	30.0	30.8	31.5	32.4	33.4
H88	13.5	13.5	13.8	14.2	15.6	16.8	18.1	19.5	20.7	21.6	22.6	23.9
H89	13.6	13.6	13.9	14.3	15.7	16.8	18.2	19.6	20.8	21.8	22.9	24.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	14.6	14.6	14.8	14.9	16.0	17.2	18.8	20.6	21.7	21.9	22.9	23.5

Table 10.9.4: Cumulative Predicted Noise Levels in 90 Degree Sector - Day												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H2	14.5	14.6	14.8	14.9	16.0	17.2	18.7	20.5	21.6	21.9	22.8	23.4
H3	14.7	14.7	15.0	15.0	16.2	17.3	18.9	20.7	21.8	22.0	23.0	23.6
H4	14.7	14.8	15.0	15.1	16.2	17.3	18.9	20.7	21.8	22.1	23.0	23.6
H5	14.8	14.9	15.1	15.2	16.3	17.4	19.0	20.8	21.9	22.1	23.1	23.7
H6	10.6	10.6	10.9	11.3	12.5	13.5	14.9	16.5	17.7	18.3	19.3	20.1
H7	17.1	17.1	17.4	17.5	18.6	19.7	21.3	23.1	24.1	24.4	25.3	25.8
H8	19.7	19.7	19.9	19.9	21.0	22.2	23.7	25.6	26.6	26.9	27.8	28.4
H9	18.9	18.9	19.1	19.1	20.2	21.4	23.0	24.8	25.8	26.1	27.1	27.7
H10	18.0	18.0	18.3	18.6	19.7	20.7	22.2	23.9	25.0	25.3	26.2	26.7
H11	18.0	18.0	18.3	18.6	19.7	20.7	22.2	23.9	25.0	25.3	26.2	26.7
H12	18.3	18.4	18.7	19.0	20.1	21.1	22.6	24.3	25.3	25.7	26.5	27.1
H13	10.8	10.8	11.1	11.4	12.6	13.7	15.1	16.7	17.8	18.4	19.3	20.1
H14	19.3	19.4	19.6	19.7	20.8	21.9	23.4	25.2	26.3	26.6	27.5	28.1
H15	19.4	19.4	19.7	19.7	20.9	22.0	23.5	25.3	26.3	26.6	27.6	28.1
H16	8.9	9.0	9.3	9.8	11.1	12.1	13.4	14.9	16.1	16.9	17.8	18.9
H17	11.9	11.9	12.2	12.5	13.8	14.9	16.3	17.9	19.0	19.8	20.8	21.8
H18	12.4	12.5	12.8	13.1	14.4	15.5	16.9	18.4	19.6	20.3	21.3	22.2
H19	11.6	11.6	12.0	12.4	13.7	14.7	16.1	17.6	18.8	19.6	20.6	21.7
H20	12.5	12.5	12.9	13.2	14.5	15.5	16.9	18.5	19.6	20.3	21.3	22.3
H21	11.3	11.4	11.7	12.2	13.5	14.5	15.9	17.4	18.6	19.4	20.4	21.4
H22	11.5	11.5	11.9	12.3	13.6	14.7	16.0	17.5	18.7	19.6	20.6	21.7
H23	11.6	11.6	12.0	12.4	13.7	14.7	16.1	17.6	18.8	19.7	20.7	21.7
H24	19.6	19.6	20.1	20.5	21.6	22.5	23.9	25.5	26.6	27.0	27.8	28.3
H25	12.5	12.5	12.9	13.2	14.5	15.5	17.0	18.5	19.7	20.4	21.4	22.4
H26	10.7	10.7	11.1	11.6	12.9	13.9	15.3	16.7	17.9	18.7	19.6	20.6
H27	11.9	12.0	12.3	12.7	14.0	15.1	16.4	17.9	19.1	20.0	21.0	22.0
H28	11.8	11.9	12.2	12.6	13.9	15.0	16.3	17.8	19.0	19.9	20.9	22.0
H29	10.7	10.7	11.1	11.5	12.8	13.8	15.2	16.7	17.9	18.7	19.7	20.7
H30	10.8	10.9	11.2	11.7	13.0	14.0	15.4	16.8	18.0	18.8	19.8	20.8
H31	10.7	10.7	11.1	11.6	12.9	13.9	15.3	16.7	17.9	18.7	19.7	20.8
H32	10.7	10.7	11.1	11.6	12.9	13.9	15.3	16.7	17.9	18.8	19.8	20.8
H33	9.6	9.7	10.0	10.4	11.8	12.8	14.2	15.6	16.8	17.8	18.9	20.0
H34	13.4	13.4	13.7	14.0	15.3	16.4	17.8	19.3	20.5	21.2	22.2	23.2
H35	10.9	11.0	11.3	11.8	13.1	14.2	15.5	17.0	18.1	19.0	20.0	21.1
H36	9.3	9.3	9.8	10.3	11.6	12.5	13.8	15.2	16.4	17.3	18.2	19.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H37	9.8	9.8	10.2	10.6	11.9	13.0	14.3	15.7	17.0	18.0	19.1	20.3
H38	11.0	11.0	11.4	11.8	13.1	14.2	15.5	17.0	18.2	19.1	20.1	21.2
H39	19.9	19.9	20.3	20.7	22.0	22.8	24.0	25.5	26.6	27.0	27.8	28.3
H40	11.1	11.2	11.5	12.0	13.3	14.3	15.7	17.2	18.4	19.3	20.3	21.4
H41	10.2	10.2	10.6	11.0	12.3	13.4	14.7	16.2	17.4	18.4	19.5	20.7
H42	9.2	9.3	9.7	10.3	11.6	12.5	13.9	15.3	16.5	17.3	18.3	19.3
H43	9.9	10.0	10.3	10.7	12.1	13.1	14.5	15.9	17.2	18.2	19.3	20.5
H44	10.8	10.9	11.2	11.6	13.0	14.0	15.4	16.8	18.1	19.0	20.1	21.2
H45	9.2	9.3	9.7	10.2	11.6	12.5	13.8	15.2	16.4	17.3	18.3	19.3
H46	10.2	10.3	10.6	11.0	12.4	13.5	14.8	16.2	17.5	18.5	19.7	20.9
H47	10.4	10.4	10.7	11.2	12.5	13.6	14.9	16.3	17.6	18.7	19.9	21.1
H48	20.5	20.5	20.9	21.4	22.6	23.4	24.7	26.2	27.2	27.8	28.5	29.2
H49	21.5	21.5	21.9	22.3	23.6	24.4	25.6	27.1	28.1	28.7	29.6	30.3
H50	21.1	21.1	21.5	22.0	23.3	24.0	25.2	26.7	27.7	28.2	28.9	29.5
H52	21.9	21.9	22.3	22.7	24.0	24.8	26.0	27.4	28.5	29.1	29.9	30.6
H53	21.8	21.8	22.2	22.6	23.9	24.7	25.9	27.3	28.4	29.0	29.8	30.6
H54	21.7	21.8	22.2	22.6	23.9	24.7	25.9	27.3	28.4	29.0	29.8	30.6
H55	22.1	22.2	22.5	22.9	24.3	25.0	26.1	27.4	28.5	29.1	30.0	30.8
H56	22.6	22.7	22.9	23.3	24.7	25.4	26.4	27.6	28.6	29.4	30.2	31.1
H57	22.8	22.8	23.0	23.3	24.8	25.5	26.5	27.6	28.7	29.4	30.3	31.2
H58	22.6	22.6	22.9	23.2	24.6	25.3	26.4	27.6	28.6	29.3	30.2	31.1
H59	22.6	22.6	22.9	23.2	24.6	25.3	26.4	27.6	28.6	29.3	30.2	31.1
H60	22.6	22.7	22.9	23.2	24.7	25.4	26.4	27.6	28.6	29.4	30.2	31.1
H61	22.7	22.7	23.0	23.3	24.7	25.4	26.4	27.6	28.7	29.4	30.2	31.1
H62	22.7	22.8	23.0	23.3	24.7	25.4	26.5	27.6	28.7	29.4	30.3	31.1
H63	22.7	22.7	23.0	23.3	24.7	25.4	26.4	27.6	28.7	29.4	30.2	31.1
H64	22.7	22.7	23.0	23.3	24.7	25.4	26.5	27.6	28.7	29.4	30.3	31.1
H65	22.7	22.7	23.0	23.3	24.7	25.4	26.5	27.6	28.7	29.4	30.3	31.2
H66	22.7	22.8	23.0	23.3	24.8	25.5	26.5	27.7	28.7	29.4	30.3	31.2
H67	23.0	23.0	23.2	23.5	25.0	25.6	26.6	27.7	28.8	29.5	30.4	31.3
H68	29.2	29.2	29.3	29.3	31.1	31.3	31.6	32.0	32.5	33.0	33.6	34.3
H69	33.6	33.6	33.6	33.6	35.4	35.6	35.8	36.0	36.3	36.7	37.1	37.7
H70	27.0	27.1	27.1	27.2	28.9	29.2	29.7	30.2	30.8	31.4	32.1	32.9
H71	22.7	22.7	23.0	23.4	24.7	25.4	26.4	27.6	28.6	29.3	30.2	31.0
H72	7.9	7.9	8.3	8.8	10.2	11.2	12.5	13.9	15.1	16.1	17.1	18.3

Table 10.9.4: Cumulative Predicted Noise Levels in 90 Degree Sector - Day												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H73	33.7	33.7	33.7	33.7	35.4	35.8	36.2	36.8	37.5	38.2	39.1	40.1
H74	34.3	34.3	34.3	34.3	36.0	36.4	36.9	37.5	38.2	38.9	39.9	40.9
H75	18.6	18.6	18.8	19.1	20.5	21.8	23.2	24.7	25.8	26.7	27.7	29.2
H76	32.7	32.7	32.7	32.8	34.3	34.8	35.4	36.1	36.8	37.6	38.6	39.7
H77	32.8	32.8	32.8	32.9	34.4	34.9	35.4	36.1	36.9	37.7	38.7	39.8
H78	22.2	22.2	22.2	22.6	24.0	25.5	26.9	28.4	29.1	29.5	29.8	31.6
H79	24.0	24.0	24.1	24.4	25.9	27.3	28.7	30.2	30.8	31.0	31.3	33.0
H80	27.3	27.3	27.3	27.6	29.1	30.6	32.2	33.7	34.2	34.3	34.4	36.3
H81	23.8	23.9	23.9	24.2	25.5	26.8	28.1	29.5	30.3	30.9	31.6	33.2
H82	28.8	28.8	28.8	29.1	30.6	32.1	33.6	35.2	35.7	35.7	35.8	37.7
H83	28.8	28.8	28.8	29.1	30.6	32.1	33.6	35.2	35.7	35.7	35.8	37.7
H84	38.5	38.5	38.5	38.6	38.7	39.0	39.2	39.5	39.8	40.2	40.5	41.0
H85	27.0	27.0	27.1	27.2	28.2	28.7	29.4	30.3	31.0	31.7	32.6	33.6
H86	26.3	26.3	26.4	26.5	27.6	28.1	28.9	29.7	30.5	31.3	32.1	33.2
H87	27.3	27.3	27.3	27.4	28.4	28.9	29.6	30.4	31.1	31.8	32.6	33.6
H88	11.4	11.5	11.8	12.2	13.6	14.6	16.0	17.5	18.7	19.6	20.6	21.8
H89	11.9	11.9	12.2	12.6	13.9	15.0	16.4	17.9	19.1	20.0	21.1	22.2

Table 10.9.5: Cumulative Predicted Noise Levels in 120 Degree Sector - Day												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	14.9	15.0	15.2	15.2	16.0	17.2	18.9	20.8	21.9	22.2	23.0	23.5
H2	14.9	14.9	15.1	15.1	15.9	17.2	18.8	20.7	21.9	22.1	22.9	23.5
H3	15.0	15.1	15.3	15.3	16.1	17.3	19.0	20.9	22.0	22.3	23.1	23.6
H4	15.1	15.1	15.3	15.3	16.1	17.3	19.0	20.9	22.1	22.3	23.1	23.6
H5	15.2	15.2	15.4	15.4	16.2	17.4	19.1	21.0	22.2	22.4	23.2	23.7
H6	10.5	10.6	11.0	11.3	12.0	13.0	14.5	16.3	17.4	17.9	18.7	19.3
H7	18.2	18.2	18.4	18.4	19.1	20.4	22.1	24.0	25.1	25.4	26.2	26.7
H8	21.3	21.3	21.4	21.2	22.1	23.5	25.2	27.2	28.3	28.5	29.3	29.9
H9	20.8	20.8	20.9	20.7	21.6	22.9	24.7	26.7	27.8	28.0	28.8	29.4
H10	19.2	19.2	19.5	19.5	20.3	21.5	23.1	25.0	26.2	26.4	27.2	27.7
H11	19.2	19.3	19.5	19.5	20.3	21.5	23.2	25.0	26.2	26.4	27.2	27.7
H12	19.8	19.8	20.1	20.1	20.8	22.1	23.7	25.6	26.7	27.0	27.8	28.3
H13	11.1	11.2	11.5	11.8	12.5	13.6	15.1	16.9	18.0	18.4	19.2	19.8
H14	21.6	21.6	21.8	21.6	22.4	23.8	25.5	27.4	28.6	28.8	29.6	30.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H15	21.9	21.9	22.1	21.9	22.7	24.1	25.8	27.7	28.9	29.1	29.9	30.4
H16	8.5	8.5	9.0	9.5	10.2	11.2	12.6	14.2	15.4	15.9	16.7	17.4
H17	11.9	12.0	12.3	12.6	13.4	14.5	16.0	17.7	18.9	19.4	20.2	20.9
H18	12.7	12.7	13.1	13.4	14.1	15.2	16.7	18.5	19.6	20.1	20.9	21.6
H19	11.3	11.4	11.8	12.3	13.0	14.0	15.4	17.1	18.3	18.8	19.6	20.3
H20	12.7	12.8	13.1	13.4	14.1	15.2	16.8	18.5	19.7	20.1	20.9	21.6
H21	11.0	11.1	11.5	12.0	12.7	13.7	15.1	16.8	17.9	18.5	19.3	20.1
H22	11.1	11.1	11.6	12.1	12.8	13.8	15.2	16.8	18.0	18.6	19.4	20.2
H23	11.2	11.2	11.7	12.2	12.9	13.9	15.3	16.9	18.1	18.7	19.5	20.2
H24	22.0	22.0	22.3	22.3	23.1	24.3	25.9	27.7	28.9	29.2	29.9	30.4
H25	12.7	12.7	13.1	13.4	14.2	15.2	16.8	18.5	19.6	20.1	20.9	21.6
H26	10.5	10.6	11.1	11.6	12.3	13.3	14.7	16.3	17.4	18.0	18.7	19.4
H27	11.7	11.8	12.2	12.7	13.4	14.4	15.8	17.5	18.7	19.2	20.0	20.8
H28	11.4	11.5	11.9	12.4	13.1	14.1	15.6	17.2	18.4	19.0	19.8	20.5
H29	10.5	10.5	11.0	11.5	12.2	13.2	14.6	16.2	17.4	18.0	18.7	19.5
H30	10.6	10.6	11.1	11.7	12.4	13.3	14.7	16.3	17.5	18.1	18.8	19.5
H31	10.4	10.5	11.0	11.5	12.2	13.2	14.6	16.2	17.4	18.0	18.7	19.4
H32	10.2	10.3	10.8	11.4	12.1	13.0	14.4	16.0	17.2	17.8	18.6	19.3
H33	9.2	9.3	9.8	10.3	11.0	12.0	13.4	14.9	16.1	16.9	17.7	18.6
H34	13.6	13.7	14.0	14.3	15.1	16.2	17.7	19.4	20.6	21.2	22.0	22.8
H35	10.5	10.5	11.0	11.6	12.3	13.3	14.7	16.2	17.4	18.0	18.8	19.6
H36	9.4	9.5	10.0	10.7	11.3	12.2	13.5	15.1	16.2	16.9	17.6	18.4
H37	9.2	9.2	9.8	10.4	11.1	12.0	13.4	14.9	16.1	16.9	17.7	18.6
H38	10.4	10.5	11.0	11.6	12.3	13.2	14.6	16.2	17.4	18.0	18.8	19.6
H39	22.2	22.2	22.5	22.6	23.4	24.5	26.1	27.9	29.0	29.3	30.0	30.6
H40	10.7	10.7	11.2	11.8	12.5	13.4	14.9	16.4	17.6	18.2	19.0	19.8
H41	9.6	9.6	10.2	10.7	11.5	12.4	13.8	15.3	16.5	17.3	18.2	19.1
H42	9.3	9.4	10.0	10.6	11.3	12.2	13.6	15.1	16.3	16.9	17.7	18.4
H43	9.3	9.3	9.8	10.4	11.2	12.1	13.5	15.0	16.2	17.0	17.9	18.8
H44	10.4	10.4	10.9	11.5	12.2	13.2	14.6	16.1	17.3	18.0	18.8	19.6
H45	9.2	9.3	9.9	10.5	11.2	12.1	13.4	14.9	16.1	16.8	17.5	18.3
H46	9.4	9.5	10.0	10.6	11.3	12.3	13.6	15.1	16.3	17.2	18.1	19.0
H47	9.4	9.5	10.0	10.6	11.4	12.3	13.7	15.1	16.3	17.2	18.1	19.1
H48	23.2	23.2	23.5	23.6	24.4	25.5	27.0	28.7	29.8	30.2	31.0	31.6
H49	24.2	24.2	24.5	24.6	25.4	26.5	27.9	29.6	30.7	31.1	31.9	32.6

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H50	24.0	24.0	24.3	24.4	25.2	26.2	27.7	29.4	30.5	30.8	31.6	32.1
H52	24.4	24.5	24.7	24.9	25.7	26.8	28.2	29.9	31.0	31.4	32.2	32.8
H53	24.4	24.4	24.6	24.8	25.7	26.7	28.1	29.8	30.9	31.3	32.1	32.8
H54	24.3	24.3	24.6	24.7	25.6	26.6	28.1	29.7	30.8	31.3	32.0	32.7
H55	24.1	24.2	24.5	24.7	25.6	26.6	27.9	29.4	30.5	31.0	31.8	32.5
H56	24.3	24.3	24.6	24.8	25.8	26.7	27.9	29.4	30.5	31.0	31.8	32.6
H57	24.3	24.4	24.6	24.8	25.9	26.7	27.9	29.4	30.4	31.0	31.8	32.6
H58	24.3	24.3	24.6	24.8	25.8	26.7	27.9	29.4	30.5	31.0	31.8	32.6
H59	24.3	24.3	24.6	24.8	25.8	26.7	27.9	29.4	30.5	31.0	31.8	32.6
H60	24.3	24.3	24.6	24.8	25.8	26.7	27.9	29.4	30.5	31.0	31.9	32.6
H61	24.3	24.4	24.6	24.8	25.8	26.7	28.0	29.4	30.5	31.0	31.9	32.6
H62	24.3	24.4	24.6	24.8	25.8	26.7	27.9	29.4	30.4	31.0	31.8	32.6
H63	24.3	24.4	24.6	24.8	25.8	26.7	27.9	29.4	30.5	31.0	31.9	32.6
H64	24.3	24.4	24.6	24.8	25.9	26.7	28.0	29.4	30.5	31.0	31.9	32.6
H65	24.3	24.4	24.6	24.8	25.9	26.7	28.0	29.4	30.5	31.0	31.9	32.6
H66	24.4	24.4	24.6	24.8	25.9	26.7	28.0	29.4	30.5	31.0	31.9	32.6
H67	24.4	24.4	24.7	24.9	25.9	26.8	27.9	29.3	30.4	31.0	31.8	32.6
H68	29.4	29.4	29.5	29.5	31.2	31.5	31.9	32.4	32.9	33.4	34.0	34.7
H69	33.6	33.6	33.6	33.7	35.5	35.6	35.8	36.1	36.5	36.8	37.3	37.9
H70	27.4	27.4	27.5	27.6	29.2	29.5	30.1	30.9	31.6	32.1	32.8	33.5
H71	24.3	24.3	24.6	24.9	25.9	26.7	27.9	29.3	30.4	31.0	31.8	32.5
H72	9.3	9.3	9.8	10.3	11.2	12.2	13.6	15.0	16.3	17.2	18.2	19.3
H73	33.5	33.5	33.6	33.6	35.3	35.7	36.2	36.8	37.5	38.2	39.1	40.1
H74	34.1	34.1	34.1	34.2	35.9	36.3	36.8	37.4	38.2	39.0	39.9	40.9
H75	18.6	18.6	18.8	19.2	20.3	21.5	22.9	24.4	25.6	26.6	27.7	29.0
H76	32.6	32.6	32.6	32.7	34.3	34.7	35.3	36.1	36.9	37.7	38.6	39.7
H77	32.5	32.5	32.6	32.6	34.2	34.7	35.3	36.1	36.9	37.7	38.7	39.8
H78	19.8	19.8	20.0	20.4	21.6	22.8	24.2	25.7	26.6	27.2	28.0	29.4
H79	24.4	24.4	24.5	24.8	26.2	27.6	29.0	30.5	31.1	31.4	31.6	33.3
H80	26.3	26.3	26.3	26.6	28.1	29.5	31.0	32.6	33.1	33.3	33.4	35.3
H81	26.0	26.0	26.1	26.3	27.6	28.8	30.2	31.6	32.6	33.5	34.6	36.0
H82	28.9	28.9	28.9	29.2	30.7	32.2	33.7	35.2	35.8	35.8	35.9	37.8
H83	28.9	28.9	28.9	29.2	30.7	32.2	33.7	35.2	35.8	35.8	35.9	37.8
H84	37.8	37.8	37.8	37.8	38.0	38.3	38.6	38.9	39.3	39.6	40.0	40.6
H85	27.4	27.4	27.5	27.6	28.5	29.1	29.9	30.8	31.7	32.3	33.1	34.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H86	26.8	26.8	26.9	27.0	27.9	28.6	29.4	30.4	31.3	31.9	32.7	33.7
H87	27.6	27.6	27.7	27.8	28.7	29.2	30.0	30.9	31.7	32.4	33.1	34.1
H88	10.9	11.0	11.5	12.0	12.7	13.7	15.1	16.7	17.8	18.5	19.3	20.1
H89	11.7	11.7	12.1	12.6	13.3	14.3	15.8	17.4	18.6	19.2	20.0	20.8

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	17.7	17.7	17.8	17.7	18.6	19.9	21.7	23.7	24.8	24.8	25.8	26.3
H2	17.6	17.6	17.7	17.6	18.5	19.8	21.6	23.6	24.7	24.7	25.7	26.2
H3	17.8	17.8	17.9	17.8	18.7	20.0	21.8	23.8	24.9	24.9	25.9	26.4
H4	17.8	17.8	17.9	17.8	18.7	20.0	21.8	23.8	24.9	24.9	25.9	26.4
H5	17.9	17.9	18.0	17.9	18.8	20.1	21.9	23.9	25.0	25.0	26.0	26.5
H6	13.3	13.4	13.6	13.5	14.3	15.5	17.1	19.0	20.1	20.3	21.2	21.7
H7	21.7	21.7	21.8	21.7	22.6	24.0	25.7	27.7	28.9	28.9	29.9	30.4
H8	25.2	25.2	25.2	25.1	26.0	27.5	29.3	31.3	32.4	32.4	33.4	33.9
H9	24.9	24.9	24.9	24.8	25.7	27.2	28.9	31.0	32.1	32.1	33.1	33.6
H10	23.0	23.1	23.1	23.0	23.9	25.3	27.0	29.0	30.1	30.2	31.2	31.6
H11	23.1	23.1	23.2	23.1	23.9	25.3	27.0	29.0	30.2	30.2	31.2	31.7
H12	23.7	23.7	23.8	23.7	24.6	25.9	27.7	29.7	30.8	30.8	31.8	32.3
H13	14.3	14.4	14.5	14.4	15.2	16.5	18.2	20.1	21.2	21.3	22.3	22.8
H14	25.3	25.3	25.4	25.3	26.2	27.6	29.4	31.4	32.5	32.5	33.5	34.0
H15	25.4	25.4	25.5	25.4	26.3	27.7	29.5	31.5	32.6	32.6	33.6	34.1
H16	11.4	11.5	11.7	11.7	12.4	13.6	15.2	16.9	18.1	18.3	19.2	19.8
H17	15.4	15.4	15.6	15.5	16.3	17.6	19.2	21.1	22.3	22.4	23.3	23.9
H18	16.3	16.3	16.5	16.4	17.2	18.5	20.2	22.1	23.2	23.3	24.3	24.8
H19	14.6	14.7	14.9	14.8	15.6	16.8	18.4	20.2	21.3	21.5	22.4	23.0
H20	16.3	16.3	16.5	16.4	17.2	18.5	20.1	22.1	23.2	23.3	24.3	24.8
H21	14.3	14.3	14.6	14.5	15.2	16.4	18.0	19.8	20.9	21.2	22.1	22.6
H22	14.3	14.4	14.6	14.6	15.3	16.4	18.0	19.8	20.9	21.2	22.1	22.6
H23	14.4	14.5	14.8	14.7	15.4	16.6	18.2	20.0	21.1	21.3	22.2	22.7
H24	25.7	25.7	25.8	25.7	26.5	27.9	29.6	31.6	32.7	32.8	33.7	34.2
H25	16.3	16.4	16.5	16.5	17.3	18.5	20.2	22.1	23.2	23.3	24.3	24.8
H26	13.9	14.0	14.2	14.2	14.9	16.0	17.6	19.3	20.5	20.7	21.6	22.1
H27	15.1	15.2	15.4	15.4	16.1	17.3	18.9	20.7	21.8	22.1	23.0	23.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H28	14.8	14.9	15.1	15.0	15.8	16.9	18.5	20.3	21.5	21.7	22.6	23.1
H29	13.9	14.0	14.3	14.2	14.9	16.0	17.6	19.4	20.5	20.8	21.6	22.2
H30	14.0	14.1	14.3	14.3	15.0	16.1	17.6	19.4	20.5	20.8	21.6	22.2
H31	13.9	13.9	14.2	14.2	14.9	16.0	17.5	19.3	20.4	20.7	21.6	22.1
H32	13.6	13.7	14.0	13.9	14.6	15.7	17.2	18.9	20.1	20.4	21.2	21.8
H33	12.4	12.5	12.8	12.7	13.4	14.5	15.9	17.6	18.8	19.2	20.1	20.7
H34	17.0	17.0	17.2	17.1	17.9	19.2	20.8	22.7	23.8	24.0	24.9	25.5
H35	13.8	13.9	14.2	14.1	14.8	15.9	17.5	19.2	20.4	20.7	21.5	22.1
H36	12.9	13.0	13.3	13.3	13.9	15.0	16.4	18.1	19.3	19.6	20.4	21.0
H37	12.2	12.3	12.6	12.6	13.3	14.3	15.8	17.4	18.6	19.0	19.9	20.6
H38	13.8	13.9	14.2	14.1	14.8	15.9	17.4	19.1	20.3	20.6	21.4	22.0
H39	25.6	25.6	25.7	25.6	26.5	27.8	29.5	31.4	32.5	32.6	33.5	34.0
H40	14.1	14.2	14.5	14.4	15.1	16.2	17.7	19.5	20.6	20.9	21.8	22.3
H41	12.6	12.7	13.0	13.0	13.7	14.7	16.2	17.9	19.0	19.5	20.4	21.0
H42	12.9	13.0	13.3	13.2	13.9	14.9	16.4	18.1	19.3	19.6	20.5	21.0
H43	12.3	12.4	12.7	12.6	13.3	14.4	15.8	17.5	18.6	19.1	20.0	20.6
H44	13.8	13.9	14.2	14.1	14.8	15.9	17.4	19.2	20.3	20.6	21.5	22.0
H45	12.7	12.8	13.1	13.1	13.7	14.8	16.2	17.9	19.1	19.4	20.3	20.9
H46	12.3	12.4	12.8	12.7	13.4	14.4	15.9	17.5	18.7	19.1	20.0	20.7
H47	12.2	12.3	12.7	12.6	13.3	14.3	15.8	17.4	18.6	19.0	19.9	20.6
H48	25.8	25.8	26.0	25.9	26.7	27.9	29.5	31.4	32.5	32.6	33.5	34.0
H49	25.8	25.8	26.0	25.9	26.7	27.8	29.4	31.1	32.2	32.4	33.3	33.9
H50	25.7	25.8	25.9	25.9	26.6	27.7	29.3	31.0	32.1	32.3	33.2	33.6
H52	25.8	25.9	26.1	26.0	26.8	27.9	29.4	31.1	32.2	32.5	33.4	33.9
H53	25.8	25.8	26.0	26.0	26.7	27.8	29.4	31.1	32.2	32.4	33.3	33.9
H54	25.9	26.0	26.2	26.1	27.0	28.0	29.5	31.2	32.3	32.5	33.4	34.0
H55	25.7	25.8	26.0	26.0	26.8	27.8	29.2	30.7	31.9	32.2	33.1	33.7
H56	25.7	25.7	25.9	25.9	26.8	27.8	29.1	30.6	31.7	32.1	33.0	33.7
H57	25.7	25.8	26.0	25.9	26.9	27.8	29.1	30.6	31.7	32.2	33.0	33.7
H58	25.7	25.7	26.0	25.9	26.8	27.8	29.1	30.6	31.7	32.1	33.0	33.7
H59	25.7	25.8	26.0	25.9	26.9	27.8	29.1	30.6	31.7	32.1	33.0	33.7
H60	25.7	25.7	26.0	25.9	26.8	27.8	29.1	30.6	31.7	32.1	33.0	33.7
H61	25.7	25.7	26.0	25.9	26.9	27.8	29.1	30.6	31.7	32.1	33.0	33.7
H62	25.7	25.8	26.0	25.9	26.9	27.8	29.1	30.6	31.7	32.1	33.0	33.7
H63	25.7	25.8	26.0	25.9	26.9	27.8	29.1	30.6	31.7	32.1	33.0	33.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H64	25.7	25.8	26.0	25.9	26.9	27.8	29.1	30.6	31.7	32.1	33.0	33.7
H65	25.7	25.8	26.0	25.9	26.9	27.8	29.1	30.6	31.7	32.1	33.0	33.7
H66	25.7	25.8	26.0	25.9	26.9	27.8	29.1	30.6	31.7	32.1	33.0	33.7
H67	25.7	25.8	26.0	26.0	26.9	27.8	29.1	30.6	31.7	32.1	33.0	33.7
H68	29.9	29.9	30.0	29.9	31.5	31.9	32.4	33.1	33.7	34.1	34.8	35.4
H69	33.8	33.8	33.8	33.8	35.6	35.8	36.0	36.4	36.8	37.2	37.7	38.2
H70	28.1	28.1	28.2	28.2	29.6	30.1	30.8	31.7	32.5	32.9	33.7	34.4
H71	25.8	25.9	26.1	26.1	27.0	27.8	29.1	30.5	31.7	32.1	32.9	33.6
H72	13.1	13.2	13.5	13.5	14.3	15.4	16.8	18.4	19.6	20.4	21.4	22.4
H73	33.7	33.7	33.7	33.7	35.4	35.8	36.3	37.0	37.7	38.4	39.3	40.3
H74	34.2	34.2	34.2	34.2	35.9	36.4	36.9	37.6	38.4	39.1	40.0	41.1
H75	20.6	20.6	20.9	20.9	21.9	23.0	24.4	25.9	27.1	27.9	28.9	30.1
H76	32.6	32.6	32.7	32.7	34.3	34.8	35.4	36.2	37.0	37.9	38.8	39.9
H77	32.6	32.6	32.7	32.7	34.3	34.8	35.5	36.3	37.1	37.9	38.9	40.0
H78	21.2	21.3	21.5	21.5	22.5	23.6	25.0	26.4	27.5	28.2	29.1	30.2
H79	24.0	24.0	24.2	24.2	25.4	26.4	27.7	29.0	29.9	30.4	31.0	32.2
H80	24.9	24.9	25.0	25.2	26.5	27.8	29.2	30.7	31.4	31.7	32.2	33.7
H81	28.2	28.2	28.3	28.3	29.7	30.8	32.0	33.4	34.5	35.4	36.5	37.8
H82	27.8	27.8	27.8	28.0	29.5	30.9	32.4	33.9	34.5	34.6	34.9	36.6
H83	27.8	27.8	27.8	28.0	29.5	30.9	32.4	33.9	34.5	34.6	34.9	36.6
H84	37.7	37.7	37.7	37.7	37.9	38.2	38.5	38.8	39.2	39.6	40.0	40.5
H85	28.1	28.1	28.2	28.2	29.1	29.7	30.6	31.6	32.5	33.1	33.8	34.7
H86	27.5	27.6	27.7	27.7	28.6	29.2	30.1	31.2	32.1	32.7	33.5	34.4
H87	28.2	28.3	28.4	28.4	29.2	29.8	30.6	31.6	32.5	33.1	33.8	34.7
H88	14.4	14.4	14.7	14.6	15.4	16.5	18.0	19.8	20.9	21.2	22.1	22.6
H89	15.3	15.3	15.6	15.5	16.2	17.4	19.0	20.8	21.9	22.2	23.1	23.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	22.0	22.0	22.1	22.5	23.5	24.9	26.7	28.7	29.3	29.3	30.8	31.3
H2	21.9	21.9	22.0	22.5	23.4	24.8	26.6	28.6	29.2	29.2	30.7	31.2
H3	22.1	22.1	22.2	22.6	23.6	25.0	26.8	28.8	29.4	29.4	30.9	31.4
H4	22.1	22.1	22.2	22.7	23.6	25.0	26.8	28.8	29.4	29.4	31.0	31.4
H5	22.2	22.2	22.3	22.8	23.7	25.1	26.9	28.9	29.5	29.5	31.0	31.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H6	17.5	17.5	17.7	18.1	18.9	20.2	21.9	23.9	24.5	24.6	26.0	26.5
H7	25.4	25.5	25.5	26.0	26.9	28.3	30.1	32.2	32.7	32.8	34.3	34.8
H8	27.7	27.7	27.7	28.2	29.1	30.6	32.4	34.4	35.0	35.0	36.6	37.1
H9	27.1	27.1	27.1	27.6	28.5	30.0	31.8	33.8	34.4	34.4	36.0	36.5
H10	26.2	26.3	26.3	26.8	27.7	29.1	30.9	32.9	33.5	33.5	35.0	35.5
H11	26.3	26.3	26.4	26.8	27.7	29.2	30.9	33.0	33.5	33.6	35.1	35.6
H12	26.4	26.5	26.5	27.0	27.9	29.3	31.1	33.1	33.7	33.7	35.2	35.7
H13	18.5	18.6	18.7	19.1	20.0	21.3	23.1	25.0	25.7	25.7	27.2	27.7
H14	27.3	27.3	27.3	27.8	28.7	30.1	31.9	34.0	34.6	34.6	36.1	36.6
H15	27.0	27.0	27.1	27.5	28.5	29.9	31.7	33.7	34.3	34.3	35.8	36.3
H16	15.1	15.2	15.4	15.8	16.5	17.8	19.4	21.3	22.0	22.1	23.5	24.0
H17	18.5	18.5	18.7	19.1	19.9	21.2	22.9	24.9	25.5	25.6	27.0	27.5
H18	19.3	19.4	19.5	19.9	20.8	22.1	23.8	25.7	26.3	26.4	27.9	28.4
H19	17.7	17.7	17.9	18.3	19.1	20.3	22.0	23.9	24.5	24.7	26.1	26.6
H20	19.3	19.3	19.5	19.9	20.7	22.0	23.7	25.7	26.3	26.4	27.8	28.3
H21	17.4	17.4	17.7	18.0	18.8	20.0	21.6	23.5	24.1	24.3	25.7	26.1
H22	17.5	17.5	17.8	18.1	18.9	20.1	21.7	23.5	24.2	24.4	25.7	26.2
H23	17.5	17.5	17.8	18.2	18.9	20.1	21.7	23.5	24.2	24.4	25.7	26.2
H24	26.7	26.7	26.8	27.3	28.1	29.5	31.2	33.1	33.7	33.8	35.3	35.7
H25	19.1	19.2	19.4	19.8	20.6	21.8	23.5	25.4	26.0	26.2	27.6	28.1
H26	17.1	17.1	17.4	17.8	18.5	19.6	21.2	23.0	23.7	23.9	25.2	25.7
H27	18.0	18.1	18.4	18.7	19.5	20.7	22.3	24.1	24.8	25.0	26.3	26.8
H28	17.7	17.7	18.0	18.4	19.1	20.3	21.9	23.7	24.4	24.6	25.9	26.4
H29	17.1	17.2	17.5	17.8	18.5	19.6	21.2	23.0	23.7	23.9	25.2	25.7
H30	17.2	17.3	17.6	17.9	18.6	19.7	21.3	23.0	23.7	24.0	25.2	25.7
H31	17.0	17.1	17.4	17.7	18.4	19.5	21.1	22.9	23.6	23.8	25.1	25.6
H32	16.7	16.8	17.2	17.5	18.1	19.2	20.8	22.5	23.3	23.5	24.8	25.2
H33	15.7	15.8	16.2	16.4	17.1	18.2	19.7	21.4	22.2	22.5	23.7	24.2
H34	19.6	19.6	19.8	20.2	21.0	22.2	23.8	25.7	26.4	26.5	27.9	28.4
H35	16.8	16.9	17.3	17.6	18.2	19.3	20.9	22.6	23.4	23.6	24.9	25.3
H36	16.1	16.2	16.6	16.9	17.5	18.5	20.0	21.7	22.5	22.8	24.0	24.5
H37	15.5	15.7	16.0	16.3	16.9	18.0	19.5	21.2	21.9	22.3	23.5	24.0
H38	16.9	17.0	17.3	17.6	18.3	19.3	20.8	22.6	23.3	23.6	24.8	25.3
H39	26.3	26.4	26.5	26.9	27.7	28.9	30.6	32.5	33.1	33.2	34.6	35.0
H40	17.0	17.1	17.5	17.7	18.4	19.5	21.0	22.7	23.4	23.7	24.9	25.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H41	15.8	16.0	16.3	16.6	17.2	18.3	19.8	21.5	22.2	22.6	23.8	24.3
H42	15.9	16.0	16.4	16.7	17.3	18.4	19.8	21.5	22.3	22.6	23.8	24.3
H43	15.5	15.6	16.0	16.3	16.9	18.0	19.4	21.1	21.9	22.2	23.5	24.0
H44	16.7	16.8	17.1	17.4	18.1	19.1	20.6	22.3	23.1	23.4	24.6	25.0
H45	15.8	15.9	16.3	16.5	17.2	18.2	19.6	21.3	22.1	22.4	23.6	24.1
H46	15.4	15.5	15.9	16.1	16.8	17.7	19.2	20.8	21.6	22.0	23.2	23.7
H47	15.3	15.4	15.8	16.0	16.7	17.6	19.1	20.7	21.5	21.9	23.1	23.6
H48	26.2	26.2	26.4	26.8	27.5	28.7	30.3	32.1	32.8	32.9	34.2	34.7
H49	26.0	26.1	26.4	26.7	27.4	28.5	30.0	31.7	32.4	32.6	33.9	34.3
H50	26.1	26.2	26.5	26.8	27.4	28.5	30.0	31.7	32.4	32.6	33.8	34.2
H52	26.3	26.4	26.8	27.0	27.6	28.7	30.1	31.8	32.5	32.8	34.0	34.4
H53	26.2	26.3	26.7	26.9	27.6	28.6	30.1	31.7	32.5	32.7	33.9	34.3
H54	26.4	26.5	26.9	27.1	27.7	28.7	30.1	31.7	32.5	32.8	33.9	34.4
H55	26.3	26.4	26.9	27.1	27.7	28.5	29.9	31.4	32.2	32.6	33.6	34.0
H56	25.9	26.1	26.5	26.7	27.3	28.2	29.6	31.0	31.9	32.3	33.3	33.7
H57	26.0	26.1	26.6	26.8	27.4	28.2	29.6	31.0	31.9	32.3	33.3	33.7
H58	26.1	26.2	26.7	26.9	27.5	28.3	29.6	31.1	31.9	32.4	33.4	33.8
H59	26.1	26.2	26.7	26.9	27.5	28.3	29.7	31.1	32.0	32.4	33.4	33.8
H60	26.0	26.2	26.7	26.9	27.4	28.3	29.6	31.1	31.9	32.3	33.3	33.8
H61	26.0	26.2	26.6	26.8	27.4	28.3	29.6	31.0	31.9	32.3	33.3	33.8
H62	26.0	26.1	26.6	26.8	27.4	28.2	29.6	31.0	31.9	32.3	33.3	33.7
H63	26.0	26.2	26.6	26.8	27.4	28.3	29.6	31.0	31.9	32.3	33.3	33.7
H64	26.0	26.1	26.6	26.8	27.4	28.3	29.6	31.0	31.9	32.3	33.3	33.7
H65	26.0	26.1	26.6	26.8	27.4	28.2	29.6	31.0	31.9	32.3	33.3	33.7
H66	26.0	26.1	26.6	26.8	27.4	28.2	29.6	31.0	31.9	32.3	33.3	33.7
H67	25.9	26.0	26.5	26.7	27.3	28.1	29.5	30.9	31.7	32.2	33.2	33.6
H68	27.4	27.5	27.8	27.9	29.1	29.7	30.6	31.5	32.2	32.7	33.5	33.9
H69	30.2	30.2	30.4	30.4	31.9	32.5	33.0	33.6	34.1	34.4	35.1	35.5
H70	27.4	27.5	27.8	27.9	29.0	29.7	30.5	31.5	32.2	32.6	33.4	33.8
H71	27.0	27.2	27.8	27.9	28.4	29.2	30.4	31.6	32.6	33.2	34.0	34.4
H72	16.9	17.0	17.4	17.5	18.3	19.4	20.7	22.1	23.2	24.2	25.4	26.5
H73	33.8	33.9	33.9	34.0	35.6	36.3	36.8	37.4	38.1	38.8	39.6	40.5
H74	34.3	34.4	34.4	34.5	36.1	36.8	37.3	38.0	38.7	39.4	40.3	41.3
H75	22.8	22.9	23.4	23.5	24.2	25.1	26.3	27.6	28.7	29.6	30.6	31.5
H76	32.8	32.8	33.0	33.0	34.5	35.2	35.8	36.6	37.4	38.2	39.1	40.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H77	32.9	32.9	33.0	33.0	34.6	35.3	35.9	36.7	37.5	38.3	39.2	40.2
H78	23.6	23.8	24.2	24.3	25.1	25.9	27.1	28.3	29.4	30.3	31.2	32.2
H79	25.7	25.8	26.2	26.2	27.2	28.1	29.1	30.2	31.2	32.1	33.0	34.0
H80	25.4	25.5	25.8	26.0	27.0	28.0	29.3	30.6	31.4	31.9	32.5	33.8
H81	28.5	28.5	28.8	28.8	29.9	30.9	32.0	33.2	34.3	35.4	36.5	37.7
H82	27.5	27.6	27.8	27.9	29.2	30.4	31.8	33.2	33.9	34.2	34.5	36.1
H83	27.5	27.6	27.8	27.9	29.2	30.4	31.8	33.2	33.9	34.2	34.5	36.1
H84	37.9	37.9	37.9	37.9	38.2	38.4	38.7	39.1	39.5	39.8	40.3	40.8
H85	28.5	28.6	29.0	29.1	29.8	30.4	31.3	32.2	33.2	33.9	34.7	35.4
H86	28.1	28.2	28.6	28.7	29.4	30.1	31.0	32.0	32.9	33.6	34.4	35.1
H87	29.1	29.2	29.5	29.6	30.2	30.8	31.6	32.5	33.4	34.1	34.8	35.5
H88	17.1	17.2	17.6	17.9	18.5	19.6	21.1	22.8	23.6	23.8	25.1	25.5
H89	17.9	18.0	18.3	18.6	19.3	20.4	21.9	23.7	24.4	24.7	26.0	26.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	23.7	23.7	23.8	24.5	25.7	27.1	28.9	30.5	30.8	30.9	33.0	33.5
H2	23.6	23.6	23.7	24.5	25.6	27.0	28.8	30.4	30.8	30.8	32.9	33.4
H3	23.8	23.8	23.9	24.6	25.8	27.2	29.0	30.6	30.9	31.0	33.1	33.6
H4	23.8	23.8	23.9	24.7	25.8	27.2	29.0	30.6	31.0	31.0	33.1	33.6
H5	23.9	23.9	24.0	24.8	25.9	27.3	29.1	30.7	31.1	31.1	33.2	33.7
H6	19.2	19.2	19.7	20.3	21.2	22.4	24.0	25.5	26.0	26.2	28.1	28.5
H7	26.2	26.2	26.4	27.1	28.3	29.6	31.4	33.0	33.4	33.4	35.5	36.0
H8	28.4	28.4	28.5	29.2	30.4	31.9	33.7	35.3	35.6	35.7	37.8	38.3
H9	27.4	27.4	27.5	28.2	29.4	30.9	32.7	34.3	34.6	34.6	36.8	37.3
H10	26.8	26.8	27.0	27.7	28.8	30.2	31.9	33.5	33.8	33.9	36.0	36.5
H11	26.8	26.8	27.0	27.7	28.8	30.2	31.9	33.5	33.8	33.9	36.0	36.5
H12	27.0	27.0	27.2	27.9	29.0	30.3	32.0	33.6	34.0	34.1	36.1	36.6
H13	19.5	19.6	20.0	20.6	21.6	22.8	24.4	25.9	26.4	26.5	28.4	28.9
H14	27.4	27.4	27.5	28.3	29.4	30.8	32.6	34.2	34.5	34.6	36.7	37.2
H15	27.2	27.2	27.4	28.1	29.2	30.6	32.3	33.9	34.3	34.3	36.5	37.0
H16	16.3	16.4	17.1	17.5	18.3	19.4	20.8	22.2	22.8	23.1	24.8	25.3
H17	19.3	19.4	20.0	20.5	21.4	22.5	24.1	25.5	26.0	26.3	28.1	28.5
H18	20.1	20.2	20.8	21.3	22.2	23.3	24.9	26.3	26.8	27.1	28.9	29.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H19	18.7	18.8	19.5	20.0	20.8	21.8	23.3	24.7	25.3	25.6	27.2	27.7
H20	20.1	20.2	20.8	21.3	22.2	23.3	24.9	26.3	26.8	27.1	28.9	29.3
H21	18.6	18.7	19.5	20.0	20.7	21.6	23.1	24.4	25.0	25.4	27.0	27.4
H22	18.7	18.8	19.7	20.1	20.8	21.7	23.2	24.5	25.1	25.5	27.0	27.4
H23	18.8	18.9	19.7	20.2	20.8	21.8	23.2	24.5	25.1	25.5	27.0	27.5
H24	27.2	27.2	27.6	28.2	29.1	30.4	32.0	33.5	33.9	34.1	36.0	36.5
H25	20.1	20.2	20.9	21.4	22.2	23.2	24.7	26.1	26.7	27.0	28.7	29.1
H26	18.5	18.6	19.6	20.0	20.6	21.5	22.9	24.2	24.9	25.3	26.7	27.1
H27	19.4	19.5	20.3	20.8	21.5	22.4	23.8	25.1	25.8	26.2	27.7	28.1
H28	19.0	19.2	20.0	20.5	21.1	22.1	23.5	24.8	25.4	25.9	27.3	27.7
H29	18.6	18.7	19.7	20.1	20.7	21.5	22.9	24.2	24.9	25.3	26.7	27.1
H30	18.7	18.9	19.8	20.2	20.8	21.7	23.0	24.3	25.0	25.5	26.8	27.2
H31	18.5	18.7	19.6	20.0	20.6	21.5	22.9	24.1	24.8	25.3	26.6	27.1
H32	18.4	18.5	19.5	19.9	20.5	21.3	22.6	23.8	24.6	25.1	26.4	26.8
H33	17.5	17.6	18.6	19.0	19.5	20.3	21.6	22.8	23.6	24.2	25.5	26.0
H34	20.7	20.8	21.5	22.0	22.7	23.7	25.2	26.6	27.2	27.5	29.1	29.5
H35	18.5	18.6	19.6	20.0	20.6	21.4	22.7	23.9	24.7	25.2	26.5	26.9
H36	17.9	18.1	19.2	19.5	20.0	20.8	22.0	23.2	23.9	24.5	25.7	26.2
H37	17.4	17.6	18.6	18.9	19.5	20.3	21.5	22.7	23.5	24.1	25.3	25.8
H38	18.6	18.8	19.8	20.2	20.7	21.5	22.8	24.0	24.8	25.3	26.5	26.9
H39	27.2	27.3	28.0	28.5	29.2	30.3	31.8	33.2	33.7	34.0	35.7	36.1
H40	18.7	18.9	19.9	20.3	20.9	21.6	22.9	24.1	24.9	25.4	26.6	27.0
H41	17.7	17.9	18.9	19.2	19.8	20.6	21.8	23.0	23.8	24.4	25.6	26.1
H42	17.8	18.0	19.1	19.4	19.9	20.7	22.0	23.1	23.9	24.5	25.7	26.2
H43	17.4	17.6	18.6	18.9	19.5	20.2	21.5	22.7	23.5	24.1	25.3	25.8
H44	18.4	18.6	19.7	20.0	20.6	21.3	22.6	23.8	24.6	25.1	26.3	26.7
H45	17.7	17.9	18.9	19.3	19.8	20.5	21.7	22.9	23.7	24.3	25.5	26.0
H46	17.4	17.5	18.6	19.0	19.5	20.2	21.4	22.5	23.4	24.0	25.2	25.7
H47	17.3	17.5	18.6	18.9	19.4	20.1	21.3	22.4	23.3	24.0	25.1	25.6
H48	27.1	27.3	28.0	28.5	29.2	30.1	31.6	32.9	33.5	33.9	35.4	35.8
H49	27.3	27.5	28.4	28.8	29.4	30.2	31.6	32.8	33.5	33.9	35.3	35.6
H50	27.4	27.6	28.5	28.9	29.5	30.3	31.7	32.9	33.6	34.0	35.3	35.7
H52	27.8	28.0	29.1	29.4	30.0	30.7	32.0	33.1	33.9	34.4	35.6	35.9
H53	27.8	27.9	29.0	29.3	29.9	30.6	31.9	33.1	33.9	34.3	35.5	35.9
H54	28.0	28.2	29.3	29.7	30.1	30.8	32.1	33.2	34.0	34.6	35.7	36.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H55	28.2	28.4	29.7	30.0	30.4	31.0	32.2	33.2	34.2	34.8	35.7	35.9
H56	27.7	27.9	29.2	29.5	29.9	30.5	31.8	32.7	33.7	34.3	35.2	35.5
H57	27.8	28.0	29.3	29.6	30.0	30.6	31.8	32.7	33.7	34.3	35.2	35.5
H58	28.0	28.2	29.5	29.8	30.1	30.7	31.9	32.9	33.9	34.5	35.4	35.6
H59	28.0	28.2	29.5	29.8	30.1	30.7	31.9	32.9	33.9	34.5	35.4	35.6
H60	27.9	28.1	29.5	29.7	30.1	30.7	31.9	32.9	33.8	34.5	35.3	35.6
H61	27.9	28.1	29.4	29.7	30.1	30.7	31.9	32.8	33.8	34.4	35.3	35.6
H62	27.8	28.0	29.4	29.6	30.0	30.6	31.8	32.8	33.8	34.4	35.2	35.5
H63	27.9	28.1	29.4	29.7	30.1	30.7	31.9	32.8	33.8	34.4	35.3	35.6
H64	27.9	28.1	29.4	29.7	30.1	30.7	31.9	32.8	33.8	34.4	35.3	35.5
H65	27.9	28.1	29.4	29.7	30.0	30.6	31.8	32.8	33.8	34.4	35.3	35.5
H66	27.9	28.1	29.4	29.6	30.0	30.6	31.8	32.8	33.8	34.4	35.2	35.5
H67	27.7	27.9	29.2	29.4	29.8	30.4	31.6	32.6	33.6	34.2	35.1	35.3
H68	27.4	27.6	28.7	28.9	29.5	30.1	31.0	31.9	32.8	33.4	34.2	34.5
H69	28.6	28.7	29.5	29.7	30.6	31.2	31.9	32.6	33.3	33.9	34.6	34.9
H70	27.0	27.1	28.2	28.5	29.1	29.7	30.7	31.6	32.5	33.1	34.0	34.3
H71	28.1	28.3	29.7	30.0	30.3	30.8	32.0	32.9	33.9	34.6	35.4	35.6
H72	18.4	18.5	19.2	19.4	20.3	21.3	22.6	23.9	25.0	26.0	27.2	28.4
H73	33.4	33.4	33.7	33.8	35.4	35.9	36.2	36.6	37.1	37.6	38.1	38.6
H74	33.8	33.9	34.1	34.2	35.8	36.3	36.6	37.0	37.5	38.0	38.6	39.1
H75	23.5	23.6	24.5	24.7	25.3	26.1	27.2	28.3	29.3	30.1	30.9	31.8
H76	32.5	32.6	32.9	33.0	34.4	35.0	35.6	36.2	36.8	37.5	38.4	39.1
H77	32.6	32.6	33.0	33.0	34.5	35.1	35.6	36.2	36.9	37.6	38.4	39.2
H78	24.3	24.4	25.3	25.5	26.1	26.8	27.9	28.9	29.9	30.7	31.5	32.4
H79	26.2	26.3	27.1	27.2	28.0	28.7	29.7	30.6	31.6	32.5	33.4	34.3
H80	25.9	26.0	26.6	26.8	27.7	28.5	29.7	30.8	31.6	32.2	32.8	33.9
H81	29.1	29.2	29.7	29.8	30.7	31.5	32.5	33.6	34.7	35.7	36.8	37.9
H82	27.6	27.6	28.1	28.3	29.3	30.4	31.7	33.0	33.7	34.1	34.5	35.9
H83	27.6	27.6	28.1	28.3	29.3	30.4	31.7	33.0	33.7	34.1	34.5	35.9
H84	38.7	38.7	38.7	38.7	38.9	39.2	39.5	39.8	40.1	40.5	40.9	41.3
H85	27.8	28.0	28.9	29.0	29.8	30.4	31.3	32.2	33.1	33.9	34.8	35.5
H86	27.5	27.6	28.5	28.7	29.4	30.0	31.0	31.9	32.9	33.7	34.6	35.2
H87	28.0	28.1	28.9	29.1	29.8	30.4	31.3	32.1	33.1	33.9	34.7	35.4
H88	18.8	19.0	20.0	20.4	21.0	21.7	23.0	24.2	25.0	25.5	26.8	27.2
H89	19.5	19.6	20.6	20.9	21.6	22.4	23.8	25.0	25.8	26.3	27.6	28.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	23.9	24.0	24.2	25.0	26.4	27.7	29.4	30.7	31.0	31.1	33.3	34.0
H2	23.8	23.9	24.1	24.9	26.4	27.7	29.4	30.6	30.9	31.0	33.2	33.9
H3	24.0	24.1	24.3	25.1	26.5	27.8	29.5	30.8	31.1	31.2	33.4	34.1
H4	24.0	24.1	24.3	25.1	26.6	27.9	29.6	30.8	31.1	31.2	33.4	34.1
H5	24.1	24.2	24.4	25.2	26.7	28.0	29.7	30.9	31.2	31.3	33.5	34.2
H6	19.3	19.4	19.9	20.9	22.0	23.1	24.7	25.9	26.2	26.5	28.5	29.1
H7	26.5	26.6	26.8	27.7	29.1	30.3	32.0	33.3	33.5	33.7	35.9	36.5
H8	28.5	28.6	28.7	29.4	30.9	32.3	34.1	35.4	35.6	35.6	38.0	38.7
H9	27.5	27.6	27.7	28.4	29.9	31.3	33.1	34.4	34.6	34.6	37.0	37.7
H10	27.1	27.2	27.5	28.5	29.7	31.0	32.6	33.8	34.1	34.3	36.4	37.0
H11	27.2	27.2	27.6	28.5	29.8	31.0	32.6	33.8	34.1	34.3	36.4	37.1
H12	27.3	27.4	27.8	28.7	30.0	31.1	32.8	34.0	34.3	34.5	36.6	37.2
H13	19.7	19.7	20.2	21.2	22.4	23.5	25.0	26.2	26.6	26.9	28.8	29.5
H14	27.7	27.7	27.9	28.7	30.1	31.4	33.1	34.4	34.6	34.7	37.0	37.7
H15	27.5	27.5	27.8	28.6	30.0	31.3	32.9	34.2	34.4	34.6	36.8	37.4
H16	16.7	16.8	17.4	18.6	19.5	20.5	21.9	23.0	23.5	24.0	25.6	26.3
H17	19.6	19.7	20.2	21.3	22.4	23.4	24.9	26.0	26.5	26.9	28.6	29.3
H18	20.3	20.4	21.0	22.1	23.1	24.2	25.7	26.8	27.3	27.6	29.4	30.0
H19	19.0	19.1	19.8	21.0	21.9	22.9	24.3	25.4	25.9	26.4	27.9	28.5
H20	20.3	20.4	21.0	22.1	23.1	24.2	25.7	26.8	27.3	27.6	29.4	30.0
H21	18.8	18.9	19.6	20.8	21.7	22.6	24.0	25.1	25.7	26.2	27.7	28.3
H22	18.8	18.9	19.6	20.8	21.7	22.6	24.0	25.1	25.6	26.1	27.6	28.2
H23	18.8	18.9	19.7	20.9	21.8	22.7	24.0	25.1	25.7	26.2	27.7	28.2
H24	27.7	27.8	28.4	29.5	30.5	31.5	33.0	34.2	34.6	34.9	36.7	37.3
H25	20.2	20.3	20.9	22.0	23.0	24.1	25.5	26.6	27.1	27.5	29.2	29.8
H26	18.5	18.6	19.4	20.6	21.4	22.3	23.7	24.7	25.4	25.9	27.3	28.0
H27	19.3	19.4	20.2	21.3	22.2	23.2	24.6	25.6	26.2	26.7	28.2	28.9
H28	19.0	19.1	19.9	21.0	21.9	22.9	24.2	25.3	25.9	26.4	27.9	28.5
H29	18.3	18.4	19.2	20.4	21.2	22.2	23.5	24.6	25.2	25.7	27.2	27.8
H30	18.5	18.6	19.3	20.5	21.4	22.3	23.6	24.7	25.3	25.9	27.3	27.9
H31	18.3	18.4	19.2	20.3	21.2	22.1	23.5	24.5	25.2	25.7	27.1	27.8
H32	18.1	18.2	19.0	20.2	21.1	21.9	23.3	24.3	25.0	25.5	26.9	27.6
H33	17.2	17.3	18.0	19.2	20.0	20.9	22.2	23.3	24.0	24.6	26.0	26.7
H34	20.6	20.7	21.3	22.5	23.4	24.4	25.9	27.0	27.5	27.9	29.5	30.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H35	18.3	18.4	19.2	20.4	21.2	22.1	23.4	24.4	25.1	25.7	27.1	27.7
H36	17.6	17.7	18.5	19.7	20.5	21.4	22.6	23.7	24.4	25.0	26.3	27.0
H37	17.1	17.2	18.0	19.2	20.0	20.9	22.1	23.2	23.9	24.6	25.9	26.7
H38	18.2	18.4	19.2	20.4	21.2	22.0	23.3	24.4	25.1	25.7	27.0	27.6
H39	27.4	27.5	28.2	29.4	30.3	31.2	32.6	33.7	34.2	34.6	36.2	36.8
H40	18.3	18.5	19.2	20.4	21.3	22.1	23.4	24.5	25.2	25.8	27.1	27.7
H41	17.5	17.6	18.3	19.5	20.3	21.2	22.5	23.5	24.3	24.9	26.3	27.0
H42	17.5	17.6	18.4	19.6	20.4	21.2	22.5	23.6	24.3	24.9	26.2	26.9
H43	17.1	17.3	18.0	19.2	20.0	20.9	22.1	23.2	24.0	24.6	26.0	26.7
H44	18.1	18.2	19.0	20.2	21.0	21.9	23.2	24.2	24.9	25.5	26.8	27.5
H45	17.3	17.4	18.2	19.5	20.2	21.1	22.3	23.4	24.1	24.7	26.0	26.7
H46	17.1	17.3	18.1	19.3	20.0	20.8	22.1	23.1	23.9	24.7	25.9	26.7
H47	17.1	17.2	18.0	19.2	20.0	20.8	22.0	23.1	23.9	24.7	25.9	26.7
H48	27.4	27.5	28.4	29.6	30.4	31.2	32.6	33.6	34.3	34.7	36.1	36.6
H49	27.4	27.5	28.5	29.9	30.5	31.3	32.6	33.5	34.3	34.8	36.0	36.5
H50	27.5	27.7	28.7	30.0	30.7	31.4	32.7	33.6	34.4	35.0	36.1	36.5
H52	27.6	27.7	28.7	30.2	30.8	31.5	32.8	33.7	34.5	35.1	36.2	36.6
H53	27.4	27.6	28.6	30.0	30.7	31.4	32.7	33.6	34.4	35.0	36.1	36.5
H54	27.6	27.7	28.8	30.3	30.9	31.5	32.8	33.7	34.6	35.1	36.2	36.6
H55	27.2	27.4	28.6	30.1	30.6	31.2	32.5	33.3	34.2	34.8	35.8	36.1
H56	26.7	26.9	28.0	29.6	30.1	30.7	32.0	32.8	33.7	34.3	35.3	35.7
H57	26.6	26.8	27.9	29.4	30.0	30.6	31.9	32.7	33.6	34.2	35.2	35.6
H58	26.8	27.0	28.1	29.6	30.2	30.8	32.0	32.9	33.8	34.4	35.4	35.7
H59	26.8	27.0	28.1	29.6	30.2	30.8	32.0	32.9	33.8	34.4	35.3	35.7
H60	26.8	26.9	28.1	29.6	30.2	30.8	32.0	32.8	33.7	34.4	35.3	35.7
H61	26.7	26.9	28.1	29.6	30.1	30.7	32.0	32.8	33.7	34.3	35.3	35.7
H62	26.7	26.8	28.0	29.5	30.1	30.7	31.9	32.7	33.7	34.3	35.2	35.6
H63	26.7	26.9	28.1	29.6	30.1	30.7	32.0	32.8	33.7	34.3	35.3	35.6
H64	26.7	26.9	28.0	29.6	30.1	30.7	31.9	32.8	33.7	34.3	35.3	35.6
H65	26.7	26.9	28.0	29.5	30.1	30.7	31.9	32.8	33.7	34.3	35.3	35.6
H66	26.7	26.8	28.0	29.5	30.1	30.7	31.9	32.7	33.7	34.3	35.2	35.6
H67	26.5	26.7	27.8	29.3	29.9	30.5	31.7	32.6	33.5	34.1	35.1	35.4
H68	26.1	26.3	27.3	28.6	29.3	30.1	31.1	31.9	32.7	33.3	34.2	34.6
H69	27.2	27.3	28.1	29.1	30.1	31.1	32.0	32.6	33.3	33.8	34.6	35.0
H70	25.6	25.8	26.8	28.2	28.8	29.6	30.7	31.5	32.3	32.9	33.9	34.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H71	26.8	27.0	28.3	29.8	30.3	30.9	32.1	32.8	33.8	34.5	35.3	35.6
H72	18.0	18.0	18.5	19.3	20.3	21.4	22.7	23.9	25.0	26.0	27.2	28.4
H73	29.7	29.8	30.2	30.9	32.1	33.5	34.3	34.7	35.2	35.7	36.3	36.8
H74	31.9	31.9	32.2	32.6	34.1	35.7	36.4	36.6	37.0	37.3	37.8	38.2
H75	23.6	23.6	24.3	25.2	26.1	27.0	28.3	29.3	30.2	30.8	31.5	32.5
H76	30.4	30.5	30.8	31.4	32.7	34.2	34.9	35.3	35.8	36.3	36.9	37.4
H77	30.5	30.6	30.9	31.4	32.8	34.3	35.0	35.4	35.9	36.3	37.0	37.4
H78	23.9	23.9	24.6	25.6	26.4	27.3	28.4	29.3	30.2	31.0	31.8	32.7
H79	26.0	26.1	26.6	27.4	28.2	29.2	30.2	31.0	31.9	32.7	33.6	34.4
H80	25.5	25.6	26.1	26.9	27.8	28.8	30.0	31.1	31.8	32.4	33.0	34.1
H81	29.3	29.3	29.6	30.1	31.0	32.1	33.1	34.0	34.9	35.9	37.0	38.1
H82	27.2	27.3	27.6	28.3	29.4	30.5	31.8	33.1	33.7	34.1	34.5	35.9
H83	27.2	27.3	27.6	28.3	29.4	30.5	31.8	33.1	33.7	34.1	34.5	35.9
H84	40.0	40.0	40.1	40.1	40.3	40.5	40.8	41.1	41.4	41.7	42.0	42.4
H85	25.9	26.1	27.0	28.2	28.9	29.7	30.7	31.4	32.3	33.0	33.8	34.2
H86	25.6	25.8	26.7	27.9	28.6	29.4	30.5	31.2	32.1	32.8	33.6	34.0
H87	25.9	26.0	26.9	28.1	28.8	29.6	30.6	31.3	32.2	32.8	33.6	34.1
H88	18.5	18.6	19.4	20.6	21.4	22.3	23.6	24.6	25.3	25.9	27.3	27.9
H89	19.2	19.3	20.0	21.1	22.0	23.0	24.3	25.4	26.0	26.6	28.0	28.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	23.9	24.0	24.2	25.0	26.5	27.8	29.5	30.5	30.8	30.9	33.1	34.0
H2	23.9	23.9	24.1	24.9	26.4	27.7	29.4	30.4	30.7	30.8	33.0	33.9
H3	24.0	24.1	24.3	25.1	26.6	27.9	29.6	30.6	30.9	31.0	33.2	34.1
H4	24.0	24.1	24.3	25.1	26.6	27.9	29.6	30.6	30.9	31.0	33.2	34.1
H5	24.1	24.2	24.4	25.2	26.7	28.0	29.7	30.7	31.0	31.1	33.3	34.2
H6	19.4	19.5	20.0	21.0	22.2	23.3	24.8	25.8	26.3	26.6	28.5	29.4
H7	26.5	26.6	26.8	27.7	29.1	30.3	32.0	33.1	33.3	33.5	35.6	36.5
H8	28.6	28.7	28.8	29.6	31.1	32.5	34.2	35.2	35.4	35.5	37.8	38.8
H9	27.6	27.7	27.8	28.5	30.1	31.4	33.2	34.2	34.4	34.5	36.8	37.8
H10	27.1	27.2	27.5	28.4	29.8	31.0	32.6	33.6	33.9	34.1	36.2	37.1
H11	27.1	27.2	27.5	28.4	29.8	31.0	32.6	33.6	33.9	34.1	36.2	37.1
H12	27.3	27.4	27.7	28.6	30.0	31.2	32.8	33.8	34.1	34.3	36.4	37.2

Table 10.9.10: Cumulative Predicted Noise Levels in 270 Degree Sector - Day												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H13	19.8	19.9	20.3	21.2	22.5	23.6	25.2	26.2	26.6	27.0	28.8	29.7
H14	27.7	27.8	28.0	28.8	30.2	31.5	33.2	34.2	34.5	34.6	36.8	37.7
H15	27.5	27.6	27.9	28.7	30.1	31.3	33.0	34.0	34.3	34.5	36.6	37.5
H16	16.9	17.0	17.6	18.7	19.7	20.7	22.2	23.2	23.8	24.3	25.8	26.7
H17	19.8	19.8	20.4	21.4	22.5	23.6	25.1	26.1	26.7	27.1	28.7	29.6
H18	20.5	20.6	21.1	22.2	23.3	24.4	25.9	26.9	27.4	27.8	29.5	30.3
H19	19.2	19.3	20.0	21.1	22.1	23.1	24.5	25.5	26.1	26.6	28.1	28.9
H20	20.5	20.6	21.1	22.2	23.3	24.4	25.9	26.9	27.4	27.8	29.5	30.3
H21	18.9	19.0	19.7	20.8	21.8	22.8	24.2	25.2	25.8	26.3	27.8	28.6
H22	19.0	19.1	19.8	20.9	21.9	22.9	24.3	25.3	25.9	26.4	27.8	28.6
H23	19.0	19.1	19.8	21.0	22.0	22.9	24.3	25.3	26.0	26.5	27.9	28.7
H24	27.7	27.8	28.3	29.4	30.5	31.5	33.0	34.0	34.4	34.7	36.5	37.3
H25	20.4	20.5	21.1	22.1	23.2	24.3	25.7	26.7	27.3	27.7	29.3	30.2
H26	18.7	18.8	19.5	20.7	21.7	22.6	24.0	24.9	25.7	26.2	27.6	28.4
H27	19.5	19.6	20.2	21.4	22.4	23.3	24.8	25.8	26.4	26.9	28.3	29.2
H28	19.2	19.3	20.0	21.1	22.1	23.0	24.5	25.4	26.1	26.6	28.0	28.8
H29	18.6	18.7	19.3	20.5	21.5	22.4	23.8	24.8	25.5	26.1	27.5	28.3
H30	18.7	18.8	19.5	20.7	21.6	22.6	24.0	24.9	25.7	26.3	27.6	28.4
H31	18.5	18.6	19.3	20.4	21.4	22.4	23.8	24.8	25.5	26.1	27.4	28.3
H32	18.4	18.5	19.2	20.3	21.3	22.2	23.6	24.6	25.4	25.9	27.2	28.1
H33	17.8	17.9	18.5	19.5	20.5	21.5	22.8	23.9	24.7	25.5	26.8	27.8
H34	20.8	20.8	21.4	22.5	23.6	24.6	26.1	27.1	27.7	28.1	29.7	30.5
H35	18.6	18.7	19.4	20.5	21.5	22.4	23.8	24.7	25.5	26.1	27.4	28.2
H36	18.0	18.1	18.8	19.9	20.8	21.7	23.1	24.1	24.9	25.6	26.8	27.7
H37	17.8	17.9	18.5	19.6	20.6	21.5	22.8	23.9	24.8	25.6	26.9	27.9
H38	18.5	18.6	19.4	20.5	21.5	22.4	23.7	24.7	25.5	26.1	27.4	28.2
H39	27.3	27.4	28.1	29.3	30.3	31.2	32.6	33.5	34.1	34.5	36.1	36.8
H40	18.6	18.7	19.5	20.6	21.5	22.5	23.8	24.8	25.6	26.2	27.5	28.3
H41	18.2	18.3	18.9	19.9	20.9	21.8	23.2	24.2	25.1	25.9	27.2	28.2
H42	17.9	18.0	18.7	19.8	20.7	21.6	23.0	24.0	24.9	25.6	26.8	27.7
H43	17.9	18.0	18.6	19.6	20.6	21.5	22.9	23.9	24.8	25.7	27.0	28.0
H44	18.4	18.5	19.2	20.3	21.3	22.2	23.5	24.5	25.3	26.0	27.2	28.1
H45	17.8	17.9	18.6	19.7	20.6	21.5	22.8	23.9	24.7	25.4	26.7	27.6
H46	18.0	18.1	18.7	19.7	20.7	21.6	22.9	24.0	25.0	25.8	27.1	28.1
H47	18.0	18.1	18.7	19.7	20.7	21.6	23.0	24.0	25.0	25.9	27.1	28.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H48	27.3	27.5	28.3	29.5	30.4	31.3	32.6	33.5	34.1	34.6	36.0	36.6
H49	27.3	27.5	28.4	29.7	30.5	31.3	32.6	33.4	34.2	34.7	35.9	36.5
H50	27.4	27.6	28.5	29.9	30.7	31.4	32.7	33.5	34.3	34.9	36.0	36.6
H52	27.5	27.6	28.6	30.0	30.8	31.5	32.8	33.6	34.4	35.0	36.1	36.6
H53	27.4	27.5	28.5	29.9	30.7	31.4	32.7	33.5	34.3	34.9	36.0	36.5
H54	27.5	27.6	28.7	30.1	30.9	31.5	32.8	33.6	34.5	35.1	36.1	36.6
H55	27.1	27.3	28.4	29.9	30.6	31.2	32.5	33.2	34.2	34.8	35.7	36.2
H56	26.6	26.8	27.9	29.4	30.1	30.7	32.0	32.7	33.7	34.3	35.2	35.7
H57	26.5	26.7	27.8	29.3	30.0	30.6	31.9	32.6	33.6	34.2	35.1	35.6
H58	26.7	26.8	28.0	29.5	30.2	30.8	32.1	32.8	33.7	34.4	35.3	35.8
H59	26.7	26.8	28.0	29.5	30.2	30.8	32.0	32.8	33.7	34.4	35.3	35.7
H60	26.6	26.8	28.0	29.5	30.2	30.8	32.0	32.8	33.7	34.4	35.3	35.7
H61	26.6	26.8	27.9	29.4	30.1	30.7	32.0	32.7	33.7	34.3	35.2	35.7
H62	26.5	26.7	27.9	29.4	30.1	30.7	31.9	32.7	33.6	34.3	35.2	35.6
H63	26.6	26.8	27.9	29.4	30.1	30.7	32.0	32.7	33.7	34.3	35.2	35.7
H64	26.6	26.8	27.9	29.4	30.1	30.7	32.0	32.7	33.7	34.3	35.2	35.7
H65	26.6	26.7	27.9	29.4	30.1	30.7	32.0	32.7	33.7	34.3	35.2	35.7
H66	26.5	26.7	27.9	29.4	30.1	30.7	31.9	32.7	33.6	34.3	35.2	35.6
H67	26.4	26.5	27.7	29.2	29.9	30.5	31.8	32.5	33.5	34.1	35.0	35.5
H68	26.0	26.2	27.2	28.5	29.3	30.1	31.4	32.4	33.4	34.0	34.7	35.1
H69	27.2	27.3	28.0	29.0	30.1	31.2	32.6	34.0	35.1	35.4	36.0	36.3
H70	25.4	25.6	26.6	28.0	28.8	29.5	30.8	31.7	32.7	33.2	34.1	34.6
H71	26.7	26.9	28.1	29.6	30.3	30.9	32.1	32.8	33.8	34.5	35.3	35.7
H72	17.9	18.0	18.5	19.2	20.3	21.4	22.8	24.0	25.1	26.1	27.3	28.5
H73	27.9	28.0	28.6	29.5	30.5	31.6	33.1	34.5	35.6	36.0	36.5	36.9
H74	28.9	29.0	29.4	30.2	31.4	32.6	34.2	35.7	36.9	37.2	37.6	37.9
H75	24.2	24.3	24.8	25.6	26.7	27.7	29.0	30.3	31.1	31.6	32.2	33.3
H76	27.8	27.9	28.5	29.4	30.4	31.6	33.0	34.4	35.5	35.9	36.5	36.9
H77	28.1	28.2	28.7	29.6	30.6	31.7	33.1	34.5	35.6	36.0	36.5	36.9
H78	25.1	25.1	25.6	26.4	27.5	28.5	29.8	31.1	31.9	32.4	33.0	34.1
H79	26.0	26.1	26.6	27.3	28.3	29.3	30.6	31.9	33.0	33.6	34.4	35.1
H80	26.1	26.2	26.6	27.3	28.4	29.5	30.9	32.2	33.0	33.4	33.9	35.1
H81	29.3	29.3	29.6	30.1	31.0	32.1	33.3	34.6	35.8	36.6	37.5	38.5
H82	27.5	27.6	27.9	28.5	29.7	30.9	32.3	33.7	34.4	34.7	35.1	36.5
H83	27.5	27.6	27.9	28.5	29.7	30.9	32.3	33.7	34.4	34.7	35.1	36.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H84	40.6	40.6	40.6	40.6	40.8	41.0	41.2	41.5	41.8	42.0	42.2	42.5
H85	24.9	25.1	26.2	27.6	28.3	28.9	30.1	30.9	32.0	32.6	33.3	33.8
H86	24.7	24.8	25.9	27.3	28.0	28.7	29.9	30.7	31.8	32.4	33.1	33.6
H87	24.8	25.0	26.0	27.4	28.1	28.7	29.9	30.8	31.8	32.5	33.2	33.6
H88	18.8	18.9	19.6	20.7	21.7	22.6	24.0	25.0	25.8	26.4	27.7	28.5
H89	19.4	19.5	20.2	21.2	22.2	23.2	24.6	25.7	26.4	27.0	28.3	29.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	24.0	24.0	24.2	25.2	26.3	27.6	29.2	30.3	30.6	30.8	32.9	33.8
H2	23.9	23.9	24.1	25.1	26.2	27.5	29.2	30.2	30.5	30.7	32.8	33.7
H3	24.1	24.1	24.3	25.3	26.4	27.7	29.3	30.4	30.7	30.8	33.0	33.9
H4	24.1	24.1	24.3	25.3	26.4	27.7	29.4	30.4	30.7	30.9	33.0	33.9
H5	24.2	24.2	24.4	25.4	26.5	27.8	29.5	30.5	30.8	31.0	33.1	34.0
H6	19.5	19.6	20.0	21.1	22.0	23.1	24.7	25.7	26.2	26.6	28.4	29.2
H7	26.5	26.6	26.8	27.8	28.9	30.1	31.8	32.8	33.1	33.3	35.4	36.3
H8	28.7	28.7	28.8	29.7	30.9	32.2	33.9	35.0	35.2	35.3	37.6	38.5
H9	27.7	27.7	27.8	28.7	29.9	31.2	32.9	34.0	34.2	34.3	36.6	37.5
H10	27.1	27.2	27.5	28.5	29.6	30.8	32.4	33.4	33.7	33.9	36.0	36.8
H11	27.2	27.2	27.5	28.5	29.6	30.8	32.4	33.4	33.7	34.0	36.0	36.9
H12	27.3	27.4	27.7	28.8	29.8	31.0	32.6	33.6	33.9	34.2	36.2	37.0
H13	19.8	19.9	20.3	21.4	22.4	23.5	25.0	26.1	26.5	26.9	28.7	29.6
H14	27.6	27.6	27.9	28.8	29.9	31.2	32.8	33.9	34.2	34.3	36.5	37.4
H15	27.3	27.4	27.7	28.6	29.7	30.9	32.5	33.6	33.9	34.1	36.2	37.0
H16	17.0	17.1	17.7	18.8	19.7	20.7	22.1	23.1	23.8	24.4	25.9	26.7
H17	19.9	19.9	20.4	21.5	22.5	23.5	25.0	26.1	26.7	27.2	28.8	29.6
H18	20.6	20.7	21.2	22.3	23.2	24.3	25.8	26.8	27.4	27.9	29.5	30.3
H19	19.4	19.4	20.0	21.2	22.1	23.1	24.5	25.5	26.2	26.8	28.2	29.0
H20	20.6	20.7	21.2	22.3	23.3	24.3	25.8	26.8	27.4	27.9	29.5	30.3
H21	19.0	19.1	19.8	20.9	21.8	22.8	24.2	25.2	25.9	26.5	27.9	28.7
H22	19.1	19.2	19.9	21.0	21.9	22.9	24.3	25.3	26.0	26.6	28.0	28.8
H23	19.2	19.3	19.9	21.1	22.0	22.9	24.3	25.3	26.1	26.7	28.0	28.8
H24	27.5	27.6	28.2	29.3	30.2	31.2	32.7	33.6	34.1	34.5	36.2	36.9
H25	20.5	20.6	21.1	22.2	23.2	24.2	25.7	26.7	27.3	27.8	29.4	30.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H26	18.8	18.9	19.6	20.7	21.6	22.5	23.9	24.9	25.7	26.3	27.6	28.5
H27	19.6	19.7	20.3	21.5	22.4	23.3	24.8	25.8	26.5	27.1	28.5	29.3
H28	19.3	19.4	20.1	21.2	22.1	23.1	24.5	25.5	26.3	26.8	28.2	29.0
H29	18.7	18.8	19.4	20.5	21.4	22.4	23.8	24.8	25.6	26.2	27.5	28.4
H30	18.8	18.9	19.6	20.7	21.6	22.5	23.9	24.9	25.7	26.4	27.7	28.5
H31	18.6	18.7	19.4	20.5	21.4	22.4	23.7	24.8	25.6	26.2	27.5	28.4
H32	18.5	18.6	19.3	20.4	21.3	22.2	23.6	24.6	25.4	26.1	27.4	28.2
H33	17.7	17.8	18.4	19.5	20.4	21.4	22.7	23.8	24.7	25.4	26.8	27.7
H34	20.9	21.0	21.5	22.6	23.6	24.6	26.0	27.1	27.8	28.3	29.7	30.5
H35	18.7	18.8	19.4	20.6	21.5	22.4	23.8	24.8	25.6	26.3	27.5	28.4
H36	17.9	18.0	18.7	19.9	20.7	21.6	22.9	24.0	24.8	25.5	26.8	27.6
H37	17.8	17.9	18.5	19.6	20.5	21.4	22.7	23.8	24.7	25.5	26.8	27.8
H38	18.7	18.8	19.4	20.6	21.5	22.4	23.7	24.8	25.6	26.3	27.5	28.4
H39	27.2	27.3	28.0	29.2	30.0	30.9	32.3	33.2	33.9	34.3	35.8	36.4
H40	18.8	18.9	19.5	20.7	21.6	22.5	23.8	24.9	25.7	26.4	27.7	28.5
H41	18.1	18.2	18.8	19.9	20.8	21.7	23.1	24.1	25.1	25.9	27.2	28.2
H42	17.8	17.9	18.6	19.8	20.6	21.5	22.9	23.9	24.8	25.5	26.7	27.6
H43	17.8	17.9	18.5	19.6	20.5	21.4	22.8	23.8	24.8	25.6	26.9	27.9
H44	18.5	18.6	19.3	20.4	21.3	22.2	23.6	24.6	25.5	26.2	27.4	28.3
H45	17.7	17.8	18.5	19.7	20.5	21.4	22.7	23.7	24.6	25.4	26.6	27.5
H46	17.9	18.0	18.7	19.7	20.6	21.5	22.8	23.9	24.9	25.8	27.0	28.0
H47	18.0	18.1	18.7	19.7	20.6	21.6	22.9	23.9	25.0	25.9	27.1	28.1
H48	26.9	27.0	27.9	29.2	30.0	30.7	32.0	32.9	33.6	34.2	35.4	36.0
H49	26.4	26.6	27.7	29.2	29.8	30.4	31.7	32.4	33.4	34.0	34.9	35.4
H50	26.5	26.7	27.8	29.3	30.0	30.6	31.8	32.5	33.5	34.2	35.0	35.4
H52	26.6	26.7	27.9	29.5	30.1	30.7	31.9	32.6	33.6	34.3	35.1	35.5
H53	26.4	26.6	27.8	29.3	30.0	30.5	31.7	32.5	33.5	34.2	35.0	35.4
H54	26.6	26.8	28.0	29.6	30.2	30.7	31.9	32.6	33.7	34.4	35.1	35.5
H55	26.3	26.6	27.9	29.5	30.1	30.6	31.7	32.4	33.5	34.3	34.9	35.2
H56	25.9	26.1	27.4	29.0	29.6	30.1	31.3	32.0	33.1	33.8	34.5	34.8
H57	25.8	26.0	27.3	28.9	29.5	30.0	31.2	31.9	33.0	33.7	34.4	34.7
H58	26.0	26.2	27.4	29.0	29.7	30.2	31.3	32.0	33.1	33.9	34.5	34.8
H59	25.9	26.1	27.4	29.0	29.6	30.1	31.3	32.0	33.1	33.9	34.5	34.8
H60	25.9	26.1	27.4	29.0	29.6	30.1	31.3	32.0	33.1	33.9	34.5	34.8
H61	25.9	26.1	27.4	29.0	29.6	30.1	31.2	31.9	33.1	33.8	34.4	34.8

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H62	25.9	26.1	27.3	28.9	29.5	30.1	31.2	31.9	33.1	33.8	34.4	34.8
H63	25.9	26.1	27.4	29.0	29.6	30.1	31.2	31.9	33.1	33.8	34.4	34.8
H64	25.9	26.1	27.4	29.0	29.6	30.1	31.2	31.9	33.1	33.8	34.4	34.7
H65	25.9	26.1	27.3	29.0	29.6	30.1	31.2	31.9	33.1	33.8	34.4	34.7
H66	25.8	26.0	27.3	28.9	29.5	30.0	31.2	31.9	33.0	33.8	34.4	34.7
H67	25.7	25.9	27.2	28.8	29.4	29.9	31.1	31.8	32.9	33.7	34.3	34.7
H68	26.2	26.4	27.3	28.6	29.4	30.2	31.5	32.6	34.0	34.6	35.2	35.5
H69	27.9	28.0	28.6	29.5	30.6	31.8	33.3	34.8	36.3	36.9	37.3	37.5
H70	25.2	25.3	26.4	27.8	28.5	29.2	30.5	31.4	32.6	33.3	33.9	34.3
H71	25.9	26.2	27.5	29.2	29.8	30.2	31.3	32.0	33.2	34.0	34.5	34.7
H72	17.9	18.0	18.4	19.2	20.3	21.3	22.7	23.9	25.1	26.1	27.3	28.4
H73	28.0	28.1	28.6	29.5	30.3	31.2	32.5	33.7	35.1	35.8	36.2	36.6
H74	28.5	28.6	29.1	29.8	30.7	31.7	33.1	34.3	35.8	36.4	36.8	37.2
H75	24.2	24.2	24.7	25.6	26.6	27.7	29.0	30.2	31.1	31.6	32.2	33.3
H76	27.6	27.6	28.3	29.2	30.0	30.8	32.1	33.2	34.6	35.2	35.7	36.1
H77	28.2	28.3	28.8	29.6	30.4	31.2	32.3	33.4	34.8	35.4	35.9	36.3
H78	25.9	26.0	26.4	27.1	28.2	29.3	30.7	32.0	32.9	33.3	33.8	35.0
H79	26.4	26.5	26.9	27.6	28.6	29.7	31.0	32.3	33.6	34.3	34.9	35.7
H80	27.8	27.8	28.1	28.7	29.9	31.1	32.6	33.9	34.7	35.1	35.4	36.8
H81	28.7	28.7	29.1	29.6	30.5	31.5	32.7	33.9	35.3	36.1	36.8	37.6
H82	28.5	28.5	28.7	29.3	30.5	31.8	33.2	34.6	35.4	35.7	36.0	37.4
H83	28.5	28.5	28.7	29.3	30.5	31.8	33.2	34.6	35.4	35.7	36.0	37.4
H84	40.5	40.5	40.6	40.6	40.7	40.9	41.1	41.3	41.6	41.8	42.0	42.2
H85	24.3	24.5	25.6	27.1	27.7	28.2	29.3	30.0	31.2	32.0	32.5	32.9
H86	23.9	24.1	25.3	26.8	27.4	27.9	29.1	29.8	31.0	31.8	32.3	32.6
H87	24.1	24.3	25.5	27.0	27.6	28.1	29.1	29.9	31.1	31.8	32.4	32.7
H88	19.0	19.0	19.7	20.8	21.7	22.6	24.0	25.1	25.9	26.6	27.9	28.7
H89	19.6	19.7	20.3	21.3	22.3	23.3	24.7	25.7	26.5	27.2	28.5	29.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	23.9	23.9	24.1	24.7	25.7	27.0	28.7	30.2	30.5	30.7	32.8	33.2
H2	23.8	23.8	24.0	24.6	25.7	26.9	28.6	30.1	30.4	30.6	32.7	33.2
H3	24.0	24.0	24.2	24.8	25.8	27.1	28.8	30.3	30.6	30.8	32.9	33.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H4	24.0	24.0	24.2	24.8	25.9	27.1	28.8	30.3	30.6	30.8	32.9	33.4
H5	24.1	24.1	24.3	24.9	26.0	27.2	28.9	30.4	30.7	30.9	33.0	33.5
H6	19.3	19.3	19.7	20.5	21.7	22.7	24.2	25.6	26.1	26.5	28.2	28.8
H7	26.1	26.2	26.4	27.0	28.1	29.3	31.0	32.5	32.8	32.9	35.0	35.5
H8	27.7	27.8	27.9	28.5	29.5	30.8	32.5	34.1	34.3	34.4	36.6	37.1
H9	26.5	26.5	26.6	27.2	28.3	29.5	31.2	32.8	33.0	33.2	35.3	35.8
H10	26.5	26.5	26.8	27.5	28.7	29.8	31.4	32.8	33.1	33.4	35.3	35.8
H11	26.5	26.5	26.8	27.5	28.7	29.8	31.4	32.8	33.2	33.4	35.3	35.8
H12	26.5	26.5	26.8	27.6	28.7	29.8	31.4	32.8	33.2	33.4	35.3	35.7
H13	19.6	19.7	20.0	20.8	22.0	23.0	24.6	26.0	26.4	26.8	28.6	29.1
H14	26.2	26.2	26.5	27.2	28.3	29.4	31.0	32.5	32.8	33.0	35.0	35.5
H15	25.7	25.8	26.1	26.8	27.9	29.0	30.6	32.0	32.4	32.6	34.5	34.9
H16	16.6	16.7	17.2	18.0	19.4	20.3	21.7	22.9	23.6	24.2	25.6	26.3
H17	19.2	19.3	19.7	20.5	21.8	22.8	24.3	25.6	26.2	26.7	28.2	28.7
H18	19.9	19.9	20.4	21.2	22.5	23.5	25.0	26.2	26.8	27.3	28.8	29.4
H19	18.7	18.7	19.3	20.2	21.6	22.5	23.8	25.1	25.8	26.3	27.7	28.3
H20	19.9	19.9	20.4	21.3	22.5	23.5	25.0	26.2	26.8	27.3	28.8	29.4
H21	18.4	18.4	19.0	20.0	21.3	22.2	23.6	24.8	25.5	26.1	27.4	28.0
H22	18.5	18.6	19.1	20.1	21.4	22.3	23.7	24.9	25.6	26.2	27.5	28.1
H23	18.5	18.5	19.1	20.1	21.4	22.3	23.7	24.8	25.6	26.2	27.5	28.1
H24	25.4	25.5	26.2	27.2	28.5	29.3	30.6	31.7	32.4	32.9	34.1	34.5
H25	19.6	19.7	20.2	21.1	22.4	23.3	24.8	26.0	26.6	27.2	28.6	29.2
H26	18.1	18.2	18.8	19.8	21.2	22.0	23.4	24.5	25.3	26.0	27.2	27.8
H27	18.8	18.9	19.5	20.4	21.8	22.6	24.0	25.2	25.9	26.6	27.8	28.4
H28	18.5	18.6	19.2	20.2	21.5	22.4	23.8	24.9	25.7	26.3	27.6	28.2
H29	18.0	18.1	18.6	19.6	20.9	21.8	23.2	24.4	25.1	25.8	27.0	27.7
H30	18.1	18.2	18.8	19.8	21.2	22.0	23.4	24.5	25.3	26.0	27.2	27.8
H31	17.9	18.0	18.6	19.6	20.9	21.8	23.2	24.3	25.1	25.8	27.0	27.6
H32	17.8	17.9	18.5	19.5	20.9	21.7	23.1	24.2	25.0	25.7	26.9	27.6
H33	17.2	17.3	17.8	18.7	20.1	21.0	22.3	23.5	24.4	25.2	26.4	27.3
H34	19.9	20.0	20.5	21.5	22.8	23.7	25.1	26.3	27.0	27.6	28.9	29.5
H35	17.9	18.0	18.6	19.6	21.0	21.8	23.2	24.3	25.1	25.9	27.0	27.7
H36	17.3	17.3	18.0	18.9	20.3	21.1	22.4	23.6	24.4	25.2	26.3	27.0
H37	17.3	17.3	17.9	18.8	20.2	21.0	22.3	23.5	24.4	25.3	26.5	27.4
H38	17.9	18.0	18.6	19.6	21.0	21.9	23.2	24.3	25.2	25.9	27.0	27.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H39	24.9	25.0	25.9	27.1	28.5	29.1	30.3	31.3	32.1	32.8	33.7	34.0
H40	18.0	18.1	18.7	19.6	21.0	21.9	23.2	24.3	25.2	25.9	27.0	27.7
H41	17.6	17.7	18.2	19.1	20.5	21.4	22.7	23.8	24.8	25.6	26.8	27.7
H42	17.1	17.2	17.8	18.8	20.2	21.0	22.3	23.5	24.4	25.1	26.2	27.0
H43	17.3	17.4	17.9	18.8	20.2	21.1	22.4	23.6	24.5	25.4	26.6	27.5
H44	17.7	17.8	18.4	19.4	20.8	21.6	22.9	24.1	24.9	25.7	26.8	27.5
H45	17.0	17.1	17.7	18.7	20.1	20.9	22.2	23.3	24.2	25.0	26.1	26.9
H46	17.4	17.4	18.0	18.9	20.3	21.2	22.4	23.6	24.6	25.5	26.7	27.6
H47	17.4	17.5	18.0	18.9	20.3	21.2	22.5	23.7	24.7	25.6	26.8	27.7
H48	24.6	24.8	25.8	27.2	28.7	29.2	30.4	31.3	32.3	33.0	33.7	33.9
H49	24.6	24.7	26.0	27.5	29.0	29.5	30.7	31.5	32.7	33.5	33.9	34.1
H50	24.6	24.8	26.1	27.6	29.2	29.6	30.8	31.5	32.8	33.5	33.9	34.1
H52	24.9	25.1	26.4	27.9	29.5	29.9	31.1	31.8	33.1	33.9	34.3	34.5
H53	24.8	25.0	26.2	27.7	29.3	29.8	31.0	31.7	33.0	33.8	34.1	34.4
H54	24.8	25.0	26.4	28.0	29.6	30.0	31.1	31.8	33.1	33.9	34.3	34.4
H55	24.9	25.1	26.4	28.0	29.6	30.0	31.2	31.8	33.1	34.0	34.2	34.4
H56	24.6	24.8	26.1	27.6	29.2	29.6	30.8	31.5	32.7	33.5	33.8	34.0
H57	24.5	24.7	26.0	27.5	29.1	29.5	30.7	31.4	32.6	33.4	33.8	34.0
H58	24.6	24.8	26.1	27.7	29.3	29.7	30.9	31.5	32.8	33.6	33.9	34.1
H59	24.6	24.8	26.1	27.7	29.3	29.7	30.8	31.5	32.8	33.6	33.9	34.1
H60	24.6	24.8	26.1	27.7	29.3	29.7	30.8	31.5	32.8	33.6	33.9	34.1
H61	24.6	24.8	26.1	27.6	29.2	29.7	30.8	31.5	32.7	33.6	33.9	34.1
H62	24.6	24.8	26.0	27.6	29.2	29.6	30.8	31.5	32.7	33.5	33.8	34.0
H63	24.6	24.8	26.1	27.6	29.2	29.7	30.8	31.5	32.7	33.6	33.9	34.0
H64	24.6	24.8	26.1	27.6	29.2	29.6	30.8	31.5	32.7	33.6	33.8	34.0
H65	24.6	24.8	26.1	27.6	29.2	29.6	30.8	31.5	32.7	33.5	33.8	34.0
H66	24.5	24.7	26.0	27.6	29.2	29.6	30.8	31.4	32.7	33.5	33.8	34.0
H67	24.5	24.7	25.9	27.4	29.0	29.5	30.7	31.4	32.6	33.4	33.7	33.9
H68	26.7	26.8	27.5	28.4	30.0	31.1	32.5	33.2	33.9	34.4	34.7	35.0
H69	29.8	29.9	30.2	30.6	32.4	33.9	35.6	36.3	36.6	37.0	37.2	37.4
H70	24.6	24.7	25.6	26.8	28.4	29.1	30.4	31.2	32.1	32.8	33.2	33.5
H71	24.6	24.8	26.2	27.9	29.5	29.8	30.9	31.6	32.9	33.7	33.9	34.1
H72	17.4	17.4	17.8	18.5	19.9	21.0	22.3	23.5	24.7	25.8	26.9	28.1
H73	27.5	27.6	28.1	28.8	30.2	31.0	32.3	33.0	33.8	34.4	34.9	35.4
H74	27.9	28.0	28.4	29.1	30.4	31.3	32.6	33.3	34.1	34.7	35.2	35.8

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H75	23.6	23.7	24.1	24.8	26.3	27.3	28.7	29.8	30.6	31.2	31.6	32.8
H76	27.5	27.6	28.1	28.8	30.0	30.7	31.8	32.5	33.3	34.0	34.4	34.8
H77	27.6	27.7	28.1	28.8	30.0	30.7	31.8	32.5	33.3	34.0	34.4	34.9
H78	25.5	25.5	25.9	26.5	28.0	29.1	30.5	31.7	32.4	32.9	33.3	34.6
H79	26.9	27.0	27.3	27.8	29.3	30.3	31.7	32.9	33.6	34.2	34.7	35.9
H80	28.2	28.3	28.4	28.9	30.4	31.7	33.1	34.5	35.1	35.3	35.5	37.1
H81	27.0	27.0	27.4	28.0	29.0	29.7	30.7	31.4	32.3	33.0	33.5	34.3
H82	29.5	29.5	29.6	30.1	31.6	32.9	34.3	35.8	36.3	36.5	36.6	38.3
H83	29.5	29.5	29.6	30.1	31.6	32.9	34.3	35.8	36.3	36.5	36.6	38.3
H84	40.5	40.5	40.5	40.6	40.7	40.9	41.1	41.3	41.5	41.7	41.9	42.1
H85	23.4	23.6	24.7	26.1	27.5	27.9	28.9	29.5	30.7	31.6	31.8	32.0
H86	23.0	23.1	24.3	25.7	27.2	27.6	28.6	29.3	30.5	31.3	31.5	31.8
H87	23.1	23.3	24.4	25.8	27.3	27.6	28.7	29.3	30.5	31.3	31.6	31.8
H88	18.1	18.2	18.8	19.7	21.2	22.0	23.3	24.5	25.3	26.1	27.2	27.9
H89	18.6	18.7	19.3	20.2	21.6	22.5	23.8	25.0	25.8	26.6	27.7	28.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	22.4	22.4	22.4	25.3	27.5	27.7	28.1	28.3	28.7	29.7	30.4	30.5
H2	22.4	22.4	22.4	25.2	27.4	27.6	28.0	28.3	28.7	29.6	30.3	30.4
H3	22.5	22.5	22.5	25.4	27.6	27.8	28.2	28.4	28.8	29.8	30.5	30.6
H4	22.6	22.6	22.6	25.4	27.6	27.8	28.2	28.5	28.8	29.8	30.5	30.6
H5	22.6	22.6	22.6	25.5	27.7	27.9	28.3	28.6	28.9	29.9	30.6	30.7
H6	18.4	18.4	18.4	20.4	22.4	22.9	23.4	23.8	24.4	25.5	26.1	26.4
H7	24.1	24.1	24.1	26.6	28.7	29.0	29.5	29.7	30.2	31.2	31.8	31.9
H8	25.7	25.7	25.7	28.6	30.7	30.9	31.3	31.5	31.8	32.8	33.6	33.6
H9	23.8	23.8	23.8	26.5	28.6	28.9	29.3	29.6	30.0	31.0	31.7	31.8
H10	24.5	24.5	24.5	26.7	28.6	29.1	29.6	29.9	30.5	31.4	32.0	32.1
H11	24.5	24.5	24.5	26.7	28.6	29.1	29.5	29.9	30.5	31.4	32.0	32.1
H12	24.7	24.7	24.7	26.8	28.6	29.2	29.7	30.0	30.6	31.6	32.1	32.2
H13	18.1	18.1	18.1	20.1	21.9	22.5	23.0	23.4	24.1	25.2	25.8	26.1
H14	23.9	23.9	23.9	26.0	27.9	28.4	28.9	29.2	29.8	30.8	31.3	31.4
H15	23.8	23.8	23.8	25.7	27.6	28.1	28.6	29.0	29.6	30.6	31.1	31.3
H16	16.0	16.0	16.0	17.1	18.7	19.7	20.4	21.1	22.0	23.1	23.7	24.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H17	18.2	18.2	18.2	19.5	21.1	22.0	22.7	23.4	24.3	25.3	25.9	26.4
H18	18.9	18.9	18.9	20.1	21.8	22.7	23.4	24.0	24.9	25.9	26.5	26.9
H19	18.2	18.2	18.2	19.2	20.7	21.8	22.5	23.2	24.2	25.2	25.7	26.3
H20	18.9	18.9	18.9	20.2	21.8	22.7	23.4	24.0	24.9	25.9	26.5	27.0
H21	18.0	18.0	18.0	19.0	20.4	21.5	22.3	23.0	24.1	25.1	25.6	26.1
H22	18.2	18.2	18.2	19.1	20.6	21.7	22.5	23.2	24.2	25.2	25.7	26.3
H23	18.2	18.2	18.2	19.1	20.5	21.7	22.5	23.2	24.2	25.2	25.8	26.3
H24	25.1	25.1	25.1	26.2	27.6	28.7	29.3	29.9	30.8	31.8	32.1	32.2
H25	18.9	18.9	18.9	20.0	21.6	22.6	23.3	24.0	24.9	25.9	26.5	27.0
H26	18.0	18.0	18.0	18.8	20.3	21.4	22.2	23.0	24.0	25.0	25.6	26.2
H27	18.5	18.5	18.5	19.4	20.9	22.0	22.8	23.5	24.6	25.6	26.1	26.7
H28	18.4	18.4	18.4	19.2	20.6	21.8	22.6	23.3	24.4	25.4	25.9	26.5
H29	17.8	17.8	17.8	18.6	20.1	21.2	22.0	22.8	23.8	24.9	25.4	26.0
H30	18.1	18.1	18.1	18.8	20.3	21.4	22.3	23.0	24.1	25.1	25.7	26.3
H31	17.8	17.8	17.8	18.6	20.0	21.2	22.1	22.8	23.9	24.9	25.5	26.1
H32	17.8	17.8	17.8	18.6	20.0	21.2	22.0	22.8	23.9	24.9	25.5	26.1
H33	17.2	17.2	17.2	17.9	19.3	20.5	21.4	22.2	23.3	24.5	25.2	26.1
H34	19.5	19.5	19.5	20.4	21.9	23.0	23.8	24.5	25.5	26.5	27.0	27.5
H35	18.0	18.0	18.0	18.7	20.1	21.3	22.2	23.0	24.1	25.1	25.7	26.3
H36	17.4	17.4	17.4	18.0	19.4	20.7	21.5	22.2	23.3	24.4	25.0	25.7
H37	17.3	17.3	17.3	17.9	19.3	20.6	21.5	22.4	23.5	24.6	25.4	26.3
H38	18.1	18.1	18.1	18.7	20.1	21.4	22.2	23.0	24.1	25.2	25.7	26.4
H39	25.5	25.5	25.5	26.2	27.5	28.7	29.5	30.1	31.2	32.1	32.4	32.5
H40	18.1	18.1	18.1	18.7	20.1	21.4	22.3	23.1	24.2	25.2	25.8	26.5
H41	17.7	17.7	17.7	18.3	19.7	20.9	21.8	22.7	23.9	25.0	25.8	26.7
H42	17.3	17.3	17.3	17.9	19.3	20.6	21.5	22.4	23.5	24.5	25.1	25.9
H43	17.4	17.4	17.4	18.0	19.4	20.7	21.6	22.5	23.6	24.8	25.6	26.5
H44	17.9	17.9	17.9	18.5	19.8	21.1	22.0	22.9	24.0	25.0	25.6	26.4
H45	17.3	17.3	17.3	17.8	19.2	20.5	21.3	22.2	23.3	24.3	25.0	25.8
H46	17.7	17.7	17.7	18.1	19.5	20.8	21.8	22.7	23.9	25.0	25.9	26.8
H47	17.7	17.7	17.7	18.2	19.5	20.9	21.8	22.8	24.0	25.2	26.0	27.0
H48	25.9	25.9	25.9	26.4	27.6	29.1	29.9	30.6	31.8	32.8	33.0	33.1
H49	26.5	26.5	26.5	26.9	28.0	29.6	30.6	31.4	32.7	33.6	33.8	34.0
H50	26.6	26.6	26.6	27.0	28.0	29.7	30.6	31.5	32.7	33.6	33.7	33.9
H52	27.1	27.1	27.1	27.4	28.4	30.1	31.0	31.9	33.1	34.0	34.2	34.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H53	26.9	26.9	26.9	27.2	28.3	29.9	30.9	31.8	33.0	33.9	34.1	34.3
H54	27.2	27.2	27.2	27.5	28.6	30.2	31.2	32.1	33.4	34.3	34.5	34.7
H55	27.5	27.5	27.5	27.7	28.7	30.4	31.4	32.2	33.5	34.4	34.6	34.8
H56	27.2	27.2	27.2	27.4	28.5	30.1	31.0	31.9	33.1	34.0	34.3	34.6
H57	27.2	27.2	27.2	27.4	28.5	30.1	31.0	31.8	33.1	34.0	34.2	34.6
H58	27.3	27.3	27.3	27.5	28.6	30.2	31.1	31.9	33.2	34.1	34.3	34.7
H59	27.3	27.3	27.3	27.5	28.6	30.2	31.1	31.9	33.2	34.1	34.3	34.7
H60	27.3	27.3	27.3	27.5	28.6	30.2	31.1	31.9	33.2	34.1	34.3	34.6
H61	27.3	27.3	27.3	27.5	28.6	30.1	31.1	31.9	33.2	34.1	34.3	34.6
H62	27.2	27.2	27.2	27.4	28.5	30.1	31.0	31.9	33.1	34.0	34.3	34.6
H63	27.3	27.3	27.3	27.5	28.6	30.2	31.1	31.9	33.2	34.1	34.3	34.7
H64	27.3	27.3	27.3	27.5	28.6	30.1	31.1	31.9	33.2	34.1	34.3	34.6
H65	27.3	27.3	27.3	27.5	28.6	30.1	31.1	31.9	33.2	34.1	34.3	34.6
H66	27.3	27.3	27.3	27.5	28.6	30.1	31.1	31.9	33.2	34.0	34.3	34.6
H67	27.2	27.2	27.2	27.4	28.5	30.1	31.0	31.8	33.0	33.9	34.2	34.6
H68	30.3	30.3	30.3	30.4	32.0	32.6	33.0	33.4	34.1	34.8	35.2	35.7
H69	33.9	33.9	33.9	34.0	35.7	36.0	36.3	36.5	37.0	37.4	37.8	38.3
H70	27.5	27.5	27.5	27.6	29.1	30.0	30.6	31.2	32.2	33.1	33.5	34.1
H71	26.7	26.7	26.7	26.9	27.9	29.5	30.4	31.1	32.4	33.3	33.5	33.8
H72	16.2	16.2	16.2	16.5	17.9	19.3	20.5	21.6	22.8	23.9	24.8	26.1
H73	29.0	29.0	29.0	29.1	30.3	31.2	31.9	32.7	33.7	34.6	35.3	36.2
H74	29.2	29.2	29.2	29.3	30.5	31.4	32.2	33.0	34.0	35.0	35.8	36.8
H75	23.5	23.5	23.5	23.7	25.0	26.5	27.7	29.0	29.8	30.3	30.7	32.1
H76	28.3	28.3	28.3	28.4	29.4	30.3	31.0	31.8	32.6	33.5	34.1	34.9
H77	28.3	28.3	28.3	28.5	29.5	30.3	31.1	31.8	32.7	33.5	34.1	35.0
H78	25.1	25.1	25.1	25.4	26.7	28.2	29.5	30.8	31.5	31.8	32.0	33.5
H79	26.2	26.2	26.2	26.4	27.6	29.0	30.2	31.4	32.1	32.5	32.8	34.2
H80	28.1	28.1	28.1	28.3	29.7	31.2	32.6	34.1	34.6	34.8	34.9	36.6
H81	27.2	27.2	27.2	27.4	28.2	29.2	30.1	31.0	31.7	32.3	32.6	33.6
H82	29.4	29.4	29.4	29.6	31.0	32.5	34.0	35.4	36.0	36.1	36.2	38.0
H83	29.4	29.4	29.4	29.6	31.0	32.5	34.0	35.4	36.0	36.1	36.2	38.0
H84	40.5	40.5	40.5	40.5	40.6	40.8	41.0	41.2	41.4	41.6	41.8	42.0
H85	25.2	25.2	25.2	25.3	26.1	27.1	27.8	28.5	29.4	30.1	30.4	30.8
H86	24.5	24.5	24.5	24.7	25.5	26.6	27.3	28.0	29.0	29.7	30.0	30.4
H87	24.3	24.3	24.3	24.5	25.4	26.6	27.3	28.0	29.0	29.7	30.0	30.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H88	18.3	18.3	18.3	18.9	20.2	21.5	22.4	23.3	24.4	25.4	26.0	26.7
H89	18.7	18.7	18.7	19.3	20.7	21.9	22.8	23.7	24.8	25.8	26.4	27.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	19.6	19.6	19.6	21.7	23.7	24.2	24.8	25.2	25.8	26.8	27.1	27.3
H2	19.5	19.5	19.5	21.6	23.6	24.1	24.7	25.1	25.8	26.7	27.1	27.2
H3	19.7	19.7	19.7	21.8	23.8	24.3	24.9	25.3	25.9	26.9	27.2	27.4
H4	19.7	19.7	19.7	21.8	23.8	24.3	24.9	25.3	25.9	26.9	27.2	27.4
H5	19.8	19.8	19.8	21.9	23.9	24.4	25.0	25.4	26.0	27.0	27.3	27.5
H6	15.7	15.7	15.7	17.2	18.9	19.7	20.4	20.9	21.8	22.8	23.4	23.9
H7	21.8	21.8	21.8	23.7	25.5	26.2	26.7	27.2	27.9	28.8	29.1	29.2
H8	23.1	23.1	23.1	25.4	27.4	27.8	28.3	28.6	29.2	30.1	30.5	30.6
H9	21.8	21.8	21.8	23.9	25.8	26.3	26.8	27.2	27.8	28.8	29.2	29.3
H10	22.8	22.8	22.8	24.3	26.0	26.8	27.4	27.9	28.7	29.7	30.0	30.1
H11	22.9	22.9	22.9	24.3	26.0	26.8	27.4	27.9	28.7	29.7	30.0	30.1
H12	23.1	23.1	23.1	24.5	26.2	27.1	27.7	28.2	29.0	30.0	30.2	30.3
H13	15.7	15.7	15.7	17.1	18.9	19.7	20.3	20.9	21.7	22.8	23.3	23.9
H14	22.5	22.5	22.5	24.1	25.9	26.6	27.2	27.6	28.4	29.4	29.7	29.8
H15	22.6	22.6	22.6	24.1	25.7	26.5	27.1	27.6	28.4	29.4	29.7	29.9
H16	14.4	14.4	14.4	15.1	16.5	17.7	18.6	19.4	20.5	21.5	22.1	23.0
H17	16.5	16.5	16.5	17.4	18.9	20.0	20.8	21.6	22.6	23.6	24.2	24.9
H18	17.1	17.1	17.1	18.0	19.6	20.6	21.4	22.2	23.1	24.2	24.7	25.3
H19	16.5	16.5	16.5	17.2	18.7	19.9	20.7	21.6	22.6	23.6	24.2	24.9
H20	17.1	17.1	17.1	18.1	19.6	20.7	21.5	22.2	23.2	24.2	24.8	25.4
H21	16.2	16.2	16.2	16.9	18.3	19.5	20.4	21.3	22.3	23.3	23.9	24.7
H22	16.2	16.2	16.2	16.9	18.3	19.5	20.4	21.3	22.4	23.4	24.0	24.8
H23	16.3	16.3	16.3	16.9	18.4	19.6	20.5	21.4	22.4	23.4	24.0	24.8
H24	24.5	24.5	24.5	25.3	26.6	27.9	28.6	29.3	30.3	31.3	31.5	31.6
H25	17.0	17.0	17.0	17.9	19.4	20.5	21.3	22.2	23.2	24.2	24.7	25.4
H26	15.9	15.9	15.9	16.5	18.0	19.2	20.1	20.9	22.0	23.0	23.7	24.5
H27	16.4	16.4	16.4	17.2	18.6	19.8	20.6	21.5	22.5	23.5	24.2	25.0
H28	16.3	16.3	16.3	17.0	18.4	19.6	20.4	21.3	22.3	23.4	24.0	24.9
H29	15.4	15.4	15.4	16.1	17.6	18.7	19.7	20.6	21.6	22.7	23.4	24.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H30	15.7	15.7	15.7	16.3	17.8	18.9	19.9	20.8	21.8	22.9	23.6	24.5
H31	15.5	15.5	15.5	16.1	17.6	18.8	19.7	20.6	21.7	22.7	23.5	24.4
H32	15.5	15.5	15.5	16.1	17.6	18.8	19.7	20.7	21.7	22.8	23.5	24.5
H33	14.8	14.8	14.8	15.4	16.8	18.1	19.1	20.2	21.3	22.5	23.5	24.6
H34	17.4	17.4	17.4	18.2	19.7	20.8	21.6	22.4	23.4	24.4	25.1	25.9
H35	15.7	15.7	15.7	16.3	17.8	19.0	19.9	20.9	21.9	23.0	23.8	24.8
H36	14.8	14.8	14.8	15.4	16.9	18.1	19.1	20.1	21.1	22.2	23.1	24.2
H37	15.0	15.0	15.0	15.5	17.0	18.2	19.3	20.4	21.6	22.8	23.7	24.9
H38	15.6	15.6	15.6	16.2	17.6	18.8	19.8	20.8	21.9	22.9	23.7	24.8
H39	24.0	24.0	24.0	24.7	26.0	27.2	28.0	28.6	29.6	30.6	30.8	31.0
H40	15.6	15.6	15.6	16.2	17.6	18.8	19.9	20.9	22.0	23.0	23.8	24.9
H41	15.4	15.4	15.4	15.9	17.4	18.6	19.7	20.8	22.0	23.2	24.2	25.4
H42	14.7	14.7	14.7	15.2	16.7	17.9	18.9	20.0	21.1	22.1	22.9	24.0
H43	15.2	15.2	15.2	15.7	17.1	18.4	19.5	20.6	21.8	22.9	23.9	25.2
H44	15.4	15.4	15.4	16.0	17.4	18.7	19.7	20.7	21.8	22.9	23.7	24.8
H45	14.7	14.7	14.7	15.2	16.6	17.9	18.9	19.9	21.0	22.1	22.9	24.0
H46	15.5	15.5	15.5	15.9	17.3	18.7	19.8	20.9	22.1	23.3	24.4	25.6
H47	15.7	15.7	15.7	16.0	17.5	18.8	20.0	21.1	22.3	23.5	24.6	25.8
H48	24.6	24.6	24.6	25.1	26.3	27.8	28.6	29.3	30.4	31.4	31.6	31.8
H49	24.9	24.9	24.9	25.4	26.6	28.1	29.0	29.9	31.0	31.9	32.2	32.5
H50	25.0	25.0	25.0	25.4	26.5	28.1	29.0	29.9	31.0	31.9	32.0	32.2
H52	25.0	25.0	25.0	25.4	26.6	28.1	29.1	30.0	31.1	32.0	32.3	32.6
H53	24.8	24.8	24.8	25.2	26.5	27.9	28.9	29.9	31.0	31.9	32.2	32.5
H54	24.9	24.9	24.9	25.3	26.6	28.1	29.1	30.1	31.2	32.1	32.3	32.7
H55	24.5	24.5	24.5	24.9	26.1	27.5	28.3	29.2	30.3	31.2	31.6	32.1
H56	24.6	24.6	24.6	24.9	26.2	27.4	28.3	29.1	30.2	31.1	31.6	32.2
H57	24.4	24.4	24.4	24.7	26.1	27.3	28.1	28.9	30.0	30.9	31.4	32.1
H58	24.4	24.4	24.4	24.7	26.0	27.2	28.1	29.0	30.0	31.0	31.4	32.0
H59	24.4	24.4	24.4	24.7	26.0	27.2	28.1	29.0	30.0	31.0	31.4	32.0
H60	24.4	24.4	24.4	24.7	26.0	27.2	28.1	29.0	30.0	31.0	31.4	32.0
H61	24.4	24.4	24.4	24.7	26.1	27.3	28.1	29.0	30.0	31.0	31.4	32.0
H62	24.4	24.4	24.4	24.7	26.1	27.3	28.1	29.0	30.0	31.0	31.5	32.1
H63	24.4	24.4	24.4	24.7	26.1	27.3	28.1	29.0	30.1	31.0	31.5	32.1
H64	24.4	24.4	24.4	24.7	26.1	27.3	28.1	29.0	30.1	31.0	31.5	32.1
H65	24.4	24.4	24.4	24.7	26.1	27.3	28.1	29.0	30.1	31.0	31.5	32.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H66	24.4	24.4	24.4	24.7	26.1	27.3	28.1	29.0	30.1	31.0	31.5	32.1
H67	24.5	24.5	24.5	24.8	26.2	27.4	28.2	29.0	30.1	31.0	31.5	32.2
H68	29.5	29.5	29.5	29.6	31.3	31.7	32.0	32.4	32.9	33.5	34.0	34.6
H69	33.7	33.7	33.7	33.7	35.5	35.7	35.9	36.1	36.5	36.9	37.3	37.8
H70	27.5	27.5	27.5	27.6	29.2	29.7	30.1	30.6	31.2	31.9	32.5	33.2
H71	24.2	24.2	24.2	24.5	25.8	27.0	27.8	28.6	29.6	30.6	31.1	31.7
H72	11.7	11.7	11.7	12.1	13.6	14.9	16.0	17.1	18.3	19.3	20.3	21.5
H73	31.1	31.1	31.1	31.2	32.7	33.4	34.2	35.0	36.0	37.0	38.1	39.3
H74	31.0	31.0	31.0	31.1	32.5	33.4	34.3	35.3	36.4	37.6	38.8	40.1
H75	22.5	22.5	22.5	22.8	24.2	25.7	27.1	28.5	29.3	29.8	30.4	32.0
H76	29.4	29.4	29.4	29.4	30.7	31.4	32.3	33.2	34.2	35.2	36.2	37.4
H77	29.4	29.4	29.4	29.5	30.7	31.5	32.4	33.3	34.3	35.3	36.3	37.5
H78	24.2	24.2	24.2	24.5	25.9	27.4	28.8	30.3	30.9	31.2	31.5	33.2
H79	25.0	25.0	25.0	25.2	26.5	27.9	29.2	30.6	31.2	31.5	31.7	33.4
H80	27.5	27.5	27.5	27.8	29.3	30.8	32.3	33.8	34.3	34.4	34.5	36.4
H81	25.5	25.5	25.5	25.7	26.7	27.7	28.7	29.7	30.4	30.8	31.2	32.6
H82	28.9	28.9	28.9	29.2	30.7	32.2	33.7	35.2	35.8	35.8	35.9	37.8
H83	28.9	28.9	28.9	29.2	30.7	32.2	33.7	35.2	35.8	35.8	35.9	37.8
H84	40.5	40.5	40.5	40.5	40.6	40.8	41.0	41.2	41.4	41.6	41.8	42.0
H85	25.7	25.7	25.7	25.9	26.5	27.2	27.9	28.6	29.3	29.9	30.4	31.2
H86	25.0	25.0	25.0	25.1	25.9	26.6	27.3	28.0	28.7	29.4	29.9	30.7
H87	26.2	26.2	26.2	26.3	26.9	27.6	28.2	28.8	29.5	30.1	30.5	31.4
H88	15.8	15.8	15.8	16.4	17.8	19.1	20.1	21.1	22.2	23.3	24.1	25.2
H89	16.1	16.1	16.1	16.8	18.3	19.4	20.4	21.4	22.5	23.5	24.3	25.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	16.5	16.5	16.5	18.8	21.0	21.4	21.9	22.3	22.9	23.8	24.2	24.4
H2	16.4	16.4	16.4	18.8	20.9	21.3	21.9	22.3	22.8	23.8	24.1	24.4
H3	16.6	16.6	16.6	18.9	21.1	21.5	22.0	22.4	23.0	23.9	24.3	24.5
H4	16.6	16.6	16.6	18.9	21.1	21.5	22.0	22.4	23.0	23.9	24.3	24.5
H5	16.7	16.7	16.7	19.0	21.2	21.6	22.1	22.5	23.1	24.0	24.4	24.6
H6	13.0	13.0	13.0	14.6	16.6	17.2	17.9	18.6	19.4	20.5	21.1	21.9
H7	18.8	18.8	18.8	21.1	23.2	23.7	24.2	24.5	25.1	26.0	26.3	26.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H8	21.2	21.2	21.2	23.5	25.7	26.1	26.6	26.9	27.4	28.4	28.7	28.8
H9	20.0	20.0	20.0	22.3	24.5	24.9	25.4	25.8	26.3	27.3	27.6	27.8
H10	19.7	19.7	19.7	21.8	23.8	24.3	24.8	25.2	25.8	26.8	27.1	27.3
H11	19.8	19.8	19.8	21.8	23.8	24.3	24.8	25.2	25.9	26.8	27.1	27.3
H12	20.0	20.0	20.0	22.0	24.0	24.5	25.1	25.5	26.1	27.1	27.4	27.6
H13	13.1	13.1	13.1	14.8	16.7	17.4	18.1	18.7	19.5	20.5	21.1	21.8
H14	20.5	20.5	20.5	22.5	24.6	25.1	25.6	26.1	26.7	27.7	28.0	28.2
H15	20.4	20.4	20.4	22.4	24.4	24.9	25.5	26.0	26.6	27.6	27.9	28.1
H16	11.7	11.7	11.7	12.6	14.3	15.3	16.3	17.2	18.2	19.2	19.9	21.0
H17	13.9	13.9	13.9	15.1	16.9	17.8	18.7	19.5	20.4	21.4	22.1	23.1
H18	14.6	14.6	14.6	15.8	17.6	18.5	19.3	20.1	20.9	21.9	22.6	23.5
H19	13.9	13.9	13.9	14.8	16.5	17.5	18.5	19.4	20.3	21.3	22.0	23.0
H20	14.7	14.7	14.7	15.9	17.7	18.5	19.3	20.1	21.0	22.0	22.7	23.5
H21	13.5	13.5	13.5	14.4	16.1	17.1	18.0	18.9	19.9	20.9	21.6	22.5
H22	13.8	13.8	13.8	14.7	16.3	17.4	18.3	19.3	20.2	21.3	22.0	23.0
H23	13.8	13.8	13.8	14.7	16.4	17.4	18.4	19.3	20.3	21.3	22.1	23.1
H24	21.3	21.3	21.3	22.7	24.5	25.3	25.9	26.5	27.3	28.2	28.5	28.7
H25	14.6	14.6	14.6	15.7	17.5	18.4	19.3	20.1	21.0	22.0	22.7	23.7
H26	13.4	13.4	13.4	14.3	15.9	17.0	17.9	18.9	19.8	20.9	21.6	22.7
H27	14.0	14.0	14.0	14.9	16.6	17.6	18.5	19.4	20.3	21.3	22.0	23.1
H28	13.8	13.8	13.8	14.7	16.4	17.4	18.3	19.3	20.2	21.2	22.0	23.0
H29	13.2	13.2	13.2	14.1	15.8	16.8	17.8	18.8	19.8	20.8	21.6	22.7
H30	13.5	13.5	13.5	14.3	15.9	17.0	18.0	19.0	19.9	21.0	21.7	22.9
H31	13.3	13.3	13.3	14.1	15.8	16.8	17.8	18.9	19.8	20.9	21.7	22.8
H32	13.3	13.3	13.3	14.1	15.7	16.8	17.9	18.9	19.9	20.9	21.8	22.9
H33	13.2	13.2	13.2	13.8	15.4	16.6	17.7	18.9	20.1	21.3	22.4	23.7
H34	15.2	15.2	15.2	16.2	18.0	18.9	19.8	20.6	21.6	22.6	23.3	24.3
H35	13.6	13.6	13.6	14.3	15.9	17.0	18.1	19.1	20.2	21.2	22.0	23.2
H36	12.6	12.6	12.6	13.3	15.0	16.1	17.1	18.2	19.3	20.4	21.4	22.5
H37	13.5	13.5	13.5	14.0	15.6	16.8	18.0	19.1	20.4	21.6	22.7	24.0
H38	13.6	13.6	13.6	14.3	15.9	17.0	18.1	19.2	20.2	21.2	22.1	23.3
H39	21.0	21.0	21.0	22.3	24.1	24.9	25.5	26.0	26.8	27.7	28.0	28.3
H40	13.7	13.7	13.7	14.4	16.0	17.1	18.2	19.3	20.3	21.4	22.2	23.5
H41	13.9	13.9	13.9	14.4	16.0	17.2	18.4	19.6	20.8	22.0	23.2	24.5
H42	12.6	12.6	12.6	13.3	14.9	16.0	17.1	18.2	19.3	20.5	21.4	22.6

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H43	13.7	13.7	13.7	14.2	15.7	17.0	18.2	19.3	20.6	21.8	23.0	24.3
H44	13.2	13.2	13.2	13.9	15.6	16.7	17.8	18.8	19.9	21.1	22.0	23.2
H45	12.7	12.7	12.7	13.3	14.9	16.1	17.2	18.3	19.4	20.5	21.5	22.7
H46	14.1	14.1	14.1	14.5	16.0	17.3	18.5	19.8	21.0	22.3	23.5	24.8
H47	14.3	14.3	14.3	14.7	16.2	17.5	18.7	20.0	21.2	22.5	23.7	25.1
H48	21.6	21.6	21.6	22.7	24.3	25.3	25.9	26.6	27.5	28.4	28.8	29.2
H49	22.2	22.2	22.2	23.1	24.8	25.7	26.5	27.2	28.2	29.1	29.6	30.1
H50	22.0	22.0	22.0	22.9	24.5	25.5	26.2	26.9	27.8	28.7	29.0	29.4
H52	22.5	22.5	22.5	23.3	25.0	25.9	26.8	27.5	28.5	29.4	29.9	30.5
H53	22.4	22.4	22.4	23.2	24.9	25.8	26.6	27.4	28.4	29.3	29.8	30.4
H54	22.5	22.5	22.5	23.3	24.9	25.9	26.7	27.5	28.5	29.4	29.9	30.4
H55	22.7	22.7	22.7	23.3	24.9	25.8	26.6	27.4	28.3	29.3	29.9	30.6
H56	23.1	23.1	23.1	23.6	25.2	26.1	26.8	27.6	28.5	29.5	30.1	30.9
H57	23.1	23.1	23.1	23.6	25.2	26.1	26.8	27.6	28.5	29.5	30.2	31.0
H58	23.0	23.0	23.0	23.5	25.1	26.0	26.7	27.5	28.5	29.4	30.1	30.8
H59	23.0	23.0	23.0	23.5	25.1	26.0	26.7	27.5	28.5	29.4	30.1	30.9
H60	23.0	23.0	23.0	23.5	25.1	26.0	26.8	27.5	28.5	29.4	30.1	30.9
H61	23.0	23.0	23.0	23.6	25.2	26.0	26.8	27.6	28.5	29.4	30.1	30.9
H62	23.1	23.1	23.1	23.6	25.2	26.1	26.8	27.6	28.5	29.5	30.1	31.0
H63	23.0	23.0	23.0	23.6	25.2	26.0	26.8	27.6	28.5	29.5	30.1	30.9
H64	23.1	23.1	23.1	23.6	25.2	26.0	26.8	27.6	28.5	29.5	30.1	30.9
H65	23.1	23.1	23.1	23.6	25.2	26.1	26.8	27.6	28.5	29.5	30.1	31.0
H66	23.1	23.1	23.1	23.6	25.2	26.1	26.8	27.6	28.5	29.5	30.2	31.0
H67	23.3	23.3	23.3	23.8	25.4	26.2	27.0	27.7	28.7	29.6	30.3	31.2
H68	29.3	29.3	29.3	29.4	31.2	31.4	31.7	32.1	32.5	33.1	33.6	34.3
H69	33.6	33.6	33.6	33.6	35.5	35.6	35.8	36.0	36.3	36.7	37.1	37.7
H70	27.1	27.1	27.1	27.3	29.0	29.4	29.8	30.2	30.8	31.4	32.0	32.8
H71	23.0	23.0	23.0	23.5	25.0	25.9	26.7	27.4	28.4	29.3	30.0	30.8
H72	9.1	9.1	9.1	9.7	11.3	12.5	13.5	14.6	15.7	16.8	17.7	18.9
H73	33.7	33.7	33.7	33.7	35.4	35.8	36.2	36.8	37.4	38.2	39.0	40.1
H74	33.0	33.0	33.0	33.0	34.7	35.2	35.8	36.6	37.4	38.3	39.3	40.5
H75	20.9	20.9	20.9	21.2	22.7	24.1	25.5	27.0	27.8	28.5	29.1	30.7
H76	31.7	31.7	31.7	31.7	33.2	33.8	34.5	35.3	36.2	37.1	38.2	39.4
H77	31.8	31.8	31.8	31.8	33.3	33.9	34.6	35.4	36.3	37.2	38.3	39.5
H78	23.9	23.9	23.9	24.2	25.7	27.2	28.6	30.1	30.7	31.0	31.2	33.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H79	24.2	24.2	24.2	24.5	26.0	27.4	28.8	30.2	30.8	31.1	31.3	33.0
H80	27.4	27.4	27.4	27.6	29.2	30.7	32.2	33.7	34.2	34.3	34.4	36.3
H81	23.8	23.8	23.8	24.1	25.4	26.6	27.8	29.0	29.7	30.2	30.7	32.2
H82	28.8	28.8	28.8	29.1	30.6	32.1	33.6	35.2	35.7	35.7	35.8	37.7
H83	28.8	28.8	28.8	29.1	30.6	32.1	33.6	35.2	35.7	35.7	35.8	37.7
H84	39.9	39.9	39.9	39.9	40.0	40.2	40.4	40.7	40.9	41.1	41.3	41.6
H85	26.6	26.6	26.6	26.8	27.7	28.4	29.1	29.9	30.7	31.5	32.3	33.4
H86	25.9	25.9	25.9	26.1	27.1	27.8	28.5	29.4	30.2	31.0	31.8	32.9
H87	27.0	27.0	27.0	27.1	28.0	28.6	29.3	30.0	30.8	31.6	32.4	33.4
H88	14.0	14.0	14.0	14.6	16.3	17.4	18.5	19.6	20.7	21.7	22.6	23.8
H89	14.1	14.1	14.1	14.9	16.6	17.6	18.7	19.7	20.8	21.9	22.9	24.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	15.1	15.1	15.1	17.8	20.2	20.5	20.9	21.3	21.7	22.6	22.9	23.1
H2	15.0	15.0	15.0	17.7	20.2	20.4	20.9	21.2	21.6	22.6	22.8	23.1
H3	15.2	15.2	15.2	17.9	20.4	20.6	21.0	21.4	21.8	22.7	23.0	23.2
H4	15.2	15.2	15.2	17.9	20.4	20.6	21.1	21.4	21.8	22.7	23.0	23.3
H5	15.3	15.3	15.3	18.0	20.5	20.7	21.2	21.5	21.9	22.8	23.1	23.3
H6	11.2	11.2	11.2	13.2	15.5	15.9	16.5	17.0	17.7	18.8	19.3	19.9
H7	17.7	17.7	17.7	20.4	22.9	23.1	23.5	23.8	24.1	25.1	25.3	25.5
H8	20.1	20.1	20.1	23.0	25.5	25.7	26.1	26.3	26.6	27.6	27.8	28.0
H9	19.3	19.3	19.3	22.1	24.7	24.8	25.2	25.5	25.8	26.8	27.1	27.3
H10	18.6	18.6	18.6	21.1	23.6	23.8	24.3	24.5	25.0	26.0	26.2	26.4
H11	18.6	18.6	18.6	21.2	23.6	23.8	24.3	24.6	25.0	26.0	26.2	26.4
H12	19.0	19.0	19.0	21.5	23.9	24.1	24.6	24.9	25.3	26.3	26.5	26.7
H13	11.4	11.4	11.4	13.5	15.9	16.2	16.8	17.2	17.8	18.9	19.3	19.9
H14	19.8	19.8	19.8	22.5	25.0	25.2	25.6	25.9	26.3	27.3	27.5	27.7
H15	19.9	19.9	19.9	22.5	25.0	25.2	25.6	25.9	26.3	27.3	27.6	27.8
H16	9.6	9.6	9.6	11.0	13.0	13.7	14.5	15.2	16.1	17.1	17.8	18.7
H17	12.4	12.4	12.4	14.1	16.2	16.8	17.5	18.2	19.0	20.1	20.8	21.6
H18	13.1	13.1	13.1	14.8	17.0	17.5	18.2	18.8	19.6	20.7	21.3	22.1
H19	12.2	12.2	12.2	13.6	15.6	16.3	17.1	17.9	18.8	19.9	20.6	21.5
H20	13.1	13.1	13.1	14.8	17.0	17.5	18.2	18.9	19.6	20.7	21.3	22.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H21	12.0	12.0	12.0	13.3	15.3	16.0	16.8	17.6	18.6	19.7	20.4	21.3
H22	12.2	12.2	12.2	13.4	15.4	16.1	17.0	17.8	18.7	19.8	20.6	21.6
H23	12.2	12.2	12.2	13.5	15.4	16.2	17.0	17.9	18.8	19.9	20.7	21.6
H24	20.4	20.4	20.4	22.6	24.9	25.2	25.7	26.1	26.6	27.6	27.8	28.0
H25	13.1	13.1	13.1	14.7	16.8	17.4	18.2	18.9	19.7	20.8	21.4	22.3
H26	11.4	11.4	11.4	12.7	14.7	15.4	16.2	17.0	17.9	18.9	19.6	20.5
H27	12.6	12.6	12.6	13.9	15.9	16.6	17.4	18.2	19.1	20.2	21.0	21.9
H28	12.4	12.4	12.4	13.7	15.6	16.4	17.2	18.1	19.0	20.1	20.9	21.9
H29	11.3	11.3	11.3	12.6	14.6	15.4	16.2	17.0	17.9	19.0	19.7	20.6
H30	11.5	11.5	11.5	12.8	14.7	15.5	16.3	17.1	18.0	19.1	19.8	20.7
H31	11.4	11.4	11.4	12.6	14.6	15.3	16.2	17.0	17.9	19.0	19.7	20.7
H32	11.4	11.4	11.4	12.5	14.4	15.2	16.1	17.0	17.9	19.0	19.8	20.8
H33	10.2	10.2	10.2	11.3	13.2	14.1	15.0	15.8	16.8	18.0	18.9	20.0
H34	13.9	13.9	13.9	15.4	17.4	18.1	18.9	19.7	20.5	21.5	22.2	23.1
H35	11.6	11.6	11.6	12.7	14.6	15.4	16.3	17.2	18.1	19.2	20.0	21.0
H36	10.1	10.1	10.1	11.3	13.2	14.0	14.8	15.5	16.4	17.5	18.2	19.1
H37	10.4	10.4	10.4	11.4	13.2	14.1	15.0	16.0	17.0	18.2	19.1	20.2
H38	11.6	11.6	11.6	12.7	14.6	15.4	16.3	17.2	18.2	19.3	20.1	21.1
H39	20.6	20.6	20.6	22.6	24.8	25.2	25.6	26.0	26.6	27.5	27.8	28.1
H40	11.8	11.8	11.8	12.9	14.7	15.6	16.5	17.4	18.4	19.5	20.3	21.3
H41	10.8	10.8	10.8	11.8	13.6	14.5	15.4	16.4	17.4	18.6	19.5	20.6
H42	10.0	10.0	10.0	11.2	13.1	13.9	14.7	15.6	16.5	17.6	18.3	19.2
H43	10.5	10.5	10.5	11.5	13.3	14.2	15.2	16.1	17.2	18.4	19.3	20.4
H44	11.4	11.4	11.4	12.5	14.4	15.3	16.2	17.1	18.1	19.2	20.1	21.1
H45	10.0	10.0	10.0	11.1	13.0	13.8	14.7	15.5	16.4	17.5	18.3	19.2
H46	10.8	10.8	10.8	11.6	13.4	14.4	15.4	16.4	17.5	18.7	19.7	20.8
H47	10.9	10.9	10.9	11.7	13.4	14.5	15.5	16.5	17.6	18.9	19.9	21.1
H48	21.2	21.2	21.2	23.0	25.2	25.6	26.2	26.6	27.2	28.2	28.5	29.0
H49	22.2	22.2	22.2	23.7	25.9	26.3	26.9	27.5	28.1	29.1	29.6	30.1
H50	21.8	21.8	21.8	23.5	25.6	26.1	26.6	27.1	27.7	28.6	28.9	29.2
H52	22.5	22.5	22.5	24.0	26.1	26.6	27.2	27.8	28.5	29.5	29.9	30.5
H53	22.4	22.4	22.4	24.0	26.1	26.5	27.2	27.7	28.4	29.4	29.8	30.4
H54	22.4	22.4	22.4	23.9	26.0	26.5	27.1	27.7	28.4	29.4	29.8	30.4
H55	22.7	22.7	22.7	23.9	25.8	26.4	27.1	27.7	28.5	29.4	30.0	30.6
H56	23.1	23.1	23.1	24.1	26.0	26.5	27.2	27.8	28.6	29.6	30.2	31.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H57	23.2	23.2	23.2	24.1	26.0	26.6	27.2	27.9	28.7	29.6	30.3	31.1
H58	23.1	23.1	23.1	24.1	26.0	26.5	27.2	27.8	28.6	29.6	30.2	31.0
H59	23.1	23.1	23.1	24.1	26.0	26.5	27.2	27.8	28.6	29.6	30.2	31.0
H60	23.1	23.1	23.1	24.1	26.0	26.5	27.2	27.8	28.6	29.6	30.2	31.0
H61	23.1	23.1	23.1	24.1	26.0	26.6	27.2	27.9	28.7	29.6	30.2	31.0
H62	23.2	23.2	23.2	24.1	26.0	26.6	27.2	27.9	28.7	29.6	30.3	31.1
H63	23.2	23.2	23.2	24.1	26.0	26.6	27.2	27.9	28.7	29.6	30.2	31.0
H64	23.2	23.2	23.2	24.1	26.0	26.6	27.2	27.9	28.7	29.6	30.3	31.0
H65	23.2	23.2	23.2	24.1	26.0	26.6	27.2	27.9	28.7	29.6	30.3	31.1
H66	23.2	23.2	23.2	24.1	26.0	26.6	27.3	27.9	28.7	29.6	30.3	31.1
H67	23.4	23.4	23.4	24.2	26.1	26.6	27.3	28.0	28.8	29.7	30.4	31.2
H68	29.3	29.3	29.3	29.4	31.3	31.5	31.8	32.1	32.5	33.1	33.6	34.3
H69	33.6	33.6	33.6	33.6	35.5	35.6	35.8	36.0	36.3	36.7	37.1	37.7
H70	27.2	27.2	27.2	27.4	29.2	29.5	29.9	30.3	30.8	31.5	32.1	32.8
H71	23.2	23.2	23.2	24.1	25.9	26.5	27.1	27.8	28.6	29.6	30.2	31.0
H72	8.6	8.6	8.6	9.4	11.2	12.2	13.1	14.1	15.1	16.3	17.1	18.2
H73	33.7	33.7	33.7	33.7	35.4	35.8	36.3	36.8	37.5	38.2	39.1	40.1
H74	34.3	34.3	34.3	34.3	36.0	36.4	36.9	37.5	38.2	39.0	39.9	40.9
H75	18.9	18.9	18.9	19.3	20.8	22.1	23.4	24.7	25.8	26.8	27.7	29.1
H76	32.8	32.8	32.8	32.8	34.4	34.9	35.4	36.1	36.8	37.7	38.6	39.7
H77	32.8	32.8	32.8	32.9	34.5	34.9	35.5	36.2	36.9	37.8	38.7	39.8
H78	22.3	22.3	22.3	22.6	24.2	25.6	27.0	28.5	29.1	29.5	29.8	31.6
H79	24.2	24.2	24.2	24.5	26.0	27.4	28.8	30.2	30.8	31.1	31.3	33.0
H80	27.4	27.4	27.4	27.6	29.2	30.7	32.2	33.7	34.2	34.3	34.4	36.3
H81	24.0	24.0	24.0	24.3	25.8	27.0	28.2	29.5	30.3	31.0	31.6	33.1
H82	28.8	28.8	28.8	29.1	30.6	32.1	33.6	35.2	35.7	35.7	35.8	37.7
H83	28.8	28.8	28.8	29.1	30.6	32.1	33.6	35.2	35.7	35.7	35.8	37.7
H84	38.5	38.5	38.5	38.6	38.7	39.0	39.2	39.5	39.8	40.2	40.5	41.0
H85	27.1	27.1	27.1	27.3	28.4	29.0	29.6	30.3	31.0	31.8	32.6	33.6
H86	26.4	26.4	26.4	26.7	27.9	28.4	29.1	29.8	30.5	31.3	32.1	33.1
H87	27.4	27.4	27.4	27.6	28.6	29.1	29.7	30.4	31.1	31.9	32.6	33.6
H88	12.0	12.0	12.0	13.1	15.0	15.9	16.8	17.7	18.7	19.8	20.6	21.7
H89	12.5	12.5	12.5	13.7	15.6	16.4	17.3	18.1	19.1	20.3	21.1	22.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	15.3	15.3	15.3	18.3	20.9	20.9	21.3	21.8	22.1	22.9	23.0	23.1
H2	15.3	15.3	15.3	18.2	20.8	20.8	21.2	21.7	22.0	22.9	22.9	23.1
H3	15.4	15.4	15.4	18.4	21.0	21.0	21.4	21.9	22.2	23.0	23.1	23.2
H4	15.5	15.5	15.5	18.4	21.0	21.0	21.4	21.9	22.2	23.1	23.1	23.2
H5	15.6	15.6	15.6	18.5	21.1	21.1	21.5	22.0	22.3	23.1	23.2	23.3
H6	11.2	11.2	11.2	13.7	16.0	16.2	16.6	17.1	17.5	18.5	18.7	19.0
H7	18.6	18.6	18.6	21.6	24.2	24.2	24.6	25.0	25.2	26.1	26.2	26.2
H8	21.6	21.6	21.6	24.8	27.4	27.4	27.8	28.2	28.4	29.3	29.3	29.4
H9	21.0	21.0	21.0	24.2	26.9	26.9	27.3	27.7	27.9	28.8	28.8	29.0
H10	19.7	19.7	19.7	22.6	25.1	25.2	25.5	26.0	26.3	27.1	27.2	27.3
H11	19.7	19.7	19.7	22.6	25.2	25.2	25.6	26.0	26.3	27.2	27.2	27.3
H12	20.2	20.2	20.2	23.2	25.7	25.8	26.1	26.6	26.8	27.7	27.8	27.9
H13	11.8	11.8	11.8	14.3	16.8	16.9	17.3	17.8	18.1	19.1	19.2	19.4
H14	21.9	21.9	21.9	25.0	27.6	27.7	28.0	28.5	28.7	29.6	29.6	29.7
H15	22.2	22.2	22.2	25.3	27.9	28.0	28.3	28.8	29.0	29.9	29.9	30.0
H16	9.3	9.3	9.3	11.3	13.5	13.7	14.2	14.9	15.4	16.4	16.7	17.2
H17	12.6	12.6	12.6	14.9	17.3	17.4	17.9	18.5	19.0	19.9	20.2	20.6
H18	13.3	13.3	13.3	15.8	18.1	18.3	18.7	19.3	19.7	20.7	20.9	21.3
H19	12.1	12.1	12.1	14.2	16.4	16.6	17.2	17.8	18.3	19.3	19.6	20.1
H20	13.4	13.4	13.4	15.8	18.1	18.3	18.7	19.3	19.7	20.7	20.9	21.3
H21	11.8	11.8	11.8	13.8	16.0	16.2	16.8	17.4	18.0	19.0	19.3	19.8
H22	11.9	11.9	11.9	13.9	16.1	16.3	16.9	17.5	18.1	19.1	19.4	19.9
H23	12.0	12.0	12.0	14.0	16.2	16.4	16.9	17.6	18.2	19.2	19.5	20.0
H24	22.4	22.4	22.4	25.3	27.8	27.9	28.3	28.7	29.0	29.9	29.9	30.0
H25	13.4	13.4	13.4	15.7	18.0	18.2	18.7	19.2	19.7	20.7	20.9	21.3
H26	11.4	11.4	11.4	13.3	15.5	15.7	16.3	16.9	17.5	18.4	18.7	19.2
H27	12.5	12.5	12.5	14.5	16.8	17.0	17.5	18.2	18.7	19.7	20.0	20.5
H28	12.3	12.3	12.3	14.2	16.4	16.6	17.2	17.9	18.5	19.4	19.8	20.3
H29	11.3	11.3	11.3	13.3	15.5	15.7	16.2	16.9	17.5	18.4	18.7	19.2
H30	11.5	11.5	11.5	13.3	15.5	15.7	16.3	16.9	17.5	18.5	18.8	19.3
H31	11.3	11.3	11.3	13.2	15.4	15.6	16.2	16.8	17.4	18.4	18.7	19.2
H32	11.2	11.2	11.2	13.0	15.1	15.3	15.9	16.6	17.2	18.2	18.6	19.1
H33	10.1	10.1	10.1	11.8	13.8	14.1	14.8	15.5	16.2	17.2	17.7	18.4
H34	14.3	14.3	14.3	16.4	18.7	18.9	19.4	20.1	20.7	21.6	22.0	22.6
H35	11.4	11.4	11.4	13.2	15.3	15.5	16.1	16.8	17.5	18.4	18.8	19.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H36	10.4	10.4	10.4	12.1	14.2	14.5	15.0	15.7	16.3	17.3	17.6	18.2
H37	10.1	10.1	10.1	11.6	13.7	14.0	14.7	15.4	16.2	17.2	17.7	18.5
H38	11.4	11.4	11.4	13.1	15.2	15.5	16.1	16.8	17.4	18.4	18.8	19.4
H39	22.7	22.7	22.7	25.4	27.9	27.9	28.3	28.8	29.1	30.0	30.0	30.2
H40	11.6	11.6	11.6	13.3	15.5	15.7	16.3	17.0	17.7	18.6	19.0	19.6
H41	10.5	10.5	10.5	12.0	14.1	14.4	15.1	15.8	16.6	17.6	18.2	18.9
H42	10.3	10.3	10.3	12.0	14.1	14.4	15.0	15.7	16.3	17.3	17.7	18.2
H43	10.2	10.2	10.2	11.7	13.7	14.0	14.7	15.5	16.2	17.3	17.9	18.6
H44	11.3	11.3	11.3	13.0	15.1	15.4	16.0	16.7	17.4	18.4	18.8	19.4
H45	10.2	10.2	10.2	11.9	13.9	14.2	14.8	15.5	16.2	17.2	17.5	18.1
H46	10.3	10.3	10.3	11.7	13.7	14.0	14.8	15.5	16.4	17.4	18.1	18.9
H47	10.3	10.3	10.3	11.6	13.6	14.0	14.7	15.5	16.4	17.5	18.1	19.0
H48	23.6	23.6	23.6	26.2	28.6	28.7	29.1	29.6	29.9	30.8	31.0	31.2
H49	24.6	24.6	24.6	27.0	29.3	29.5	29.9	30.4	30.8	31.7	31.9	32.3
H50	24.5	24.5	24.5	26.9	29.3	29.3	29.8	30.3	30.6	31.5	31.6	31.8
H52	24.9	24.9	24.9	27.2	29.5	29.7	30.1	30.7	31.1	32.0	32.2	32.5
H53	24.8	24.8	24.8	27.1	29.5	29.6	30.1	30.6	31.0	31.9	32.1	32.5
H54	24.8	24.8	24.8	27.0	29.3	29.5	29.9	30.5	30.9	31.8	32.0	32.4
H55	24.7	24.7	24.7	26.6	28.8	29.0	29.5	30.1	30.6	31.5	31.8	32.3
H56	24.7	24.7	24.7	26.5	28.7	28.9	29.4	30.0	30.5	31.4	31.8	32.4
H57	24.8	24.8	24.8	26.4	28.6	28.8	29.3	30.0	30.5	31.4	31.8	32.4
H58	24.8	24.8	24.8	26.5	28.7	28.9	29.4	30.0	30.6	31.5	31.8	32.4
H59	24.8	24.8	24.8	26.5	28.7	28.9	29.4	30.0	30.5	31.5	31.8	32.4
H60	24.8	24.8	24.8	26.5	28.7	28.9	29.4	30.0	30.6	31.5	31.9	32.4
H61	24.8	24.8	24.8	26.5	28.7	28.9	29.4	30.0	30.6	31.5	31.9	32.4
H62	24.8	24.8	24.8	26.4	28.6	28.8	29.3	30.0	30.5	31.4	31.8	32.4
H63	24.8	24.8	24.8	26.5	28.7	28.9	29.4	30.0	30.5	31.4	31.9	32.4
H64	24.8	24.8	24.8	26.5	28.7	28.9	29.4	30.0	30.5	31.5	31.9	32.4
H65	24.8	24.8	24.8	26.5	28.7	28.9	29.4	30.0	30.5	31.5	31.9	32.4
H66	24.8	24.8	24.8	26.5	28.7	28.9	29.4	30.0	30.6	31.5	31.9	32.4
H67	24.8	24.8	24.8	26.4	28.5	28.7	29.3	29.9	30.5	31.4	31.8	32.4
H68	29.5	29.5	29.5	29.8	31.8	31.9	32.2	32.6	33.0	33.5	34.0	34.6
H69	33.7	33.7	33.7	33.8	35.7	35.8	36.0	36.2	36.5	36.9	37.3	37.9
H70	27.6	27.6	27.6	28.2	30.1	30.3	30.7	31.1	31.6	32.3	32.8	33.4
H71	24.8	24.8	24.8	26.4	28.5	28.7	29.3	29.9	30.5	31.4	31.8	32.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H72	10.0	10.0	10.0	11.2	13.0	13.6	14.4	15.4	16.3	17.4	18.2	19.2
H73	33.6	33.6	33.6	33.7	35.5	35.8	36.3	36.9	37.5	38.3	39.1	40.1
H74	34.1	34.1	34.1	34.2	36.0	36.4	36.9	37.5	38.2	39.0	39.9	40.9
H75	19.0	19.0	19.0	19.7	21.4	22.3	23.4	24.6	25.6	26.7	27.7	29.0
H76	32.7	32.7	32.7	32.8	34.5	34.9	35.5	36.1	36.9	37.7	38.6	39.7
H77	32.6	32.6	32.6	32.7	34.4	34.9	35.4	36.1	36.9	37.8	38.7	39.8
H78	20.1	20.1	20.1	20.8	22.5	23.4	24.6	25.8	26.6	27.4	28.0	29.3
H79	24.6	24.6	24.6	25.0	26.7	27.9	29.2	30.6	31.1	31.4	31.6	33.3
H80	26.4	26.4	26.4	26.7	28.3	29.7	31.1	32.6	33.1	33.3	33.4	35.2
H81	26.2	26.2	26.2	26.5	28.1	29.2	30.4	31.7	32.6	33.6	34.6	36.0
H82	28.9	28.9	28.9	29.2	30.8	32.3	33.7	35.2	35.8	35.8	35.9	37.8
H83	28.9	28.9	28.9	29.2	30.8	32.3	33.7	35.2	35.8	35.8	35.9	37.8
H84	37.8	37.8	37.8	37.9	38.1	38.3	38.6	38.9	39.3	39.6	40.0	40.5
H85	27.5	27.5	27.5	28.0	29.3	29.8	30.3	31.0	31.7	32.5	33.1	34.0
H86	27.0	27.0	27.0	27.5	28.9	29.3	29.9	30.7	31.3	32.1	32.7	33.6
H87	27.8	27.8	27.8	28.2	29.5	29.9	30.4	31.1	31.7	32.5	33.1	34.0
H88	11.8	11.8	11.8	13.6	15.7	16.0	16.6	17.3	17.9	18.9	19.3	19.9
H89	12.4	12.4	12.4	14.4	16.6	16.8	17.4	18.1	18.7	19.7	20.0	20.6

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	17.8	17.8	17.8	21.0	23.5	23.5	23.8	24.6	24.8	25.8	25.8	25.8
H2	17.7	17.7	17.7	20.9	23.4	23.4	23.7	24.5	24.7	25.7	25.7	25.8
H3	17.9	17.9	17.9	21.1	23.6	23.6	23.9	24.7	24.9	25.9	25.9	25.9
H4	17.9	17.9	17.9	21.1	23.6	23.6	23.9	24.7	24.9	25.9	25.9	26.0
H5	18.0	18.0	18.0	21.2	23.7	23.7	24.0	24.8	25.0	26.0	26.0	26.1
H6	13.6	13.6	13.6	16.4	18.6	18.7	19.0	19.8	20.1	21.1	21.2	21.3
H7	21.8	21.8	21.8	25.1	27.6	27.6	27.9	28.7	28.9	29.9	29.9	29.9
H8	25.2	25.2	25.2	28.7	31.2	31.2	31.5	32.3	32.4	33.4	33.4	33.5
H9	24.9	24.9	24.9	28.3	30.9	30.9	31.2	32.0	32.1	33.1	33.1	33.1
H10	23.1	23.1	23.1	26.4	28.9	28.9	29.2	30.0	30.1	31.1	31.2	31.2
H11	23.2	23.2	23.2	26.4	28.9	28.9	29.2	30.0	30.2	31.2	31.2	31.2
H12	23.8	23.8	23.8	27.0	29.5	29.5	29.8	30.6	30.8	31.8	31.8	31.8
H13	14.5	14.5	14.5	17.5	19.8	19.8	20.2	21.0	21.2	22.2	22.3	22.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H14	25.4	25.4	25.4	28.8	31.3	31.3	31.6	32.4	32.5	33.5	33.5	33.6
H15	25.5	25.5	25.5	28.9	31.4	31.4	31.7	32.5	32.6	33.6	33.6	33.7
H16	11.7	11.7	11.7	14.3	16.5	16.5	17.0	17.7	18.1	19.1	19.3	19.5
H17	15.6	15.6	15.6	18.5	20.8	20.8	21.2	22.0	22.3	23.3	23.4	23.5
H18	16.5	16.5	16.5	19.4	21.8	21.8	22.2	22.9	23.2	24.2	24.3	24.4
H19	14.9	14.9	14.9	17.6	19.8	19.9	20.3	21.0	21.4	22.4	22.5	22.6
H20	16.5	16.5	16.5	19.4	21.8	21.8	22.2	22.9	23.2	24.2	24.3	24.4
H21	14.6	14.6	14.6	17.2	19.4	19.4	19.8	20.6	20.9	22.0	22.1	22.3
H22	14.6	14.6	14.6	17.2	19.4	19.4	19.8	20.6	21.0	22.0	22.1	22.3
H23	14.8	14.8	14.8	17.3	19.5	19.6	20.0	20.8	21.1	22.1	22.3	22.4
H24	25.8	25.8	25.8	29.0	31.4	31.4	31.8	32.5	32.7	33.7	33.7	33.8
H25	16.5	16.5	16.5	19.4	21.8	21.8	22.1	22.9	23.2	24.2	24.3	24.4
H26	14.2	14.2	14.2	16.7	18.8	18.9	19.3	20.1	20.5	21.5	21.7	21.8
H27	15.4	15.4	15.4	18.1	20.3	20.3	20.8	21.5	21.9	22.9	23.0	23.2
H28	15.1	15.1	15.1	17.7	19.9	19.9	20.4	21.1	21.5	22.5	22.7	22.8
H29	14.3	14.3	14.3	16.7	18.9	19.0	19.4	20.2	20.5	21.6	21.7	21.9
H30	14.3	14.3	14.3	16.7	18.9	18.9	19.4	20.1	20.5	21.6	21.7	21.9
H31	14.2	14.2	14.2	16.7	18.8	18.9	19.3	20.1	20.5	21.5	21.7	21.8
H32	14.0	14.0	14.0	16.3	18.4	18.5	18.9	19.7	20.1	21.2	21.3	21.5
H33	12.8	12.8	12.8	15.0	17.0	17.1	17.6	18.4	18.8	19.9	20.2	20.5
H34	17.2	17.2	17.2	20.0	22.3	22.4	22.7	23.5	23.8	24.8	25.0	25.1
H35	14.2	14.2	14.2	16.6	18.7	18.8	19.2	20.0	20.4	21.4	21.6	21.8
H36	13.3	13.3	13.3	15.5	17.6	17.7	18.1	18.9	19.3	20.4	20.6	20.8
H37	12.6	12.6	12.6	14.7	16.7	16.8	17.3	18.1	18.6	19.7	20.0	20.4
H38	14.2	14.2	14.2	16.5	18.5	18.6	19.1	19.8	20.3	21.3	21.5	21.7
H39	25.7	25.7	25.7	28.8	31.2	31.2	31.6	32.3	32.5	33.5	33.6	33.6
H40	14.5	14.5	14.5	16.8	18.9	19.0	19.4	20.2	20.6	21.7	21.9	22.1
H41	13.0	13.0	13.0	15.2	17.2	17.3	17.8	18.6	19.1	20.2	20.5	20.8
H42	13.3	13.3	13.3	15.5	17.5	17.6	18.1	18.9	19.3	20.4	20.6	20.8
H43	12.7	12.7	12.7	14.7	16.7	16.9	17.3	18.2	18.7	19.8	20.1	20.4
H44	14.2	14.2	14.2	16.5	18.6	18.7	19.1	19.9	20.3	21.4	21.6	21.8
H45	13.1	13.1	13.1	15.3	17.3	17.4	17.9	18.6	19.1	20.2	20.4	20.7
H46	12.8	12.8	12.8	14.7	16.7	16.8	17.3	18.1	18.7	19.8	20.1	20.5
H47	12.7	12.7	12.7	14.6	16.5	16.7	17.2	18.0	18.6	19.7	20.1	20.5
H48	26.0	26.0	26.0	28.8	31.1	31.2	31.5	32.3	32.5	33.5	33.6	33.6

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H49	26.0	26.0	26.0	28.5	30.7	30.8	31.2	31.9	32.2	33.2	33.4	33.5
H50	25.9	25.9	25.9	28.5	30.7	30.7	31.1	31.8	32.1	33.1	33.2	33.3
H52	26.1	26.1	26.1	28.5	30.7	30.7	31.2	31.9	32.3	33.2	33.4	33.6
H53	26.0	26.0	26.0	28.5	30.6	30.7	31.1	31.9	32.2	33.2	33.4	33.5
H54	26.2	26.2	26.2	28.5	30.6	30.7	31.1	31.9	32.3	33.3	33.5	33.7
H55	26.0	26.0	26.0	28.0	30.0	30.1	30.6	31.4	31.9	32.9	33.2	33.5
H56	25.9	25.9	25.9	27.8	29.9	30.0	30.5	31.2	31.7	32.8	33.1	33.5
H57	26.0	26.0	26.0	27.8	29.8	30.0	30.5	31.2	31.7	32.8	33.1	33.5
H58	26.0	26.0	26.0	27.8	29.8	30.0	30.5	31.2	31.7	32.7	33.1	33.5
H59	26.0	26.0	26.0	27.8	29.8	30.0	30.5	31.2	31.8	32.8	33.1	33.5
H60	26.0	26.0	26.0	27.8	29.8	30.0	30.4	31.2	31.7	32.7	33.1	33.5
H61	26.0	26.0	26.0	27.8	29.8	29.9	30.4	31.2	31.7	32.7	33.1	33.5
H62	26.0	26.0	26.0	27.8	29.8	29.9	30.4	31.2	31.7	32.7	33.1	33.5
H63	26.0	26.0	26.0	27.8	29.8	29.9	30.4	31.2	31.7	32.8	33.1	33.5
H64	26.0	26.0	26.0	27.8	29.8	29.9	30.4	31.2	31.7	32.8	33.1	33.5
H65	26.0	26.0	26.0	27.8	29.8	29.9	30.4	31.2	31.7	32.8	33.1	33.5
H66	26.0	26.0	26.0	27.8	29.8	29.9	30.4	31.2	31.7	32.7	33.1	33.5
H67	26.0	26.0	26.0	27.7	29.8	29.9	30.4	31.2	31.7	32.7	33.1	33.5
H68	30.0	30.0	30.0	30.6	32.5	32.6	32.9	33.4	33.7	34.4	34.9	35.4
H69	33.8	33.8	33.8	34.1	35.9	36.0	36.2	36.5	36.8	37.3	37.7	38.2
H70	28.2	28.2	28.2	29.1	31.0	31.1	31.5	32.1	32.5	33.3	33.8	34.3
H71	26.1	26.1	26.1	27.7	29.6	29.8	30.3	31.1	31.7	32.7	33.1	33.5
H72	13.5	13.5	13.5	14.9	16.7	17.1	17.8	18.8	19.7	20.9	21.7	22.5
H73	33.7	33.7	33.7	33.9	35.7	36.0	36.5	37.1	37.7	38.6	39.4	40.4
H74	34.2	34.2	34.2	34.4	36.2	36.6	37.1	37.7	38.4	39.3	40.2	41.1
H75	20.9	20.9	20.9	22.0	23.7	24.3	25.1	26.2	27.2	28.5	29.4	30.3
H76	32.7	32.7	32.7	32.9	34.7	35.1	35.6	36.3	37.1	38.0	39.0	40.0
H77	32.7	32.7	32.7	32.9	34.7	35.1	35.7	36.4	37.2	38.1	39.1	40.1
H78	21.5	21.5	21.5	22.6	24.3	24.8	25.7	26.7	27.7	29.0	30.0	30.8
H79	24.2	24.2	24.2	25.0	26.7	27.3	28.2	29.2	30.3	31.5	32.6	33.4
H80	25.0	25.0	25.0	25.7	27.3	28.3	29.5	30.8	32.1	33.5	34.9	35.6
H81	28.3	28.3	28.3	28.8	30.4	31.2	32.3	33.5	34.7	36.0	37.3	38.4
H82	27.8	27.8	27.8	28.3	29.9	31.1	32.5	33.9	35.4	36.9	38.3	39.1
H83	27.8	27.8	27.8	28.3	29.9	31.1	32.5	33.9	35.4	36.9	38.3	39.1
H84	37.7	37.7	37.7	37.7	38.0	38.2	38.5	38.9	39.3	39.7	40.2	40.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H85	28.2	28.2	28.2	28.8	30.1	30.5	31.1	31.8	32.6	33.5	34.2	34.9
H86	27.7	27.7	27.7	28.4	29.7	30.1	30.7	31.4	32.2	33.2	33.9	34.6
H87	28.4	28.4	28.4	29.0	30.2	30.5	31.1	31.8	32.6	33.5	34.3	35.0
H88	14.7	14.7	14.7	17.1	19.2	19.3	19.7	20.5	20.9	22.0	22.2	22.4
H89	15.6	15.6	15.6	18.1	20.3	20.4	20.8	21.6	21.9	23.0	23.2	23.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	22.1	22.1	22.1	25.5	28.0	27.9	28.3	29.1	29.3	30.3	30.8	30.8
H2	22.0	22.0	22.0	25.4	27.9	27.9	28.2	29.1	29.2	30.2	30.8	30.8
H3	22.2	22.2	22.2	25.6	28.1	28.0	28.4	29.2	29.4	30.4	30.9	30.9
H4	22.2	22.2	22.2	25.6	28.1	28.1	28.4	29.3	29.4	30.4	31.0	31.0
H5	22.3	22.3	22.3	25.7	28.2	28.2	28.5	29.4	29.5	30.5	31.1	31.1
H6	17.7	17.7	17.7	20.7	23.1	23.1	23.4	24.3	24.5	25.5	26.1	26.1
H7	25.5	25.5	25.5	28.9	31.4	31.4	31.7	32.6	32.7	33.7	34.3	34.3
H8	27.7	27.7	27.7	31.2	33.7	33.7	34.0	34.9	35.0	36.0	36.6	36.6
H9	27.1	27.1	27.1	30.6	33.1	33.1	33.4	34.3	34.4	35.4	36.0	36.0
H10	26.3	26.3	26.3	29.7	32.2	32.2	32.5	33.4	33.5	34.5	35.0	35.0
H11	26.4	26.4	26.4	29.7	32.2	32.2	32.5	33.4	33.5	34.5	35.1	35.1
H12	26.5	26.5	26.5	29.9	32.3	32.3	32.7	33.5	33.7	34.7	35.2	35.2
H13	18.7	18.7	18.7	21.9	24.3	24.3	24.6	25.5	25.7	26.7	27.2	27.2
H14	27.3	27.3	27.3	30.7	33.2	33.2	33.5	34.4	34.6	35.6	36.1	36.1
H15	27.1	27.1	27.1	30.5	33.0	33.0	33.3	34.2	34.3	35.3	35.8	35.8
H16	15.4	15.4	15.4	18.2	20.5	20.5	20.9	21.7	22.0	23.0	23.6	23.6
H17	18.7	18.7	18.7	21.7	24.1	24.1	24.4	25.3	25.5	26.5	27.1	27.1
H18	19.5	19.5	19.5	22.5	24.9	24.9	25.3	26.1	26.3	27.4	27.9	27.9
H19	17.9	17.9	17.9	20.8	23.1	23.1	23.4	24.3	24.6	25.6	26.1	26.1
H20	19.5	19.5	19.5	22.5	24.9	24.9	25.2	26.1	26.3	27.3	27.9	27.9
H21	17.7	17.7	17.7	20.4	22.6	22.6	23.0	23.9	24.1	25.2	25.7	25.8
H22	17.8	17.8	17.8	20.4	22.7	22.7	23.1	23.9	24.2	25.2	25.7	25.8
H23	17.8	17.8	17.8	20.5	22.7	22.7	23.1	23.9	24.2	25.2	25.7	25.8
H24	26.8	26.8	26.8	30.0	32.4	32.4	32.7	33.6	33.7	34.7	35.3	35.3
H25	19.4	19.4	19.4	22.3	24.6	24.6	25.0	25.8	26.0	27.1	27.6	27.6
H26	17.4	17.4	17.4	20.0	22.1	22.1	22.5	23.4	23.7	24.7	25.2	25.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H27	18.4	18.4	18.4	21.0	23.2	23.3	23.7	24.5	24.8	25.8	26.3	26.4
H28	18.0	18.0	18.0	20.6	22.8	22.8	23.2	24.1	24.4	25.4	25.9	26.0
H29	17.5	17.5	17.5	20.0	22.1	22.1	22.5	23.4	23.7	24.7	25.2	25.3
H30	17.6	17.6	17.6	20.0	22.1	22.2	22.6	23.4	23.7	24.8	25.3	25.4
H31	17.4	17.4	17.4	19.9	22.0	22.0	22.4	23.3	23.6	24.6	25.1	25.2
H32	17.2	17.2	17.2	19.5	21.6	21.7	22.1	22.9	23.3	24.3	24.8	24.9
H33	16.2	16.2	16.2	18.4	20.5	20.5	20.9	21.8	22.2	23.2	23.8	23.9
H34	19.8	19.8	19.8	22.6	24.9	24.9	25.3	26.1	26.4	27.4	27.9	28.0
H35	17.3	17.3	17.3	19.6	21.7	21.7	22.2	23.0	23.4	24.4	24.9	25.0
H36	16.6	16.6	16.6	18.8	20.8	20.8	21.2	22.1	22.5	23.5	24.0	24.1
H37	16.0	16.0	16.0	18.2	20.2	20.2	20.7	21.5	21.9	23.0	23.5	23.7
H38	17.3	17.3	17.3	19.6	21.6	21.7	22.1	22.9	23.3	24.3	24.8	24.9
H39	26.5	26.5	26.5	29.4	31.7	31.7	32.0	32.9	33.1	34.1	34.6	34.6
H40	17.5	17.5	17.5	19.7	21.7	21.8	22.2	23.0	23.4	24.5	25.0	25.1
H41	16.3	16.3	16.3	18.5	20.5	20.5	21.0	21.8	22.2	23.3	23.9	24.0
H42	16.4	16.4	16.4	18.6	20.5	20.6	21.0	21.9	22.3	23.3	23.9	24.0
H43	16.0	16.0	16.0	18.1	20.1	20.2	20.6	21.5	21.9	23.0	23.5	23.7
H44	17.1	17.1	17.1	19.4	21.4	21.4	21.8	22.7	23.1	24.1	24.6	24.7
H45	16.3	16.3	16.3	18.4	20.3	20.4	20.8	21.7	22.1	23.1	23.7	23.8
H46	15.9	15.9	15.9	17.9	19.8	19.8	20.3	21.1	21.6	22.7	23.3	23.5
H47	15.8	15.8	15.8	17.7	19.6	19.7	20.2	21.0	21.5	22.6	23.1	23.4
H48	26.4	26.4	26.4	29.1	31.3	31.3	31.7	32.5	32.8	33.7	34.2	34.2
H49	26.4	26.4	26.4	28.8	30.8	30.9	31.3	32.1	32.4	33.4	33.9	33.9
H50	26.5	26.5	26.5	28.8	30.8	30.9	31.2	32.1	32.4	33.4	33.8	33.9
H52	26.8	26.8	26.8	28.9	30.9	30.9	31.3	32.1	32.5	33.5	34.0	34.0
H53	26.7	26.7	26.7	28.8	30.8	30.9	31.3	32.1	32.5	33.5	33.9	34.0
H54	26.9	26.9	26.9	28.9	30.8	30.8	31.3	32.1	32.5	33.5	34.0	34.0
H55	26.9	26.9	26.9	28.6	30.3	30.4	30.9	31.7	32.2	33.2	33.6	33.7
H56	26.5	26.5	26.5	28.2	29.9	30.1	30.6	31.3	31.9	32.9	33.3	33.5
H57	26.6	26.6	26.6	28.2	29.9	30.0	30.5	31.3	31.9	32.9	33.3	33.5
H58	26.7	26.7	26.7	28.3	30.0	30.1	30.6	31.4	32.0	32.9	33.4	33.5
H59	26.7	26.7	26.7	28.3	30.0	30.1	30.6	31.4	32.0	32.9	33.4	33.5
H60	26.7	26.7	26.7	28.3	30.0	30.1	30.6	31.3	31.9	32.9	33.4	33.5
H61	26.6	26.6	26.6	28.3	30.0	30.1	30.6	31.3	31.9	32.9	33.3	33.5
H62	26.6	26.6	26.6	28.2	29.9	30.0	30.5	31.3	31.9	32.9	33.3	33.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H63	26.6	26.6	26.6	28.2	29.9	30.0	30.6	31.3	31.9	32.9	33.3	33.5
H64	26.6	26.6	26.6	28.2	29.9	30.0	30.5	31.3	31.9	32.9	33.3	33.5
H65	26.6	26.6	26.6	28.2	29.9	30.0	30.5	31.3	31.9	32.9	33.3	33.5
H66	26.6	26.6	26.6	28.2	29.9	30.0	30.5	31.3	31.9	32.9	33.3	33.5
H67	26.5	26.5	26.5	28.1	29.8	29.9	30.4	31.2	31.7	32.7	33.2	33.4
H68	27.8	27.8	27.8	28.8	30.5	30.7	31.1	31.7	32.2	33.1	33.5	33.7
H69	30.4	30.4	30.4	30.9	32.7	33.0	33.3	33.7	34.1	34.7	35.1	35.4
H70	27.8	27.8	27.8	28.8	30.5	30.7	31.1	31.7	32.2	33.0	33.4	33.6
H71	27.8	27.8	27.8	28.9	30.3	30.5	31.1	31.9	32.6	33.6	34.0	34.2
H72	17.4	17.4	17.4	18.3	19.8	20.3	21.2	22.2	23.3	24.6	25.6	26.5
H73	33.9	33.9	33.9	34.1	35.9	36.5	36.9	37.4	38.1	38.9	39.7	40.5
H74	34.4	34.4	34.4	34.6	36.4	37.0	37.4	38.0	38.7	39.5	40.4	41.3
H75	23.4	23.4	23.4	24.1	25.4	25.9	26.7	27.7	28.8	30.0	30.9	31.7
H76	33.0	33.0	33.0	33.2	34.9	35.5	36.0	36.6	37.4	38.3	39.2	40.1
H77	33.0	33.0	33.0	33.2	34.9	35.5	36.0	36.7	37.5	38.4	39.3	40.2
H78	24.2	24.2	24.2	24.8	26.1	26.6	27.5	28.4	29.5	30.7	31.7	32.5
H79	26.2	26.2	26.2	26.7	28.0	28.6	29.4	30.3	31.4	32.5	33.5	34.4
H80	25.8	25.8	25.8	26.3	27.7	28.5	29.5	30.6	31.9	33.2	34.4	35.1
H81	28.8	28.8	28.8	29.2	30.6	31.3	32.2	33.3	34.4	35.7	36.8	37.9
H82	27.8	27.8	27.8	28.2	29.6	30.6	31.9	33.2	34.6	36.0	37.4	38.1
H83	27.8	27.8	27.8	28.2	29.6	30.6	31.9	33.2	34.6	36.0	37.4	38.1
H84	37.9	37.9	37.9	38.0	38.3	38.5	38.8	39.1	39.5	39.9	40.4	40.8
H85	29.0	29.0	29.0	29.5	30.6	31.0	31.6	32.4	33.2	34.2	34.9	35.4
H86	28.6	28.6	28.6	29.2	30.3	30.7	31.4	32.1	33.0	34.0	34.6	35.2
H87	29.5	29.5	29.5	30.0	31.0	31.3	31.9	32.6	33.4	34.4	35.0	35.6
H88	17.6	17.6	17.6	19.8	21.9	21.9	22.3	23.2	23.6	24.6	25.1	25.2
H89	18.3	18.3	18.3	20.7	22.8	22.8	23.2	24.1	24.4	25.5	26.0	26.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	23.8	23.8	23.8	27.1	29.6	29.6	29.9	30.7	30.8	31.8	33.0	33.0
H2	23.8	23.8	23.8	27.0	29.5	29.5	29.8	30.6	30.8	31.8	32.9	32.9
H3	23.9	23.9	23.9	27.2	29.7	29.7	30.0	30.8	30.9	31.9	33.1	33.1
H4	24.0	24.0	24.0	27.2	29.7	29.7	30.0	30.8	31.0	32.0	33.1	33.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H5	24.1	24.1	24.1	27.3	29.8	29.8	30.1	30.9	31.1	32.1	33.2	33.2
H6	19.8	19.8	19.8	22.4	24.6	24.6	24.9	25.7	26.0	27.0	28.1	28.1
H7	26.4	26.4	26.4	29.7	32.1	32.1	32.4	33.2	33.4	34.4	35.5	35.5
H8	28.5	28.5	28.5	31.9	34.4	34.4	34.7	35.5	35.6	36.6	37.8	37.8
H9	27.5	27.5	27.5	30.9	33.4	33.4	33.7	34.5	34.6	35.6	36.8	36.8
H10	27.0	27.0	27.0	30.2	32.6	32.6	32.9	33.7	33.8	34.8	36.0	36.0
H11	27.0	27.0	27.0	30.2	32.6	32.6	32.9	33.7	33.8	34.8	36.0	36.0
H12	27.2	27.2	27.2	30.3	32.7	32.7	33.0	33.8	34.0	35.0	36.1	36.1
H13	20.1	20.1	20.1	22.8	25.0	25.0	25.3	26.1	26.4	27.4	28.5	28.5
H14	27.5	27.5	27.5	30.8	33.3	33.3	33.6	34.4	34.5	35.5	36.7	36.7
H15	27.4	27.4	27.4	30.6	33.1	33.0	33.4	34.1	34.3	35.3	36.5	36.5
H16	17.1	17.1	17.1	19.2	21.2	21.2	21.6	22.4	22.8	23.8	24.8	24.9
H17	20.0	20.0	20.0	22.4	24.5	24.6	24.9	25.7	26.1	27.1	28.1	28.1
H18	20.8	20.8	20.8	23.3	25.4	25.4	25.8	26.5	26.9	27.9	28.9	28.9
H19	19.6	19.6	19.6	21.7	23.7	23.7	24.1	24.9	25.3	26.3	27.3	27.3
H20	20.8	20.8	20.8	23.2	25.3	25.4	25.7	26.5	26.8	27.9	28.9	28.9
H21	19.6	19.6	19.6	21.5	23.3	23.4	23.8	24.6	25.0	26.1	27.0	27.1
H22	19.8	19.8	19.8	21.6	23.4	23.5	23.9	24.6	25.1	26.1	27.0	27.1
H23	19.8	19.8	19.8	21.7	23.5	23.5	23.9	24.6	25.1	26.2	27.1	27.1
H24	27.6	27.6	27.6	30.3	32.6	32.6	33.0	33.7	33.9	34.9	36.0	36.0
H25	20.9	20.9	20.9	23.1	25.1	25.2	25.6	26.3	26.7	27.7	28.7	28.8
H26	19.7	19.7	19.7	21.3	23.0	23.1	23.6	24.3	24.9	25.9	26.8	26.8
H27	20.4	20.4	20.4	22.2	24.0	24.1	24.6	25.3	25.8	26.8	27.7	27.8
H28	20.1	20.1	20.1	21.9	23.7	23.7	24.2	24.9	25.5	26.5	27.4	27.4
H29	19.7	19.7	19.7	21.4	23.1	23.1	23.6	24.3	24.9	25.9	26.8	26.9
H30	19.9	19.9	19.9	21.5	23.1	23.2	23.7	24.4	25.0	26.0	26.9	27.0
H31	19.7	19.7	19.7	21.3	23.0	23.0	23.5	24.2	24.8	25.9	26.7	26.8
H32	19.6	19.6	19.6	21.1	22.7	22.8	23.3	24.0	24.6	25.6	26.4	26.5
H33	18.7	18.7	18.7	20.1	21.6	21.7	22.2	22.9	23.6	24.7	25.5	25.7
H34	21.6	21.6	21.6	23.6	25.5	25.6	26.0	26.7	27.2	28.2	29.1	29.2
H35	19.7	19.7	19.7	21.2	22.8	22.9	23.4	24.1	24.7	25.7	26.5	26.7
H36	19.3	19.3	19.3	20.6	22.0	22.1	22.6	23.3	24.0	25.0	25.8	26.0
H37	18.7	18.7	18.7	20.0	21.5	21.6	22.1	22.8	23.5	24.6	25.4	25.6
H38	19.9	19.9	19.9	21.3	22.8	22.9	23.4	24.1	24.8	25.8	26.6	26.7
H39	28.0	28.0	28.0	30.2	32.2	32.2	32.6	33.3	33.7	34.7	35.7	35.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H40	20.0	20.0	20.0	21.4	22.9	23.0	23.5	24.2	24.9	25.9	26.7	26.8
H41	19.0	19.0	19.0	20.3	21.8	21.9	22.4	23.1	23.8	24.9	25.7	26.0
H42	19.2	19.2	19.2	20.4	21.9	22.0	22.5	23.2	24.0	25.0	25.8	26.0
H43	18.7	18.7	18.7	20.0	21.4	21.5	22.1	22.8	23.5	24.6	25.4	25.6
H44	19.7	19.7	19.7	21.1	22.6	22.7	23.2	23.9	24.6	25.6	26.4	26.5
H45	19.0	19.0	19.0	20.3	21.7	21.8	22.3	23.0	23.7	24.8	25.6	25.8
H46	18.8	18.8	18.8	19.9	21.2	21.3	21.9	22.6	23.4	24.5	25.3	25.5
H47	18.7	18.7	18.7	19.8	21.1	21.2	21.8	22.5	23.3	24.4	25.2	25.5
H48	28.1	28.1	28.1	30.0	31.9	31.9	32.4	33.1	33.5	34.5	35.4	35.4
H49	28.5	28.5	28.5	30.1	31.7	31.8	32.3	32.9	33.5	34.5	35.3	35.3
H50	28.6	28.6	28.6	30.2	31.7	31.8	32.3	33.0	33.6	34.6	35.3	35.4
H52	29.2	29.2	29.2	30.6	32.0	32.1	32.6	33.2	33.9	34.9	35.6	35.6
H53	29.1	29.1	29.1	30.5	31.9	32.0	32.5	33.2	33.9	34.8	35.6	35.6
H54	29.4	29.4	29.4	30.7	32.0	32.1	32.6	33.3	34.0	35.0	35.7	35.7
H55	29.9	29.9	29.9	30.8	31.9	32.0	32.7	33.3	34.2	35.2	35.7	35.7
H56	29.3	29.3	29.3	30.3	31.4	31.6	32.2	32.8	33.7	34.7	35.2	35.3
H57	29.4	29.4	29.4	30.3	31.5	31.6	32.2	32.8	33.7	34.7	35.2	35.3
H58	29.6	29.6	29.6	30.5	31.6	31.7	32.4	33.0	33.9	34.8	35.4	35.4
H59	29.6	29.6	29.6	30.5	31.6	31.7	32.4	33.0	33.9	34.8	35.4	35.4
H60	29.6	29.6	29.6	30.5	31.6	31.7	32.3	32.9	33.8	34.8	35.3	35.4
H61	29.5	29.5	29.5	30.4	31.5	31.7	32.3	32.9	33.8	34.8	35.3	35.3
H62	29.5	29.5	29.5	30.4	31.5	31.6	32.2	32.9	33.8	34.7	35.3	35.3
H63	29.5	29.5	29.5	30.4	31.5	31.6	32.3	32.9	33.8	34.8	35.3	35.3
H64	29.5	29.5	29.5	30.4	31.5	31.6	32.3	32.9	33.8	34.8	35.3	35.3
H65	29.5	29.5	29.5	30.4	31.5	31.6	32.3	32.9	33.8	34.8	35.3	35.3
H66	29.5	29.5	29.5	30.4	31.5	31.6	32.2	32.9	33.8	34.7	35.3	35.3
H67	29.3	29.3	29.3	30.2	31.3	31.4	32.1	32.7	33.6	34.5	35.1	35.1
H68	28.8	28.8	28.8	29.6	30.7	30.9	31.4	32.0	32.8	33.7	34.2	34.3
H69	29.6	29.6	29.6	30.2	31.5	31.8	32.2	32.6	33.3	34.1	34.6	34.8
H70	28.4	28.4	28.4	29.2	30.4	30.6	31.1	31.7	32.5	33.4	34.0	34.0
H71	29.8	29.8	29.8	30.6	31.6	31.7	32.4	33.0	33.9	34.9	35.4	35.4
H72	19.3	19.3	19.3	19.9	21.2	21.9	22.9	23.9	25.2	26.5	27.7	28.6
H73	33.8	33.8	33.8	34.0	35.6	36.0	36.3	36.6	37.1	37.7	38.2	38.6
H74	34.1	34.1	34.1	34.3	36.0	36.4	36.7	37.0	37.5	38.1	38.6	39.1
H75	24.6	24.6	24.6	25.2	26.2	26.6	27.5	28.3	29.4	30.6	31.5	32.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H76	32.9	32.9	32.9	33.2	34.8	35.2	35.7	36.2	36.9	37.7	38.4	39.1
H77	33.0	33.0	33.0	33.2	34.8	35.3	35.7	36.2	36.9	37.7	38.5	39.2
H78	25.4	25.4	25.4	25.9	26.9	27.3	28.1	28.9	30.0	31.2	32.1	32.7
H79	27.1	27.1	27.1	27.5	28.6	29.1	29.9	30.7	31.7	32.8	33.7	34.4
H80	26.7	26.7	26.7	27.1	28.2	28.9	29.8	30.8	32.0	33.3	34.4	35.1
H81	29.7	29.7	29.7	30.1	31.2	31.8	32.7	33.6	34.7	35.9	36.9	38.0
H82	28.1	28.1	28.1	28.5	29.7	30.7	31.8	33.0	34.4	35.8	37.1	37.8
H83	28.1	28.1	28.1	28.5	29.7	30.7	31.8	33.0	34.4	35.8	37.1	37.8
H84	38.7	38.7	38.7	38.8	39.0	39.2	39.5	39.8	40.1	40.5	40.9	41.3
H85	28.9	28.9	28.9	29.5	30.5	30.9	31.5	32.2	33.2	34.2	34.9	35.4
H86	28.6	28.6	28.6	29.2	30.3	30.6	31.3	32.0	32.9	33.9	34.6	35.1
H87	29.0	29.0	29.0	29.5	30.6	30.9	31.5	32.2	33.1	34.1	34.8	35.3
H88	20.1	20.1	20.1	21.5	23.0	23.1	23.6	24.3	25.0	26.0	26.8	26.9
H89	20.7	20.7	20.7	22.2	23.8	23.9	24.4	25.1	25.8	26.8	27.7	27.8

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	24.4	24.4	24.4	27.4	29.9	29.9	30.3	30.7	31.0	32.0	33.5	33.5
H2	24.3	24.3	24.3	27.3	29.8	29.8	30.2	30.6	30.9	31.9	33.4	33.4
H3	24.5	24.5	24.5	27.5	30.0	30.0	30.4	30.8	31.1	32.1	33.6	33.6
H4	24.5	24.5	24.5	27.5	30.0	30.0	30.4	30.8	31.1	32.1	33.6	33.6
H5	24.6	24.6	24.6	27.6	30.1	30.1	30.5	30.9	31.2	32.2	33.7	33.7
H6	20.2	20.2	20.2	22.6	24.9	25.0	25.4	25.9	26.2	27.3	28.7	28.7
H7	27.0	27.0	27.0	29.9	32.4	32.5	32.8	33.3	33.5	34.5	36.1	36.1
H8	28.7	28.7	28.7	32.0	34.6	34.6	35.0	35.4	35.6	36.6	38.2	38.2
H9	27.8	27.8	27.8	31.0	33.6	33.6	34.0	34.4	34.6	35.6	37.2	37.2
H10	27.8	27.8	27.8	30.5	33.0	33.0	33.4	33.8	34.1	35.1	36.6	36.6
H11	27.8	27.8	27.8	30.5	33.0	33.0	33.4	33.8	34.1	35.1	36.6	36.6
H12	28.0	28.0	28.0	30.7	33.1	33.2	33.6	34.0	34.3	35.3	36.8	36.8
H13	20.5	20.5	20.5	23.0	25.3	25.4	25.8	26.2	26.6	27.6	29.1	29.1
H14	28.0	28.0	28.0	31.1	33.6	33.6	34.0	34.4	34.6	35.6	37.2	37.2
H15	28.0	28.0	28.0	30.9	33.4	33.4	33.8	34.2	34.4	35.4	37.0	37.0
H16	17.8	17.8	17.8	19.7	21.8	22.0	22.5	23.0	23.6	24.6	25.8	26.0
H17	20.6	20.6	20.6	22.8	25.0	25.1	25.6	26.0	26.5	27.6	28.8	28.9

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H18	21.3	21.3	21.3	23.6	25.8	25.9	26.4	26.8	27.3	28.3	29.6	29.7
H19	20.2	20.2	20.2	22.1	24.2	24.4	24.9	25.4	25.9	27.0	28.1	28.3
H20	21.4	21.4	21.4	23.5	25.8	25.9	26.3	26.8	27.3	28.3	29.6	29.7
H21	20.0	20.0	20.0	21.8	23.8	24.1	24.6	25.1	25.7	26.7	27.9	28.0
H22	20.1	20.1	20.1	21.8	23.9	24.1	24.6	25.1	25.7	26.7	27.8	28.0
H23	20.1	20.1	20.1	21.9	23.9	24.1	24.6	25.1	25.7	26.7	27.9	28.0
H24	28.7	28.7	28.7	31.0	33.2	33.3	33.7	34.2	34.6	35.6	36.9	36.9
H25	21.3	21.3	21.3	23.4	25.5	25.7	26.2	26.6	27.1	28.2	29.4	29.5
H26	19.8	19.8	19.8	21.5	23.4	23.7	24.2	24.7	25.4	26.4	27.6	27.7
H27	20.6	20.6	20.6	22.4	24.4	24.6	25.1	25.6	26.2	27.3	28.5	28.6
H28	20.3	20.3	20.3	22.0	24.0	24.3	24.8	25.3	25.9	27.0	28.1	28.3
H29	19.6	19.6	19.6	21.3	23.3	23.5	24.1	24.6	25.2	26.3	27.4	27.6
H30	19.8	19.8	19.8	21.4	23.4	23.6	24.2	24.7	25.4	26.4	27.5	27.7
H31	19.6	19.6	19.6	21.2	23.2	23.5	24.0	24.5	25.2	26.2	27.4	27.6
H32	19.5	19.5	19.5	21.0	23.0	23.2	23.8	24.3	25.0	26.0	27.1	27.4
H33	18.4	18.4	18.4	19.9	21.8	22.1	22.7	23.3	24.0	25.2	26.3	26.6
H34	21.7	21.7	21.7	23.7	25.8	26.0	26.5	27.0	27.5	28.5	29.7	29.8
H35	19.6	19.6	19.6	21.1	23.1	23.3	23.9	24.4	25.1	26.2	27.3	27.5
H36	19.0	19.0	19.0	20.4	22.3	22.5	23.1	23.7	24.4	25.5	26.6	26.9
H37	18.5	18.5	18.5	19.8	21.7	22.0	22.6	23.2	24.0	25.1	26.2	26.6
H38	19.6	19.6	19.6	21.1	23.0	23.3	23.8	24.4	25.1	26.2	27.2	27.5
H39	28.6	28.6	28.6	30.6	32.7	32.8	33.3	33.7	34.2	35.2	36.4	36.4
H40	19.7	19.7	19.7	21.2	23.1	23.4	23.9	24.5	25.2	26.3	27.3	27.6
H41	18.8	18.8	18.8	20.1	22.0	22.3	22.9	23.5	24.3	25.4	26.6	27.0
H42	18.8	18.8	18.8	20.2	22.1	22.4	23.0	23.6	24.4	25.5	26.5	26.8
H43	18.5	18.5	18.5	19.8	21.7	22.0	22.6	23.2	24.0	25.1	26.3	26.6
H44	19.5	19.5	19.5	20.9	22.8	23.1	23.7	24.2	25.0	26.1	27.1	27.4
H45	18.7	18.7	18.7	20.1	21.9	22.2	22.8	23.4	24.1	25.3	26.4	26.7
H46	18.5	18.5	18.5	19.7	21.5	21.9	22.5	23.1	24.0	25.1	26.2	26.7
H47	18.5	18.5	18.5	19.6	21.4	21.8	22.4	23.1	24.0	25.1	26.2	26.7
H48	28.8	28.8	28.8	30.5	32.5	32.7	33.2	33.6	34.3	35.2	36.3	36.3
H49	29.0	29.0	29.0	30.5	32.3	32.5	33.1	33.5	34.3	35.3	36.2	36.2
H50	29.2	29.2	29.2	30.6	32.4	32.6	33.2	33.6	34.4	35.4	36.3	36.3
H52	29.3	29.3	29.3	30.6	32.4	32.7	33.2	33.7	34.5	35.5	36.3	36.3
H53	29.2	29.2	29.2	30.5	32.3	32.6	33.2	33.6	34.4	35.4	36.2	36.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H54	29.4	29.4	29.4	30.6	32.4	32.6	33.2	33.7	34.6	35.5	36.3	36.3
H55	29.2	29.2	29.2	30.3	31.9	32.2	32.8	33.3	34.2	35.2	35.9	35.9
H56	28.7	28.7	28.7	29.8	31.4	31.7	32.4	32.8	33.7	34.7	35.4	35.4
H57	28.6	28.6	28.6	29.7	31.3	31.6	32.3	32.7	33.6	34.6	35.3	35.3
H58	28.8	28.8	28.8	29.8	31.5	31.8	32.4	32.9	33.8	34.7	35.5	35.5
H59	28.8	28.8	28.8	29.8	31.5	31.8	32.4	32.9	33.8	34.7	35.5	35.5
H60	28.7	28.7	28.7	29.8	31.4	31.7	32.4	32.8	33.7	34.7	35.4	35.5
H61	28.7	28.7	28.7	29.8	31.4	31.7	32.3	32.8	33.7	34.7	35.4	35.4
H62	28.6	28.6	28.6	29.7	31.3	31.6	32.3	32.7	33.7	34.6	35.3	35.4
H63	28.7	28.7	28.7	29.8	31.4	31.7	32.3	32.8	33.7	34.7	35.4	35.4
H64	28.7	28.7	28.7	29.7	31.4	31.7	32.3	32.8	33.7	34.7	35.4	35.4
H65	28.7	28.7	28.7	29.7	31.4	31.7	32.3	32.8	33.7	34.6	35.4	35.4
H66	28.7	28.7	28.7	29.7	31.3	31.6	32.3	32.7	33.7	34.6	35.3	35.4
H67	28.4	28.4	28.4	29.5	31.2	31.5	32.1	32.6	33.5	34.4	35.2	35.2
H68	27.8	27.8	27.8	28.8	30.4	30.9	31.5	31.9	32.7	33.6	34.3	34.4
H69	28.5	28.5	28.5	29.3	30.9	31.7	32.3	32.6	33.3	34.1	34.7	34.8
H70	27.4	27.4	27.4	28.4	30.1	30.5	31.1	31.5	32.3	33.3	34.0	34.1
H71	28.9	28.9	28.9	29.8	31.4	31.7	32.4	32.8	33.8	34.8	35.4	35.5
H72	18.8	18.8	18.8	19.5	21.1	21.9	22.9	23.9	25.1	26.4	27.7	28.7
H73	30.5	30.5	30.5	30.9	32.6	33.9	34.4	34.7	35.2	35.8	36.4	36.7
H74	32.3	32.3	32.3	32.6	34.4	35.9	36.4	36.6	37.0	37.4	37.9	38.1
H75	24.6	24.6	24.6	25.2	26.7	27.5	28.4	29.3	30.5	31.8	32.9	33.6
H76	31.1	31.1	31.1	31.4	33.1	34.5	35.0	35.3	35.8	36.4	37.0	37.3
H77	31.1	31.1	31.1	31.5	33.2	34.5	35.1	35.4	35.9	36.5	37.0	37.4
H78	25.0	25.0	25.0	25.6	27.0	27.7	28.5	29.3	30.5	31.6	32.7	33.3
H79	26.9	26.9	26.9	27.3	28.7	29.6	30.3	31.0	31.9	33.0	33.9	34.6
H80	26.4	26.4	26.4	26.8	28.2	29.1	30.1	31.1	32.3	33.5	34.7	35.4
H81	29.8	29.8	29.8	30.2	31.4	32.3	33.2	34.0	35.0	36.1	37.1	38.1
H82	27.8	27.8	27.8	28.2	29.6	30.7	31.9	33.1	34.4	35.8	37.1	37.8
H83	27.8	27.8	27.8	28.2	29.6	30.7	31.9	33.1	34.4	35.8	37.1	37.8
H84	40.1	40.1	40.1	40.1	40.3	40.6	40.8	41.1	41.4	41.7	42.1	42.4
H85	27.5	27.5	27.5	28.2	29.7	30.3	31.0	31.4	32.3	33.2	33.9	34.1
H86	27.2	27.2	27.2	28.0	29.5	30.1	30.7	31.2	32.1	33.0	33.7	33.9
H87	27.4	27.4	27.4	28.1	29.6	30.2	30.8	31.3	32.2	33.1	33.8	34.0
H88	19.8	19.8	19.8	21.3	23.2	23.5	24.1	24.6	25.3	26.4	27.5	27.7

Table 10.9.21: Cumulative Predicted Noise Levels in 240 Degree Sector - Night

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H89	20.4	20.4	20.4	22.0	24.0	24.3	24.8	25.4	26.1	27.1	28.3	28.6

Table 10.9.22: Cumulative Predicted Noise Levels in 270 Degree Sector - Night

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	24.3	24.3	24.3	27.4	30.0	30.0	30.4	30.5	30.8	31.8	33.6	33.6
H2	24.3	24.3	24.3	27.3	29.9	29.9	30.3	30.4	30.7	31.7	33.5	33.5
H3	24.4	24.4	24.4	27.5	30.1	30.1	30.5	30.6	30.9	31.9	33.6	33.7
H4	24.5	24.5	24.5	27.5	30.1	30.1	30.5	30.6	30.9	31.9	33.7	33.7
H5	24.6	24.6	24.6	27.6	30.2	30.2	30.6	30.7	31.0	32.0	33.8	33.8
H6	20.3	20.3	20.3	22.7	25.0	25.2	25.6	25.8	26.3	27.3	28.9	29.0
H7	27.0	27.0	27.0	29.9	32.5	32.6	32.9	33.1	33.3	34.3	36.1	36.1
H8	28.9	28.9	28.9	32.1	34.8	34.8	35.1	35.2	35.4	36.4	38.3	38.3
H9	27.9	27.9	27.9	31.1	33.8	33.8	34.1	34.2	34.4	35.4	37.3	37.3
H10	27.7	27.7	27.7	30.5	33.0	33.1	33.5	33.6	33.9	34.9	36.6	36.6
H11	27.7	27.7	27.7	30.5	33.0	33.1	33.5	33.6	33.9	34.9	36.6	36.6
H12	28.0	28.0	28.0	30.7	33.2	33.3	33.6	33.8	34.1	35.1	36.8	36.8
H13	20.6	20.6	20.6	23.0	25.4	25.6	26.0	26.2	26.7	27.7	29.3	29.4
H14	28.2	28.2	28.2	31.1	33.7	33.8	34.1	34.2	34.5	35.5	37.3	37.3
H15	28.0	28.0	28.0	30.9	33.5	33.5	33.9	34.0	34.3	35.3	37.0	37.0
H16	18.0	18.0	18.0	19.8	21.9	22.2	22.8	23.2	23.9	24.9	26.2	26.6
H17	20.7	20.7	20.7	22.8	25.1	25.3	25.8	26.1	26.7	27.8	29.1	29.3
H18	21.5	21.5	21.5	23.6	25.9	26.1	26.6	26.9	27.5	28.5	29.9	30.1
H19	20.4	20.4	20.4	22.2	24.3	24.6	25.2	25.5	26.2	27.2	28.5	28.7
H20	21.5	21.5	21.5	23.6	25.9	26.1	26.6	26.9	27.5	28.5	29.9	30.1
H21	20.1	20.1	20.1	21.8	23.9	24.2	24.8	25.2	25.9	26.9	28.1	28.4
H22	20.2	20.2	20.2	21.9	24.0	24.3	24.9	25.3	26.0	27.0	28.2	28.5
H23	20.2	20.2	20.2	21.9	24.0	24.3	24.9	25.3	26.0	27.1	28.3	28.5
H24	28.6	28.6	28.6	30.9	33.3	33.4	33.8	34.0	34.4	35.4	36.9	36.9
H25	21.4	21.4	21.4	23.4	25.7	25.9	26.4	26.7	27.4	28.4	29.7	29.9
H26	19.9	19.9	19.9	21.5	23.6	23.9	24.5	24.9	25.7	26.8	27.9	28.3
H27	20.6	20.6	20.6	22.4	24.5	24.8	25.4	25.8	26.5	27.5	28.7	29.0
H28	20.4	20.4	20.4	22.1	24.1	24.4	25.0	25.4	26.2	27.2	28.4	28.7
H29	19.7	19.7	19.7	21.4	23.4	23.8	24.4	24.8	25.6	26.6	27.8	28.2
H30	19.9	19.9	19.9	21.5	23.5	23.9	24.5	24.9	25.7	26.8	28.0	28.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H31	19.7	19.7	19.7	21.3	23.4	23.7	24.3	24.8	25.6	26.6	27.8	28.2
H32	19.6	19.6	19.6	21.1	23.1	23.5	24.1	24.6	25.4	26.5	27.6	28.0
H33	18.9	18.9	18.9	20.2	22.2	22.6	23.3	23.9	24.8	26.0	27.2	27.8
H34	21.8	21.8	21.8	23.8	26.0	26.2	26.7	27.1	27.7	28.7	30.0	30.2
H35	19.8	19.8	19.8	21.3	23.2	23.6	24.3	24.7	25.6	26.7	27.8	28.2
H36	19.2	19.2	19.2	20.5	22.5	22.9	23.5	24.1	25.0	26.1	27.2	27.7
H37	18.9	18.9	18.9	20.2	22.1	22.5	23.3	23.9	24.8	26.0	27.2	27.9
H38	19.8	19.8	19.8	21.2	23.2	23.6	24.2	24.7	25.6	26.7	27.7	28.2
H39	28.6	28.6	28.6	30.5	32.7	32.9	33.3	33.5	34.1	35.1	36.4	36.4
H40	19.9	19.9	19.9	21.3	23.3	23.7	24.3	24.8	25.7	26.8	27.9	28.3
H41	19.3	19.3	19.3	20.5	22.4	22.9	23.6	24.2	25.2	26.4	27.5	28.2
H42	19.1	19.1	19.1	20.4	22.3	22.7	23.4	24.0	24.9	26.0	27.1	27.7
H43	19.0	19.0	19.0	20.2	22.1	22.6	23.3	23.9	24.9	26.1	27.3	28.0
H44	19.6	19.6	19.6	21.0	22.9	23.3	24.0	24.5	25.4	26.5	27.6	28.0
H45	19.0	19.0	19.0	20.3	22.1	22.6	23.3	23.9	24.8	25.9	27.0	27.6
H46	19.1	19.1	19.1	20.2	22.0	22.5	23.3	24.0	25.0	26.2	27.3	28.1
H47	19.1	19.1	19.1	20.1	21.9	22.5	23.3	24.0	25.1	26.3	27.4	28.2
H48	28.7	28.7	28.7	30.5	32.5	32.7	33.2	33.5	34.1	35.1	36.3	36.3
H49	28.9	28.9	28.9	30.4	32.3	32.6	33.2	33.4	34.2	35.2	36.2	36.2
H50	29.1	29.1	29.1	30.5	32.4	32.7	33.2	33.5	34.3	35.3	36.3	36.3
H52	29.2	29.2	29.2	30.5	32.4	32.7	33.3	33.6	34.4	35.4	36.3	36.4
H53	29.0	29.0	29.0	30.4	32.3	32.6	33.2	33.5	34.3	35.3	36.3	36.3
H54	29.3	29.3	29.3	30.5	32.3	32.7	33.3	33.6	34.5	35.4	36.3	36.4
H55	29.1	29.1	29.1	30.1	31.8	32.2	32.9	33.2	34.2	35.1	35.9	35.9
H56	28.5	28.5	28.5	29.7	31.4	31.8	32.4	32.7	33.7	34.6	35.5	35.5
H57	28.4	28.4	28.4	29.6	31.3	31.7	32.3	32.6	33.6	34.5	35.4	35.4
H58	28.6	28.6	28.6	29.7	31.4	31.8	32.5	32.8	33.8	34.7	35.5	35.5
H59	28.6	28.6	28.6	29.7	31.4	31.8	32.5	32.8	33.7	34.7	35.5	35.5
H60	28.6	28.6	28.6	29.7	31.4	31.8	32.4	32.8	33.7	34.7	35.5	35.5
H61	28.6	28.6	28.6	29.7	31.3	31.7	32.4	32.7	33.7	34.6	35.4	35.5
H62	28.5	28.5	28.5	29.6	31.3	31.7	32.3	32.7	33.6	34.6	35.4	35.4
H63	28.6	28.6	28.6	29.6	31.3	31.7	32.4	32.7	33.7	34.6	35.4	35.5
H64	28.5	28.5	28.5	29.6	31.3	31.7	32.4	32.7	33.7	34.6	35.4	35.4
H65	28.5	28.5	28.5	29.6	31.3	31.7	32.4	32.7	33.7	34.6	35.4	35.4
H66	28.5	28.5	28.5	29.6	31.3	31.7	32.3	32.7	33.6	34.6	35.4	35.4

Table 10.9.22: Cumulative Predicted Noise Levels in 270 Degree Sector - Night

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H67	28.3	28.3	28.3	29.4	31.1	31.5	32.2	32.5	33.5	34.4	35.2	35.3
H68	27.7	27.7	27.7	28.7	30.4	30.9	31.7	32.4	33.4	34.2	34.9	34.9
H69	28.4	28.4	28.4	29.2	30.9	31.8	32.9	34.0	35.1	35.6	36.1	36.2
H70	27.2	27.2	27.2	28.3	30.0	30.5	31.2	31.7	32.7	33.5	34.3	34.4
H71	28.8	28.8	28.8	29.7	31.3	31.7	32.4	32.8	33.8	34.7	35.4	35.5
H72	18.8	18.8	18.8	19.5	21.1	21.9	23.0	24.0	25.2	26.5	27.6	28.7
H73	29.0	29.0	29.0	29.6	31.2	32.1	33.3	34.5	35.6	36.1	36.6	36.8
H74	29.7	29.7	29.7	30.2	31.9	33.0	34.3	35.7	36.9	37.3	37.7	37.9
H75	25.1	25.1	25.1	25.7	27.2	28.1	29.2	30.3	31.6	32.8	33.3	34.5
H76	28.9	28.9	28.9	29.5	31.1	32.0	33.2	34.4	35.5	36.1	36.6	36.8
H77	29.1	29.1	29.1	29.6	31.2	32.1	33.3	34.5	35.6	36.2	36.6	36.9
H78	25.9	25.9	25.9	26.4	27.9	28.8	30.0	31.1	32.4	33.6	34.1	35.3
H79	26.9	26.9	26.9	27.3	28.7	29.7	30.8	31.9	33.1	33.9	34.6	35.3
H80	26.9	26.9	26.9	27.3	28.7	29.8	31.0	32.2	33.5	34.7	35.1	36.4
H81	29.8	29.8	29.8	30.1	31.4	32.3	33.5	34.6	35.8	36.7	37.6	38.5
H82	28.1	28.1	28.1	28.5	29.9	31.1	32.4	33.7	35.1	36.4	36.7	38.2
H83	28.1	28.1	28.1	28.5	29.9	31.1	32.4	33.7	35.1	36.4	36.7	38.2
H84	40.6	40.6	40.6	40.6	40.8	41.0	41.3	41.5	41.8	42.0	42.3	42.5
H85	26.8	26.8	26.8	27.6	29.1	29.6	30.4	30.9	32.0	32.9	33.5	33.7
H86	26.5	26.5	26.5	27.4	28.9	29.4	30.2	30.7	31.8	32.7	33.3	33.5
H87	26.6	26.6	26.6	27.4	28.9	29.5	30.2	30.8	31.8	32.7	33.3	33.5
H88	20.0	20.0	20.0	21.4	23.4	23.8	24.5	25.0	25.9	26.9	28.0	28.5
H89	20.5	20.5	20.5	22.1	24.2	24.5	25.2	25.7	26.5	27.6	28.7	29.2

Table 10.9.23: Cumulative Predicted Noise Levels in 300 Degree Sector - Night

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	24.4	24.4	24.4	27.4	29.7	29.8	30.2	30.3	30.6	31.6	33.3	33.4
H2	24.3	24.3	24.3	27.3	29.7	29.7	30.1	30.2	30.5	31.5	33.3	33.3
H3	24.5	24.5	24.5	27.5	29.8	29.9	30.3	30.4	30.7	31.7	33.4	33.5
H4	24.5	24.5	24.5	27.5	29.9	29.9	30.3	30.4	30.7	31.7	33.5	33.5
H5	24.6	24.6	24.6	27.6	30.0	30.0	30.4	30.5	30.8	31.8	33.6	33.6
H6	20.3	20.3	20.3	22.7	24.8	25.0	25.4	25.7	26.2	27.2	28.8	28.9
H7	27.0	27.0	27.0	29.9	32.3	32.3	32.7	32.8	33.1	34.1	35.8	35.9
H8	28.9	28.9	28.9	32.1	34.5	34.6	34.9	35.0	35.2	36.2	38.0	38.1

Table 10.9.23: Cumulative Predicted Noise Levels in 300 Degree Sector - Night												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H9	27.9	27.9	27.9	31.1	33.5	33.5	33.9	34.0	34.2	35.2	37.0	37.1
H10	27.7	27.7	27.7	30.5	32.8	32.9	33.3	33.4	33.7	34.7	36.4	36.4
H11	27.7	27.7	27.7	30.5	32.8	32.9	33.3	33.4	33.7	34.8	36.4	36.4
H12	28.0	28.0	28.0	30.7	33.0	33.1	33.4	33.6	33.9	34.9	36.6	36.6
H13	20.6	20.6	20.6	23.0	25.2	25.4	25.8	26.1	26.6	27.6	29.1	29.3
H14	28.0	28.0	28.0	31.0	33.3	33.4	33.8	33.9	34.2	35.2	36.9	36.9
H15	27.8	27.8	27.8	30.7	33.0	33.1	33.4	33.6	33.9	34.9	36.6	36.6
H16	18.0	18.0	18.0	19.8	21.8	22.1	22.7	23.1	23.9	25.0	26.2	26.6
H17	20.8	20.8	20.8	22.9	24.9	25.2	25.7	26.1	26.7	27.8	29.1	29.4
H18	21.5	21.5	21.5	23.6	25.7	26.0	26.5	26.8	27.5	28.5	29.9	30.1
H19	20.4	20.4	20.4	22.2	24.2	24.5	25.1	25.5	26.3	27.3	28.5	28.9
H20	21.5	21.5	21.5	23.6	25.7	26.0	26.5	26.8	27.5	28.5	29.9	30.1
H21	20.2	20.2	20.2	21.9	23.8	24.2	24.8	25.2	26.0	27.0	28.2	28.6
H22	20.3	20.3	20.3	22.0	23.9	24.2	24.8	25.3	26.1	27.1	28.3	28.7
H23	20.3	20.3	20.3	22.0	23.9	24.3	24.9	25.3	26.1	27.2	28.4	28.7
H24	28.5	28.5	28.5	30.7	32.8	33.0	33.4	33.6	34.1	35.1	36.5	36.5
H25	21.5	21.5	21.5	23.5	25.5	25.8	26.3	26.7	27.4	28.4	29.7	30.0
H26	20.0	20.0	20.0	21.6	23.4	23.8	24.4	24.9	25.8	26.8	28.0	28.4
H27	20.7	20.7	20.7	22.5	24.4	24.7	25.3	25.8	26.6	27.6	28.8	29.2
H28	20.5	20.5	20.5	22.1	24.0	24.4	25.0	25.5	26.3	27.4	28.5	28.9
H29	19.8	19.8	19.8	21.4	23.3	23.7	24.3	24.8	25.6	26.7	27.9	28.3
H30	20.0	20.0	20.0	21.5	23.4	23.8	24.4	24.9	25.8	26.9	28.0	28.4
H31	19.8	19.8	19.8	21.4	23.2	23.6	24.3	24.8	25.6	26.7	27.8	28.3
H32	19.7	19.7	19.7	21.2	23.0	23.4	24.1	24.6	25.5	26.6	27.7	28.2
H33	18.8	18.8	18.8	20.2	22.0	22.5	23.2	23.8	24.7	25.9	27.1	27.7
H34	21.9	21.9	21.9	23.8	25.8	26.1	26.7	27.1	27.8	28.8	30.1	30.4
H35	19.8	19.8	19.8	21.3	23.1	23.6	24.2	24.8	25.7	26.8	27.9	28.4
H36	19.1	19.1	19.1	20.5	22.3	22.7	23.4	24.0	24.9	26.0	27.1	27.6
H37	18.9	18.9	18.9	20.1	21.9	22.4	23.1	23.8	24.8	25.9	27.1	27.8
H38	19.8	19.8	19.8	21.3	23.1	23.5	24.2	24.8	25.7	26.8	27.9	28.4
H39	28.4	28.4	28.4	30.3	32.2	32.5	33.0	33.2	33.9	34.8	36.1	36.1
H40	19.9	19.9	19.9	21.4	23.2	23.6	24.3	24.9	25.8	26.9	28.0	28.5
H41	19.2	19.2	19.2	20.5	22.2	22.7	23.5	24.1	25.1	26.3	27.5	28.2
H42	19.0	19.0	19.0	20.3	22.1	22.6	23.3	23.9	24.9	26.0	27.0	27.6
H43	18.9	18.9	18.9	20.2	21.9	22.4	23.2	23.8	24.9	26.0	27.2	27.9

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H44	19.7	19.7	19.7	21.1	22.8	23.3	24.0	24.6	25.5	26.6	27.7	28.3
H45	18.9	18.9	18.9	20.2	22.0	22.5	23.1	23.7	24.7	25.8	26.9	27.5
H46	19.0	19.0	19.0	20.1	21.8	22.4	23.2	23.9	25.0	26.2	27.3	28.1
H47	19.1	19.1	19.1	20.1	21.7	22.4	23.2	23.9	25.0	26.2	27.3	28.2
H48	28.4	28.4	28.4	29.9	31.7	32.1	32.6	32.9	33.6	34.6	35.7	35.7
H49	28.3	28.3	28.3	29.4	31.0	31.4	32.1	32.4	33.4	34.3	35.1	35.1
H50	28.4	28.4	28.4	29.5	31.0	31.5	32.2	32.5	33.5	34.4	35.2	35.2
H52	28.6	28.6	28.6	29.5	31.0	31.5	32.2	32.6	33.6	34.6	35.2	35.3
H53	28.4	28.4	28.4	29.4	30.9	31.4	32.1	32.5	33.5	34.5	35.1	35.2
H54	28.7	28.7	28.7	29.6	31.0	31.5	32.2	32.6	33.7	34.6	35.3	35.3
H55	28.6	28.6	28.6	29.3	30.7	31.2	32.0	32.4	33.5	34.5	35.0	35.0
H56	28.1	28.1	28.1	28.8	30.2	30.8	31.5	32.0	33.1	34.0	34.6	34.7
H57	28.0	28.0	28.0	28.8	30.2	30.7	31.5	31.9	33.0	34.0	34.5	34.6
H58	28.1	28.1	28.1	28.9	30.2	30.8	31.6	32.0	33.1	34.1	34.6	34.7
H59	28.1	28.1	28.1	28.9	30.2	30.8	31.6	32.0	33.1	34.1	34.6	34.7
H60	28.1	28.1	28.1	28.9	30.2	30.8	31.6	32.0	33.1	34.1	34.6	34.7
H61	28.1	28.1	28.1	28.8	30.2	30.8	31.5	31.9	33.1	34.0	34.6	34.6
H62	28.0	28.0	28.0	28.8	30.2	30.7	31.5	31.9	33.1	34.0	34.6	34.6
H63	28.1	28.1	28.1	28.8	30.2	30.8	31.5	31.9	33.1	34.0	34.6	34.6
H64	28.1	28.1	28.1	28.8	30.2	30.7	31.5	31.9	33.1	34.0	34.6	34.6
H65	28.0	28.0	28.0	28.8	30.1	30.7	31.5	31.9	33.1	34.0	34.5	34.6
H66	28.0	28.0	28.0	28.8	30.1	30.7	31.5	31.9	33.0	34.0	34.5	34.6
H67	27.9	27.9	27.9	28.7	30.1	30.6	31.4	31.8	32.9	33.9	34.5	34.5
H68	27.8	27.8	27.8	28.6	30.1	30.9	31.8	32.6	34.0	34.8	35.3	35.4
H69	28.9	28.9	28.9	29.5	31.1	32.2	33.5	34.8	36.3	37.0	37.3	37.4
H70	27.0	27.0	27.0	27.8	29.3	29.9	30.8	31.4	32.6	33.5	34.0	34.1
H71	28.3	28.3	28.3	28.9	30.1	30.8	31.6	32.0	33.2	34.1	34.6	34.6
H72	18.7	18.7	18.7	19.4	21.0	21.9	22.9	23.9	25.2	26.4	27.6	28.7
H73	29.0	29.0	29.0	29.5	30.8	31.6	32.7	33.7	35.1	35.9	36.3	36.6
H74	29.4	29.4	29.4	29.8	31.2	32.1	33.2	34.3	35.8	36.5	36.9	37.2
H75	25.0	25.0	25.0	25.6	27.1	28.0	29.2	30.2	31.6	32.6	33.3	34.6
H76	28.6	28.6	28.6	29.1	30.4	31.2	32.2	33.2	34.6	35.4	35.8	36.1
H77	29.2	29.2	29.2	29.6	30.8	31.6	32.5	33.4	34.8	35.5	36.0	36.2
H78	26.6	26.6	26.6	27.1	28.5	29.6	30.8	32.0	33.4	34.5	35.1	36.5
H79	27.2	27.2	27.2	27.6	29.0	30.0	31.1	32.3	33.8	34.7	35.3	36.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H80	28.3	28.3	28.3	28.6	30.1	31.3	32.6	33.9	35.4	36.4	37.0	38.6
H81	29.3	29.3	29.3	29.6	30.8	31.7	32.8	33.9	35.3	36.2	36.9	37.7
H82	28.9	28.9	28.9	29.2	30.7	32.0	33.3	34.6	36.1	37.1	37.8	39.4
H83	28.9	28.9	28.9	29.2	30.7	32.0	33.3	34.6	36.1	37.1	37.8	39.4
H84	40.6	40.6	40.6	40.6	40.7	40.9	41.1	41.3	41.6	41.8	42.0	42.2
H85	26.3	26.3	26.3	26.9	28.1	28.8	29.5	30.0	31.3	32.2	32.7	32.8
H86	26.0	26.0	26.0	26.6	27.8	28.5	29.3	29.8	31.0	31.9	32.4	32.5
H87	26.1	26.1	26.1	26.7	27.9	28.6	29.4	29.9	31.1	32.0	32.5	32.6
H88	20.1	20.1	20.1	21.5	23.3	23.8	24.5	25.1	26.0	27.1	28.2	28.7
H89	20.6	20.6	20.6	22.2	24.1	24.5	25.2	25.7	26.6	27.7	28.9	29.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	24.2	24.2	24.2	27.3	29.5	29.7	30.1	30.2	30.5	31.5	32.8	32.8
H2	24.1	24.1	24.1	27.2	29.5	29.6	30.0	30.1	30.4	31.4	32.7	32.7
H3	24.3	24.3	24.3	27.4	29.6	29.8	30.2	30.3	30.6	31.6	32.9	32.9
H4	24.3	24.3	24.3	27.4	29.7	29.8	30.2	30.3	30.6	31.6	32.9	32.9
H5	24.4	24.4	24.4	27.5	29.8	29.9	30.3	30.4	30.7	31.7	33.0	33.0
H6	19.9	19.9	19.9	22.5	24.6	24.9	25.4	25.6	26.1	27.1	28.2	28.4
H7	26.5	26.5	26.5	29.5	31.8	31.9	32.3	32.5	32.8	33.8	35.0	35.0
H8	28.0	28.0	28.0	31.2	33.5	33.6	33.9	34.1	34.3	35.3	36.6	36.6
H9	26.7	26.7	26.7	29.9	32.1	32.2	32.6	32.8	33.0	34.0	35.3	35.3
H10	27.0	27.0	27.0	29.8	32.0	32.2	32.6	32.8	33.1	34.1	35.3	35.3
H11	27.0	27.0	27.0	29.8	32.0	32.2	32.6	32.8	33.2	34.2	35.3	35.4
H12	27.0	27.0	27.0	29.8	32.0	32.2	32.6	32.8	33.2	34.2	35.3	35.3
H13	20.2	20.2	20.2	22.8	25.0	25.3	25.7	26.0	26.4	27.4	28.6	28.7
H14	26.7	26.7	26.7	29.5	31.7	31.9	32.3	32.5	32.8	33.8	35.0	35.1
H15	26.3	26.3	26.3	29.0	31.1	31.4	31.8	32.0	32.4	33.4	34.5	34.6
H16	17.5	17.5	17.5	19.4	21.3	21.9	22.5	22.9	23.6	24.6	25.6	26.0
H17	20.0	20.0	20.0	22.1	24.1	24.6	25.2	25.6	26.2	27.2	28.2	28.5
H18	20.7	20.7	20.7	22.8	24.8	25.3	25.9	26.2	26.8	27.8	28.8	29.1
H19	19.6	19.6	19.6	21.5	23.4	24.0	24.6	25.1	25.8	26.8	27.7	28.0
H20	20.7	20.7	20.7	22.8	24.8	25.3	25.9	26.2	26.8	27.8	28.8	29.1
H21	19.4	19.4	19.4	21.1	23.0	23.7	24.3	24.8	25.5	26.5	27.4	27.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H22	19.5	19.5	19.5	21.2	23.1	23.8	24.4	24.9	25.6	26.6	27.5	27.9
H23	19.5	19.5	19.5	21.2	23.0	23.7	24.4	24.8	25.6	26.6	27.5	27.8
H24	26.6	26.6	26.6	28.4	30.2	30.9	31.4	31.7	32.4	33.4	34.1	34.2
H25	20.5	20.5	20.5	22.5	24.4	25.0	25.6	26.0	26.6	27.6	28.6	28.9
H26	19.2	19.2	19.2	20.8	22.6	23.4	24.0	24.5	25.3	26.3	27.2	27.6
H27	19.8	19.8	19.8	21.5	23.4	24.1	24.7	25.2	25.9	26.9	27.8	28.2
H28	19.6	19.6	19.6	21.2	23.0	23.8	24.4	24.9	25.7	26.7	27.6	28.0
H29	19.0	19.0	19.0	20.6	22.4	23.2	23.9	24.4	25.1	26.1	27.0	27.5
H30	19.2	19.2	19.2	20.8	22.6	23.3	24.0	24.5	25.3	26.3	27.2	27.6
H31	19.0	19.0	19.0	20.6	22.4	23.1	23.8	24.3	25.1	26.1	27.0	27.5
H32	18.9	18.9	18.9	20.4	22.2	23.0	23.7	24.2	25.0	26.0	26.9	27.4
H33	18.1	18.1	18.1	19.6	21.3	22.1	22.9	23.5	24.4	25.5	26.4	27.1
H34	20.9	20.9	20.9	22.7	24.6	25.2	25.9	26.3	27.0	28.0	28.9	29.3
H35	19.0	19.0	19.0	20.4	22.2	23.0	23.8	24.3	25.1	26.2	27.0	27.5
H36	18.3	18.3	18.3	19.7	21.4	22.3	23.0	23.6	24.4	25.5	26.3	26.9
H37	18.2	18.2	18.2	19.5	21.2	22.1	22.9	23.5	24.4	25.6	26.5	27.2
H38	19.0	19.0	19.0	20.4	22.1	23.0	23.8	24.3	25.2	26.2	27.0	27.5
H39	26.4	26.4	26.4	27.7	29.3	30.2	30.9	31.3	32.1	33.1	33.7	33.8
H40	19.0	19.0	19.0	20.4	22.1	23.0	23.8	24.3	25.2	26.2	27.0	27.6
H41	18.5	18.5	18.5	19.8	21.5	22.4	23.2	23.8	24.8	25.9	26.8	27.6
H42	18.2	18.2	18.2	19.5	21.2	22.1	22.9	23.5	24.4	25.4	26.2	26.8
H43	18.3	18.3	18.3	19.5	21.2	22.1	22.9	23.6	24.5	25.6	26.6	27.3
H44	18.8	18.8	18.8	20.1	21.8	22.7	23.5	24.1	24.9	26.0	26.8	27.4
H45	18.1	18.1	18.1	19.4	21.0	21.9	22.7	23.3	24.2	25.3	26.1	26.7
H46	18.3	18.3	18.3	19.4	21.0	22.0	22.9	23.6	24.6	25.7	26.7	27.5
H47	18.4	18.4	18.4	19.4	21.0	22.0	22.9	23.7	24.7	25.8	26.8	27.6
H48	26.4	26.4	26.4	27.3	28.8	30.0	30.8	31.3	32.3	33.2	33.7	33.8
H49	26.6	26.6	26.6	27.2	28.5	30.0	31.0	31.5	32.7	33.6	33.9	34.0
H50	26.8	26.8	26.8	27.3	28.6	30.1	31.0	31.5	32.8	33.7	33.9	34.0
H52	27.1	27.1	27.1	27.6	28.8	30.4	31.3	31.8	33.1	34.0	34.3	34.4
H53	26.9	26.9	26.9	27.4	28.6	30.2	31.2	31.7	33.0	33.9	34.1	34.3
H54	27.1	27.1	27.1	27.6	28.7	30.4	31.3	31.8	33.1	34.0	34.3	34.3
H55	27.2	27.2	27.2	27.6	28.7	30.3	31.3	31.8	33.1	34.0	34.2	34.3
H56	26.8	26.8	26.8	27.1	28.3	29.9	30.9	31.5	32.7	33.6	33.8	34.0
H57	26.7	26.7	26.7	27.1	28.2	29.9	30.9	31.4	32.6	33.5	33.8	33.9

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H58	26.8	26.8	26.8	27.2	28.3	30.0	31.0	31.5	32.8	33.7	33.9	34.0
H59	26.8	26.8	26.8	27.2	28.3	30.0	31.0	31.5	32.8	33.7	33.9	34.0
H60	26.8	26.8	26.8	27.2	28.3	30.0	31.0	31.5	32.8	33.7	33.9	34.0
H61	26.8	26.8	26.8	27.2	28.3	30.0	31.0	31.5	32.7	33.6	33.9	34.0
H62	26.7	26.7	26.7	27.1	28.3	29.9	30.9	31.5	32.7	33.6	33.8	34.0
H63	26.8	26.8	26.8	27.2	28.3	30.0	31.0	31.5	32.7	33.6	33.9	34.0
H64	26.8	26.8	26.8	27.1	28.3	29.9	31.0	31.5	32.7	33.6	33.8	34.0
H65	26.8	26.8	26.8	27.1	28.3	29.9	30.9	31.5	32.7	33.6	33.8	34.0
H66	26.8	26.8	26.8	27.1	28.2	29.9	30.9	31.4	32.7	33.6	33.8	34.0
H67	26.6	26.6	26.6	27.0	28.2	29.8	30.8	31.4	32.6	33.5	33.7	33.9
H68	27.8	27.8	27.8	28.1	29.6	31.3	32.6	33.2	33.9	34.5	34.7	34.9
H69	30.4	30.4	30.4	30.5	32.2	34.0	35.6	36.3	36.6	37.0	37.2	37.4
H70	26.2	26.2	26.2	26.5	27.8	29.4	30.6	31.2	32.1	32.9	33.2	33.4
H71	27.0	27.0	27.0	27.3	28.3	30.1	31.0	31.6	32.9	33.8	33.9	34.0
H72	18.1	18.1	18.1	18.6	20.0	21.4	22.5	23.5	24.7	25.9	26.9	28.0
H73	28.4	28.4	28.4	28.6	29.7	31.2	32.4	33.0	33.8	34.5	34.9	35.3
H74	28.7	28.7	28.7	28.9	30.0	31.5	32.7	33.3	34.1	34.8	35.2	35.8
H75	24.4	24.4	24.4	24.7	26.0	27.5	28.7	29.8	30.6	31.2	31.6	32.8
H76	28.4	28.4	28.4	28.6	29.5	30.9	31.9	32.5	33.3	34.0	34.4	34.8
H77	28.4	28.4	28.4	28.6	29.6	30.9	31.9	32.5	33.3	34.0	34.4	34.8
H78	26.1	26.1	26.1	26.4	27.7	29.2	30.5	31.7	32.4	32.9	33.3	34.6
H79	27.5	27.5	27.5	27.7	29.0	30.4	31.7	32.9	33.6	34.2	34.7	35.9
H80	28.6	28.6	28.6	28.8	30.2	31.8	33.2	34.5	35.1	35.3	35.5	37.1
H81	27.6	27.6	27.6	27.8	28.7	29.8	30.8	31.4	32.3	33.0	33.5	34.2
H82	29.7	29.7	29.7	30.0	31.4	32.9	34.4	35.8	36.3	36.5	36.6	38.3
H83	29.7	29.7	29.7	30.0	31.4	32.9	34.4	35.8	36.3	36.5	36.6	38.3
H84	40.5	40.5	40.5	40.6	40.7	40.9	41.1	41.3	41.5	41.7	41.9	42.1
H85	25.3	25.3	25.3	25.6	26.5	28.1	29.0	29.5	30.7	31.6	31.8	32.0
H86	24.9	24.9	24.9	25.2	26.2	27.8	28.7	29.3	30.5	31.4	31.5	31.7
H87	25.0	25.0	25.0	25.3	26.3	27.9	28.8	29.3	30.5	31.4	31.6	31.8
H88	19.2	19.2	19.2	20.5	22.2	23.1	23.9	24.5	25.3	26.4	27.2	27.8
H89	19.6	19.6	19.6	21.0	22.8	23.6	24.4	25.0	25.8	26.9	27.7	28.3

Technical Appendix 10.10: Suggested Planning Conditions

If the wind farm was successful in its application for planning permission any resulting decision notice would likely contain appropriately worded noise conditions, written so as to be in accordance with Circular 4/1998 The Use of Conditions in Planning Permissions¹.

Such conditions would provide a degree of protection to nearby residents in the event that noise from the wind farm causes disturbance. To that end, presented below are a set of relevant, precise and enforceable conditions that RES suggest may be considered as appropriate. The form of condition wording suggested has been adopted at sites such as Freasdail², Minnygap³, Roos⁴, Solwaybank⁵ and Wryde Croft⁶. Any final conditions attached to the proposal would be according to the discretion of the decision maker.

¹ Circular 4/1998, "The Use of Conditions in Planning Permissions", Scottish Government, February 1998

² Directorate for Planning and Environmental Appeals, Appeal Decision Notice, Appeal Reference PPA-130-2036, Decision Date: 15 April 2014

³ Directorate for Planning and Environmental Appeals, Appeal Decision Notice, Appeal Reference PPA-170-2055, Decision Date: 19 June 2014

⁴ The Planning Inspectorate, Appeal Decision, Appeal Reference: APP/E2001/A/09/2113076, Decision Date: 21 June 2010

⁵ Directorate for Planning and Environmental Appeals, Appeal Decision Notice, Appeal Reference PPA-170-2091, Decision Date: 23 September 2014

⁶ The Planning Inspectorate, Appeal Decisions for Appeal References: APP/J0540/A/08/2083801 and APP/J0540/A/08/2090541, Decision Date: 1 April 2010

1. The level of noise immissions from the combined effects of the wind turbines (including the application of any tonal penalty) when calculated in accordance with the attached Guidance Notes, shall not exceed the values set out in the attached Table A to X (as appropriate). Noise limits for dwellings which lawfully exist or have planning permission for construction at the date of this consent but are not listed in the attached Tables shall be those of the physically closest location listed in the Tables unless otherwise agreed with the Local Planning Authority. The coordinate locations to be used in determining the location of each of the dwellings listed in Tables A to X shall be those listed in Table Y.
2. Within 21 days from the receipt of a written request from the Local Planning Authority and following a complaint to the Local Planning Authority from the occupant of a dwelling which lawfully exists or has planning permission at the date of this consent, the wind farm operator shall, at the wind farm operators expense, employ an independent consultant approved by the Local Planning Authority to assess the level of noise immissions from **the wind farm at the complainant's property following the procedures described in the attached Guidance Notes.**
3. **The wind farm operator shall provide to the Local Planning Authority the independent consultant's** assessment and conclusions regarding the said noise complaint, including all calculations, audio recordings and the raw data upon which those assessments and conclusions are based. Such information shall be provided within 2 months of the date of the written request of the Local Planning Authority, with an additional 3 weeks allowed should further investigation pursuant to Guidance Note 4 be required, unless otherwise extended in writing by the Local Planning Authority.
4. Wind speed, wind direction and power generation data shall be continuously logged and provided to the Local Planning Authority at its request and in accordance with the attached Guidance Notes within 14 days of such request. Such data shall be retained for a period of not less than 24 months.
5. No development shall commence until there has been submitted to the Local Planning Authority details of a nominated representative for the development to act as a point of contact for local residents (in connection with conditions 1 - 4) together with the arrangements for notifying and approving any subsequent change in the nominated representative. The nominated representative shall have responsibility for liaison with the Local Planning Authority in connection with any noise complaints made during the construction, operation and decommissioning of the wind farm.

SCHEDULE OF NOISE GUIDANCE NOTES

These notes form part of conditions 1-5. They further explain these conditions and specify the methods to be deployed in the assessment of complaints about noise immissions from the wind farm.

Reference to ETSU-R-97 refers to the publication entitled "The Assessment and Rating of Noise from Wind Farm" (1997) published by the Energy Technology Support unit (ETSU) for the Department of Trade and Industry (DTI).

NOTE 1

- a) Values of the $L_{A90,10min}$ **noise statistic shall be measured at the complainant's property** using a sound level meter of EN 60651/BS EN 60804 Type 1, or EN 61672 Class 1 quality (or the replacement thereof) set to measure using a fast time weighted response as specified in BS EN 60651/BS EN 60804 or BS EN 61672-1 (or the equivalent UK adopted standard in force at the time of the measurements). This shall be calibrated in accordance with the procedure specified in BS 4142: 1997 (or the replacement thereof). These measurements shall be made in such a way that the requirements of Note 3 shall also be satisfied.
- b) The microphone should be mounted at 1.2 - 1.5 m above ground level, fitted with a two layer windshield (or suitable alternative approved in writing from the Local Planning Authority), and placed outside the **complainant's dwelling. Measurements should be made in "free-field" conditions. To achieve this, the microphone** should be placed at least 3.5m away from the building facade or any reflecting surface except the ground at a location agreed with the Local Planning Authority.
- c) The $L_{A90,10min}$ measurements shall be synchronised with measurements of the 10-minute arithmetic mean wind speed and with operational data, including power generation information for each wind turbine, from the turbine control systems of the wind farm.
- d) The wind farm operator shall continuously log arithmetic mean wind speed and arithmetic mean wind direction data in 10 minute periods on the wind farm site to enable compliance with the conditions to be evaluated. The mean wind speed at hub height shall be 'standardised' to a reference height of 10 metres as described in ETSU-R-97 at page 120 using a reference roughness length of 0.05 metres. It is this standardised 10m height wind speed data which is correlated with the noise measurements of Note 2(a) in the manner described in Note 2(c).

NOTE 2

- a) The noise measurements shall be made so as to provide not less than 20 valid data points as defined in Note 2 paragraph (b). Such measurements shall provide valid data points for the range of wind speeds, wind directions, times of day and power generation requested by the Local Planning Authority. In specifying such conditions the Local Planning Authority shall have regard to those conditions which were most likely to have prevailed during times when the complainant alleges there was disturbance due to noise.
- b) Valid data points are those that remain after all periods during rainfall have been excluded. Rainfall shall be assessed by use of a rain gauge that shall log the occurrence of rainfall in each 10minute period concurrent with the measurement periods set out in Note 1(c) and is situated in the vicinity of the sound level meter.
- c) **A least squares, "best fit" curve of a maximum 2nd order polynomial or otherwise as may be agreed with** the local planning authority shall be fitted between the standardised mean wind speed (as defined in Note 1 paragraph (d)) plotted against the measured $L_{A90,10min}$ noise levels. The noise level at each integer speed shall be derived from this best-fit curve.


NOTE 3

Where, in the opinion of the Local Planning Authority, noise immissions at the location or locations where assessment measurements are being undertaken contain a tonal component, the following rating procedure shall be used.

- a) For each 10-minute interval for which $L_{A90,10min}$ data have been obtained as provided for in Notes 1 and 2, a tonal assessment shall be performed on noise immissions during 2-minutes of each 10-minute period. The 2-minute periods shall be regularly spaced at 10-minute intervals provided that uninterrupted clean data are available. Where clean data are not available, the first available uninterrupted clean 2 minute period out of the

affected overall 10 minute period shall be selected. Any such deviations from standard procedure, as described in Section 2.1 on pages 104-109 of ETSU-R-97, shall be reported.

- b) For each of the 2-minute samples the margin above or below the audibility criterion of the tone level **difference, ΔL_{tm}** (Delta L_{tm}), shall be calculated by comparison with the audibility criterion, given in Section 2.1 on pages 104-109 of ETSU-R-97.
- c) The arithmetic average margin above audibility shall be calculated for each wind speed bin where data is available, each bin being 1 metre per second wide and centred on integer wind speeds. For samples for which the tones were below the audibility criterion or no tone was identified, a value of zero audibility shall be substituted.
- d) The tonal penalty shall be derived from the margin above audibility of the tone according to the figure below. The rating level at each wind speed shall be calculated as the arithmetic sum of the wind farm noise level, as determined from the best-fit curve described in Note 2, and the penalty for tonal noise.



NOTE 4

If the wind farm noise level (including the application of any tonal penalty as per Note 3) is above the limit set out in the conditions, measurements of the influence of background noise shall be made to determine whether or not there is a breach of condition. This may be achieved by repeating the steps in Notes 1 & 2 with the wind farm switched off in order to determine the background noise, L_3 , at the assessed wind speed. The wind farm noise at this wind speed, L_1 , is then calculated as follows, where L_2 is the measured wind farm noise level at the assessed wind speed with turbines running but without the addition of any tonal penalty:

$$L_1 = 10 \log \left[10^{L_2/10} - 10^{L_3/10} \right]$$

The wind farm noise level is re-calculated by adding the tonal penalty (if any) to the wind farm noise.

TABLE OF NOISE LIMITS RELATING TO CONDITION 1

Table A: The LA90,10min dB Wind Farm Noise Level at Night – 0 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	37.9	37.9	37.9	37.8	37.6	37.6	37.5	37.5	37.5	37.3	40.8	46.2
H2	37.9	37.9	37.9	37.8	37.6	37.6	37.5	37.5	37.5	37.3	40.8	46.2
H3	37.9	37.9	37.9	37.8	37.6	37.6	37.5	37.5	37.4	37.3	40.8	46.2
H4	37.9	37.9	37.9	37.8	37.6	37.6	37.5	37.5	37.4	37.3	40.8	46.2
H5	37.9	37.9	37.9	37.7	37.6	37.6	37.5	37.5	37.4	37.3	40.8	46.2
H6	38.0	38.0	38.0	37.9	37.9	37.9	37.8	37.8	37.8	37.8	41.1	46.3
H7	37.8	37.8	37.8	37.7	37.5	37.4	37.3	37.3	37.2	37.2	41.0	45.1
H8	37.7	37.7	37.7	37.5	37.1	37.1	37.0	36.9	36.8	36.7	40.7	45.0
H9	37.8	37.8	37.8	37.7	37.5	37.4	37.4	37.3	37.3	37.3	41.0	45.1
H10	37.8	37.8	37.8	37.7	37.5	37.4	37.3	37.3	37.2	37.2	41.0	45.1
H11	37.8	37.8	37.8	37.7	37.5	37.4	37.3	37.3	37.2	37.2	41.0	45.1
H12	37.8	37.8	37.8	37.7	37.5	37.4	37.3	37.3	37.1	37.1	41.0	45.1
H13	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	37.8	41.1	46.3
H14	37.8	37.8	37.8	37.7	37.6	37.5	37.4	37.4	37.3	37.3	41.1	45.1
H15	37.8	37.8	37.8	37.7	37.6	37.5	37.5	37.4	37.3	37.4	41.1	45.1
H16	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H17	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	37.8	41.1	46.3
H18	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.1	46.2
H19	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H20	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.1	46.2
H21	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H22	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H23	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H24	37.8	37.8	37.8	37.7	37.6	37.5	37.4	37.3	37.1	37.1	41.0	45.1
H25	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.1	46.2
H26	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H27	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	37.7	41.1	46.3
H28	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	37.8	41.1	46.3
H29	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H30	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H31	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H32	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H33	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H34	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	44.9	44.9	46.2
H35	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3

Table A: The LA90,10min dB Wind Farm Noise Level at Night – 0 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H36	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H37	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H38	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H39	37.8	37.8	37.8	37.7	37.6	37.5	37.3	37.2	37.0	37.0	40.9	45.1
H40	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H41	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H42	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H43	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H44	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H45	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	41.1	46.3
H46	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H47	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.2
H48	37.7	37.7	37.7	37.7	37.6	37.4	37.3	37.1	36.8	36.7	40.8	45.0
H49	37.7	37.7	37.7	37.6	37.5	37.3	37.1	36.9	36.5	36.4	40.7	45.0
H50	37.7	37.7	37.7	37.6	37.5	37.3	37.1	36.9	36.5	36.3	40.7	45.0
H52	37.6	37.6	37.6	37.6	37.5	37.2	37.0	36.8	36.3	36.1	40.6	44.9
H53	37.6	37.6	37.6	37.6	37.5	37.3	37.1	36.8	36.3	36.2	40.6	44.9
H54	37.6	37.6	37.6	37.6	37.5	37.2	37.0	36.7	36.2	35.9	40.5	44.9
H55	37.6	37.6	37.6	37.6	37.5	37.2	36.9	36.7	38.5	42.7	47.3	52.1
H56	37.6	37.6	37.6	37.6	37.5	37.2	37.0	36.8	38.6	42.8	47.3	52.1
H57	37.6	37.6	37.6	37.6	37.5	37.2	37.0	36.8	38.6	42.8	47.3	52.1
H58	37.6	37.6	37.6	37.6	37.5	37.2	37.0	36.8	38.6	42.7	47.3	52.1
H59	37.6	37.6	37.6	37.6	37.5	37.2	37.0	36.8	38.6	42.7	47.3	52.1
H60	37.6	37.6	37.6	37.6	37.5	37.2	37.0	36.8	38.6	42.7	47.3	52.1
H61	37.6	37.6	37.6	37.6	37.5	37.2	37.0	36.8	38.6	42.7	47.3	52.1
H62	37.6	37.6	37.6	37.6	37.5	37.2	37.0	36.8	38.6	42.8	47.3	52.1
H63	37.6	37.6	37.6	37.6	37.5	37.2	37.0	36.8	38.6	42.7	47.3	52.1
H64	37.6	37.6	37.6	37.6	37.5	37.2	37.0	36.8	38.6	42.7	47.3	52.1
H65	37.6	37.6	37.6	37.6	37.5	37.2	37.0	36.8	38.6	42.7	47.3	52.1
H66	37.6	37.6	37.6	37.6	37.5	37.2	37.0	36.8	38.6	42.8	47.3	52.1
H67	37.6	37.6	37.6	37.6	37.5	37.2	37.0	36.8	38.6	42.8	47.3	52.1
H68	37.2	37.2	37.2	37.2	36.7	36.5	36.4	36.2	38.3	42.6	47.2	52.1
H69	44.6	44.6	44.6	44.6	44.5	44.4	44.4	44.3	44.3	44.2	44.1	46.1
H70	37.6	37.6	37.6	37.6	37.4	37.3	37.1	37.0	38.8	42.9	47.3	52.1
H71	37.7	37.7	37.7	37.7	37.6	37.3	37.2	37.0	38.8	42.8	47.3	52.1
H72	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	39.6	43.2	47.5	52.2

Table A: The LA90,10min dB Wind Farm Noise Level at Night – 0 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H73	37.4	37.4	37.4	37.4	37.2	37.0	36.8	36.5	38.5	42.7	47.2	52.1
H74	37.4	37.4	37.4	37.4	37.2	36.9	36.7	36.3	38.3	42.6	47.2	52.1
H75	37.8	37.8	37.8	37.8	37.8	37.7	37.6	37.4	39.2	43.1	47.4	52.2
H76	37.5	37.5	37.5	37.5	37.4	37.2	37.0	36.8	38.7	42.8	47.3	52.1
H77	37.5	37.5	37.5	37.5	37.3	37.2	37.0	36.8	38.7	42.8	47.3	52.1
H78	37.8	37.8	37.8	37.8	37.7	37.5	37.3	37.1	39.0	43.0	47.4	52.1
H79	37.7	37.7	37.7	37.7	37.6	37.4	37.2	36.9	38.9	42.9	47.4	52.1
H80	37.5	37.5	37.5	37.5	37.3	37.0	36.5	35.8	38.1	42.6	47.3	52.1
H81	37.6	37.6	37.6	37.6	37.5	37.4	37.2	37.0	38.9	42.9	47.4	52.1
H82	37.4	37.4	37.4	37.3	37.0	36.5	35.8	35.0	37.3	42.4	47.2	52.0
H83	37.4	37.4	37.4	37.3	37.0	36.5	35.8	35.0	37.3	42.4	47.2	52.0
H84	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	36.7	40.3	46.1	51.8
H85	37.8	37.8	37.8	37.8	37.7	37.6	37.6	37.5	39.3	43.1	47.4	52.2
H86	37.8	37.8	37.8	37.8	37.7	37.7	37.6	37.5	39.3	43.1	47.4	52.2
H87	37.8	37.8	37.8	37.8	37.8	37.7	37.6	37.5	39.3	43.1	47.4	52.2
H88	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H89	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.7	41.1	46.2

Table B: The LA90,10min dB Wind Farm Noise Level at Night – 30 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H2	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H3	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H4	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H5	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.6	41.0	46.2
H6	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H7	37.9	37.9	37.9	37.8	37.7	37.7	37.7	37.6	37.6	37.7	41.2	45.2
H8	37.9	37.9	37.9	37.8	37.6	37.6	37.5	37.5	37.4	37.5	41.1	45.1
H9	37.9	37.9	37.9	37.8	37.7	37.7	37.7	37.6	37.6	37.7	41.2	45.2
H10	37.9	37.9	37.9	37.8	37.7	37.7	37.6	37.6	37.5	37.5	41.2	45.2
H11	37.9	37.9	37.9	37.8	37.7	37.7	37.6	37.6	37.5	37.5	41.2	45.2
H12	37.9	37.9	37.9	37.8	37.7	37.6	37.6	37.5	37.4	37.5	41.2	45.2
H13	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H14	37.9	37.9	37.9	37.8	37.7	37.7	37.6	37.6	37.5	37.6	41.2	45.2

Table B: The LA90, 10min dB Wind Farm Noise Level at Night – 30 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H15	37.9	37.9	37.9	37.8	37.7	37.7	37.6	37.6	37.5	37.6	41.2	45.2
H16	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	41.1	46.3
H17	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	41.1	46.3
H18	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	41.1	46.3
H19	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	41.1	46.3
H20	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	41.1	46.3
H21	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	41.1	46.3
H22	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	41.1	46.3
H23	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	41.1	46.3
H24	37.8	37.8	37.8	37.8	37.7	37.6	37.5	37.4	37.2	37.2	41.0	45.1
H25	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	41.1	46.3
H26	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H27	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	41.1	46.3
H28	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	41.1	46.3
H29	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H30	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H31	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H32	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H33	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	41.1	46.3
H34	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	46.3
H35	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H36	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	41.1	46.3
H37	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	41.1	46.3
H38	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H39	37.8	37.8	37.8	37.8	37.7	37.6	37.5	37.5	37.3	37.4	41.1	45.1
H40	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H41	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H42	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	41.1	46.3
H43	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	41.1	46.3
H44	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H45	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	41.1	46.3
H46	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	41.1	46.3
H47	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	41.1	46.3
H48	37.8	37.8	37.8	37.8	37.7	37.6	37.5	37.4	37.2	37.2	41.0	45.1
H49	37.8	37.8	37.8	37.8	37.7	37.5	37.4	37.3	37.0	37.0	41.0	45.1
H50	37.8	37.8	37.8	37.8	37.7	37.5	37.4	37.3	37.0	37.0	41.0	45.1

Table B: The LA90, 10min dB Wind Farm Noise Level at Night – 30 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H52	37.8	37.8	37.8	37.8	37.7	37.5	37.4	37.3	37.0	37.0	40.9	45.1
H53	37.8	37.8	37.8	37.8	37.7	37.6	37.4	37.3	37.0	37.0	41.0	45.1
H54	37.8	37.8	37.8	37.8	37.7	37.5	37.4	37.2	37.0	37.0	40.9	45.1
H55	37.8	37.8	37.8	37.8	37.7	37.6	37.5	37.4	39.2	43.0	47.4	52.2
H56	37.8	37.8	37.8	37.8	37.7	37.6	37.5	37.4	39.2	43.0	47.4	52.2
H57	37.8	37.8	37.8	37.8	37.7	37.6	37.5	37.4	39.2	43.0	47.4	52.2
H58	37.8	37.8	37.8	37.8	37.7	37.6	37.5	37.4	39.2	43.0	47.4	52.2
H59	37.8	37.8	37.8	37.8	37.7	37.6	37.5	37.4	39.2	43.0	47.4	52.2
H60	37.8	37.8	37.8	37.8	37.7	37.6	37.5	37.4	39.2	43.0	47.4	52.2
H61	37.8	37.8	37.8	37.8	37.7	37.6	37.5	37.4	39.2	43.0	47.4	52.2
H62	37.8	37.8	37.8	37.8	37.7	37.6	37.5	37.4	39.2	43.0	47.4	52.2
H63	37.8	37.8	37.8	37.8	37.7	37.6	37.5	37.4	39.2	43.0	47.4	52.2
H64	37.8	37.8	37.8	37.8	37.7	37.6	37.5	37.4	39.2	43.0	47.4	52.2
H65	37.8	37.8	37.8	37.8	37.7	37.6	37.5	37.4	39.2	43.0	47.4	52.2
H66	37.8	37.8	37.8	37.8	37.7	37.6	37.5	37.4	39.2	43.0	47.4	52.2
H67	37.8	37.8	37.8	37.8	37.7	37.6	37.5	37.4	39.2	43.0	47.4	52.2
H68	37.3	37.3	37.3	37.3	36.9	36.8	36.7	36.6	38.7	42.8	47.3	52.1
H69	44.7	44.7	44.7	44.7	44.5	44.5	44.4	44.4	44.3	44.3	44.2	46.2
H70	37.6	37.6	37.6	37.6	37.4	37.3	37.2	37.1	39.0	43.0	47.4	52.1
H71	37.8	37.8	37.8	37.8	37.7	37.6	37.6	37.5	39.3	43.1	47.4	52.2
H72	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	39.7	43.3	47.5	52.2
H73	37.0	37.0	37.0	37.0	36.5	36.2	35.7	35.0	37.3	42.1	47.0	52.0
H74	37.0	37.0	37.0	37.0	36.6	36.2	35.6	35.0	36.9	41.9	46.9	51.9
H75	37.9	37.9	37.9	37.9	37.8	37.7	37.6	37.5	39.3	43.1	47.4	52.2
H76	37.4	37.4	37.4	37.4	37.1	36.9	36.6	36.3	38.3	42.6	47.2	52.1
H77	37.4	37.4	37.4	37.3	37.1	36.9	36.6	36.2	38.2	42.6	47.2	52.0
H78	37.8	37.8	37.8	37.8	37.7	37.6	37.4	37.2	39.1	43.0	47.4	52.1
H79	37.8	37.8	37.8	37.8	37.7	37.6	37.4	37.1	39.0	43.0	47.4	52.1
H80	37.6	37.6	37.6	37.6	37.4	37.1	36.6	35.9	38.2	42.7	47.3	52.1
H81	37.7	37.7	37.7	37.7	37.7	37.6	37.5	37.3	39.2	43.0	47.4	52.2
H82	37.4	37.4	37.4	37.4	37.1	36.7	36.0	35.0	37.5	42.4	47.2	52.0
H83	37.4	37.4	37.4	37.4	37.1	36.7	36.0	35.0	37.5	42.4	47.2	52.0
H84	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	36.7	40.3	46.1	51.8
H85	37.7	37.7	37.7	37.7	37.7	37.6	37.6	37.5	39.3	43.1	47.4	52.2
H86	37.8	37.8	37.8	37.8	37.7	37.7	37.6	37.5	39.3	43.1	47.4	52.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H87	37.7	37.7	37.7	37.7	37.6	37.6	37.5	37.4	39.3	43.1	47.4	52.2
H88	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H89	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	41.1	46.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	37.8	41.1	46.3
H2	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	37.8	41.1	46.3
H3	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	37.8	41.1	46.3
H4	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	37.8	41.1	46.3
H5	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	37.8	41.1	46.3
H6	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.2	46.3
H7	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.9	41.4	45.2
H8	37.9	37.9	37.9	37.8	37.7	37.7	37.7	37.7	37.6	37.7	41.3	45.2
H9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	37.8	41.3	45.2
H10	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.9	41.3	45.2
H11	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.9	41.3	45.2
H12	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	37.8	41.3	45.2
H13	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.2	46.3
H14	37.9	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.7	37.8	41.3	45.2
H15	37.9	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.7	37.8	41.3	45.2
H16	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	41.2	46.3
H17	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	41.1	46.3
H18	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	41.1	46.3
H19	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.1	46.3
H20	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	41.1	46.3
H21	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.2	46.3
H22	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.1	46.3
H23	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.1	46.3
H24	37.9	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.6	37.7	41.3	45.2
H25	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	41.1	46.3
H26	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.2	46.3
H27	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.1	46.3
H28	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.1	46.3
H29	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.2	46.3

Table C: The LA90, 10min dB Wind Farm Noise Level at Night – 60 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H30	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.2	46.3
H31	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.2	46.3
H32	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.2	46.3
H33	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.1	46.3
H34	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	46.3
H35	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.1	46.3
H36	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	41.2	46.3
H37	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.1	46.3
H38	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.1	46.3
H39	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	37.8	41.3	45.2
H40	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.1	46.3
H41	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.1	46.3
H42	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	41.2	46.3
H43	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.1	46.3
H44	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.1	46.3
H45	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	41.2	46.3
H46	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.1	46.3
H47	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	41.1	46.3
H48	37.9	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.6	37.7	41.3	45.2
H49	37.9	37.9	37.9	37.9	37.8	37.7	37.7	37.6	37.5	37.6	41.2	45.2
H50	37.9	37.9	37.9	37.9	37.8	37.7	37.7	37.6	37.6	37.7	41.2	45.2
H52	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.6	37.5	37.6	41.2	45.2
H53	37.9	37.9	37.9	37.9	37.8	37.7	37.7	37.6	37.5	37.6	41.2	45.2
H54	37.9	37.9	37.9	37.9	37.8	37.7	37.7	37.6	37.5	37.6	41.2	45.2
H55	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.6	39.4	43.1	47.4	52.2
H56	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.6	39.4	43.1	47.4	52.2
H57	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.6	39.4	43.1	47.4	52.2
H58	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.6	39.4	43.1	47.4	52.2
H59	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.6	39.4	43.1	47.4	52.2
H60	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.6	39.4	43.1	47.4	52.2
H61	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.6	39.4	43.1	47.4	52.2
H62	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.6	39.4	43.1	47.4	52.2
H63	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.6	39.4	43.1	47.4	52.2
H64	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.6	39.4	43.1	47.4	52.2
H65	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.6	39.4	43.1	47.4	52.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H66	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.6	39.4	43.1	47.4	52.2
H67	37.8	37.8	37.8	37.8	37.8	37.7	37.6	37.6	39.3	43.1	47.4	52.2
H68	37.4	37.4	37.4	37.4	37.0	36.9	36.8	36.7	38.8	42.9	47.3	52.1
H69	44.7	44.7	44.7	44.7	44.5	44.5	44.4	44.4	44.4	44.3	44.2	46.2
H70	37.6	37.6	37.6	37.6	37.4	37.4	37.3	37.2	39.1	43.0	47.4	52.2
H71	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.6	39.4	43.1	47.4	52.2
H72	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	39.7	43.3	47.5	52.2
H73	36.0	36.0	36.0	36.0	35.0	35.0	35.0	35.0	36.7	41.7	46.8	51.9
H74	36.3	36.3	36.3	36.3	35.3	35.0	35.0	35.0	36.7	41.6	46.8	51.9
H75	37.9	37.9	37.9	37.9	37.9	37.8	37.7	37.6	39.4	43.2	47.4	52.2
H76	36.8	36.8	36.8	36.8	36.3	35.9	35.4	35.0	37.2	42.1	47.0	52.0
H77	36.8	36.8	36.8	36.8	36.2	35.9	35.4	35.0	37.1	42.1	46.9	52.0
H78	37.8	37.8	37.8	37.8	37.7	37.6	37.5	37.2	39.1	43.0	47.4	52.1
H79	37.8	37.8	37.8	37.8	37.7	37.6	37.4	37.2	39.1	43.0	47.4	52.1
H80	37.6	37.6	37.6	37.6	37.4	37.1	36.7	36.0	38.3	42.7	47.3	52.1
H81	37.8	37.8	37.8	37.8	37.8	37.7	37.6	37.4	39.2	43.1	47.4	52.2
H82	37.4	37.4	37.4	37.4	37.1	36.7	36.0	35.0	37.5	42.5	47.2	52.0
H83	37.4	37.4	37.4	37.4	37.1	36.7	36.0	35.0	37.5	42.5	47.2	52.0
H84	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	36.7	40.3	46.3	51.8
H85	37.7	37.7	37.7	37.7	37.6	37.5	37.4	37.3	39.1	43.0	47.4	52.1
H86	37.7	37.7	37.7	37.7	37.6	37.6	37.5	37.4	39.2	43.0	47.4	52.1
H87	37.6	37.6	37.6	37.6	37.5	37.5	37.4	37.2	39.1	43.0	47.4	52.1
H88	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.1	46.3
H89	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	41.1	46.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H2	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H3	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H4	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H5	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H6	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	41.2	46.3
H7	38.0	38.0	38.0	37.9	37.9	37.9	37.8	37.8	37.8	38.0	41.4	45.3
H8	37.9	37.9	37.9	37.9	37.7	37.7	37.7	37.7	37.7	37.8	41.3	45.2

Table D: The LA90,10min dB Wind Farm Noise Level at Night – 90 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	37.9	41.3	45.2
H10	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.8	37.9	41.4	45.2
H11	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.8	37.9	41.4	45.2
H12	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.8	37.9	41.4	45.2
H13	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	41.2	46.3
H14	37.9	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.7	37.8	41.3	45.2
H15	37.9	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.7	37.8	41.3	45.2
H16	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	41.2	46.3
H17	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	41.2	46.3
H18	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.2	46.3
H19	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	41.2	46.3
H20	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.2	46.3
H21	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	41.2	46.3
H22	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	41.2	46.3
H23	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	41.2	46.3
H24	37.9	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.7	37.8	41.3	45.2
H25	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.2	46.3
H26	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	41.2	46.3
H27	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	41.2	46.3
H28	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	41.2	46.3
H29	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	41.2	46.3
H30	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	41.2	46.3
H31	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	41.2	46.3
H32	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	41.2	46.3
H33	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	41.2	46.3
H34	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	46.3
H35	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	41.2	46.3
H36	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	41.2	46.3
H37	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	41.2	46.3
H38	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	41.2	46.3
H39	37.9	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.7	37.8	41.3	45.2
H40	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	41.2	46.3
H41	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	41.2	46.3
H42	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	41.2	46.3
H43	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	41.2	46.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H44	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	41.2	46.3
H45	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	41.2	46.3
H46	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	41.2	46.3
H47	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	41.2	46.3
H48	37.9	37.9	37.9	37.9	37.8	37.7	37.7	37.7	37.6	37.7	41.3	45.2
H49	37.9	37.9	37.9	37.8	37.7	37.7	37.6	37.6	37.5	37.6	41.2	45.2
H50	37.9	37.9	37.9	37.8	37.7	37.7	37.7	37.6	37.6	37.7	41.3	45.2
H52	37.9	37.9	37.9	37.8	37.7	37.7	37.6	37.6	37.5	37.6	41.2	45.2
H53	37.9	37.9	37.9	37.8	37.7	37.7	37.6	37.6	37.5	37.6	41.2	45.2
H54	37.9	37.9	37.9	37.8	37.7	37.7	37.6	37.6	37.5	37.6	41.2	45.2
H55	37.9	37.9	37.9	37.8	37.7	37.7	37.6	37.6	39.4	43.1	47.4	52.2
H56	37.9	37.9	37.9	37.8	37.7	37.7	37.6	37.6	39.3	43.1	47.4	52.2
H57	37.9	37.9	37.9	37.8	37.7	37.7	37.6	37.6	39.3	43.1	47.4	52.2
H58	37.9	37.9	37.9	37.8	37.7	37.7	37.6	37.6	39.3	43.1	47.4	52.2
H59	37.9	37.9	37.9	37.8	37.7	37.7	37.6	37.6	39.3	43.1	47.4	52.2
H60	37.9	37.9	37.9	37.8	37.7	37.7	37.6	37.6	39.3	43.1	47.4	52.2
H61	37.9	37.9	37.9	37.8	37.7	37.7	37.6	37.6	39.3	43.1	47.4	52.2
H62	37.9	37.9	37.9	37.8	37.7	37.7	37.6	37.6	39.3	43.1	47.4	52.2
H63	37.9	37.9	37.9	37.8	37.7	37.7	37.6	37.6	39.3	43.1	47.4	52.2
H64	37.9	37.9	37.9	37.8	37.7	37.7	37.6	37.6	39.3	43.1	47.4	52.2
H65	37.9	37.9	37.9	37.8	37.7	37.7	37.6	37.6	39.3	43.1	47.4	52.2
H66	37.9	37.9	37.9	37.8	37.7	37.7	37.6	37.6	39.3	43.1	47.4	52.2
H67	37.8	37.8	37.8	37.8	37.7	37.7	37.6	37.5	39.3	43.1	47.4	52.2
H68	37.4	37.4	37.4	37.3	37.0	36.9	36.8	36.7	38.8	42.9	47.3	52.1
H69	44.7	44.7	44.7	44.7	44.5	44.5	44.4	44.4	44.4	44.3	44.2	46.2
H70	37.6	37.6	37.6	37.6	37.4	37.3	37.3	37.2	39.1	43.0	47.4	52.1
H71	37.9	37.9	37.9	37.8	37.7	37.7	37.6	37.6	39.3	43.1	47.4	52.2
H72	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	39.7	43.3	47.5	52.2
H73	36.0	36.0	36.0	36.0	35.0	35.0	35.0	35.0	36.7	41.7	46.8	51.9
H74	35.6	35.6	35.6	35.6	35.0	35.0	35.0	35.0	36.7	41.3	46.7	51.9
H75	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	39.5	43.2	47.5	52.2
H76	36.5	36.5	36.5	36.4	35.5	35.1	35.0	35.0	36.7	41.9	46.9	51.9
H77	36.4	36.4	36.4	36.4	35.4	35.0	35.0	35.0	36.7	41.9	46.9	51.9
H78	37.9	37.9	37.9	37.9	37.8	37.7	37.6	37.5	39.3	43.1	47.4	52.2
H79	37.8	37.8	37.8	37.8	37.7	37.6	37.4	37.2	39.1	43.0	47.4	52.1
H80	37.6	37.6	37.6	37.6	37.4	37.1	36.7	36.0	38.2	42.7	47.3	52.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H81	37.8	37.8	37.8	37.8	37.7	37.6	37.5	37.3	39.2	43.0	47.4	52.1
H82	37.4	37.4	37.4	37.4	37.1	36.7	36.0	35.0	37.5	42.5	47.2	52.0
H83	37.4	37.4	37.4	37.4	37.1	36.7	36.0	35.0	37.5	42.5	47.2	52.0
H84	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	36.7	40.4	46.5	51.9
H85	37.6	37.6	37.6	37.6	37.5	37.4	37.3	37.2	39.1	43.0	47.4	52.1
H86	37.7	37.7	37.7	37.7	37.6	37.5	37.4	37.3	39.1	43.0	47.4	52.1
H87	37.6	37.6	37.6	37.6	37.5	37.4	37.3	37.2	39.1	43.0	47.4	52.1
H88	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	41.2	46.3
H89	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	41.2	46.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H2	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H3	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H4	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H5	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H6	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	41.2	46.3
H7	38.0	38.0	38.0	37.9	37.8	37.8	37.8	37.8	37.8	37.9	41.4	45.2
H8	37.9	37.9	37.9	37.8	37.6	37.6	37.6	37.5	37.5	37.6	41.2	45.2
H9	37.9	37.9	37.9	37.8	37.7	37.6	37.6	37.6	37.6	37.7	41.3	45.2
H10	37.9	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.7	37.8	41.3	45.2
H11	37.9	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.7	37.8	41.3	45.2
H12	37.9	37.9	37.9	37.9	37.7	37.7	37.7	37.7	37.7	37.8	41.3	45.2
H13	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	41.2	46.3
H14	37.9	37.9	37.9	37.8	37.6	37.6	37.5	37.5	37.5	37.6	41.2	45.2
H15	37.9	37.9	37.9	37.8	37.5	37.5	37.5	37.4	37.4	37.5	41.2	45.2
H16	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	41.2	46.3
H17	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	41.2	46.3
H18	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	41.2	46.3
H19	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	41.2	46.3
H20	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	41.2	46.3
H21	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	41.2	46.3
H22	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	41.2	46.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H23	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	41.2	46.3
H24	37.9	37.9	37.9	37.8	37.6	37.6	37.5	37.5	37.4	37.5	41.2	45.2
H25	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	41.2	46.3
H26	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	41.2	46.3
H27	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	41.2	46.3
H28	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	41.2	46.3
H29	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	41.2	46.3
H30	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	41.2	46.3
H31	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	41.2	46.3
H32	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	41.2	46.3
H33	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	41.2	46.3
H34	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	46.3
H35	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	41.2	46.3
H36	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	41.2	46.3
H37	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	41.2	46.3
H38	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	41.2	46.3
H39	37.9	37.9	37.9	37.8	37.6	37.5	37.5	37.4	37.4	37.5	41.2	45.2
H40	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	41.2	46.3
H41	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	41.2	46.3
H42	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	41.2	46.3
H43	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	41.2	46.3
H44	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	41.2	46.3
H45	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	41.2	46.3
H46	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	41.2	46.3
H47	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	41.2	46.3
H48	37.8	37.8	37.8	37.7	37.5	37.5	37.4	37.3	37.3	37.3	41.1	45.1
H49	37.8	37.8	37.8	37.6	37.4	37.3	37.3	37.2	37.1	37.1	41.0	45.1
H50	37.8	37.8	37.8	37.7	37.4	37.4	37.3	37.2	37.1	37.2	41.0	45.1
H52	37.8	37.8	37.8	37.6	37.3	37.3	37.2	37.1	37.0	37.0	41.0	45.1
H53	37.8	37.8	37.8	37.6	37.3	37.3	37.2	37.1	37.0	37.0	41.0	45.1
H54	37.8	37.8	37.8	37.6	37.4	37.3	37.3	37.2	37.1	37.1	41.0	45.1
H55	37.8	37.8	37.8	37.7	37.4	37.4	37.3	37.2	39.1	43.0	47.4	52.2
H56	37.8	37.8	37.8	37.7	37.5	37.4	37.4	37.3	39.1	43.0	47.4	52.2
H57	37.8	37.8	37.8	37.7	37.5	37.4	37.4	37.3	39.1	43.0	47.4	52.2
H58	37.8	37.8	37.8	37.7	37.5	37.4	37.4	37.2	39.1	43.0	47.4	52.2
H59	37.8	37.8	37.8	37.7	37.5	37.4	37.4	37.2	39.1	43.0	47.4	52.2

Table E: The LA90,10min dB Wind Farm Noise Level at Night – 120 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms ⁻¹)											
	1	2	3	4	5	6	7	8	9	10	11	12
H60	37.8	37.8	37.8	37.7	37.5	37.4	37.4	37.2	39.1	43.0	47.4	52.2
H61	37.8	37.8	37.8	37.7	37.5	37.4	37.4	37.2	39.1	43.0	47.4	52.2
H62	37.8	37.8	37.8	37.7	37.5	37.4	37.4	37.3	39.1	43.0	47.4	52.2
H63	37.8	37.8	37.8	37.7	37.5	37.4	37.4	37.2	39.1	43.0	47.4	52.2
H64	37.8	37.8	37.8	37.7	37.5	37.4	37.4	37.2	39.1	43.0	47.4	52.2
H65	37.8	37.8	37.8	37.7	37.5	37.4	37.4	37.2	39.1	43.0	47.4	52.2
H66	37.8	37.8	37.8	37.7	37.5	37.4	37.4	37.2	39.1	43.0	47.4	52.2
H67	37.8	37.8	37.8	37.7	37.5	37.5	37.4	37.3	39.1	43.0	47.4	52.2
H68	37.3	37.3	37.3	37.3	36.8	36.8	36.7	36.5	38.7	42.8	47.3	52.1
H69	44.7	44.7	44.7	44.7	44.5	44.4	44.4	44.4	44.3	44.3	44.2	46.2
H70	37.6	37.6	37.6	37.5	37.2	37.2	37.1	37.0	39.0	42.9	47.4	52.1
H71	37.8	37.8	37.8	37.7	37.5	37.5	37.4	37.3	39.1	43.0	47.4	52.2
H72	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	39.7	43.3	47.5	52.2
H73	36.0	36.0	36.0	36.0	35.0	35.0	35.0	35.0	36.7	41.7	46.8	51.9
H74	35.7	35.7	35.7	35.6	35.0	35.0	35.0	35.0	36.7	41.3	46.7	51.9
H75	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	39.5	43.2	47.5	52.2
H76	36.5	36.5	36.5	36.4	35.4	35.1	35.0	35.0	36.7	41.9	46.9	51.9
H77	36.5	36.5	36.5	36.5	35.5	35.1	35.0	35.0	36.7	41.9	46.9	51.9
H78	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.7	39.5	43.2	47.5	52.2
H79	37.8	37.8	37.8	37.8	37.7	37.6	37.4	37.1	39.0	43.0	47.4	52.1
H80	37.7	37.7	37.7	37.7	37.5	37.3	37.0	36.5	38.6	42.8	47.3	52.1
H81	37.7	37.7	37.7	37.7	37.5	37.4	37.2	36.9	38.7	42.8	47.3	52.1
H82	37.4	37.4	37.4	37.4	37.1	36.7	36.0	35.0	37.4	42.4	47.2	52.0
H83	37.4	37.4	37.4	37.4	37.1	36.7	36.0	35.0	37.4	42.4	47.2	52.0
H84	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	36.7	40.9	46.6	51.9
H85	37.6	37.6	37.6	37.5	37.4	37.3	37.2	37.0	39.0	42.9	47.3	52.1
H86	37.6	37.6	37.6	37.6	37.4	37.4	37.3	37.1	39.0	43.0	47.4	52.1
H87	37.6	37.6	37.6	37.5	37.3	37.3	37.2	37.0	38.9	42.9	47.3	52.1
H88	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	41.2	46.3
H89	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	41.2	46.3

Table F: The LA90,10min dB Wind Farm Noise Level at Night – 150 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms ⁻¹)											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	38.0	38.0	38.0	37.9	37.8	37.8	37.8	37.8	37.8	37.7	41.1	46.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H2	38.0	38.0	38.0	37.9	37.8	37.8	37.8	37.8	37.8	37.7	41.1	46.3
H3	38.0	38.0	38.0	37.9	37.8	37.8	37.8	37.8	37.8	37.7	41.1	46.3
H4	38.0	38.0	38.0	37.9	37.8	37.8	37.8	37.8	37.8	37.7	41.1	46.3
H5	38.0	38.0	38.0	37.9	37.8	37.8	37.8	37.8	37.8	37.7	41.1	46.3
H6	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.2	46.3
H7	37.9	37.9	37.9	37.8	37.6	37.6	37.6	37.5	37.4	37.5	41.2	45.2
H8	37.8	37.8	37.8	37.5	37.0	37.0	36.9	36.6	36.6	36.4	40.8	45.0
H9	37.8	37.8	37.8	37.5	37.1	37.1	37.0	36.8	36.7	36.6	40.8	45.0
H10	37.9	37.9	37.9	37.7	37.4	37.4	37.4	37.3	37.2	37.3	41.1	45.1
H11	37.9	37.9	37.9	37.7	37.4	37.4	37.4	37.3	37.2	37.2	41.1	45.1
H12	37.8	37.8	37.8	37.6	37.3	37.3	37.3	37.1	37.1	37.1	41.0	45.1
H13	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H14	37.8	37.8	37.8	37.4	37.0	37.0	36.9	36.6	36.6	36.4	40.7	45.0
H15	37.8	37.8	37.8	37.4	36.9	36.9	36.8	36.6	36.5	36.3	40.7	45.0
H16	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	41.2	46.3
H17	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H18	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	37.8	41.1	46.3
H19	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H20	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	37.8	41.1	46.3
H21	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H22	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H23	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H24	37.7	37.7	37.7	37.4	36.9	36.9	36.8	36.5	36.5	36.3	40.7	45.0
H25	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	37.8	41.1	46.3
H26	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.2	46.3
H27	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H28	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H29	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.2	46.3
H30	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.2	46.3
H31	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.2	46.3
H32	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	41.2	46.3
H33	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	41.2	46.3
H34	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	46.3
H35	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.2	46.3
H36	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.2	46.3
H37	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	41.2	46.3

Table F: The LA90,10min dB Wind Farm Noise Level at Night – 150 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H38	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	41.2	46.3
H39	37.7	37.7	37.7	37.4	37.0	37.0	36.9	36.6	36.6	36.4	40.7	45.0
H40	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H41	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	41.2	46.3
H42	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.2	46.3
H43	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	41.2	46.3
H44	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.2	46.3
H45	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	37.9	41.2	46.3
H46	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	37.9	41.2	46.3
H47	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	41.2	46.3
H48	37.7	37.7	37.7	37.4	37.0	37.0	36.9	36.6	36.6	36.4	40.7	45.0
H49	37.7	37.7	37.7	37.5	37.1	37.1	37.0	36.8	36.7	36.5	40.8	45.0
H50	37.7	37.7	37.7	37.5	37.1	37.1	37.0	36.8	36.7	36.6	40.8	45.0
H52	37.7	37.7	37.7	37.5	37.1	37.1	37.0	36.8	36.7	36.5	40.8	45.0
H53	37.7	37.7	37.7	37.5	37.1	37.1	37.0	36.8	36.7	36.5	40.8	45.0
H54	37.7	37.7	37.7	37.5	37.1	37.1	37.0	36.8	36.6	36.5	40.8	45.0
H55	37.7	37.7	37.7	37.5	37.2	37.2	37.1	36.9	38.9	42.9	47.3	52.1
H56	37.7	37.7	37.7	37.6	37.3	37.3	37.2	37.0	38.9	42.9	47.3	52.1
H57	37.7	37.7	37.7	37.6	37.3	37.3	37.2	37.0	38.9	42.9	47.3	52.1
H58	37.7	37.7	37.7	37.6	37.3	37.3	37.2	37.0	38.9	42.9	47.3	52.1
H59	37.7	37.7	37.7	37.6	37.3	37.3	37.2	37.0	38.9	42.9	47.3	52.1
H60	37.7	37.7	37.7	37.6	37.3	37.3	37.2	37.0	38.9	42.9	47.3	52.1
H61	37.7	37.7	37.7	37.6	37.3	37.3	37.2	37.0	38.9	42.9	47.3	52.1
H62	37.7	37.7	37.7	37.6	37.3	37.3	37.2	37.0	38.9	42.9	47.3	52.1
H63	37.7	37.7	37.7	37.6	37.3	37.3	37.2	37.0	38.9	42.9	47.3	52.1
H64	37.7	37.7	37.7	37.6	37.3	37.3	37.2	37.0	38.9	42.9	47.3	52.1
H65	37.7	37.7	37.7	37.6	37.3	37.3	37.2	37.0	38.9	42.9	47.3	52.1
H66	37.7	37.7	37.7	37.6	37.3	37.3	37.2	37.0	38.9	42.9	47.3	52.1
H67	37.7	37.7	37.7	37.6	37.3	37.3	37.2	37.0	39.0	42.9	47.3	52.1
H68	37.3	37.3	37.3	37.1	36.6	36.5	36.4	36.2	38.4	42.7	47.3	52.1
H69	44.7	44.7	44.7	44.6	44.4	44.4	44.4	44.3	44.3	44.2	44.1	46.2
H70	37.5	37.5	37.5	37.4	37.0	37.0	36.9	36.7	38.8	42.8	47.3	52.1
H71	37.7	37.7	37.7	37.6	37.3	37.3	37.2	37.0	39.0	42.9	47.3	52.1
H72	38.0	38.0	38.0	38.0	38.0	38.0	38.0	37.9	39.7	43.3	47.5	52.2
H73	36.0	36.0	36.0	35.8	35.0	35.0	35.0	35.0	36.7	41.5	46.8	51.9

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H74	35.6	35.6	35.6	35.5	35.0	35.0	35.0	35.0	36.7	41.1	46.6	51.8
H75	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	39.4	43.2	47.4	52.2
H76	36.5	36.5	36.5	36.4	35.3	35.0	35.0	35.0	36.7	41.8	46.8	51.9
H77	36.5	36.5	36.5	36.4	35.3	35.0	35.0	35.0	36.7	41.7	46.8	51.9
H78	37.9	37.9	37.9	37.9	37.8	37.8	37.7	37.7	39.4	43.1	47.4	52.2
H79	37.8	37.8	37.8	37.8	37.7	37.6	37.5	37.4	39.2	43.0	47.4	52.1
H80	37.8	37.8	37.8	37.7	37.6	37.5	37.3	37.1	38.9	42.8	47.3	52.1
H81	37.5	37.5	37.5	37.4	37.2	37.0	36.6	36.1	38.1	42.4	47.1	52.0
H82	37.6	37.6	37.6	37.5	37.3	37.0	36.6	35.8	37.7	42.2	46.9	52.0
H83	37.6	37.6	37.6	37.5	37.3	37.0	36.6	35.8	37.7	42.2	46.9	52.0
H84	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	36.7	40.8	46.6	51.9
H85	37.5	37.5	37.5	37.4	37.2	37.2	37.0	36.8	38.8	42.8	47.3	52.1
H86	37.6	37.6	37.6	37.5	37.3	37.2	37.1	36.9	38.8	42.9	47.3	52.1
H87	37.5	37.5	37.5	37.4	37.2	37.1	37.0	36.8	38.8	42.8	47.3	52.1
H88	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H89	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	37.9	37.9	37.9	37.8	37.5	37.5	37.5	37.4	37.4	37.2	40.8	46.2
H2	37.9	37.9	37.9	37.8	37.6	37.6	37.5	37.4	37.4	37.2	40.8	46.2
H3	37.9	37.9	37.9	37.7	37.5	37.5	37.5	37.4	37.4	37.2	40.8	46.2
H4	37.9	37.9	37.9	37.7	37.5	37.5	37.5	37.4	37.4	37.2	40.8	46.2
H5	37.9	37.9	37.9	37.7	37.5	37.5	37.5	37.4	37.3	37.1	40.8	46.2
H6	38.0	38.0	38.0	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.1	46.3
H7	37.7	37.7	37.7	37.4	36.9	36.9	36.8	36.5	36.5	36.3	40.6	44.9
H8	37.6	37.6	37.6	37.0	36.0	36.0	35.8	35.1	35.0	35.2	39.8	44.7
H9	37.6	37.6	37.6	37.1	36.3	36.3	36.1	35.6	35.5	35.2	40.1	44.8
H10	37.7	37.7	37.7	37.3	36.7	36.7	36.6	36.2	36.1	35.8	40.4	44.9
H11	37.7	37.7	37.7	37.3	36.7	36.7	36.6	36.2	36.1	35.8	40.4	44.9
H12	37.7	37.7	37.7	37.3	36.6	36.6	36.5	36.1	36.0	35.6	40.3	44.9
H13	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H14	37.6	37.6	37.6	37.1	36.2	36.2	36.1	35.5	35.4	35.2	40.0	44.7
H15	37.6	37.6	37.6	37.2	36.4	36.4	36.2	35.7	35.6	35.2	40.1	44.8
H16	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3

Table G: The LA90,10min dB Wind Farm Noise Level at Night – 180 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H17	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H18	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	37.6	41.0	46.2
H19	38.0	38.0	38.0	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.1	46.3
H20	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	37.6	41.0	46.2
H21	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	37.8	41.1	46.3
H22	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	37.8	41.1	46.3
H23	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	37.8	41.1	46.3
H24	37.7	37.7	37.7	37.3	36.6	36.6	36.5	36.1	36.0	35.6	40.3	44.8
H25	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	37.6	41.0	46.2
H26	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	37.8	41.1	46.3
H27	38.0	38.0	38.0	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.1	46.3
H28	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	37.8	41.1	46.3
H29	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	37.8	41.1	46.3
H30	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	37.8	41.1	46.3
H31	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H32	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	37.8	41.1	46.3
H33	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H34	45.0	45.0	45.0	45.0	45.0	45.0	45.0	44.9	44.9	44.9	44.9	46.2
H35	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H36	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	37.8	41.1	46.3
H37	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H38	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H39	37.7	37.7	37.7	37.4	36.9	36.8	36.7	36.4	36.3	36.1	40.5	44.9
H40	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H41	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H42	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	41.1	46.3
H43	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H44	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	37.8	41.1	46.3
H45	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H46	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H47	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	41.1	46.3
H48	37.7	37.7	37.7	37.4	37.0	37.0	36.9	36.6	36.5	36.3	40.6	44.9
H49	37.7	37.7	37.7	37.5	37.1	37.1	37.0	36.7	36.6	36.5	40.7	45.0
H50	37.7	37.7	37.7	37.4	37.1	37.1	37.0	36.7	36.6	36.5	40.7	45.0
H52	37.7	37.7	37.7	37.4	37.1	37.1	36.9	36.7	36.6	36.4	40.7	45.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H53	37.7	37.7	37.7	37.4	37.1	37.1	37.0	36.7	36.6	36.4	40.7	45.0
H54	37.7	37.7	37.7	37.4	37.1	37.1	37.0	36.7	36.6	36.4	40.7	45.0
H55	37.6	37.6	37.6	37.5	37.2	37.2	37.1	36.9	38.8	42.9	47.3	52.1
H56	37.7	37.7	37.7	37.5	37.3	37.2	37.1	37.0	38.9	42.9	47.3	52.1
H57	37.7	37.7	37.7	37.5	37.3	37.2	37.1	37.0	38.9	42.9	47.3	52.1
H58	37.7	37.7	37.7	37.5	37.3	37.2	37.1	36.9	38.9	42.9	47.3	52.1
H59	37.7	37.7	37.7	37.5	37.3	37.2	37.1	36.9	38.9	42.9	47.3	52.1
H60	37.7	37.7	37.7	37.5	37.3	37.2	37.1	36.9	38.9	42.9	47.3	52.1
H61	37.7	37.7	37.7	37.5	37.3	37.2	37.1	36.9	38.9	42.9	47.3	52.1
H62	37.7	37.7	37.7	37.5	37.3	37.2	37.1	37.0	38.9	42.9	47.3	52.1
H63	37.7	37.7	37.7	37.5	37.3	37.2	37.1	37.0	38.9	42.9	47.3	52.1
H64	37.7	37.7	37.7	37.5	37.3	37.2	37.1	37.0	38.9	42.9	47.3	52.1
H65	37.7	37.7	37.7	37.5	37.3	37.2	37.1	37.0	38.9	42.9	47.3	52.1
H66	37.7	37.7	37.7	37.5	37.3	37.2	37.1	37.0	38.9	42.9	47.3	52.1
H67	37.7	37.7	37.7	37.5	37.3	37.3	37.2	37.0	38.9	42.9	47.3	52.1
H68	37.6	37.6	37.6	37.4	37.1	37.1	37.0	36.8	38.8	42.9	47.3	52.1
H69	44.8	44.8	44.8	44.8	44.7	44.7	44.7	44.7	44.6	44.6	44.5	46.5
H70	37.6	37.6	37.6	37.4	37.2	37.1	37.0	36.8	38.9	42.9	47.3	52.1
H71	37.6	37.6	37.6	37.4	37.2	37.1	37.0	36.8	38.7	42.8	47.3	52.1
H72	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.9	39.6	43.2	47.5	52.2
H73	35.8	35.8	35.8	35.7	35.0	35.0	35.0	35.0	36.7	41.4	46.7	51.9
H74	35.5	35.5	35.5	35.3	35.0	35.0	35.0	35.0	36.7	40.9	46.6	51.8
H75	37.8	37.8	37.8	37.8	37.8	37.7	37.7	37.6	39.3	43.1	47.4	52.2
H76	36.4	36.4	36.4	36.3	35.1	35.0	35.0	35.0	36.7	41.6	46.8	51.9
H77	36.3	36.3	36.3	36.2	35.1	35.0	35.0	35.0	36.7	41.6	46.8	51.9
H78	37.8	37.8	37.8	37.8	37.7	37.7	37.6	37.5	39.3	43.1	47.4	52.2
H79	37.7	37.7	37.7	37.7	37.5	37.5	37.4	37.2	39.0	42.9	47.3	52.1
H80	37.7	37.7	37.7	37.7	37.6	37.5	37.3	37.1	38.9	42.9	47.3	52.1
H81	37.5	37.5	37.5	37.4	37.1	37.0	36.7	36.2	38.2	42.5	47.1	52.0
H82	37.6	37.6	37.6	37.5	37.3	37.1	36.8	36.2	38.1	42.4	47.1	52.0
H83	37.6	37.6	37.6	37.5	37.3	37.1	36.8	36.2	38.1	42.4	47.1	52.0
H84	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	36.7	40.6	46.6	51.9
H85	37.4	37.4	37.4	37.3	37.1	37.0	36.9	36.6	38.6	42.7	47.3	52.1
H86	37.5	37.5	37.5	37.4	37.2	37.1	36.9	36.7	38.7	42.8	47.3	52.1
H87	37.3	37.3	37.3	37.3	37.0	37.0	36.8	36.5	38.5	42.7	47.2	52.1
H88	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3

Table G: The LA90,10min dB Wind Farm Noise Level at Night – 180 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H89	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	37.7	41.1	46.3

Table H: The LA90,10min dB Wind Farm Noise Level at Night – 210 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	37.8	37.8	37.8	37.6	37.3	37.3	37.3	37.1	37.1	36.8	40.5	46.1
H2	37.8	37.8	37.8	37.6	37.3	37.3	37.3	37.1	37.1	36.8	40.5	46.1
H3	37.8	37.8	37.8	37.6	37.3	37.3	37.3	37.1	37.0	36.8	40.5	46.1
H4	37.8	37.8	37.8	37.6	37.3	37.3	37.2	37.1	37.0	36.8	40.5	46.1
H5	37.8	37.8	37.8	37.6	37.3	37.3	37.2	37.1	37.0	36.7	40.4	46.1
H6	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	37.6	41.0	46.2
H7	37.7	37.7	37.7	37.3	36.7	36.7	36.6	36.3	36.2	35.9	40.2	44.8
H8	37.5	37.5	37.5	36.8	35.5	35.5	35.2	35.0	35.0	35.2	39.0	44.4
H9	37.6	37.6	37.6	37.1	36.2	36.2	36.0	35.4	35.3	35.2	39.7	44.6
H10	37.6	37.6	37.6	37.2	36.5	36.5	36.4	36.0	35.9	35.5	40.1	44.8
H11	37.6	37.6	37.6	37.2	36.5	36.5	36.4	36.0	35.9	35.5	40.1	44.8
H12	37.6	37.6	37.6	37.2	36.5	36.5	36.3	35.9	35.8	35.4	40.0	44.7
H13	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	37.6	41.0	46.2
H14	37.6	37.6	37.6	37.1	36.2	36.2	36.0	35.5	35.4	35.2	39.7	44.6
H15	37.6	37.6	37.6	37.1	36.3	36.3	36.2	35.7	35.6	35.2	39.9	44.7
H16	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.9	37.8	41.1	46.3
H17	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	37.6	41.0	46.2
H18	37.9	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.7	37.6	40.9	46.2
H19	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.8	37.7	41.0	46.2
H20	37.9	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.7	37.6	40.9	46.2
H21	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.8	37.7	41.0	46.2
H22	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.8	37.7	41.0	46.2
H23	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.8	37.7	41.0	46.2
H24	37.6	37.6	37.6	37.2	36.5	36.5	36.4	36.0	35.8	35.4	40.0	44.8
H25	37.9	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.7	37.6	40.9	46.2
H26	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.0	46.3
H27	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H28	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.8	37.7	41.0	46.2
H29	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.0	46.3
H30	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.0	46.2

Table H: The LA90,10min dB Wind Farm Noise Level at Night – 210 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H31	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.0	46.3
H32	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.7	41.1	46.3
H33	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H34	45.0	45.0	45.0	45.0	45.0	45.0	44.9	44.9	44.9	44.9	44.9	46.2
H35	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.0	46.3
H36	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H37	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H38	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.0	46.3
H39	37.5	37.5	37.5	37.2	36.7	36.7	36.5	36.2	36.0	35.6	40.2	44.8
H40	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.0	46.3
H41	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H42	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H43	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H44	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.7	41.1	46.3
H45	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H46	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H47	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H48	37.5	37.5	37.5	37.2	36.8	36.8	36.6	36.3	36.1	35.8	40.3	44.8
H49	37.5	37.5	37.5	37.2	36.8	36.8	36.6	36.4	36.1	35.8	40.3	44.8
H50	37.5	37.5	37.5	37.2	36.8	36.8	36.6	36.3	36.0	35.7	40.3	44.8
H52	37.4	37.4	37.4	37.1	36.7	36.7	36.5	36.2	35.8	35.5	40.2	44.8
H53	37.4	37.4	37.4	37.2	36.8	36.7	36.6	36.3	35.9	35.5	40.2	44.8
H54	37.3	37.3	37.3	37.1	36.7	36.7	36.5	36.2	35.8	35.4	40.2	44.8
H55	37.3	37.3	37.3	37.1	36.8	36.7	36.5	36.2	38.3	42.6	47.2	52.1
H56	37.4	37.4	37.4	37.2	36.9	36.9	36.7	36.4	38.4	42.7	47.2	52.1
H57	37.4	37.4	37.4	37.2	36.9	36.9	36.7	36.4	38.4	42.7	47.2	52.1
H58	37.3	37.3	37.3	37.1	36.9	36.8	36.6	36.4	38.4	42.6	47.2	52.1
H59	37.3	37.3	37.3	37.2	36.9	36.8	36.6	36.4	38.4	42.6	47.2	52.1
H60	37.3	37.3	37.3	37.2	36.9	36.8	36.6	36.4	38.4	42.6	47.2	52.1
H61	37.3	37.3	37.3	37.2	36.9	36.9	36.6	36.4	38.4	42.6	47.2	52.1
H62	37.3	37.3	37.3	37.2	36.9	36.9	36.7	36.4	38.4	42.7	47.2	52.1
H63	37.3	37.3	37.3	37.2	36.9	36.9	36.6	36.4	38.4	42.6	47.2	52.1
H64	37.3	37.3	37.3	37.2	36.9	36.9	36.6	36.4	38.4	42.6	47.2	52.1
H65	37.3	37.3	37.3	37.2	36.9	36.9	36.7	36.4	38.4	42.6	47.2	52.1
H66	37.3	37.3	37.3	37.2	36.9	36.9	36.7	36.4	38.4	42.6	47.2	52.1
H67	37.4	37.4	37.4	37.2	37.0	36.9	36.7	36.5	38.5	42.7	47.2	52.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H68	37.4	37.4	37.4	37.3	37.1	37.1	36.9	36.8	38.7	42.8	47.3	52.1
H69	44.9	44.9	44.9	44.9	44.8	44.8	44.8	44.7	44.7	44.6	44.6	46.5
H70	37.5	37.5	37.5	37.4	37.2	37.1	37.0	36.8	38.8	42.8	47.3	52.1
H71	37.3	37.3	37.3	37.1	36.9	36.8	36.6	36.4	38.4	42.6	47.2	52.1
H72	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	39.5	43.2	47.5	52.2
H73	35.9	35.9	35.9	35.8	35.0	35.0	35.0	35.0	36.7	41.9	47.0	52.0
H74	35.7	35.7	35.7	35.6	35.0	35.0	35.0	35.0	36.7	41.7	46.9	52.0
H75	37.8	37.8	37.8	37.8	37.7	37.7	37.6	37.5	39.3	43.1	47.4	52.2
H76	36.4	36.4	36.4	36.3	35.2	35.0	35.0	35.0	36.7	41.9	46.9	52.0
H77	36.4	36.4	36.4	36.2	35.2	35.0	35.0	35.0	36.7	41.9	46.9	52.0
H78	37.8	37.8	37.8	37.7	37.7	37.6	37.5	37.4	39.2	43.0	47.4	52.2
H79	37.6	37.6	37.6	37.6	37.5	37.4	37.3	37.1	39.0	42.9	47.3	52.1
H80	37.7	37.7	37.7	37.6	37.5	37.4	37.3	37.1	38.9	42.8	47.3	52.1
H81	37.3	37.3	37.3	37.2	37.0	36.8	36.5	36.0	38.1	42.4	47.1	52.0
H82	37.5	37.5	37.5	37.5	37.3	37.1	36.8	36.3	38.2	42.5	47.1	52.0
H83	37.5	37.5	37.5	37.5	37.3	37.1	36.8	36.3	38.2	42.5	47.1	52.0
H84	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	36.7	40.3	46.4	51.8
H85	37.4	37.4	37.4	37.3	37.1	37.1	36.9	36.7	38.6	42.7	47.3	52.1
H86	37.5	37.5	37.5	37.4	37.2	37.1	37.0	36.8	38.7	42.8	47.3	52.1
H87	37.4	37.4	37.4	37.3	37.1	37.1	36.9	36.7	38.6	42.7	47.3	52.1
H88	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.0	46.2
H89	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.7	41.0	46.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	37.8	37.8	37.8	37.6	37.3	37.3	37.2	37.1	37.0	36.8	40.4	46.1
H2	37.8	37.8	37.8	37.6	37.3	37.3	37.2	37.1	37.1	36.8	40.4	46.1
H3	37.8	37.8	37.8	37.6	37.3	37.2	37.2	37.1	37.0	36.7	40.4	46.1
H4	37.8	37.8	37.8	37.6	37.2	37.2	37.2	37.1	37.0	36.7	40.4	46.1
H5	37.8	37.8	37.8	37.6	37.2	37.2	37.1	37.0	37.0	36.7	40.3	46.1
H6	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	37.6	41.0	46.2
H7	37.6	37.6	37.6	37.3	36.6	36.6	36.4	36.2	36.1	35.8	40.0	44.7
H8	37.5	37.5	37.5	36.7	35.3	35.3	35.0	35.0	35.0	35.2	38.7	44.4
H9	37.6	37.6	37.6	37.0	36.0	36.0	35.8	35.5	35.4	35.2	39.5	44.6

Table I: The LA90,10min dB Wind Farm Noise Level at Night – 240 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H10	37.6	37.6	37.6	37.1	36.4	36.3	36.2	35.9	35.7	35.3	39.8	44.7
H11	37.6	37.6	37.6	37.1	36.4	36.3	36.2	35.9	35.7	35.3	39.8	44.7
H12	37.5	37.5	37.5	37.1	36.3	36.3	36.1	35.8	35.6	35.2	39.7	44.6
H13	37.9	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.7	37.6	40.9	46.2
H14	37.5	37.5	37.5	37.0	36.0	36.0	35.8	35.5	35.3	35.2	39.5	44.6
H15	37.5	37.5	37.5	37.1	36.2	36.1	35.9	35.7	35.5	35.2	39.6	44.6
H16	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H17	37.9	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.7	37.6	40.9	46.2
H18	37.9	37.9	37.9	37.8	37.7	37.7	37.7	37.7	37.6	37.5	40.9	46.2
H19	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.6	41.0	46.2
H20	37.9	37.9	37.9	37.8	37.7	37.7	37.7	37.7	37.6	37.5	40.9	46.2
H21	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H22	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H23	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H24	37.5	37.5	37.5	37.0	36.2	36.2	36.0	35.7	35.4	35.2	39.7	44.6
H25	37.9	37.9	37.9	37.8	37.7	37.7	37.7	37.7	37.6	37.5	40.9	46.2
H26	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.8	37.7	41.0	46.2
H27	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	37.6	41.0	46.2
H28	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.6	41.0	46.2
H29	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	41.0	46.2
H30	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.8	37.7	41.0	46.2
H31	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	41.0	46.2
H32	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.0	46.2
H33	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H34	45.0	45.0	45.0	45.0	44.9	44.9	44.9	44.9	44.9	44.9	44.9	46.2
H35	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	41.0	46.2
H36	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.7	41.0	46.2
H37	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H38	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.0	46.2
H39	37.5	37.5	37.5	37.1	36.5	36.4	36.2	36.0	35.6	35.2	39.9	44.7
H40	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	41.0	46.2
H41	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	41.0	46.2
H42	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	41.0	46.3
H43	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H44	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.0	46.2
H45	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	41.1	46.3

Table I: The LA90,10min dB Wind Farm Noise Level at Night – 240 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H46	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H47	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H48	37.4	37.4	37.4	37.1	36.6	36.5	36.3	36.0	35.6	35.2	39.9	44.7
H49	37.4	37.4	37.4	37.2	36.6	36.5	36.3	36.1	35.6	35.2	40.0	44.7
H50	37.4	37.4	37.4	37.1	36.6	36.5	36.3	36.0	35.5	35.2	40.0	44.7
H52	37.4	37.4	37.4	37.1	36.6	36.5	36.2	36.0	35.4	35.2	39.9	44.7
H53	37.4	37.4	37.4	37.1	36.6	36.5	36.3	36.0	35.5	35.2	40.0	44.7
H54	37.4	37.4	37.4	37.1	36.6	36.5	36.2	36.0	35.4	35.2	39.9	44.7
H55	37.4	37.4	37.4	37.2	36.8	36.7	36.4	36.2	38.3	42.6	47.2	52.1
H56	37.5	37.5	37.5	37.3	36.9	36.8	36.6	36.4	38.4	42.7	47.2	52.1
H57	37.5	37.5	37.5	37.3	36.9	36.9	36.7	36.5	38.5	42.7	47.2	52.1
H58	37.4	37.4	37.4	37.3	36.9	36.8	36.6	36.4	38.4	42.6	47.2	52.1
H59	37.4	37.4	37.4	37.3	36.9	36.8	36.6	36.4	38.4	42.6	47.2	52.1
H60	37.5	37.5	37.5	37.3	36.9	36.8	36.6	36.4	38.4	42.7	47.2	52.1
H61	37.5	37.5	37.5	37.3	36.9	36.8	36.6	36.4	38.4	42.7	47.2	52.1
H62	37.5	37.5	37.5	37.3	36.9	36.9	36.6	36.5	38.5	42.7	47.2	52.1
H63	37.5	37.5	37.5	37.3	36.9	36.8	36.6	36.4	38.4	42.7	47.2	52.1
H64	37.5	37.5	37.5	37.3	36.9	36.8	36.6	36.5	38.4	42.7	47.2	52.1
H65	37.5	37.5	37.5	37.3	36.9	36.9	36.6	36.5	38.5	42.7	47.2	52.1
H66	37.5	37.5	37.5	37.3	36.9	36.9	36.6	36.5	38.5	42.7	47.2	52.1
H67	37.5	37.5	37.5	37.3	37.0	36.9	36.7	36.5	38.5	42.7	47.2	52.1
H68	37.6	37.6	37.6	37.4	37.2	37.1	36.9	36.8	38.7	42.8	47.3	52.1
H69	44.9	44.9	44.9	44.9	44.8	44.8	44.8	44.7	44.7	44.6	44.6	46.5
H70	37.6	37.6	37.6	37.5	37.2	37.2	37.0	36.9	38.8	42.8	47.3	52.1
H71	37.4	37.4	37.4	37.3	36.9	36.8	36.6	36.4	38.4	42.6	47.2	52.1
H72	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	39.5	43.2	47.5	52.2
H73	37.2	37.2	37.2	37.1	36.5	35.9	35.5	35.3	37.8	42.4	47.1	52.1
H74	36.6	36.6	36.6	36.5	35.5	35.0	35.0	35.0	36.7	42.0	47.0	52.0
H75	37.8	37.8	37.8	37.8	37.7	37.6	37.5	37.4	39.1	43.0	47.3	52.1
H76	37.0	37.0	37.0	36.9	36.3	35.5	35.0	35.0	37.4	42.3	47.1	52.1
H77	37.0	37.0	37.0	36.9	36.3	35.4	35.0	35.0	37.4	42.3	47.1	52.1
H78	37.8	37.8	37.8	37.7	37.6	37.6	37.5	37.4	39.1	43.0	47.4	52.1
H79	37.6	37.6	37.6	37.6	37.5	37.3	37.2	37.0	38.9	42.9	47.3	52.1
H80	37.7	37.7	37.7	37.7	37.5	37.4	37.2	37.0	38.8	42.8	47.3	52.1
H81	37.3	37.3	37.3	37.2	36.9	36.6	36.3	35.8	37.9	42.4	47.1	52.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H82	37.6	37.6	37.6	37.5	37.3	37.1	36.8	36.3	38.2	42.5	47.1	52.0
H83	37.6	37.6	37.6	37.5	37.3	37.1	36.8	36.3	38.2	42.5	47.1	52.0
H84	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	36.7	40.3	46.0	51.7
H85	37.6	37.6	37.6	37.5	37.3	37.2	37.0	36.9	38.8	42.8	47.3	52.1
H86	37.6	37.6	37.6	37.5	37.3	37.2	37.1	37.0	38.9	42.9	47.3	52.1
H87	37.6	37.6	37.6	37.5	37.3	37.2	37.1	37.0	38.9	42.9	47.3	52.1
H88	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	41.0	46.2
H89	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.6	41.0	46.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	37.8	37.8	37.8	37.6	37.3	37.2	37.2	37.1	37.1	36.8	40.4	46.1
H2	37.8	37.8	37.8	37.6	37.3	37.3	37.2	37.2	37.1	36.8	40.4	46.1
H3	37.8	37.8	37.8	37.6	37.2	37.2	37.2	37.1	37.1	36.8	40.4	46.1
H4	37.8	37.8	37.8	37.6	37.2	37.2	37.1	37.1	37.1	36.8	40.4	46.1
H5	37.8	37.8	37.8	37.6	37.2	37.2	37.1	37.1	37.0	36.7	40.3	46.0
H6	37.9	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.7	37.6	40.9	46.2
H7	37.6	37.6	37.6	37.3	36.6	36.5	36.4	36.3	36.2	35.9	40.0	44.7
H8	37.4	37.4	37.4	36.7	35.2	35.2	35.0	35.0	35.0	35.2	38.7	44.3
H9	37.6	37.6	37.6	37.0	36.0	35.9	35.7	35.6	35.5	35.2	39.4	44.6
H10	37.6	37.6	37.6	37.1	36.3	36.3	36.1	36.0	35.9	35.5	39.8	44.7
H11	37.6	37.6	37.6	37.1	36.3	36.3	36.1	36.0	35.8	35.4	39.8	44.7
H12	37.5	37.5	37.5	37.1	36.3	36.2	36.0	35.9	35.7	35.3	39.7	44.6
H13	37.9	37.9	37.9	37.9	37.8	37.7	37.7	37.7	37.7	37.6	40.9	46.2
H14	37.5	37.5	37.5	37.0	36.0	35.9	35.7	35.6	35.4	35.2	39.4	44.6
H15	37.5	37.5	37.5	37.1	36.1	36.1	35.9	35.8	35.6	35.2	39.6	44.6
H16	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H17	37.9	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.7	37.6	40.9	46.2
H18	37.9	37.9	37.9	37.8	37.7	37.7	37.7	37.6	37.6	37.5	40.9	46.2
H19	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	37.6	41.0	46.2
H20	37.9	37.9	37.9	37.8	37.7	37.7	37.7	37.6	37.6	37.5	40.9	46.2
H21	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.6	41.0	46.2
H22	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.6	41.0	46.2
H23	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.6	41.0	46.2
H24	37.5	37.5	37.5	37.0	36.2	36.2	35.9	35.8	35.5	35.2	39.7	44.6

Table J: The LA90,10min dB Wind Farm Noise Level at Night – 270 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H25	37.9	37.9	37.9	37.8	37.7	37.7	37.7	37.7	37.6	37.5	40.9	46.2
H26	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H27	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	37.6	40.9	46.2
H28	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.6	41.0	46.2
H29	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H30	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H31	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H32	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	41.0	46.2
H33	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.7	41.0	46.2
H34	45.0	45.0	45.0	45.0	44.9	44.9	44.9	44.9	44.9	44.9	44.9	46.2
H35	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H36	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.0	46.2
H37	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.7	41.0	46.2
H38	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H39	37.5	37.5	37.5	37.1	36.5	36.4	36.2	36.1	35.7	35.3	39.9	44.7
H40	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H41	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.0	46.2
H42	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.0	46.2
H43	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.7	41.0	46.2
H44	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	41.0	46.2
H45	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.7	41.0	46.2
H46	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.7	41.0	46.2
H47	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.7	41.0	46.2
H48	37.5	37.5	37.5	37.2	36.6	36.5	36.2	36.1	35.7	35.3	39.9	44.7
H49	37.4	37.4	37.4	37.2	36.6	36.5	36.3	36.1	35.6	35.2	40.0	44.7
H50	37.4	37.4	37.4	37.2	36.6	36.5	36.2	36.1	35.6	35.2	39.9	44.7
H52	37.4	37.4	37.4	37.1	36.6	36.5	36.2	36.0	35.5	35.2	39.9	44.7
H53	37.4	37.4	37.4	37.2	36.6	36.5	36.2	36.1	35.6	35.2	40.0	44.7
H54	37.4	37.4	37.4	37.1	36.6	36.5	36.2	36.0	35.4	35.2	39.9	44.7
H55	37.4	37.4	37.4	37.2	36.8	36.7	36.4	36.3	38.3	42.6	47.2	52.1
H56	37.5	37.5	37.5	37.3	36.9	36.8	36.6	36.5	38.4	42.7	47.2	52.1
H57	37.5	37.5	37.5	37.3	37.0	36.9	36.6	36.5	38.5	42.7	47.2	52.1
H58	37.5	37.5	37.5	37.3	36.9	36.8	36.6	36.4	38.4	42.7	47.2	52.1
H59	37.5	37.5	37.5	37.3	36.9	36.8	36.6	36.4	38.4	42.7	47.2	52.1
H60	37.5	37.5	37.5	37.3	36.9	36.8	36.6	36.5	38.4	42.7	47.2	52.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H61	37.5	37.5	37.5	37.3	36.9	36.8	36.6	36.5	38.4	42.7	47.2	52.1
H62	37.5	37.5	37.5	37.3	37.0	36.8	36.6	36.5	38.5	42.7	47.2	52.1
H63	37.5	37.5	37.5	37.3	36.9	36.8	36.6	36.5	38.4	42.7	47.2	52.1
H64	37.5	37.5	37.5	37.3	37.0	36.8	36.6	36.5	38.5	42.7	47.2	52.1
H65	37.5	37.5	37.5	37.3	37.0	36.8	36.6	36.5	38.5	42.7	47.2	52.1
H66	37.5	37.5	37.5	37.3	37.0	36.8	36.6	36.5	38.5	42.7	47.2	52.1
H67	37.5	37.5	37.5	37.4	37.0	36.9	36.7	36.6	38.5	42.7	47.2	52.1
H68	37.6	37.6	37.6	37.5	37.2	37.0	36.8	36.6	38.5	42.7	47.3	52.1
H69	44.9	44.9	44.9	44.9	44.8	44.8	44.7	44.6	44.5	44.5	44.4	46.4
H70	37.6	37.6	37.6	37.5	37.3	37.2	37.0	36.8	38.7	42.8	47.3	52.1
H71	37.4	37.4	37.4	37.3	37.0	36.8	36.6	36.5	38.4	42.6	47.2	52.1
H72	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	39.5	43.2	47.5	52.2
H73	37.4	37.4	37.4	37.3	37.0	36.7	36.2	35.5	37.6	42.4	47.1	52.1
H74	37.3	37.3	37.3	37.2	36.8	36.3	35.6	35.0	36.7	42.0	47.0	52.0
H75	37.8	37.8	37.8	37.7	37.6	37.5	37.4	37.2	39.0	42.9	47.3	52.1
H76	37.4	37.4	37.4	37.3	37.0	36.7	36.2	35.5	37.6	42.4	47.1	52.1
H77	37.4	37.4	37.4	37.3	37.0	36.7	36.2	35.4	37.5	42.4	47.1	52.1
H78	37.7	37.7	37.7	37.7	37.6	37.4	37.3	37.0	38.8	42.8	47.3	52.1
H79	37.6	37.6	37.6	37.6	37.5	37.3	37.1	36.8	38.6	42.8	47.3	52.1
H80	37.7	37.7	37.7	37.6	37.5	37.3	37.0	36.7	38.5	42.7	47.2	52.1
H81	37.3	37.3	37.3	37.2	36.9	36.6	36.1	35.4	37.4	42.2	47.0	52.0
H82	37.5	37.5	37.5	37.5	37.3	37.0	36.6	36.0	37.9	42.3	47.1	52.0
H83	37.5	37.5	37.5	37.5	37.3	37.0	36.6	36.0	37.9	42.3	47.1	52.0
H84	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	36.7	40.3	46.0	51.7
H85	37.7	37.7	37.7	37.6	37.4	37.3	37.2	37.1	38.9	42.9	47.3	52.1
H86	37.7	37.7	37.7	37.6	37.4	37.3	37.2	37.1	38.9	42.9	47.3	52.1
H87	37.7	37.7	37.7	37.6	37.4	37.3	37.2	37.1	38.9	42.9	47.3	52.1
H88	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.6	41.0	46.2
H89	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	37.6	40.9	46.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	37.8	37.8	37.8	37.6	37.3	37.3	37.2	37.2	37.1	36.9	40.4	46.1
H2	37.8	37.8	37.8	37.6	37.3	37.3	37.2	37.2	37.1	36.9	40.4	46.1
H3	37.8	37.8	37.8	37.6	37.3	37.3	37.2	37.2	37.1	36.8	40.4	46.1

Table K: The LA90,10min dB Wind Farm Noise Level at Night – 300 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H4	37.8	37.8	37.8	37.6	37.3	37.3	37.2	37.2	37.1	36.8	40.4	46.1
H5	37.8	37.8	37.8	37.6	37.3	37.2	37.2	37.1	37.1	36.8	40.4	46.1
H6	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	37.6	40.9	46.2
H7	37.6	37.6	37.6	37.3	36.6	36.6	36.5	36.4	36.3	36.0	40.1	44.8
H8	37.4	37.4	37.4	36.7	35.4	35.4	35.1	35.0	35.0	35.2	38.9	44.4
H9	37.6	37.6	37.6	37.0	36.1	36.1	35.9	35.8	35.6	35.2	39.6	44.6
H10	37.6	37.6	37.6	37.1	36.4	36.4	36.2	36.1	36.0	35.6	39.9	44.7
H11	37.6	37.6	37.6	37.1	36.4	36.4	36.2	36.1	36.0	35.6	39.9	44.7
H12	37.5	37.5	37.5	37.1	36.4	36.3	36.1	36.0	35.8	35.4	39.8	44.7
H13	37.9	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.7	37.6	40.9	46.2
H14	37.5	37.5	37.5	37.0	36.2	36.2	35.9	35.9	35.7	35.2	39.7	44.6
H15	37.6	37.6	37.6	37.1	36.3	36.3	36.1	36.0	35.9	35.5	39.8	44.7
H16	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H17	37.9	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.7	37.6	40.9	46.2
H18	37.9	37.9	37.9	37.8	37.7	37.7	37.7	37.7	37.6	37.5	40.9	46.2
H19	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	37.6	41.0	46.2
H20	37.9	37.9	37.9	37.8	37.7	37.7	37.7	37.7	37.6	37.5	40.9	46.2
H21	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.6	41.0	46.2
H22	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.6	41.0	46.2
H23	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.6	41.0	46.2
H24	37.5	37.5	37.5	37.1	36.4	36.4	36.1	36.0	35.7	35.3	39.8	44.7
H25	37.9	37.9	37.9	37.8	37.7	37.7	37.7	37.7	37.6	37.5	40.9	46.2
H26	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H27	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	37.6	40.9	46.2
H28	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	37.6	41.0	46.2
H29	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H30	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H31	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H32	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H33	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.7	41.0	46.2
H34	45.0	45.0	45.0	45.0	44.9	44.9	44.9	44.9	44.9	44.9	44.9	46.2
H35	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H36	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.0	46.2
H37	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.7	41.0	46.2
H38	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	41.0	46.2

Table K: The LA90, 10min dB Wind Farm Noise Level at Night – 300 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H39	37.5	37.5	37.5	37.2	36.7	36.6	36.4	36.2	35.9	35.5	40.0	44.7
H40	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H41	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.0	46.2
H42	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.0	46.2
H43	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.7	41.0	46.2
H44	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H45	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.7	41.0	46.2
H46	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.7	41.0	46.2
H47	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.7	41.0	46.2
H48	37.5	37.5	37.5	37.3	36.8	36.7	36.5	36.4	36.0	35.7	40.2	44.8
H49	37.5	37.5	37.5	37.4	37.0	36.9	36.7	36.6	36.2	35.9	40.4	44.9
H50	37.5	37.5	37.5	37.3	37.0	36.9	36.7	36.6	36.1	35.8	40.4	44.9
H52	37.5	37.5	37.5	37.3	37.0	36.9	36.7	36.5	36.0	35.7	40.3	44.8
H53	37.5	37.5	37.5	37.4	37.1	36.9	36.7	36.6	36.1	35.8	40.4	44.9
H54	37.5	37.5	37.5	37.3	37.0	36.9	36.7	36.5	36.0	35.7	40.3	44.8
H55	37.5	37.5	37.5	37.4	37.1	37.0	36.7	36.6	38.5	42.7	47.2	52.1
H56	37.5	37.5	37.5	37.4	37.2	37.1	36.9	36.8	38.6	42.8	47.3	52.1
H57	37.5	37.5	37.5	37.4	37.2	37.1	36.9	36.8	38.7	42.8	47.3	52.1
H58	37.5	37.5	37.5	37.4	37.2	37.1	36.9	36.7	38.6	42.7	47.3	52.1
H59	37.5	37.5	37.5	37.4	37.2	37.1	36.9	36.7	38.6	42.7	47.3	52.1
H60	37.5	37.5	37.5	37.4	37.2	37.1	36.9	36.8	38.6	42.7	47.3	52.1
H61	37.5	37.5	37.5	37.4	37.2	37.1	36.9	36.8	38.6	42.8	47.3	52.1
H62	37.5	37.5	37.5	37.4	37.2	37.1	36.9	36.8	38.6	42.8	47.3	52.1
H63	37.5	37.5	37.5	37.4	37.2	37.1	36.9	36.8	38.6	42.8	47.3	52.1
H64	37.5	37.5	37.5	37.4	37.2	37.1	36.9	36.8	38.6	42.8	47.3	52.1
H65	37.5	37.5	37.5	37.4	37.2	37.1	36.9	36.8	38.6	42.8	47.3	52.1
H66	37.5	37.5	37.5	37.4	37.2	37.1	36.9	36.8	38.6	42.8	47.3	52.1
H67	37.6	37.6	37.6	37.5	37.2	37.1	36.9	36.8	38.7	42.8	47.3	52.1
H68	37.6	37.6	37.6	37.5	37.2	37.1	36.8	36.5	38.4	42.6	47.2	52.1
H69	44.9	44.9	44.9	44.9	44.8	44.8	44.7	44.6	44.4	44.2	44.2	46.3
H70	37.6	37.6	37.6	37.6	37.4	37.3	37.1	36.9	38.8	42.8	47.3	52.1
H71	37.5	37.5	37.5	37.4	37.2	37.1	36.9	36.7	38.6	42.7	47.3	52.1
H72	37.9	37.9	37.9	37.9	37.9	37.9	37.9	37.8	39.5	43.2	47.5	52.2
H73	37.4	37.4	37.4	37.3	37.1	36.9	36.5	36.0	37.8	42.4	47.2	52.1
H74	37.4	37.4	37.4	37.3	37.0	36.7	36.3	35.6	37.4	42.3	47.1	52.1
H75	37.8	37.8	37.8	37.7	37.6	37.5	37.4	37.2	39.0	42.9	47.3	52.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H76	37.5	37.5	37.5	37.4	37.2	37.0	36.7	36.3	38.1	42.5	47.2	52.1
H77	37.4	37.4	37.4	37.3	37.1	36.9	36.6	36.1	38.0	42.5	47.2	52.1
H78	37.7	37.7	37.7	37.6	37.5	37.3	37.1	36.7	38.5	42.7	47.2	52.1
H79	37.6	37.6	37.6	37.6	37.4	37.3	37.0	36.6	38.4	42.7	47.2	52.1
H80	37.5	37.5	37.5	37.5	37.2	37.0	36.5	35.8	37.7	42.3	47.1	52.0
H81	37.4	37.4	37.4	37.3	37.1	36.8	36.4	35.8	37.7	42.4	47.1	52.0
H82	37.4	37.4	37.4	37.4	37.1	36.8	36.2	35.3	37.2	42.1	47.0	52.0
H83	37.4	37.4	37.4	37.4	37.1	36.8	36.2	35.3	37.2	42.1	47.0	52.0
H84	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	36.7	40.3	46.0	51.7
H85	37.7	37.7	37.7	37.7	37.5	37.4	37.3	37.2	39.0	42.9	47.4	52.1
H86	37.7	37.7	37.7	37.7	37.6	37.5	37.4	37.3	39.1	43.0	47.4	52.2
H87	37.7	37.7	37.7	37.7	37.5	37.5	37.4	37.3	39.1	43.0	47.4	52.2
H88	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.6	41.0	46.2
H89	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	37.6	40.9	46.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	37.8	37.8	37.8	37.6	37.3	37.3	37.2	37.2	37.1	36.9	40.5	46.1
H2	37.8	37.8	37.8	37.6	37.3	37.3	37.3	37.2	37.2	36.9	40.5	46.1
H3	37.8	37.8	37.8	37.6	37.3	37.3	37.2	37.2	37.1	36.9	40.5	46.1
H4	37.8	37.8	37.8	37.6	37.3	37.3	37.2	37.2	37.1	36.9	40.5	46.1
H5	37.8	37.8	37.8	37.6	37.3	37.3	37.2	37.2	37.1	36.8	40.5	46.1
H6	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	37.6	41.0	46.2
H7	37.7	37.7	37.7	37.3	36.8	36.8	36.6	36.6	36.5	36.3	40.4	44.9
H8	37.5	37.5	37.5	37.0	36.1	36.1	35.8	35.8	35.6	35.2	39.8	44.7
H9	37.7	37.7	37.7	37.3	36.7	36.7	36.5	36.5	36.3	36.1	40.3	44.8
H10	37.6	37.6	37.6	37.3	36.7	36.7	36.5	36.4	36.3	36.0	40.3	44.8
H11	37.6	37.6	37.6	37.3	36.7	36.7	36.5	36.4	36.3	36.0	40.3	44.8
H12	37.6	37.6	37.6	37.3	36.8	36.7	36.5	36.4	36.3	36.0	40.3	44.8
H13	37.9	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.7	37.6	41.0	46.2
H14	37.7	37.7	37.7	37.3	36.8	36.8	36.6	36.6	36.4	36.2	40.4	44.9
H15	37.7	37.7	37.7	37.4	37.0	36.9	36.8	36.8	36.6	36.5	40.5	44.9
H16	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.9	37.8	37.8	41.1	46.3
H17	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	37.6	41.0	46.2

Table L: The LA90,10min dB Wind Farm Noise Level at Night – 330 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H18	37.9	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.7	37.6	40.9	46.2
H19	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H20	37.9	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.7	37.6	40.9	46.2
H21	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H22	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H23	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H24	37.7	37.7	37.7	37.5	37.2	37.1	36.9	36.8	36.6	36.5	40.6	44.9
H25	37.9	37.9	37.9	37.9	37.8	37.8	37.7	37.7	37.7	37.6	41.0	46.2
H26	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	41.0	46.2
H27	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	37.6	41.0	46.2
H28	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	41.0	46.2
H29	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.0	46.2
H30	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.8	37.7	41.0	46.2
H31	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.0	46.2
H32	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.0	46.2
H33	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	37.8	41.1	46.2
H34	45.0	45.0	45.0	45.0	45.0	45.0	44.9	44.9	44.9	44.9	44.9	46.2
H35	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.0	46.2
H36	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	37.8	41.1	46.3
H37	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	37.7	41.0	46.2
H38	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.0	46.2
H39	37.7	37.7	37.7	37.6	37.4	37.2	37.1	37.0	36.7	36.6	40.7	45.0
H40	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.0	46.2
H41	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	37.7	41.0	46.2
H42	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	37.8	41.1	46.3
H43	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	37.7	41.0	46.2
H44	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.0	46.2
H45	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	37.8	41.1	46.3
H46	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	37.7	41.0	46.2
H47	38.0	38.0	38.0	37.9	37.9	37.9	37.9	37.8	37.8	37.7	41.0	46.2
H48	37.7	37.7	37.7	37.6	37.4	37.3	37.1	37.0	36.6	36.5	40.7	45.0
H49	37.7	37.7	37.7	37.6	37.5	37.3	37.0	36.9	36.5	36.4	40.7	45.0
H50	37.7	37.7	37.7	37.6	37.5	37.2	37.0	36.9	36.5	36.3	40.7	45.0
H52	37.6	37.6	37.6	37.6	37.4	37.2	36.9	36.8	36.3	36.1	40.6	44.9
H53	37.6	37.6	37.6	37.6	37.5	37.2	37.0	36.8	36.4	36.2	40.6	44.9
H54	37.6	37.6	37.6	37.6	37.5	37.2	36.9	36.8	36.3	36.1	40.6	44.9

Table L: The LA90,10min dB Wind Farm Noise Level at Night – 330 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H55	37.6	37.6	37.6	37.6	37.5	37.2	36.9	36.8	38.6	42.8	47.3	52.1
H56	37.7	37.7	37.7	37.6	37.5	37.3	37.0	36.9	38.7	42.8	47.3	52.1
H57	37.7	37.7	37.7	37.6	37.5	37.3	37.1	36.9	38.8	42.8	47.3	52.1
H58	37.7	37.7	37.7	37.6	37.5	37.2	37.0	36.9	38.7	42.8	47.3	52.1
H59	37.7	37.7	37.7	37.6	37.5	37.3	37.0	36.9	38.7	42.8	47.3	52.1
H60	37.7	37.7	37.7	37.6	37.5	37.3	37.0	36.9	38.7	42.8	47.3	52.1
H61	37.7	37.7	37.7	37.6	37.5	37.3	37.0	36.9	38.7	42.8	47.3	52.1
H62	37.7	37.7	37.7	37.6	37.5	37.3	37.1	36.9	38.7	42.8	47.3	52.1
H63	37.7	37.7	37.7	37.6	37.5	37.3	37.0	36.9	38.7	42.8	47.3	52.1
H64	37.7	37.7	37.7	37.6	37.5	37.3	37.0	36.9	38.7	42.8	47.3	52.1
H65	37.7	37.7	37.7	37.6	37.5	37.3	37.0	36.9	38.7	42.8	47.3	52.1
H66	37.7	37.7	37.7	37.6	37.5	37.3	37.1	36.9	38.7	42.8	47.3	52.1
H67	37.7	37.7	37.7	37.6	37.5	37.3	37.1	36.9	38.8	42.8	47.3	52.1
H68	37.6	37.6	37.6	37.5	37.3	37.0	36.5	36.2	38.4	42.7	47.3	52.1
H69	44.8	44.8	44.8	44.8	44.8	44.6	44.5	44.4	44.3	44.3	44.2	46.3
H70	37.7	37.7	37.7	37.7	37.6	37.3	37.1	37.0	38.9	42.9	47.3	52.1
H71	37.6	37.6	37.6	37.6	37.5	37.2	37.0	36.9	38.7	42.8	47.3	52.1
H72	38.0	38.0	38.0	38.0	37.9	37.9	37.9	37.8	39.6	43.2	47.5	52.2
H73	37.5	37.5	37.5	37.5	37.3	37.0	36.6	36.3	38.4	42.7	47.3	52.1
H74	37.5	37.5	37.5	37.4	37.2	36.9	36.5	36.2	38.3	42.6	47.2	52.1
H75	37.8	37.8	37.8	37.8	37.7	37.6	37.5	37.3	39.1	43.0	47.4	52.1
H76	37.5	37.5	37.5	37.5	37.3	37.1	36.8	36.6	38.6	42.8	47.3	52.1
H77	37.5	37.5	37.5	37.5	37.3	37.1	36.8	36.5	38.6	42.8	47.3	52.1
H78	37.7	37.7	37.7	37.7	37.6	37.4	37.1	36.8	38.8	42.9	47.3	52.1
H79	37.6	37.6	37.6	37.6	37.4	37.2	36.8	36.4	38.5	42.7	47.3	52.1
H80	37.5	37.5	37.5	37.4	37.2	36.8	36.3	35.4	37.8	42.5	47.2	52.1
H81	37.6	37.6	37.6	37.6	37.5	37.3	37.1	36.9	38.8	42.9	47.3	52.1
H82	37.3	37.3	37.3	37.3	36.9	36.4	35.5	35.0	37.0	42.3	47.1	52.0
H83	37.3	37.3	37.3	37.3	36.9	36.4	35.5	35.0	37.0	42.3	47.1	52.0
H84	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	36.7	40.3	46.1	51.8
H85	37.8	37.8	37.8	37.7	37.7	37.5	37.4	37.3	39.1	43.0	47.4	52.2
H86	37.8	37.8	37.8	37.8	37.7	37.6	37.5	37.4	39.1	43.0	47.4	52.2
H87	37.8	37.8	37.8	37.8	37.7	37.6	37.4	37.4	39.1	43.0	47.4	52.2
H88	37.9	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	41.0	46.2
H89	37.9	37.9	37.9	37.9	37.9	37.8	37.8	37.8	37.7	37.7	41.0	46.2

Table M: The LA90, 10min dB Wind Farm Noise Level during the Day – 0 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	34.8	34.8	34.8	34.7	34.7	34.6	34.4	34.0	35.8	39.5	43.5	48.1
H2	34.8	34.8	34.8	34.7	34.7	34.6	34.4	34.0	35.8	39.5	43.5	48.1
H3	34.8	34.8	34.8	34.7	34.7	34.6	34.3	33.9	35.8	39.5	43.5	48.1
H4	34.8	34.8	34.8	34.7	34.7	34.5	34.3	33.9	35.8	39.5	43.5	48.1
H5	34.8	34.8	34.7	34.7	34.6	34.5	34.3	33.9	35.8	39.5	43.5	48.1
H6	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.3	39.8	43.6	48.2
H7	34.7	34.7	34.7	34.6	34.5	34.3	34.0	33.5	37.0	40.3	43.0	45.2
H8	34.5	34.5	34.5	34.4	34.3	34.0	33.5	32.5	36.5	40.1	42.8	45.1
H9	34.7	34.7	34.7	34.6	34.5	34.4	34.1	33.6	37.0	40.3	43.0	45.2
H10	34.7	34.7	34.6	34.6	34.4	34.3	34.0	33.4	36.9	40.2	43.0	45.2
H11	34.7	34.7	34.6	34.6	34.4	34.3	34.0	33.4	36.9	40.2	43.0	45.2
H12	34.7	34.7	34.6	34.5	34.4	34.2	33.9	33.4	36.9	40.2	43.0	45.2
H13	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.3	39.8	43.6	48.2
H14	34.7	34.7	34.7	34.6	34.5	34.4	34.1	33.7	37.1	40.3	43.0	45.2
H15	34.7	34.7	34.7	34.6	34.5	34.4	34.2	33.8	37.1	40.3	43.0	45.2
H16	35.0	35.0	34.9	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H17	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.3	39.8	43.6	48.2
H18	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H19	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.3	39.8	43.6	48.2
H20	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H21	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.4	39.8	43.6	48.2
H22	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.3	39.8	43.6	48.2
H23	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.3	39.8	43.6	48.2
H24	34.7	34.7	34.6	34.5	34.2	34.1	33.8	33.4	36.8	40.1	43.0	45.2
H25	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H26	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.4	39.8	43.6	48.2
H27	34.9	34.9	34.9	34.9	34.8	34.8	34.8	34.7	36.3	39.7	43.6	48.2
H28	34.9	34.9	34.9	34.9	34.8	34.8	34.8	34.7	36.3	39.7	43.6	48.2
H29	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.4	39.8	43.6	48.2
H30	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.3	39.8	43.6	48.2
H31	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.4	39.8	43.6	48.2
H32	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.4	39.8	43.6	48.2
H33	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.8	36.4	39.8	43.6	48.2
H34	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	44.9	44.9	48.2
H35	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.4	39.8	43.6	48.2

Table M: The LA90,10min dB Wind Farm Noise Level during the Day – 0 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H36	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.8	36.4	39.8	43.6	48.2
H37	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.8	36.4	39.8	43.6	48.2
H38	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.3	39.8	43.6	48.2
H39	34.7	34.7	34.6	34.4	34.1	34.0	33.7	33.3	36.7	40.1	42.9	45.2
H40	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.3	39.8	43.6	48.2
H41	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.4	39.8	43.6	48.2
H42	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.8	36.4	39.8	43.6	48.2
H43	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.8	36.4	39.8	43.6	48.2
H44	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.4	39.8	43.6	48.2
H45	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.8	36.4	39.8	43.6	48.2
H46	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.4	39.8	43.6	48.2
H47	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.4	39.8	43.6	48.2
H48	34.7	34.6	34.5	34.3	34.0	33.9	33.5	33.0	36.5	40.0	42.9	45.1
H49	34.6	34.6	34.4	34.2	33.8	33.6	33.2	32.5	36.2	39.8	42.8	45.1
H50	34.6	34.6	34.4	34.2	33.7	33.6	33.1	32.4	36.2	39.8	42.8	45.1
H52	34.6	34.5	34.4	34.1	33.6	33.4	32.9	32.1	36.0	39.7	42.7	45.0
H53	34.6	34.5	34.4	34.1	33.6	33.5	33.0	32.2	36.0	39.7	42.7	45.0
H54	34.5	34.5	34.3	34.0	33.5	33.3	32.7	32.0	35.8	39.6	42.7	45.0
H55	34.5	34.5	34.3	34.0	33.4	33.3	33.8	37.1	40.5	44.3	48.2	52.4
H56	34.5	34.5	34.3	34.0	33.5	33.4	33.9	37.2	40.6	44.3	48.2	52.4
H57	34.5	34.5	34.3	34.1	33.6	33.4	34.0	37.2	40.6	44.3	48.2	52.4
H58	34.5	34.5	34.3	34.0	33.5	33.4	33.9	37.2	40.6	44.3	48.2	52.4
H59	34.5	34.5	34.3	34.0	33.5	33.4	33.9	37.2	40.6	44.3	48.2	52.4
H60	34.5	34.5	34.3	34.0	33.5	33.4	33.9	37.2	40.6	44.3	48.2	52.4
H61	34.5	34.5	34.3	34.0	33.5	33.4	33.9	37.2	40.6	44.3	48.2	52.4
H62	34.5	34.5	34.3	34.0	33.5	33.4	33.9	37.2	40.6	44.3	48.2	52.4
H63	34.5	34.5	34.3	34.0	33.5	33.4	33.9	37.2	40.6	44.3	48.2	52.4
H64	34.5	34.5	34.3	34.0	33.5	33.4	33.9	37.2	40.6	44.3	48.2	52.4
H65	34.5	34.5	34.3	34.0	33.5	33.4	33.9	37.2	40.6	44.3	48.2	52.4
H66	34.5	34.5	34.3	34.0	33.5	33.4	33.9	37.2	40.6	44.3	48.2	52.4
H67	34.5	34.5	34.3	34.1	33.6	33.4	34.0	37.2	40.6	44.3	48.2	52.4
H68	33.5	33.4	33.3	33.1	32.0	32.0	32.7	36.6	40.4	44.2	48.2	52.4
H69	44.7	44.7	44.7	44.6	44.4	44.4	44.4	44.3	44.3	44.2	44.1	46.3
H70	34.3	34.3	34.2	34.1	33.5	33.4	34.1	37.3	40.7	44.4	48.3	52.4
H71	34.6	34.6	34.4	34.2	33.7	33.6	34.2	37.4	40.7	44.4	48.3	52.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H72	35.0	35.0	34.9	34.9	34.9	34.9	35.6	38.2	41.2	44.7	48.4	52.5
H73	33.9	33.9	33.8	33.7	33.0	32.7	33.4	36.9	40.5	44.3	48.2	52.4
H74	33.8	33.8	33.7	33.6	32.9	32.6	33.2	36.8	40.4	44.2	48.2	52.4
H75	34.7	34.7	34.7	34.7	34.5	34.4	35.0	37.8	41.0	44.5	48.3	52.5
H76	34.1	34.1	34.0	33.9	33.5	33.3	33.9	37.2	40.7	44.4	48.2	52.4
H77	34.1	34.1	34.0	33.9	33.4	33.2	33.9	37.2	40.7	44.4	48.2	52.4
H78	34.6	34.6	34.5	34.5	34.3	34.0	34.5	37.5	40.8	44.5	48.3	52.4
H79	34.5	34.4	34.4	34.3	34.1	33.8	34.3	37.3	40.7	44.4	48.3	52.4
H80	34.1	34.1	34.0	33.9	33.4	32.7	32.8	36.3	40.2	44.2	48.2	52.4
H81	34.3	34.3	34.2	34.1	33.9	33.7	34.3	37.4	40.8	44.4	48.3	52.4
H82	33.7	33.7	33.6	33.5	32.7	32.0	32.7	35.3	39.8	44.1	48.1	52.3
H83	33.7	33.7	33.6	33.5	32.7	32.0	32.7	35.3	39.8	44.1	48.1	52.3
H84	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	38.3	41.8	47.3	52.1
H85	34.6	34.6	34.6	34.5	34.3	34.3	34.9	37.8	41.0	44.5	48.3	52.5
H86	34.7	34.7	34.6	34.5	34.4	34.3	35.0	37.9	41.0	44.6	48.3	52.5
H87	34.7	34.7	34.6	34.6	34.4	34.4	35.0	37.9	41.0	44.6	48.3	52.5
H88	34.9	34.9	34.9	34.9	34.8	34.8	34.8	34.7	36.3	39.7	43.6	48.2
H89	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.7	36.3	39.7	43.6	48.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.2	39.7	43.6	48.2
H2	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.2	39.7	43.6	48.2
H3	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.5	36.2	39.7	43.6	48.2
H4	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.5	36.2	39.7	43.6	48.2
H5	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.5	36.2	39.7	43.6	48.2
H6	35.0	35.0	35.0	34.9	34.9	34.9	34.9	34.8	36.5	39.8	43.7	48.2
H7	34.8	34.8	34.8	34.8	34.7	34.6	34.5	34.3	37.3	40.4	43.1	45.3
H8	34.8	34.8	34.7	34.7	34.6	34.5	34.3	34.0	37.2	40.4	43.1	45.2
H9	34.8	34.8	34.8	34.8	34.7	34.6	34.5	34.3	37.3	40.4	43.1	45.3
H10	34.8	34.8	34.8	34.7	34.6	34.5	34.3	34.1	37.2	40.4	43.1	45.3
H11	34.8	34.8	34.8	34.7	34.6	34.5	34.3	34.1	37.2	40.4	43.1	45.3
H12	34.8	34.8	34.7	34.7	34.5	34.5	34.3	34.0	37.2	40.3	43.1	45.3
H13	35.0	35.0	35.0	34.9	34.9	34.9	34.9	34.8	36.5	39.8	43.7	48.2
H14	34.8	34.8	34.8	34.7	34.6	34.6	34.4	34.2	37.3	40.4	43.1	45.3

Table N: The LA90,10min dB Wind Farm Noise Level during the Day – 30 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H15	34.8	34.8	34.8	34.7	34.6	34.5	34.4	34.2	37.3	40.4	43.1	45.3
H16	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H17	35.0	35.0	34.9	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H18	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.8	36.4	39.8	43.6	48.2
H19	35.0	35.0	34.9	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H20	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.8	36.4	39.8	43.6	48.2
H21	35.0	35.0	34.9	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H22	35.0	35.0	34.9	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H23	35.0	35.0	34.9	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H24	34.8	34.7	34.7	34.5	34.3	34.2	34.0	33.7	36.9	40.2	43.0	45.2
H25	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.8	36.4	39.8	43.6	48.2
H26	35.0	35.0	35.0	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H27	35.0	35.0	34.9	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H28	35.0	35.0	34.9	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H29	35.0	35.0	35.0	34.9	34.9	34.9	34.9	34.8	36.5	39.8	43.7	48.2
H30	35.0	35.0	35.0	34.9	34.9	34.9	34.9	34.8	36.5	39.8	43.7	48.2
H31	35.0	35.0	35.0	34.9	34.9	34.9	34.9	34.8	36.5	39.8	43.7	48.2
H32	35.0	35.0	35.0	34.9	34.9	34.9	34.9	34.8	36.5	39.8	43.7	48.2
H33	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H34	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	48.2
H35	35.0	35.0	35.0	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H36	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H37	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.8	36.5	39.8	43.7	48.2
H38	35.0	35.0	35.0	34.9	34.9	34.9	34.9	34.8	36.5	39.8	43.7	48.2
H39	34.8	34.8	34.7	34.6	34.4	34.3	34.2	33.9	37.1	40.3	43.0	45.2
H40	35.0	35.0	35.0	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H41	35.0	35.0	35.0	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H42	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H43	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.8	36.5	39.8	43.7	48.2
H44	35.0	35.0	35.0	34.9	34.9	34.9	34.9	34.8	36.5	39.8	43.7	48.2
H45	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H46	35.0	35.0	35.0	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.6	48.2
H47	35.0	35.0	35.0	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.6	48.2
H48	34.7	34.7	34.6	34.5	34.3	34.2	34.0	33.7	36.9	40.2	43.0	45.2
H49	34.7	34.7	34.6	34.5	34.2	34.1	33.8	33.4	36.8	40.1	42.9	45.2

Table N: The LA90,10min dB Wind Farm Noise Level during the Day – 30 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H50	34.7	34.7	34.6	34.5	34.2	34.1	33.8	33.4	36.8	40.1	43.0	45.2
H52	34.7	34.7	34.6	34.5	34.2	34.1	33.8	33.4	36.7	40.1	42.9	45.2
H53	34.7	34.7	34.6	34.5	34.2	34.1	33.9	33.4	36.8	40.1	43.0	45.2
H54	34.7	34.7	34.6	34.5	34.2	34.1	33.8	33.3	36.7	40.1	42.9	45.2
H55	34.7	34.7	34.6	34.5	34.3	34.2	34.9	37.7	40.9	44.5	48.3	52.5
H56	34.7	34.7	34.6	34.5	34.3	34.2	34.9	37.7	40.9	44.5	48.3	52.5
H57	34.7	34.7	34.6	34.6	34.3	34.3	34.9	37.8	41.0	44.5	48.3	52.5
H58	34.7	34.7	34.6	34.6	34.3	34.3	34.9	37.8	41.0	44.5	48.3	52.5
H59	34.7	34.7	34.6	34.6	34.3	34.3	34.9	37.8	41.0	44.5	48.3	52.5
H60	34.7	34.7	34.6	34.6	34.3	34.3	34.9	37.8	41.0	44.5	48.3	52.5
H61	34.7	34.7	34.6	34.6	34.3	34.3	34.9	37.8	41.0	44.5	48.3	52.5
H62	34.7	34.7	34.6	34.6	34.3	34.3	34.9	37.8	41.0	44.5	48.3	52.5
H63	34.7	34.7	34.6	34.6	34.3	34.3	34.9	37.8	41.0	44.5	48.3	52.5
H64	34.7	34.7	34.6	34.6	34.3	34.3	34.9	37.8	41.0	44.5	48.3	52.5
H65	34.7	34.7	34.6	34.6	34.3	34.3	34.9	37.8	41.0	44.5	48.3	52.5
H66	34.7	34.7	34.6	34.6	34.3	34.3	34.9	37.8	41.0	44.5	48.3	52.5
H67	34.7	34.7	34.6	34.5	34.3	34.2	34.9	37.8	41.0	44.5	48.3	52.5
H68	33.6	33.6	33.6	33.5	32.5	32.3	33.3	37.0	40.6	44.4	48.2	52.4
H69	44.7	44.7	44.7	44.7	44.5	44.5	44.4	44.4	44.3	44.3	44.2	46.3
H70	34.2	34.2	34.2	34.1	33.6	33.5	34.3	37.5	40.8	44.5	48.3	52.4
H71	34.7	34.7	34.7	34.6	34.4	34.3	35.0	37.8	41.0	44.5	48.3	52.5
H72	35.0	35.0	35.0	35.0	35.0	35.0	35.7	38.3	41.3	44.7	48.4	52.5
H73	32.8	32.8	32.7	32.7	32.0	32.0	32.7	35.5	39.8	43.9	48.0	52.3
H74	32.9	32.9	32.8	32.8	32.0	32.0	32.7	35.3	39.6	43.8	47.9	52.2
H75	34.8	34.8	34.8	34.7	34.6	34.5	35.1	37.8	41.0	44.6	48.3	52.5
H76	33.7	33.7	33.6	33.6	33.0	32.5	33.1	36.7	40.4	44.2	48.1	52.4
H77	33.6	33.6	33.6	33.6	32.9	32.5	33.0	36.7	40.3	44.2	48.1	52.4
H78	34.6	34.6	34.6	34.6	34.4	34.2	34.7	37.6	40.9	44.5	48.3	52.4
H79	34.6	34.6	34.6	34.5	34.3	34.1	34.6	37.5	40.9	44.5	48.3	52.4
H80	34.2	34.2	34.2	34.1	33.6	32.9	33.1	36.4	40.3	44.3	48.2	52.4
H81	34.5	34.5	34.5	34.5	34.3	34.1	34.8	37.7	40.9	44.5	48.3	52.5
H82	33.8	33.8	33.8	33.7	33.0	32.0	32.7	35.4	39.9	44.1	48.2	52.4
H83	33.8	33.8	33.8	33.7	33.0	32.0	32.7	35.4	39.9	44.1	48.2	52.4
H84	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	38.3	41.8	47.3	52.1
H85	34.5	34.5	34.5	34.4	34.3	34.2	34.9	37.8	41.0	44.6	48.3	52.5
H86	34.6	34.6	34.6	34.5	34.4	34.3	35.0	37.9	41.1	44.6	48.3	52.5

Table N: The LA90,10min dB Wind Farm Noise Level during the Day – 30 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms ⁻¹)											
	1	2	3	4	5	6	7	8	9	10	11	12
H87	34.4	34.4	34.4	34.4	34.3	34.2	34.9	37.8	41.0	44.5	48.3	52.5
H88	35.0	35.0	35.0	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H89	35.0	35.0	34.9	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.6	48.2

Table O: The LA90,10min dB Wind Farm Noise Level during the Day – 60 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms ⁻¹)											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	34.9	34.9	34.9	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H2	34.9	34.9	34.9	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H3	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.8	36.4	39.8	43.7	48.2
H4	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.8	36.4	39.8	43.7	48.2
H5	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.8	36.4	39.8	43.6	48.2
H6	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H7	34.9	34.9	34.9	34.9	34.9	34.8	34.7	34.6	37.6	40.6	43.2	45.3
H8	34.8	34.8	34.8	34.8	34.7	34.7	34.6	34.3	37.4	40.5	43.1	45.3
H9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.5	37.5	40.5	43.2	45.3
H10	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	37.5	40.5	43.2	45.3
H11	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	37.5	40.5	43.2	45.3
H12	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.5	37.5	40.5	43.2	45.3
H13	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.9	43.7	48.2
H14	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	37.4	40.5	43.2	45.3
H15	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	37.5	40.5	43.2	45.3
H16	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H17	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H18	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H19	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H20	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H21	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H22	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H23	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H24	34.9	34.9	34.8	34.8	34.7	34.7	34.6	34.4	37.4	40.5	43.2	45.3
H25	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H26	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H27	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H28	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2

Table O: The LA90,10min dB Wind Farm Noise Level during the Day – 60 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H29	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H30	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H31	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H32	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H33	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H34	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	48.2
H35	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H36	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H37	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H38	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H39	34.9	34.9	34.8	34.8	34.7	34.7	34.6	34.5	37.4	40.5	43.2	45.3
H40	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H41	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H42	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H43	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H44	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H45	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H46	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H47	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H48	34.9	34.8	34.8	34.8	34.7	34.6	34.5	34.4	37.4	40.4	43.1	45.3
H49	34.8	34.8	34.8	34.7	34.6	34.6	34.4	34.2	37.3	40.4	43.1	45.3
H50	34.8	34.8	34.8	34.8	34.6	34.6	34.5	34.3	37.3	40.4	43.1	45.3
H52	34.8	34.8	34.8	34.7	34.6	34.5	34.4	34.2	37.3	40.4	43.1	45.3
H53	34.8	34.8	34.8	34.7	34.6	34.6	34.4	34.2	37.3	40.4	43.1	45.3
H54	34.8	34.8	34.8	34.7	34.6	34.5	34.4	34.2	37.3	40.4	43.1	45.3
H55	34.8	34.8	34.8	34.7	34.6	34.5	35.2	37.9	41.1	44.6	48.3	52.5
H56	34.8	34.8	34.7	34.7	34.6	34.5	35.2	37.9	41.1	44.6	48.3	52.5
H57	34.7	34.7	34.7	34.7	34.6	34.5	35.1	37.9	41.1	44.6	48.3	52.5
H58	34.8	34.8	34.7	34.7	34.6	34.5	35.2	37.9	41.1	44.6	48.3	52.5
H59	34.8	34.8	34.7	34.7	34.6	34.5	35.2	37.9	41.1	44.6	48.3	52.5
H60	34.8	34.8	34.7	34.7	34.6	34.5	35.2	37.9	41.1	44.6	48.3	52.5
H61	34.8	34.8	34.7	34.7	34.6	34.5	35.2	37.9	41.1	44.6	48.3	52.5
H62	34.8	34.7	34.7	34.7	34.6	34.5	35.2	37.9	41.1	44.6	48.3	52.5
H63	34.8	34.8	34.7	34.7	34.6	34.5	35.2	37.9	41.1	44.6	48.3	52.5
H64	34.8	34.8	34.7	34.7	34.6	34.5	35.2	37.9	41.1	44.6	48.3	52.5
H65	34.8	34.8	34.7	34.7	34.6	34.5	35.2	37.9	41.1	44.6	48.3	52.5

Table O: The LA90,10min dB Wind Farm Noise Level during the Day – 60 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H66	34.8	34.7	34.7	34.7	34.6	34.5	35.1	37.9	41.1	44.6	48.3	52.5
H67	34.7	34.7	34.7	34.7	34.5	34.5	35.1	37.9	41.1	44.6	48.3	52.5
H68	33.7	33.7	33.7	33.6	32.7	32.6	33.5	37.1	40.7	44.4	48.3	52.4
H69	44.7	44.7	44.7	44.7	44.5	44.5	44.4	44.4	44.4	44.3	44.2	46.3
H70	34.3	34.3	34.2	34.2	33.8	33.7	34.5	37.6	40.9	44.5	48.3	52.5
H71	34.8	34.8	34.7	34.7	34.6	34.5	35.2	37.9	41.1	44.6	48.3	52.5
H72	35.0	35.0	35.0	35.0	35.0	35.0	35.7	38.3	41.3	44.7	48.4	52.5
H73	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	39.0	43.6	47.9	52.2
H74	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	39.0	43.6	47.8	52.2
H75	34.8	34.8	34.8	34.8	34.7	34.6	35.3	38.0	41.1	44.6	48.3	52.5
H76	32.3	32.3	32.3	32.3	32.0	32.0	32.7	35.3	39.7	43.9	48.0	52.3
H77	32.3	32.3	32.2	32.2	32.0	32.0	32.7	35.3	39.7	43.8	48.0	52.3
H78	34.7	34.7	34.7	34.6	34.5	34.2	34.8	37.6	40.9	44.5	48.3	52.5
H79	34.6	34.6	34.6	34.6	34.4	34.2	34.7	37.6	40.9	44.5	48.3	52.5
H80	34.2	34.2	34.2	34.1	33.7	33.0	33.2	36.5	40.4	44.3	48.2	52.4
H81	34.7	34.7	34.7	34.6	34.5	34.4	35.0	37.8	41.0	44.5	48.3	52.5
H82	33.8	33.8	33.8	33.7	33.0	32.0	32.7	35.4	39.9	44.1	48.2	52.4
H83	33.8	33.8	33.8	33.7	33.0	32.0	32.7	35.4	39.9	44.1	48.2	52.4
H84	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	38.3	42.2	47.5	52.1
H85	34.3	34.3	34.3	34.3	34.1	34.0	34.7	37.6	40.9	44.5	48.3	52.4
H86	34.4	34.4	34.4	34.4	34.2	34.1	34.8	37.7	41.0	44.5	48.3	52.5
H87	34.3	34.3	34.3	34.2	34.1	33.9	34.6	37.6	40.9	44.5	48.3	52.4
H88	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H89	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.9	36.5	39.8	43.7	48.2

Table P: The LA90,10min dB Wind Farm Noise Level during the Day – 90 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.8	36.5	39.8	43.7	48.2
H2	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.8	36.5	39.8	43.7	48.2
H3	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.8	36.5	39.8	43.7	48.2
H4	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.8	36.5	39.8	43.7	48.2
H5	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.8	36.5	39.8	43.7	48.2
H6	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H7	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.7	37.6	40.6	43.2	45.4

Table P: The LA90,10min dB Wind Farm Noise Level during the Day – 90 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H8	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.5	37.5	40.5	43.2	45.3
H9	34.9	34.9	34.9	34.9	34.9	34.8	34.7	34.6	37.5	40.5	43.2	45.3
H10	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.6	37.6	40.6	43.2	45.3
H11	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.6	37.6	40.6	43.2	45.3
H12	34.9	34.9	34.9	34.9	34.9	34.8	34.7	34.6	37.5	40.6	43.2	45.3
H13	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H14	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.5	37.5	40.5	43.2	45.3
H15	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.5	37.5	40.5	43.2	45.3
H16	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	36.6	39.9	43.7	48.2
H17	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H18	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H19	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H20	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H21	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H22	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H23	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H24	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	37.5	40.5	43.2	45.3
H25	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H26	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H27	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H28	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H29	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H30	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H31	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H32	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H33	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.6	39.9	43.7	48.2
H34	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	48.2
H35	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H36	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	36.6	39.9	43.7	48.2
H37	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.6	39.9	43.7	48.2
H38	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H39	34.9	34.9	34.8	34.8	34.8	34.7	34.6	34.5	37.5	40.5	43.2	45.3
H40	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H41	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H42	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	36.6	39.9	43.7	48.2
H43	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.6	39.9	43.7	48.2

Table P: The LA90,10min dB Wind Farm Noise Level during the Day – 90 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H44	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H45	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	36.6	39.9	43.7	48.2
H46	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H47	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H48	34.8	34.8	34.8	34.8	34.7	34.7	34.6	34.4	37.4	40.5	43.2	45.3
H49	34.8	34.8	34.8	34.8	34.7	34.6	34.5	34.2	37.3	40.4	43.1	45.3
H50	34.8	34.8	34.8	34.8	34.7	34.6	34.5	34.3	37.4	40.4	43.1	45.3
H52	34.8	34.8	34.8	34.7	34.6	34.6	34.4	34.2	37.3	40.4	43.1	45.3
H53	34.8	34.8	34.8	34.7	34.7	34.6	34.4	34.2	37.3	40.4	43.1	45.3
H54	34.8	34.8	34.8	34.7	34.6	34.6	34.4	34.2	37.3	40.4	43.1	45.3
H55	34.8	34.8	34.7	34.7	34.6	34.5	35.2	37.9	41.1	44.6	48.3	52.5
H56	34.7	34.7	34.7	34.7	34.6	34.5	35.2	37.9	41.1	44.6	48.3	52.5
H57	34.7	34.7	34.7	34.7	34.6	34.5	35.1	37.9	41.1	44.6	48.3	52.5
H58	34.7	34.7	34.7	34.7	34.6	34.5	35.2	37.9	41.1	44.6	48.3	52.5
H59	34.7	34.7	34.7	34.7	34.6	34.5	35.2	37.9	41.1	44.6	48.3	52.5
H60	34.7	34.7	34.7	34.7	34.6	34.5	35.2	37.9	41.1	44.6	48.3	52.5
H61	34.7	34.7	34.7	34.7	34.6	34.5	35.2	37.9	41.1	44.6	48.3	52.5
H62	34.7	34.7	34.7	34.7	34.6	34.5	35.1	37.9	41.1	44.6	48.3	52.5
H63	34.7	34.7	34.7	34.7	34.6	34.5	35.2	37.9	41.1	44.6	48.3	52.5
H64	34.7	34.7	34.7	34.7	34.6	34.5	35.2	37.9	41.1	44.6	48.3	52.5
H65	34.7	34.7	34.7	34.7	34.6	34.5	35.1	37.9	41.1	44.6	48.3	52.5
H66	34.7	34.7	34.7	34.7	34.6	34.5	35.1	37.9	41.1	44.6	48.3	52.5
H67	34.7	34.7	34.7	34.7	34.5	34.5	35.1	37.9	41.1	44.6	48.3	52.5
H68	33.7	33.7	33.7	33.6	32.7	32.6	33.5	37.1	40.7	44.4	48.3	52.4
H69	44.7	44.7	44.7	44.7	44.5	44.5	44.4	44.4	44.4	44.3	44.2	46.3
H70	34.2	34.2	34.2	34.2	33.8	33.7	34.5	37.6	40.9	44.5	48.3	52.5
H71	34.7	34.7	34.7	34.7	34.6	34.5	35.2	37.9	41.1	44.6	48.3	52.5
H72	35.0	35.0	35.0	35.0	35.0	35.0	35.7	38.3	41.3	44.7	48.4	52.5
H73	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	39.0	43.6	47.9	52.2
H74	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	38.4	43.4	47.7	52.2
H75	34.9	34.9	34.9	34.9	34.8	34.8	35.4	38.1	41.2	44.6	48.4	52.5
H76	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	39.4	43.7	47.9	52.3
H77	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	39.3	43.7	47.9	52.3
H78	34.8	34.8	34.8	34.7	34.6	34.5	35.1	37.8	41.0	44.6	48.3	52.5
H79	34.6	34.6	34.6	34.6	34.4	34.2	34.7	37.6	40.9	44.5	48.3	52.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H80	34.2	34.2	34.2	34.1	33.7	33.0	33.2	36.5	40.4	44.3	48.2	52.4
H81	34.7	34.7	34.6	34.6	34.5	34.3	34.9	37.7	40.9	44.5	48.3	52.4
H82	33.8	33.8	33.8	33.7	33.0	32.0	32.7	35.4	39.9	44.1	48.2	52.4
H83	33.8	33.8	33.8	33.7	33.0	32.0	32.7	35.4	39.9	44.1	48.2	52.4
H84	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	38.3	42.8	47.6	52.2
H85	34.3	34.2	34.2	34.2	34.0	33.8	34.5	37.6	40.9	44.5	48.3	52.4
H86	34.4	34.4	34.4	34.3	34.1	34.0	34.7	37.6	40.9	44.5	48.3	52.4
H87	34.2	34.2	34.2	34.2	33.9	33.8	34.5	37.5	40.9	44.5	48.3	52.4
H88	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H89	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H2	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.8	36.5	39.8	43.7	48.2
H3	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H4	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H5	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H6	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H7	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.6	37.6	40.6	43.2	45.3
H8	34.8	34.8	34.8	34.8	34.8	34.7	34.5	34.2	37.3	40.4	43.1	45.3
H9	34.8	34.8	34.8	34.8	34.8	34.7	34.6	34.3	37.3	40.5	43.1	45.3
H10	34.9	34.9	34.9	34.9	34.9	34.8	34.7	34.5	37.5	40.5	43.2	45.3
H11	34.9	34.9	34.9	34.9	34.9	34.8	34.7	34.5	37.5	40.5	43.2	45.3
H12	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.5	37.4	40.5	43.2	45.3
H13	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H14	34.8	34.8	34.8	34.8	34.8	34.7	34.5	34.2	37.2	40.4	43.1	45.3
H15	34.8	34.8	34.8	34.8	34.7	34.6	34.4	34.1	37.2	40.4	43.1	45.3
H16	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	36.6	39.9	43.7	48.2
H17	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H18	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H19	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H20	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H21	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H22	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2

Table Q: The LA90,10min dB Wind Farm Noise Level during the Day – 120 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H23	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H24	34.8	34.8	34.8	34.8	34.7	34.6	34.4	34.1	37.2	40.4	43.1	45.3
H25	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H26	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H27	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H28	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H29	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H30	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H31	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H32	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.6	39.9	43.7	48.2
H33	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	36.6	39.9	43.7	48.2
H34	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	48.2
H35	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H36	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	36.6	39.9	43.7	48.2
H37	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	36.6	39.9	43.7	48.2
H38	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H39	34.8	34.8	34.7	34.7	34.7	34.6	34.4	34.1	37.2	40.4	43.1	45.3
H40	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H41	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	36.6	39.9	43.7	48.2
H42	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	36.6	39.9	43.7	48.2
H43	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	36.6	39.9	43.7	48.2
H44	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H45	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	36.6	39.9	43.7	48.2
H46	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	36.6	39.9	43.7	48.2
H47	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	36.6	39.9	43.7	48.2
H48	34.7	34.7	34.7	34.7	34.6	34.5	34.3	33.8	37.0	40.3	43.0	45.2
H49	34.6	34.6	34.6	34.6	34.5	34.3	34.1	33.5	36.9	40.2	43.0	45.2
H50	34.6	34.6	34.6	34.6	34.5	34.4	34.1	33.6	36.9	40.2	43.0	45.2
H52	34.6	34.6	34.6	34.6	34.5	34.3	34.0	33.4	36.8	40.2	42.9	45.2
H53	34.6	34.6	34.6	34.6	34.5	34.3	34.0	33.4	36.8	40.2	43.0	45.2
H54	34.6	34.6	34.6	34.6	34.5	34.3	34.0	33.5	36.8	40.2	43.0	45.2
H55	34.6	34.6	34.6	34.6	34.5	34.3	34.9	37.7	40.9	44.5	48.3	52.5
H56	34.6	34.6	34.6	34.6	34.4	34.3	34.9	37.7	40.9	44.5	48.3	52.5
H57	34.6	34.6	34.6	34.6	34.4	34.3	34.9	37.7	40.9	44.5	48.3	52.5
H58	34.6	34.6	34.6	34.6	34.4	34.3	34.9	37.7	40.9	44.5	48.3	52.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H59	34.6	34.6	34.6	34.6	34.4	34.3	34.9	37.7	40.9	44.5	48.3	52.5
H60	34.6	34.6	34.6	34.6	34.4	34.3	34.9	37.7	40.9	44.5	48.3	52.5
H61	34.6	34.6	34.6	34.6	34.4	34.3	34.9	37.7	40.9	44.5	48.3	52.5
H62	34.6	34.6	34.6	34.6	34.4	34.3	34.9	37.7	40.9	44.5	48.3	52.5
H63	34.6	34.6	34.6	34.6	34.4	34.3	34.9	37.7	40.9	44.5	48.3	52.5
H64	34.6	34.6	34.6	34.6	34.4	34.3	34.9	37.7	40.9	44.5	48.3	52.5
H65	34.6	34.6	34.6	34.6	34.4	34.3	34.9	37.7	40.9	44.5	48.3	52.5
H66	34.6	34.6	34.6	34.6	34.4	34.3	34.9	37.7	40.9	44.5	48.3	52.5
H67	34.6	34.6	34.6	34.6	34.4	34.3	34.9	37.7	40.9	44.5	48.3	52.5
H68	33.6	33.6	33.6	33.5	32.6	32.4	33.4	37.0	40.6	44.4	48.2	52.4
H69	44.7	44.7	44.7	44.7	44.5	44.5	44.4	44.4	44.3	44.3	44.2	46.3
H70	34.2	34.2	34.1	34.1	33.7	33.5	34.3	37.4	40.8	44.5	48.3	52.4
H71	34.6	34.6	34.6	34.6	34.4	34.3	34.9	37.7	40.9	44.5	48.3	52.5
H72	35.0	35.0	35.0	35.0	35.0	35.0	35.7	38.3	41.3	44.7	48.4	52.5
H73	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	39.0	43.6	47.9	52.2
H74	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	38.4	43.4	47.7	52.2
H75	34.9	34.9	34.9	34.9	34.8	34.8	35.5	38.1	41.2	44.6	48.4	52.5
H76	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	39.4	43.7	47.9	52.3
H77	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	39.4	43.7	47.9	52.3
H78	34.9	34.9	34.9	34.8	34.8	34.7	35.4	38.1	41.1	44.6	48.4	52.5
H79	34.6	34.6	34.6	34.6	34.4	34.1	34.7	37.5	40.9	44.5	48.3	52.4
H80	34.4	34.4	34.4	34.3	34.0	33.5	33.9	37.0	40.6	44.4	48.3	52.4
H81	34.4	34.4	34.4	34.4	34.1	33.8	34.3	37.3	40.7	44.4	48.2	52.4
H82	33.8	33.8	33.8	33.7	33.0	32.0	32.7	35.3	39.9	44.1	48.1	52.3
H83	33.8	33.8	33.8	33.7	33.0	32.0	32.7	35.3	39.9	44.1	48.1	52.3
H84	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	38.3	43.1	47.7	52.2
H85	34.2	34.2	34.2	34.1	33.9	33.7	34.4	37.4	40.8	44.4	48.3	52.4
H86	34.3	34.3	34.3	34.2	34.0	33.9	34.5	37.5	40.8	44.5	48.3	52.4
H87	34.1	34.1	34.1	34.1	33.9	33.7	34.3	37.4	40.8	44.4	48.3	52.4
H88	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H89	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.7	36.3	39.8	43.6	48.2

Table R: The LA90,10min dB Wind Farm Noise Level during the Day – 150 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H2	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.7	36.3	39.8	43.6	48.2
H3	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.7	36.3	39.8	43.6	48.2
H4	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.7	36.3	39.8	43.6	48.2
H5	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.7	36.3	39.8	43.6	48.2
H6	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H7	34.8	34.8	34.8	34.8	34.7	34.6	34.5	34.1	37.2	40.4	43.1	45.3
H8	34.5	34.5	34.5	34.5	34.4	34.2	33.7	32.6	36.3	40.0	42.8	45.1
H9	34.6	34.6	34.6	34.6	34.5	34.2	33.8	32.8	36.4	40.1	42.9	45.1
H10	34.7	34.7	34.7	34.7	34.6	34.5	34.2	33.7	37.0	40.3	43.0	45.2
H11	34.7	34.7	34.7	34.7	34.6	34.5	34.2	33.7	37.0	40.3	43.0	45.2
H12	34.7	34.7	34.7	34.7	34.6	34.4	34.1	33.5	36.8	40.2	43.0	45.2
H13	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H14	34.5	34.5	34.5	34.5	34.4	34.1	33.6	32.5	36.3	40.0	42.8	45.1
H15	34.5	34.5	34.5	34.5	34.4	34.1	33.6	32.4	36.2	40.0	42.8	45.1
H16	35.0	35.0	35.0	35.0	35.0	35.0	35.0	34.9	36.5	39.9	43.7	48.2
H17	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H18	34.9	34.9	34.9	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H19	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H20	34.9	34.9	34.9	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H21	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H22	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H23	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H24	34.5	34.5	34.4	34.5	34.3	34.1	33.5	32.3	36.2	39.9	42.8	45.1
H25	34.9	34.9	34.9	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H26	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H27	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.8	36.5	39.8	43.7	48.2
H28	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.8	36.5	39.8	43.7	48.2
H29	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H30	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H31	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H32	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.9	43.7	48.2
H33	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H34	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	48.2
H35	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H36	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2

Table R: The LA90,10min dB Wind Farm Noise Level during the Day – 150 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H37	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H38	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H39	34.5	34.5	34.5	34.5	34.3	34.1	33.6	32.5	36.3	40.0	42.8	45.1
H40	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H41	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H42	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H43	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H44	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H45	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H46	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H47	35.0	35.0	35.0	35.0	35.0	35.0	34.9	34.9	36.5	39.9	43.7	48.2
H48	34.4	34.4	34.4	34.4	34.3	34.1	33.6	32.5	36.3	40.0	42.8	45.1
H49	34.4	34.4	34.4	34.4	34.3	34.1	33.6	32.7	36.4	40.0	42.8	45.1
H50	34.5	34.4	34.4	34.4	34.3	34.1	33.6	32.8	36.4	40.0	42.9	45.1
H52	34.4	34.4	34.4	34.4	34.3	34.1	33.6	32.7	36.4	40.0	42.8	45.1
H53	34.4	34.4	34.4	34.4	34.3	34.1	33.6	32.7	36.4	40.0	42.8	45.1
H54	34.4	34.4	34.4	34.4	34.3	34.0	33.6	32.7	36.4	40.0	42.8	45.1
H55	34.5	34.4	34.4	34.4	34.3	34.1	34.6	37.5	40.8	44.4	48.3	52.4
H56	34.5	34.5	34.4	34.4	34.3	34.1	34.6	37.5	40.8	44.5	48.3	52.4
H57	34.5	34.4	34.4	34.4	34.3	34.1	34.6	37.5	40.8	44.5	48.3	52.4
H58	34.5	34.5	34.4	34.4	34.3	34.1	34.6	37.5	40.8	44.5	48.3	52.4
H59	34.5	34.4	34.4	34.4	34.3	34.1	34.6	37.5	40.8	44.5	48.3	52.4
H60	34.5	34.5	34.4	34.4	34.3	34.1	34.6	37.5	40.8	44.5	48.3	52.4
H61	34.5	34.5	34.4	34.4	34.3	34.1	34.6	37.5	40.8	44.5	48.3	52.4
H62	34.5	34.4	34.4	34.4	34.3	34.1	34.6	37.5	40.8	44.5	48.3	52.4
H63	34.5	34.4	34.4	34.4	34.3	34.1	34.6	37.5	40.8	44.5	48.3	52.4
H64	34.5	34.4	34.4	34.4	34.3	34.1	34.6	37.5	40.8	44.5	48.3	52.4
H65	34.5	34.4	34.4	34.4	34.3	34.1	34.6	37.5	40.8	44.5	48.3	52.4
H66	34.5	34.4	34.4	34.4	34.3	34.1	34.6	37.5	40.8	44.5	48.3	52.4
H67	34.5	34.4	34.4	34.4	34.3	34.1	34.6	37.5	40.8	44.5	48.3	52.4
H68	33.4	33.4	33.4	33.4	32.4	32.1	33.0	36.7	40.5	44.3	48.2	52.4
H69	44.7	44.7	44.7	44.7	44.5	44.4	44.4	44.4	44.3	44.2	44.1	46.3
H70	34.0	34.0	34.0	34.0	33.5	33.3	34.0	37.2	40.7	44.4	48.3	52.4
H71	34.4	34.4	34.4	34.4	34.3	34.1	34.6	37.5	40.8	44.5	48.3	52.4
H72	35.0	35.0	35.0	35.0	35.0	35.0	35.6	38.3	41.3	44.7	48.4	52.5
H73	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	38.8	43.5	47.8	52.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H74	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	38.3	43.3	47.7	52.2
H75	34.8	34.8	34.8	34.8	34.8	34.7	35.4	38.0	41.1	44.6	48.4	52.5
H76	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	39.3	43.7	47.9	52.3
H77	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	39.2	43.7	47.9	52.3
H78	34.8	34.8	34.8	34.8	34.7	34.7	35.3	38.0	41.1	44.6	48.3	52.5
H79	34.6	34.6	34.6	34.6	34.5	34.3	35.0	37.8	41.0	44.5	48.3	52.5
H80	34.6	34.5	34.5	34.5	34.3	34.1	34.6	37.5	40.8	44.5	48.3	52.4
H81	34.0	34.0	34.0	33.9	33.5	32.9	33.3	36.6	40.3	44.2	48.1	52.3
H82	34.1	34.1	34.1	34.0	33.6	32.9	33.0	36.4	40.3	44.2	48.2	52.4
H83	34.1	34.1	34.1	34.0	33.6	32.9	33.0	36.4	40.3	44.2	48.2	52.4
H84	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	38.3	43.1	47.7	52.2
H85	34.0	34.0	34.0	34.0	33.7	33.5	34.1	37.3	40.7	44.4	48.2	52.4
H86	34.1	34.1	34.1	34.1	33.9	33.7	34.3	37.4	40.7	44.4	48.3	52.4
H87	34.0	34.0	33.9	33.9	33.7	33.4	34.1	37.3	40.7	44.4	48.2	52.4
H88	35.0	35.0	35.0	35.0	35.0	34.9	34.9	34.9	36.5	39.8	43.7	48.2
H89	35.0	35.0	35.0	35.0	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	34.8	34.8	34.8	34.7	34.7	34.6	34.3	33.8	35.7	39.5	43.5	48.1
H2	34.8	34.8	34.8	34.8	34.7	34.6	34.3	33.9	35.7	39.5	43.5	48.1
H3	34.8	34.8	34.8	34.7	34.7	34.5	34.3	33.8	35.7	39.5	43.5	48.1
H4	34.8	34.8	34.8	34.7	34.7	34.5	34.3	33.8	35.7	39.5	43.5	48.1
H5	34.8	34.8	34.8	34.7	34.7	34.5	34.3	33.8	35.7	39.5	43.5	48.1
H6	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.7	36.3	39.8	43.6	48.2
H7	34.5	34.5	34.5	34.4	34.3	33.9	33.3	32.0	36.2	39.9	42.7	45.0
H8	34.1	34.1	34.1	34.0	33.7	33.0	32.0	32.0	34.8	39.3	42.3	44.7
H9	34.2	34.2	34.2	34.1	33.9	33.4	32.2	32.0	35.1	39.5	42.4	44.8
H10	34.4	34.4	34.4	34.3	34.1	33.7	32.9	32.0	35.8	39.8	42.6	44.9
H11	34.4	34.4	34.4	34.3	34.1	33.7	32.8	32.0	35.8	39.8	42.6	44.9
H12	34.3	34.3	34.3	34.3	34.1	33.6	32.8	32.0	35.7	39.7	42.6	44.9
H13	34.9	34.9	34.9	34.9	34.9	34.8	34.7	34.5	36.2	39.7	43.6	48.2
H14	34.2	34.2	34.2	34.1	33.8	33.3	32.0	32.0	35.0	39.5	42.4	44.8
H15	34.2	34.2	34.2	34.1	33.9	33.4	32.3	32.0	35.2	39.6	42.4	44.8

Table S: The LA90,10min dB Wind Farm Noise Level during the Day – 180 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms ⁻¹)											
	1	2	3	4	5	6	7	8	9	10	11	12
H16	35.0	35.0	35.0	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H17	34.9	34.9	34.9	34.9	34.9	34.8	34.7	34.6	36.2	39.7	43.6	48.2
H18	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.5	36.2	39.7	43.6	48.2
H19	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.6	36.3	39.8	43.6	48.2
H20	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.5	36.2	39.7	43.6	48.2
H21	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.7	36.3	39.8	43.6	48.2
H22	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.7	36.3	39.8	43.6	48.2
H23	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.7	36.3	39.8	43.6	48.2
H24	34.3	34.3	34.3	34.2	34.0	33.6	32.7	32.0	35.6	39.7	42.6	44.9
H25	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.5	36.2	39.7	43.6	48.2
H26	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.7	36.4	39.8	43.6	48.2
H27	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.6	36.3	39.8	43.6	48.2
H28	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.7	36.3	39.8	43.6	48.2
H29	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.7	36.4	39.8	43.6	48.2
H30	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.7	36.4	39.8	43.6	48.2
H31	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.7	36.4	39.8	43.6	48.2
H32	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.7	36.4	39.8	43.6	48.2
H33	34.9	34.9	34.9	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H34	45.0	45.0	45.0	45.0	45.0	45.0	45.0	44.9	44.9	44.9	44.9	48.2
H35	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.7	36.4	39.8	43.6	48.2
H36	34.9	34.9	34.9	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H37	35.0	34.9	34.9	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H38	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.7	36.4	39.8	43.6	48.2
H39	34.4	34.4	34.3	34.3	34.1	33.8	33.1	32.0	36.0	39.9	42.7	45.0
H40	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.7	36.4	39.8	43.6	48.2
H41	34.9	34.9	34.9	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H42	34.9	34.9	34.9	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H43	35.0	34.9	34.9	34.9	34.9	34.9	34.9	34.8	36.5	39.8	43.7	48.2
H44	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.8	36.4	39.8	43.6	48.2
H45	34.9	34.9	34.9	34.9	34.9	34.9	34.9	34.8	36.4	39.8	43.7	48.2
H46	35.0	35.0	34.9	34.9	34.9	34.9	34.9	34.8	36.5	39.8	43.7	48.2
H47	35.0	35.0	34.9	34.9	34.9	34.9	34.9	34.8	36.5	39.8	43.7	48.2
H48	34.4	34.4	34.3	34.3	34.1	33.8	33.2	32.0	36.2	39.9	42.7	45.0
H49	34.4	34.4	34.4	34.3	34.2	33.9	33.4	32.3	36.3	40.0	42.8	45.0
H50	34.4	34.4	34.3	34.3	34.2	33.9	33.4	32.3	36.3	40.0	42.8	45.1
H52	34.4	34.4	34.3	34.2	34.1	33.9	33.3	32.2	36.3	39.9	42.8	45.0

Table S: The LA90,10min dB Wind Farm Noise Level during the Day – 180 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H53	34.4	34.4	34.3	34.3	34.1	33.9	33.3	32.2	36.3	39.9	42.8	45.0
H54	34.4	34.3	34.3	34.2	34.1	33.8	33.3	32.2	36.3	39.9	42.8	45.0
H55	34.4	34.4	34.3	34.2	34.1	33.9	34.4	37.3	40.7	44.4	48.3	52.4
H56	34.4	34.4	34.3	34.3	34.2	34.0	34.5	37.4	40.8	44.4	48.3	52.4
H57	34.4	34.4	34.3	34.3	34.2	34.0	34.5	37.4	40.8	44.4	48.3	52.4
H58	34.4	34.4	34.3	34.3	34.2	34.0	34.5	37.4	40.8	44.4	48.3	52.4
H59	34.4	34.4	34.3	34.3	34.2	34.0	34.5	37.4	40.8	44.4	48.3	52.4
H60	34.4	34.4	34.3	34.3	34.2	34.0	34.5	37.4	40.8	44.4	48.3	52.4
H61	34.4	34.4	34.3	34.3	34.2	34.0	34.5	37.4	40.8	44.4	48.3	52.4
H62	34.4	34.4	34.3	34.3	34.2	34.0	34.5	37.4	40.8	44.4	48.3	52.4
H63	34.4	34.4	34.3	34.3	34.2	34.0	34.5	37.4	40.8	44.4	48.3	52.4
H64	34.4	34.4	34.3	34.3	34.2	34.0	34.5	37.4	40.8	44.4	48.3	52.4
H65	34.4	34.4	34.3	34.3	34.2	34.0	34.5	37.4	40.8	44.4	48.3	52.4
H66	34.4	34.4	34.3	34.3	34.2	34.0	34.5	37.4	40.8	44.4	48.3	52.4
H67	34.4	34.4	34.3	34.3	34.2	34.0	34.5	37.4	40.8	44.5	48.3	52.4
H68	34.2	34.1	34.1	34.0	33.7	33.5	34.1	37.3	40.7	44.4	48.3	52.4
H69	44.9	44.9	44.8	44.8	44.8	44.7	44.7	44.7	44.6	44.6	44.5	46.6
H70	34.2	34.1	34.1	34.1	33.7	33.5	34.1	37.3	40.7	44.4	48.3	52.4
H71	34.2	34.2	34.1	34.1	33.9	33.7	34.2	37.2	40.7	44.4	48.2	52.4
H72	34.9	34.9	34.9	34.9	34.9	34.9	35.6	38.2	41.2	44.7	48.4	52.5
H73	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	38.5	43.4	47.8	52.2
H74	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	38.3	43.2	47.7	52.2
H75	34.7	34.7	34.7	34.7	34.6	34.5	35.2	37.9	41.1	44.6	48.3	52.5
H76	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	39.0	43.6	47.9	52.2
H77	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	39.0	43.6	47.8	52.2
H78	34.7	34.7	34.6	34.6	34.5	34.4	35.1	37.8	41.0	44.5	48.3	52.5
H79	34.5	34.4	34.4	34.4	34.2	34.0	34.6	37.6	40.8	44.5	48.3	52.4
H80	34.5	34.5	34.4	34.4	34.3	34.0	34.6	37.5	40.8	44.5	48.3	52.4
H81	33.9	33.9	33.8	33.8	33.4	32.9	33.3	36.7	40.3	44.2	48.1	52.4
H82	34.1	34.1	34.1	34.0	33.7	33.2	33.4	36.7	40.4	44.3	48.2	52.4
H83	34.1	34.1	34.1	34.0	33.7	33.2	33.4	36.7	40.4	44.3	48.2	52.4
H84	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	38.3	43.0	47.7	52.2
H85	33.9	33.9	33.7	33.7	33.4	33.1	33.7	37.1	40.6	44.3	48.2	52.4
H86	34.0	34.0	33.9	33.8	33.6	33.3	33.9	37.2	40.6	44.3	48.2	52.4
H87	33.7	33.7	33.5	33.5	33.3	32.9	33.5	37.0	40.5	44.3	48.2	52.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H88	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.7	36.4	39.8	43.6	48.2
H89	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.3	39.8	43.6	48.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	34.7	34.7	34.7	34.6	34.5	34.2	33.8	33.1	35.3	39.3	43.3	48.1
H2	34.7	34.7	34.7	34.6	34.5	34.2	33.8	33.1	35.3	39.3	43.3	48.1
H3	34.7	34.7	34.6	34.6	34.4	34.2	33.8	33.1	35.2	39.3	43.3	48.0
H4	34.7	34.7	34.6	34.6	34.4	34.2	33.7	33.0	35.2	39.3	43.3	48.0
H5	34.7	34.6	34.6	34.6	34.4	34.2	33.7	33.0	35.2	39.3	43.3	48.0
H6	34.9	34.9	34.9	34.8	34.8	34.8	34.6	34.5	36.2	39.7	43.6	48.2
H7	34.4	34.4	34.4	34.2	34.0	33.5	32.5	32.0	35.9	39.8	42.5	44.9
H8	33.9	33.9	33.9	33.7	33.1	32.1	32.0	32.0	34.8	39.1	41.8	44.4
H9	34.2	34.2	34.2	34.0	33.6	32.9	32.0	32.0	35.0	39.5	42.2	44.7
H10	34.3	34.3	34.3	34.1	33.8	33.3	32.1	32.0	35.6	39.7	42.4	44.8
H11	34.3	34.3	34.2	34.1	33.8	33.3	32.1	32.0	35.6	39.7	42.4	44.8
H12	34.3	34.3	34.2	34.1	33.8	33.2	32.0	32.0	35.5	39.6	42.4	44.8
H13	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.4	36.2	39.7	43.6	48.1
H14	34.2	34.2	34.1	34.0	33.6	32.9	32.0	32.0	35.0	39.5	42.2	44.7
H15	34.2	34.2	34.2	34.0	33.7	33.0	32.0	32.0	35.2	39.6	42.3	44.7
H16	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.8	36.4	39.8	43.6	48.2
H17	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.2
H18	34.9	34.9	34.8	34.8	34.8	34.7	34.6	34.4	36.1	39.7	43.6	48.1
H19	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H20	34.9	34.9	34.8	34.8	34.8	34.7	34.6	34.4	36.1	39.7	43.6	48.1
H21	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H22	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H23	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H24	34.2	34.2	34.1	34.0	33.7	33.2	32.0	32.0	35.5	39.6	42.4	44.8
H25	34.9	34.9	34.8	34.8	34.8	34.7	34.6	34.4	36.1	39.7	43.6	48.1
H26	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H27	34.9	34.9	34.8	34.8	34.8	34.8	34.7	34.5	36.2	39.7	43.6	48.2
H28	34.9	34.9	34.9	34.8	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H29	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H30	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H31	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H32	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.7	36.3	39.8	43.6	48.2
H33	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.4	39.8	43.6	48.2
H34	45.0	45.0	45.0	45.0	45.0	45.0	45.0	44.9	44.9	44.9	44.9	48.1
H35	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.8	43.6	48.2
H36	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.4	39.8	43.6	48.2
H37	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.7	36.4	39.8	43.6	48.2
H38	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H39	34.2	34.2	34.0	33.9	33.7	33.2	32.2	32.0	35.7	39.7	42.5	44.9
H40	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H41	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.4	39.8	43.6	48.2
H42	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.4	39.8	43.6	48.2
H43	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.7	36.4	39.8	43.6	48.2
H44	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.7	36.3	39.8	43.6	48.2
H45	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.4	39.8	43.6	48.2
H46	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.7	36.4	39.8	43.6	48.2
H47	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.8	36.4	39.8	43.6	48.2
H48	34.2	34.2	34.0	33.9	33.7	33.3	32.3	32.0	35.8	39.7	42.5	44.9
H49	34.2	34.2	33.9	33.8	33.6	33.2	32.3	32.0	35.8	39.7	42.6	44.9
H50	34.2	34.1	33.9	33.8	33.6	33.2	32.3	32.0	35.7	39.6	42.5	44.9
H52	34.1	34.0	33.7	33.6	33.4	33.0	32.0	32.0	35.5	39.5	42.5	44.9
H53	34.1	34.1	33.7	33.6	33.4	33.0	32.0	32.0	35.6	39.6	42.5	44.9
H54	34.0	34.0	33.6	33.5	33.3	32.9	32.0	32.0	35.4	39.5	42.5	44.9
H55	34.0	33.9	33.5	33.3	33.1	32.8	33.1	36.7	40.4	44.2	48.2	52.4
H56	34.1	34.0	33.7	33.6	33.4	33.1	33.5	36.9	40.5	44.3	48.2	52.4
H57	34.1	34.0	33.6	33.5	33.4	33.1	33.4	36.9	40.5	44.3	48.2	52.4
H58	34.0	34.0	33.6	33.5	33.3	33.0	33.3	36.8	40.4	44.3	48.2	52.4
H59	34.0	34.0	33.6	33.5	33.3	33.0	33.3	36.8	40.4	44.3	48.2	52.4
H60	34.0	34.0	33.6	33.5	33.3	33.0	33.3	36.8	40.4	44.3	48.2	52.4
H61	34.1	34.0	33.6	33.5	33.3	33.0	33.4	36.9	40.4	44.3	48.2	52.4
H62	34.1	34.0	33.6	33.5	33.3	33.0	33.4	36.9	40.5	44.3	48.2	52.4
H63	34.1	34.0	33.6	33.5	33.3	33.0	33.4	36.9	40.4	44.3	48.2	52.4
H64	34.1	34.0	33.6	33.5	33.3	33.0	33.4	36.9	40.5	44.3	48.2	52.4
H65	34.1	34.0	33.6	33.5	33.3	33.0	33.4	36.9	40.5	44.3	48.2	52.4
H66	34.1	34.0	33.6	33.5	33.3	33.0	33.4	36.9	40.5	44.3	48.2	52.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H67	34.1	34.1	33.7	33.6	33.4	33.1	33.5	36.9	40.5	44.3	48.2	52.4
H68	34.2	34.1	33.8	33.8	33.6	33.3	33.9	37.2	40.6	44.4	48.2	52.4
H69	44.9	44.9	44.9	44.9	44.8	44.8	44.8	44.7	44.7	44.7	44.6	46.6
H70	34.3	34.2	34.0	33.9	33.7	33.5	34.0	37.3	40.7	44.4	48.2	52.4
H71	34.0	33.9	33.5	33.4	33.2	32.9	33.3	36.8	40.4	44.3	48.2	52.4
H72	34.9	34.9	34.9	34.9	34.9	34.8	35.5	38.1	41.2	44.6	48.4	52.5
H73	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	39.2	43.8	48.0	52.3
H74	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	39.0	43.7	47.9	52.3
H75	34.7	34.7	34.6	34.6	34.5	34.4	35.0	37.8	41.0	44.5	48.3	52.5
H76	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	39.4	43.8	47.9	52.3
H77	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	39.3	43.8	47.9	52.3
H78	34.6	34.6	34.5	34.5	34.4	34.3	34.9	37.8	41.0	44.5	48.3	52.5
H79	34.4	34.4	34.2	34.2	34.0	33.8	34.4	37.5	40.8	44.4	48.3	52.4
H80	34.4	34.4	34.3	34.3	34.1	33.9	34.5	37.5	40.8	44.4	48.3	52.4
H81	33.7	33.7	33.5	33.4	33.0	32.4	32.8	36.5	40.2	44.1	48.1	52.3
H82	34.1	34.1	34.0	34.0	33.6	33.1	33.5	36.8	40.5	44.3	48.2	52.4
H83	34.1	34.1	34.0	34.0	33.6	33.1	33.5	36.8	40.5	44.3	48.2	52.4
H84	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	38.3	42.6	47.5	52.2
H85	34.1	34.0	33.8	33.7	33.5	33.2	33.7	37.1	40.6	44.3	48.2	52.4
H86	34.2	34.1	33.9	33.8	33.6	33.3	33.9	37.2	40.6	44.3	48.2	52.4
H87	34.0	34.0	33.8	33.7	33.4	33.2	33.7	37.1	40.6	44.3	48.2	52.4
H88	34.9	34.9	34.9	34.8	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H89	34.9	34.9	34.8	34.8	34.8	34.8	34.7	34.5	36.2	39.7	43.6	48.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	34.6	34.6	34.6	34.5	34.3	34.1	33.6	33.0	35.2	39.3	43.3	48.0
H2	34.7	34.7	34.6	34.5	34.4	34.1	33.6	33.0	35.2	39.3	43.3	48.0
H3	34.6	34.6	34.6	34.5	34.3	34.1	33.5	32.9	35.2	39.3	43.3	48.0
H4	34.6	34.6	34.6	34.5	34.3	34.1	33.5	32.9	35.2	39.3	43.3	48.0
H5	34.6	34.6	34.6	34.5	34.3	34.0	33.5	32.8	35.1	39.3	43.3	48.0
H6	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.4	36.2	39.7	43.6	48.1
H7	34.3	34.3	34.3	34.1	33.7	33.2	32.0	32.0	35.8	39.7	42.4	44.8
H8	33.9	33.9	33.9	33.6	32.8	32.0	32.0	32.0	34.8	39.1	41.8	44.4
H9	34.1	34.1	34.1	33.9	33.4	32.6	32.0	32.0	35.0	39.5	42.1	44.6

Table U: The LA90,10min dB Wind Farm Noise Level during the Day – 240 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H10	34.2	34.2	34.1	33.9	33.5	32.8	32.0	32.0	35.4	39.6	42.3	44.7
H11	34.2	34.2	34.1	33.9	33.5	32.8	32.0	32.0	35.4	39.6	42.3	44.7
H12	34.2	34.2	34.1	33.8	33.4	32.7	32.0	32.0	35.2	39.5	42.3	44.7
H13	34.9	34.9	34.9	34.8	34.8	34.7	34.5	34.4	36.1	39.7	43.6	48.1
H14	34.1	34.1	34.1	33.8	33.3	32.5	32.0	32.0	35.0	39.4	42.1	44.6
H15	34.1	34.1	34.1	33.9	33.4	32.6	32.0	32.0	35.1	39.5	42.2	44.6
H16	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.4	39.8	43.6	48.2
H17	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.4	36.2	39.7	43.6	48.1
H18	34.8	34.8	34.8	34.8	34.7	34.6	34.5	34.3	36.1	39.6	43.5	48.1
H19	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.2
H20	34.8	34.8	34.8	34.8	34.7	34.6	34.5	34.3	36.1	39.6	43.5	48.1
H21	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.2
H22	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.2
H23	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.2
H24	34.1	34.1	33.9	33.6	33.1	32.4	32.0	32.0	35.0	39.4	42.2	44.7
H25	34.9	34.8	34.8	34.8	34.7	34.6	34.5	34.3	36.1	39.6	43.5	48.1
H26	34.9	34.9	34.9	34.8	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H27	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.1
H28	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.2
H29	34.9	34.9	34.9	34.8	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H30	34.9	34.9	34.9	34.8	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H31	34.9	34.9	34.9	34.8	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H32	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H33	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.4	39.8	43.6	48.2
H34	45.0	45.0	45.0	45.0	45.0	45.0	44.9	44.9	44.9	44.9	44.9	48.1
H35	34.9	34.9	34.9	34.8	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H36	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.7	36.3	39.8	43.6	48.2
H37	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.4	39.8	43.6	48.2
H38	34.9	34.9	34.9	34.8	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H39	34.2	34.2	34.0	33.6	33.2	32.7	32.0	32.0	35.3	39.5	42.4	44.8
H40	34.9	34.9	34.9	34.8	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H41	34.9	34.9	34.9	34.9	34.8	34.8	34.8	34.7	36.3	39.8	43.6	48.2
H42	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.7	36.3	39.8	43.6	48.2
H43	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.4	39.8	43.6	48.2
H44	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H45	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.3	39.8	43.6	48.2
H46	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.4	39.8	43.6	48.2
H47	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.4	39.8	43.6	48.2
H48	34.2	34.1	33.9	33.5	33.1	32.6	32.0	32.0	35.3	39.4	42.4	44.8
H49	34.2	34.1	33.9	33.4	33.1	32.6	32.0	32.0	35.2	39.4	42.4	44.8
H50	34.1	34.1	33.9	33.3	33.0	32.5	32.0	32.0	35.1	39.4	42.4	44.8
H52	34.1	34.1	33.8	33.3	32.9	32.4	32.0	32.0	35.1	39.3	42.4	44.8
H53	34.2	34.1	33.9	33.3	33.0	32.5	32.0	32.0	35.1	39.4	42.4	44.8
H54	34.1	34.1	33.8	33.2	32.9	32.4	32.0	32.0	35.0	39.3	42.4	44.8
H55	34.2	34.2	33.9	33.3	33.0	32.6	32.9	36.7	40.4	44.2	48.2	52.4
H56	34.3	34.3	34.0	33.5	33.3	33.0	33.3	36.9	40.5	44.3	48.2	52.4
H57	34.3	34.3	34.0	33.6	33.4	33.0	33.4	36.9	40.5	44.3	48.2	52.4
H58	34.3	34.3	34.0	33.5	33.3	32.9	33.3	36.8	40.5	44.3	48.2	52.4
H59	34.3	34.3	34.0	33.5	33.3	32.9	33.3	36.8	40.5	44.3	48.2	52.4
H60	34.3	34.3	34.0	33.5	33.3	32.9	33.3	36.9	40.5	44.3	48.2	52.4
H61	34.3	34.3	34.0	33.5	33.3	33.0	33.3	36.9	40.5	44.3	48.2	52.4
H62	34.3	34.3	34.0	33.6	33.3	33.0	33.4	36.9	40.5	44.3	48.2	52.4
H63	34.3	34.3	34.0	33.5	33.3	33.0	33.3	36.9	40.5	44.3	48.2	52.4
H64	34.3	34.3	34.0	33.5	33.3	33.0	33.3	36.9	40.5	44.3	48.2	52.4
H65	34.3	34.3	34.0	33.5	33.3	33.0	33.3	36.9	40.5	44.3	48.2	52.4
H66	34.3	34.3	34.0	33.6	33.3	33.0	33.3	36.9	40.5	44.3	48.2	52.4
H67	34.3	34.3	34.1	33.6	33.4	33.1	33.5	37.0	40.5	44.3	48.2	52.4
H68	34.4	34.4	34.2	33.9	33.6	33.3	33.8	37.2	40.7	44.4	48.2	52.4
H69	44.9	44.9	44.9	44.9	44.9	44.8	44.8	44.7	44.7	44.7	44.6	46.6
H70	34.5	34.5	34.3	34.0	33.8	33.5	34.0	37.3	40.7	44.4	48.2	52.4
H71	34.3	34.2	34.0	33.4	33.2	32.9	33.2	36.8	40.4	44.3	48.2	52.4
H72	34.9	34.9	34.9	34.9	34.8	34.8	35.5	38.1	41.2	44.6	48.4	52.5
H73	33.5	33.4	33.2	32.9	32.0	32.0	32.7	35.8	40.1	44.1	48.1	52.4
H74	32.1	32.1	32.0	32.0	32.0	32.0	32.7	35.3	39.3	43.8	48.0	52.3
H75	34.7	34.7	34.6	34.5	34.4	34.2	34.8	37.7	41.0	44.5	48.3	52.5
H76	33.1	33.1	32.9	32.5	32.0	32.0	32.7	35.3	39.9	44.0	48.1	52.4
H77	33.1	33.1	32.9	32.5	32.0	32.0	32.7	35.3	39.8	44.0	48.1	52.4
H78	34.7	34.6	34.6	34.5	34.4	34.2	34.8	37.7	40.9	44.5	48.3	52.5
H79	34.4	34.4	34.3	34.2	34.0	33.7	34.3	37.4	40.8	44.4	48.3	52.4
H80	34.5	34.5	34.4	34.3	34.1	33.8	34.3	37.4	40.8	44.4	48.3	52.4
H81	33.6	33.6	33.5	33.3	32.8	32.0	32.7	36.3	40.2	44.1	48.1	52.3

Table U: The LA90,10min dB Wind Farm Noise Level during the Day – 240 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H82	34.2	34.2	34.1	34.0	33.6	33.1	33.4	36.8	40.5	44.3	48.2	52.4
H83	34.2	34.2	34.1	34.0	33.6	33.1	33.4	36.8	40.5	44.3	48.2	52.4
H84	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	38.3	41.7	47.3	52.1
H85	34.4	34.4	34.3	34.0	33.8	33.5	34.0	37.3	40.7	44.4	48.2	52.4
H86	34.5	34.4	34.3	34.1	33.9	33.6	34.1	37.4	40.7	44.4	48.3	52.4
H87	34.4	34.4	34.3	34.0	33.8	33.5	34.1	37.3	40.7	44.4	48.3	52.4
H88	34.9	34.9	34.9	34.8	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H89	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.2

Table V: The LA90,10min dB Wind Farm Noise Level during the Day – 270 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	34.6	34.6	34.6	34.5	34.3	34.1	33.6	33.1	35.3	39.3	43.3	48.0
H2	34.7	34.7	34.6	34.6	34.4	34.1	33.6	33.1	35.3	39.3	43.3	48.0
H3	34.6	34.6	34.6	34.5	34.3	34.1	33.5	33.0	35.2	39.3	43.3	48.0
H4	34.6	34.6	34.6	34.5	34.3	34.1	33.5	33.0	35.2	39.3	43.3	48.0
H5	34.6	34.6	34.6	34.5	34.3	34.0	33.5	33.0	35.2	39.3	43.3	48.0
H6	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.4	36.2	39.7	43.6	48.1
H7	34.3	34.3	34.3	34.1	33.7	33.2	32.0	32.0	35.9	39.8	42.5	44.8
H8	33.9	33.8	33.8	33.5	32.7	32.0	32.0	32.0	34.8	39.1	41.8	44.3
H9	34.1	34.1	34.1	33.9	33.3	32.5	32.0	32.0	35.1	39.5	42.2	44.6
H10	34.2	34.2	34.1	33.9	33.5	32.8	32.0	32.0	35.5	39.6	42.4	44.7
H11	34.2	34.2	34.1	33.9	33.5	32.8	32.0	32.0	35.5	39.6	42.4	44.7
H12	34.2	34.2	34.1	33.9	33.4	32.7	32.0	32.0	35.4	39.6	42.3	44.7
H13	34.9	34.9	34.9	34.8	34.7	34.7	34.5	34.4	36.1	39.7	43.6	48.1
H14	34.1	34.1	34.0	33.8	33.2	32.4	32.0	32.0	35.1	39.5	42.2	44.6
H15	34.1	34.1	34.1	33.8	33.3	32.6	32.0	32.0	35.2	39.5	42.3	44.6
H16	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.4	39.8	43.6	48.2
H17	34.9	34.9	34.8	34.8	34.7	34.7	34.5	34.4	36.1	39.7	43.6	48.1
H18	34.8	34.8	34.8	34.8	34.7	34.6	34.4	34.3	36.0	39.6	43.5	48.1
H19	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.1
H20	34.8	34.8	34.8	34.8	34.7	34.6	34.4	34.3	36.0	39.6	43.5	48.1
H21	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.2
H22	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.2
H23	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.2

Table V: The LA90,10min dB Wind Farm Noise Level during the Day – 270 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H24	34.1	34.1	34.0	33.6	33.1	32.4	32.0	32.0	35.1	39.4	42.3	44.7
H25	34.8	34.8	34.8	34.8	34.7	34.6	34.5	34.3	36.1	39.6	43.5	48.1
H26	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.2
H27	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.4	36.2	39.7	43.6	48.1
H28	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.1
H29	34.9	34.9	34.9	34.8	34.8	34.8	34.7	34.6	36.2	39.7	43.6	48.2
H30	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.2
H31	34.9	34.9	34.9	34.8	34.8	34.8	34.7	34.6	36.2	39.7	43.6	48.2
H32	34.9	34.9	34.9	34.8	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H33	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.7	36.3	39.7	43.6	48.2
H34	45.0	45.0	45.0	45.0	45.0	45.0	44.9	44.9	44.9	44.9	44.9	48.1
H35	34.9	34.9	34.9	34.8	34.8	34.8	34.7	34.6	36.2	39.7	43.6	48.2
H36	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H37	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.7	36.3	39.7	43.6	48.2
H38	34.9	34.9	34.9	34.8	34.8	34.8	34.7	34.6	36.2	39.7	43.6	48.2
H39	34.2	34.2	34.0	33.6	33.2	32.6	32.0	32.0	35.4	39.5	42.4	44.8
H40	34.9	34.9	34.9	34.8	34.8	34.8	34.7	34.6	36.2	39.7	43.6	48.2
H41	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H42	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H43	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H44	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H45	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.7	36.3	39.7	43.6	48.2
H46	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H47	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H48	34.2	34.2	34.0	33.6	33.1	32.6	32.0	32.0	35.4	39.5	42.4	44.8
H49	34.2	34.2	33.9	33.5	33.1	32.6	32.0	32.0	35.3	39.4	42.4	44.8
H50	34.2	34.1	33.9	33.4	33.0	32.5	32.0	32.0	35.2	39.4	42.4	44.8
H52	34.2	34.1	33.9	33.3	32.9	32.4	32.0	32.0	35.1	39.3	42.4	44.8
H53	34.2	34.1	33.9	33.4	33.0	32.5	32.0	32.0	35.2	39.4	42.4	44.8
H54	34.2	34.1	33.8	33.3	32.9	32.4	32.0	32.0	35.1	39.3	42.4	44.8
H55	34.2	34.2	33.9	33.4	33.0	32.6	32.9	36.7	40.4	44.2	48.2	52.4
H56	34.3	34.3	34.1	33.6	33.3	33.0	33.3	36.9	40.5	44.3	48.2	52.4
H57	34.3	34.3	34.1	33.6	33.3	33.0	33.4	36.9	40.5	44.3	48.2	52.4
H58	34.3	34.3	34.0	33.6	33.3	32.9	33.2	36.9	40.5	44.3	48.2	52.4
H59	34.3	34.3	34.0	33.6	33.3	32.9	33.3	36.9	40.5	44.3	48.2	52.4
H60	34.3	34.3	34.0	33.6	33.3	32.9	33.3	36.9	40.5	44.3	48.2	52.4

Table V: The LA90,10min dB Wind Farm Noise Level during the Day – 270 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H61	34.3	34.3	34.1	33.6	33.3	33.0	33.3	36.9	40.5	44.3	48.2	52.4
H62	34.3	34.3	34.1	33.6	33.3	33.0	33.3	36.9	40.5	44.3	48.2	52.4
H63	34.3	34.3	34.1	33.6	33.3	33.0	33.3	36.9	40.5	44.3	48.2	52.4
H64	34.3	34.3	34.1	33.6	33.3	33.0	33.3	36.9	40.5	44.3	48.2	52.4
H65	34.3	34.3	34.1	33.6	33.3	33.0	33.3	36.9	40.5	44.3	48.2	52.4
H66	34.3	34.3	34.1	33.6	33.3	33.0	33.3	36.9	40.5	44.3	48.2	52.4
H67	34.4	34.3	34.1	33.7	33.4	33.1	33.5	37.0	40.5	44.3	48.2	52.4
H68	34.4	34.4	34.2	33.9	33.6	33.3	33.7	37.0	40.5	44.3	48.2	52.4
H69	44.9	44.9	44.9	44.9	44.9	44.8	44.7	44.6	44.5	44.5	44.4	46.5
H70	34.5	34.5	34.3	34.0	33.8	33.6	34.0	37.2	40.7	44.4	48.2	52.4
H71	34.3	34.3	34.0	33.5	33.2	32.9	33.2	36.9	40.5	44.3	48.2	52.4
H72	34.9	34.9	34.9	34.9	34.8	34.8	35.5	38.1	41.2	44.6	48.4	52.5
H73	34.1	34.0	33.9	33.6	33.1	32.3	32.7	36.0	39.9	44.1	48.1	52.4
H74	33.8	33.7	33.6	33.3	32.5	32.0	32.7	35.3	39.4	43.9	48.0	52.3
H75	34.6	34.6	34.6	34.5	34.3	34.1	34.6	37.6	40.9	44.5	48.3	52.4
H76	34.1	34.1	33.9	33.6	33.1	32.4	32.7	36.0	40.0	44.1	48.1	52.4
H77	34.0	34.0	33.8	33.5	33.0	32.3	32.7	36.0	39.9	44.1	48.1	52.4
H78	34.5	34.5	34.5	34.3	34.2	33.9	34.4	37.4	40.8	44.4	48.3	52.4
H79	34.4	34.4	34.3	34.2	34.0	33.6	34.1	37.2	40.6	44.3	48.2	52.4
H80	34.4	34.4	34.3	34.2	33.9	33.6	34.0	37.1	40.6	44.4	48.2	52.4
H81	33.6	33.6	33.5	33.3	32.8	32.0	32.7	35.9	39.9	44.0	48.0	52.3
H82	34.1	34.1	34.1	33.9	33.5	32.9	33.0	36.5	40.3	44.2	48.2	52.4
H83	34.1	34.1	34.1	33.9	33.5	32.9	33.0	36.5	40.3	44.2	48.2	52.4
H84	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	38.3	41.7	47.2	52.0
H85	34.5	34.5	34.4	34.1	34.0	33.8	34.3	37.4	40.8	44.4	48.3	52.4
H86	34.6	34.6	34.4	34.2	34.0	33.9	34.4	37.5	40.8	44.4	48.3	52.4
H87	34.6	34.5	34.4	34.2	34.0	33.8	34.4	37.5	40.8	44.4	48.3	52.4
H88	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.2
H89	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.1

Table W: The LA90,10min dB Wind Farm Noise Level during the Day – 300 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	34.6	34.6	34.6	34.5	34.4	34.1	33.7	33.2	35.3	39.3	43.3	48.0
H2	34.7	34.6	34.6	34.5	34.4	34.2	33.7	33.2	35.4	39.3	43.3	48.0

Table W: The LA90,10min dB Wind Farm Noise Level during the Day – 300 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H3	34.6	34.6	34.6	34.5	34.4	34.1	33.6	33.1	35.3	39.3	43.3	48.0
H4	34.6	34.6	34.6	34.5	34.4	34.1	33.6	33.1	35.3	39.3	43.3	48.0
H5	34.6	34.6	34.6	34.5	34.3	34.1	33.6	33.1	35.3	39.3	43.3	48.0
H6	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.1
H7	34.3	34.3	34.3	34.1	33.8	33.3	32.2	32.0	36.0	39.8	42.5	44.8
H8	33.9	33.8	33.8	33.5	32.9	32.0	32.0	32.0	34.8	39.2	41.9	44.4
H9	34.1	34.1	34.1	33.8	33.4	32.7	32.0	32.0	35.3	39.6	42.3	44.6
H10	34.2	34.2	34.1	33.9	33.5	33.0	32.0	32.0	35.6	39.7	42.4	44.7
H11	34.2	34.2	34.1	33.9	33.5	32.9	32.0	32.0	35.6	39.7	42.4	44.7
H12	34.2	34.2	34.1	33.8	33.4	32.8	32.0	32.0	35.5	39.6	42.4	44.7
H13	34.9	34.9	34.9	34.8	34.8	34.7	34.5	34.4	36.2	39.7	43.6	48.1
H14	34.1	34.1	34.1	33.8	33.4	32.7	32.0	32.0	35.3	39.6	42.3	44.7
H15	34.2	34.2	34.1	33.9	33.5	32.9	32.0	32.0	35.5	39.6	42.4	44.7
H16	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.4	39.8	43.6	48.2
H17	34.9	34.9	34.8	34.8	34.7	34.7	34.5	34.4	36.1	39.7	43.6	48.1
H18	34.8	34.8	34.8	34.8	34.7	34.6	34.4	34.3	36.0	39.6	43.5	48.1
H19	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.1
H20	34.8	34.8	34.8	34.8	34.7	34.6	34.4	34.3	36.0	39.6	43.5	48.1
H21	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.2
H22	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.1
H23	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.1
H24	34.1	34.1	34.0	33.6	33.3	32.7	32.0	32.0	35.4	39.5	42.4	44.7
H25	34.8	34.8	34.8	34.8	34.7	34.6	34.5	34.3	36.1	39.6	43.5	48.1
H26	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.6	36.2	39.7	43.6	48.2
H27	34.9	34.9	34.8	34.8	34.8	34.7	34.6	34.4	36.2	39.7	43.6	48.1
H28	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.1
H29	34.9	34.9	34.9	34.8	34.8	34.8	34.7	34.6	36.2	39.7	43.6	48.2
H30	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.2
H31	34.9	34.9	34.9	34.8	34.8	34.8	34.7	34.6	36.2	39.7	43.6	48.2
H32	34.9	34.9	34.9	34.8	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H33	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.7	36.3	39.7	43.6	48.2
H34	45.0	45.0	45.0	45.0	45.0	45.0	44.9	44.9	44.9	44.9	44.9	48.1
H35	34.9	34.9	34.9	34.8	34.8	34.8	34.7	34.6	36.2	39.7	43.6	48.2
H36	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H37	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.7	36.3	39.7	43.6	48.2
H38	34.9	34.9	34.9	34.8	34.8	34.8	34.7	34.6	36.2	39.7	43.6	48.2

Table W: The LA90,10min dB Wind Farm Noise Level during the Day – 300 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H39	34.2	34.2	34.0	33.7	33.3	32.9	32.0	32.0	35.6	39.6	42.5	44.8
H40	34.9	34.9	34.9	34.8	34.8	34.7	34.7	34.6	36.2	39.7	43.6	48.2
H41	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H42	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H43	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.7	36.3	39.7	43.6	48.2
H44	34.9	34.9	34.9	34.8	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H45	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.7	36.3	39.7	43.6	48.2
H46	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H47	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H48	34.3	34.2	34.1	33.7	33.4	33.0	32.0	32.0	35.7	39.6	42.5	44.9
H49	34.3	34.3	34.1	33.7	33.4	33.1	32.3	32.0	35.8	39.6	42.6	44.9
H50	34.3	34.3	34.1	33.6	33.4	33.1	32.2	32.0	35.8	39.6	42.6	44.9
H52	34.3	34.3	34.1	33.6	33.3	33.0	32.1	32.0	35.7	39.6	42.6	44.9
H53	34.3	34.3	34.1	33.6	33.4	33.1	32.2	32.0	35.8	39.6	42.6	44.9
H54	34.3	34.3	34.0	33.5	33.3	33.0	32.1	32.0	35.7	39.5	42.6	44.9
H55	34.4	34.3	34.1	33.6	33.3	33.1	33.5	37.0	40.5	44.3	48.2	52.4
H56	34.4	34.4	34.2	33.8	33.5	33.3	33.8	37.2	40.6	44.3	48.2	52.4
H57	34.4	34.4	34.2	33.8	33.6	33.3	33.8	37.2	40.6	44.3	48.2	52.4
H58	34.4	34.4	34.2	33.7	33.5	33.3	33.7	37.1	40.6	44.3	48.2	52.4
H59	34.4	34.4	34.2	33.7	33.5	33.3	33.7	37.1	40.6	44.3	48.2	52.4
H60	34.4	34.4	34.2	33.7	33.5	33.3	33.8	37.2	40.6	44.3	48.2	52.4
H61	34.4	34.4	34.2	33.8	33.5	33.3	33.8	37.2	40.6	44.3	48.2	52.4
H62	34.4	34.4	34.2	33.8	33.5	33.3	33.8	37.2	40.6	44.3	48.2	52.4
H63	34.4	34.4	34.2	33.7	33.5	33.3	33.8	37.2	40.6	44.3	48.2	52.4
H64	34.4	34.4	34.2	33.8	33.5	33.3	33.8	37.2	40.6	44.3	48.2	52.4
H65	34.4	34.4	34.2	33.8	33.5	33.3	33.8	37.2	40.6	44.3	48.2	52.4
H66	34.4	34.4	34.2	33.8	33.5	33.3	33.8	37.2	40.6	44.3	48.2	52.4
H67	34.5	34.4	34.2	33.8	33.6	33.4	33.9	37.2	40.6	44.3	48.2	52.4
H68	34.4	34.4	34.2	33.9	33.6	33.2	33.6	36.9	40.4	44.3	48.2	52.4
H69	44.9	44.9	44.9	44.9	44.8	44.8	44.7	44.6	44.4	44.3	44.2	46.4
H70	34.5	34.5	34.4	34.1	33.9	33.7	34.2	37.3	40.7	44.4	48.2	52.4
H71	34.4	34.4	34.1	33.7	33.4	33.2	33.7	37.1	40.6	44.3	48.2	52.4
H72	34.9	34.9	34.9	34.9	34.9	34.8	35.5	38.1	41.2	44.6	48.4	52.5
H73	34.0	34.0	33.9	33.6	33.2	32.6	32.8	36.4	40.1	44.1	48.1	52.4
H74	33.9	33.9	33.7	33.4	33.0	32.2	32.7	36.1	39.9	44.0	48.1	52.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H75	34.6	34.6	34.6	34.5	34.3	34.1	34.7	37.6	40.9	44.5	48.3	52.4
H76	34.1	34.1	34.0	33.7	33.4	32.9	33.2	36.7	40.3	44.2	48.2	52.4
H77	34.0	34.0	33.8	33.5	33.2	32.7	33.0	36.6	40.2	44.2	48.1	52.4
H78	34.4	34.4	34.4	34.2	34.0	33.6	34.0	37.1	40.6	44.4	48.2	52.4
H79	34.4	34.3	34.3	34.1	33.9	33.5	33.9	37.0	40.5	44.3	48.2	52.4
H80	34.1	34.1	34.0	33.8	33.4	32.7	32.8	36.3	40.2	44.2	48.2	52.4
H81	33.8	33.8	33.7	33.5	33.1	32.5	32.7	36.3	40.1	44.1	48.1	52.4
H82	33.9	33.9	33.8	33.6	33.1	32.2	32.7	35.9	40.0	44.1	48.1	52.4
H83	33.9	33.9	33.8	33.6	33.1	32.2	32.7	35.9	40.0	44.1	48.1	52.4
H84	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	38.3	41.7	47.3	52.1
H85	34.6	34.6	34.5	34.2	34.1	34.0	34.6	37.6	40.8	44.5	48.3	52.5
H86	34.6	34.6	34.5	34.3	34.2	34.0	34.6	37.6	40.9	44.5	48.3	52.5
H87	34.6	34.6	34.5	34.3	34.1	34.0	34.6	37.6	40.9	44.5	48.3	52.5
H88	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.2
H89	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.1	39.7	43.6	48.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	34.7	34.7	34.6	34.6	34.5	34.2	33.8	33.2	35.4	39.3	43.3	48.1
H2	34.7	34.7	34.6	34.6	34.5	34.3	33.9	33.3	35.4	39.4	43.3	48.1
H3	34.6	34.6	34.6	34.6	34.4	34.2	33.8	33.2	35.3	39.3	43.3	48.1
H4	34.6	34.6	34.6	34.6	34.4	34.2	33.8	33.2	35.3	39.3	43.3	48.1
H5	34.6	34.6	34.6	34.6	34.4	34.2	33.8	33.1	35.3	39.3	43.3	48.1
H6	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.2
H7	34.4	34.4	34.4	34.2	34.0	33.6	32.8	32.0	36.2	39.9	42.6	44.9
H8	34.1	34.1	34.1	33.9	33.5	32.9	32.0	32.0	35.2	39.5	42.3	44.7
H9	34.3	34.3	34.3	34.2	34.0	33.5	32.6	32.0	36.0	39.9	42.6	44.9
H10	34.3	34.3	34.3	34.1	33.9	33.5	32.5	32.0	36.0	39.8	42.5	44.9
H11	34.3	34.3	34.3	34.1	33.8	33.4	32.5	32.0	36.0	39.8	42.5	44.9
H12	34.3	34.3	34.3	34.1	33.8	33.4	32.5	32.0	36.0	39.8	42.5	44.9
H13	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.4	36.2	39.7	43.6	48.1
H14	34.4	34.4	34.3	34.2	34.0	33.6	32.8	32.0	36.1	39.9	42.6	44.9
H15	34.5	34.4	34.4	34.3	34.0	33.7	33.1	32.0	36.3	40.0	42.7	45.0
H16	34.9	34.9	34.9	34.9	34.9	34.9	34.8	34.7	36.4	39.8	43.6	48.2
H17	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.2

Table X: The LA90,10min dB Wind Farm Noise Level during the Day – 330 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H18	34.9	34.9	34.8	34.8	34.7	34.7	34.5	34.4	36.1	39.7	43.6	48.1
H19	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.5	36.2	39.7	43.6	48.2
H20	34.9	34.9	34.8	34.8	34.7	34.7	34.5	34.4	36.1	39.7	43.6	48.1
H21	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.2	39.7	43.6	48.2
H22	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.2	39.7	43.6	48.2
H23	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.2	39.7	43.6	48.2
H24	34.5	34.5	34.4	34.2	33.9	33.7	33.1	32.3	36.3	39.9	42.7	45.0
H25	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.4	36.1	39.7	43.6	48.1
H26	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H27	34.9	34.9	34.9	34.8	34.8	34.7	34.6	34.5	36.2	39.7	43.6	48.2
H28	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.2	39.7	43.6	48.2
H29	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H30	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H31	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H32	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H33	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.3	39.8	43.6	48.2
H34	45.0	45.0	45.0	45.0	45.0	45.0	45.0	44.9	44.9	44.9	44.9	48.1
H35	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H36	34.9	34.9	34.9	34.9	34.8	34.8	34.8	34.7	36.3	39.8	43.6	48.2
H37	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.3	39.7	43.6	48.2
H38	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H39	34.6	34.5	34.4	34.2	33.9	33.7	33.2	32.6	36.4	39.9	42.8	45.1
H40	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H41	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.7	36.3	39.7	43.6	48.2
H42	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.3	39.8	43.6	48.2
H43	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.3	39.7	43.6	48.2
H44	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H45	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.3	39.8	43.6	48.2
H46	34.9	34.9	34.9	34.9	34.9	34.8	34.8	34.7	36.3	39.7	43.6	48.2
H47	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.7	36.3	39.7	43.6	48.2
H48	34.6	34.6	34.4	34.2	33.8	33.7	33.1	32.6	36.4	39.9	42.8	45.1
H49	34.6	34.6	34.4	34.2	33.7	33.6	33.0	32.5	36.2	39.8	42.8	45.1
H50	34.6	34.6	34.4	34.1	33.7	33.5	32.9	32.4	36.2	39.8	42.8	45.1
H52	34.6	34.5	34.4	34.1	33.6	33.4	32.7	32.1	36.0	39.7	42.7	45.0
H53	34.6	34.5	34.4	34.1	33.6	33.4	32.8	32.2	36.1	39.7	42.7	45.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H54	34.6	34.5	34.4	34.0	33.5	33.4	32.7	32.1	36.0	39.7	42.7	45.0
H55	34.6	34.5	34.3	34.0	33.5	33.3	33.8	37.2	40.6	44.3	48.2	52.4
H56	34.6	34.6	34.4	34.1	33.7	33.5	34.0	37.3	40.7	44.4	48.2	52.4
H57	34.6	34.6	34.4	34.1	33.7	33.5	34.0	37.3	40.7	44.4	48.2	52.4
H58	34.6	34.6	34.4	34.1	33.6	33.5	34.0	37.3	40.6	44.3	48.2	52.4
H59	34.6	34.6	34.4	34.1	33.7	33.5	34.0	37.3	40.6	44.3	48.2	52.4
H60	34.6	34.6	34.4	34.1	33.7	33.5	34.0	37.3	40.6	44.3	48.2	52.4
H61	34.6	34.6	34.4	34.1	33.7	33.5	34.0	37.3	40.6	44.4	48.2	52.4
H62	34.6	34.6	34.4	34.1	33.7	33.5	34.0	37.3	40.7	44.4	48.2	52.4
H63	34.6	34.6	34.4	34.1	33.7	33.5	34.0	37.3	40.6	44.4	48.2	52.4
H64	34.6	34.6	34.4	34.1	33.7	33.5	34.0	37.3	40.7	44.4	48.2	52.4
H65	34.6	34.6	34.4	34.1	33.7	33.5	34.0	37.3	40.7	44.4	48.2	52.4
H66	34.6	34.6	34.4	34.1	33.7	33.5	34.0	37.3	40.7	44.4	48.2	52.4
H67	34.6	34.6	34.4	34.2	33.7	33.6	34.1	37.3	40.7	44.4	48.3	52.4
H68	34.3	34.3	34.2	33.9	33.3	32.8	32.8	36.7	40.4	44.3	48.2	52.4
H69	44.9	44.9	44.9	44.8	44.8	44.7	44.5	44.4	44.3	44.3	44.2	46.4
H70	34.6	34.6	34.5	34.3	33.9	33.7	34.2	37.4	40.7	44.4	48.3	52.4
H71	34.6	34.6	34.4	34.1	33.6	33.4	33.9	37.3	40.6	44.3	48.2	52.4
H72	34.9	34.9	34.9	34.9	34.9	34.8	35.5	38.2	41.2	44.6	48.4	52.5
H73	34.1	34.1	34.0	33.8	33.3	32.8	33.0	36.8	40.5	44.3	48.2	52.4
H74	34.0	34.0	33.9	33.7	33.1	32.6	32.8	36.6	40.4	44.2	48.2	52.4
H75	34.7	34.7	34.6	34.6	34.4	34.2	34.7	37.6	40.9	44.5	48.3	52.5
H76	34.1	34.1	34.0	33.8	33.4	33.0	33.4	37.0	40.6	44.3	48.2	52.4
H77	34.1	34.1	34.0	33.8	33.3	33.0	33.4	37.0	40.5	44.3	48.2	52.4
H78	34.5	34.5	34.4	34.3	34.0	33.7	34.2	37.2	40.7	44.4	48.3	52.4
H79	34.3	34.3	34.2	34.1	33.7	33.2	33.5	36.8	40.5	44.3	48.2	52.4
H80	34.0	34.0	33.9	33.8	33.1	32.3	32.7	36.0	40.1	44.2	48.2	52.4
H81	34.3	34.2	34.2	34.0	33.7	33.5	34.1	37.3	40.7	44.4	48.3	52.4
H82	33.6	33.6	33.5	33.3	32.4	32.0	32.7	35.3	39.6	44.0	48.1	52.3
H83	33.6	33.6	33.5	33.3	32.4	32.0	32.7	35.3	39.6	44.0	48.1	52.3
H84	32.0	32.0	32.0	32.0	32.0	32.0	32.7	35.3	38.3	41.7	47.3	52.1
H85	34.7	34.7	34.6	34.4	34.1	34.1	34.7	37.7	40.9	44.5	48.3	52.5
H86	34.7	34.7	34.6	34.5	34.2	34.1	34.8	37.7	40.9	44.5	48.3	52.5
H87	34.7	34.7	34.6	34.4	34.2	34.1	34.7	37.7	40.9	44.5	48.3	52.5
H88	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.6	36.3	39.7	43.6	48.2
H89	34.9	34.9	34.9	34.9	34.8	34.8	34.7	34.5	36.2	39.7	43.6	48.2

TABLE OF COORDINATE LOCATIONS OF PROPERTIES

Note to Table Y: The geographical co-ordinates references are provided for the purpose of identifying the general location of dwellings to which a given set of noise limits applies.

Table Y: Coordinate locations of the properties listed in Tables A to X		
House ID	Co-ordinates	
	X (m)	Y (m)
H1	306329	965584
H2	306354	965589
H3	306297	965606
H4	306290	965609
H5	306258	965628
H6	307682	965855
H7	305580	965936
H8	304485	966012
H9	304599	966170
H10	305393	966229
H11	305387	966245
H12	305315	966421
H13	307770	966440
H14	304479	966472
H15	304453	966608
H16	308147	966850
H17	307554	967104
H18	307420	967153
H19	307617	967158
H20	307395	967182
H21	307678	967183
H22	307610	967219
H23	307596	967243
H24	304958	967245
H25	307371	967293
H26	307733	967310
H27	307522	967372
H28	307609	967390
H29	307973	967408
H30	307802	967424
H31	307964	967444

Table Y: Coordinate locations of the properties listed in Tables A to X		
House ID	Co-ordinates	
	X (m)	Y (m)
H32	307969	967501
H33	308653	967531
H34	307200	967551
H35	307909	967574
H36	308232	967589
H37	308596	967610
H38	307892	967614
H39	304931	967630
H40	307892	967669
H41	308456	967677
H42	308323	967685
H43	308610	967687
H44	308040	967706
H45	308409	967770
H46	308529	967790
H47	308566	967878
H48	304671	968045
H49	304371	968318
H50	304302	968336
H52	304403	968499
H53	304381	968522
H54	304318	968629
H55	304474	968886
H56	304638	968940
H57	304674	968949
H58	304612	968970
H59	304614	968973
H60	304622	968975
H61	304633	968977
H62	304655	968980
H63	304633	968996
H64	304638	968998
H65	304643	969000
H66	304649	969003
H67	304716	969008

Table Y: Coordinate locations of the properties listed in Tables A to X		
House ID	Co-ordinates	
	X (m)	Y (m)
H68	305422	969089
H69	305576	969163
H70	305283	969188
H71	304573	969218
H72	308827	969313
H73	305644	969424
H74	305696	969446
H75	307282	969480
H76	305677	969515
H77	305684	969516
H78	307012	969550
H79	306607	969561
H80	306899	969729
H81	306286	969729
H82	306875	969794
H83	306875	969794
H84	305919	969903
H85	305367	970009
H86	305308	970030
H87	305416	970067
H88	307898	967773
H89	307865	967917

Technical Appendix 10.11: Directional Predicted Noise Levels for Proposed Development

Table 10.11.1: Predicted Noise Levels in 0 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H2	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H3	15.7	15.7	15.7	18.4	22.4	26.2	28.3	28.6	28.6	28.6	28.6	28.6
H4	15.7	15.7	15.7	18.4	22.4	26.2	28.3	28.6	28.6	28.6	28.6	28.6
H5	15.8	15.8	15.8	18.5	22.6	26.3	28.4	28.7	28.7	28.7	28.7	28.7
H6	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H7	17.9	17.9	17.9	20.6	24.6	28.4	30.5	30.8	30.8	30.8	30.8	30.8
H8	15.6	15.6	15.6	18.3	22.3	26.1	28.2	28.5	28.5	28.5	28.5	28.5
H9	16.6	16.6	16.6	19.2	23.3	27.0	29.1	29.4	29.5	29.5	29.5	29.5
H10	19.3	19.3	19.3	22.0	26.0	29.8	31.8	32.1	32.2	32.2	32.2	32.2
H11	19.3	19.3	19.3	22.0	26.1	29.8	31.9	32.2	32.2	32.2	32.2	32.2
H12	20.2	20.2	20.2	22.9	27.0	30.7	32.8	33.1	33.1	33.1	33.1	33.1
H13	17.6	17.6	17.6	20.3	24.4	28.1	30.2	30.5	30.5	30.5	30.5	30.5
H14	17.3	17.3	17.3	20.0	24.0	27.8	29.8	30.2	30.2	30.2	30.2	30.2
H15	17.5	17.5	17.5	20.2	24.2	28.0	30.1	30.4	30.4	30.4	30.4	30.4
H16	17.8	17.8	17.8	20.5	24.5	28.3	30.4	30.7	30.7	30.7	30.7	30.7
H17	21.5	21.5	21.5	24.2	28.2	32.0	34.1	34.4	34.4	34.4	34.4	34.4
H18	22.4	22.4	22.4	25.1	29.1	32.9	35.0	35.3	35.3	35.3	35.3	35.3
H19	21.5	21.5	21.5	24.2	28.2	32.0	34.0	34.4	34.4	34.4	34.4	34.4
H20	22.7	22.7	22.7	25.4	29.4	33.2	35.3	35.6	35.6	35.6	35.6	35.6
H21	21.3	21.3	21.3	24.0	28.0	31.8	33.9	34.2	34.2	34.2	34.2	34.2
H22	21.8	21.8	21.8	24.5	28.5	32.3	34.4	34.7	34.7	34.7	34.7	34.7
H23	22.0	22.0	22.0	24.7	28.7	32.5	34.6	34.9	34.9	34.9	34.9	34.9
H24	22.7	22.7	22.7	25.4	29.5	33.2	35.3	35.6	35.6	35.6	35.6	35.6
H25	23.4	23.4	23.4	26.1	30.2	33.9	36.0	36.3	36.3	36.3	36.3	36.3
H26	21.6	21.6	21.6	24.3	28.3	32.1	34.2	34.5	34.5	34.5	34.5	34.5
H27	23.1	23.1	23.1	25.7	29.8	33.5	35.6	35.9	36.0	36.0	36.0	36.0
H28	22.7	22.7	22.7	25.3	29.4	33.1	35.2	35.5	35.6	35.6	35.6	35.6
H29	20.5	20.5	20.5	23.2	27.2	31.0	33.0	33.4	33.4	33.4	33.4	33.4
H30	21.5	21.5	21.5	24.2	28.2	32.0	34.1	34.4	34.4	34.4	34.4	34.4
H31	20.7	20.7	20.7	23.4	27.4	31.2	33.2	33.6	33.6	33.6	33.6	33.6
H32	20.9	20.9	20.9	23.6	27.6	31.4	33.4	33.7	33.8	33.8	33.8	33.8

Table 10.11.1: Predicted Noise Levels in 0 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H33	17.2	17.2	17.2	19.9	23.9	27.7	29.8	30.1	30.1	30.1	30.1	30.1
H34	25.8	25.8	25.8	28.5	32.6	36.3	38.4	38.7	38.7	38.7	38.7	38.7
H35	21.5	21.5	21.5	24.2	28.2	32.0	34.1	34.4	34.4	34.4	34.4	34.4
H36	19.6	19.6	19.6	22.3	26.3	30.1	32.2	32.5	32.5	32.5	32.5	32.5
H37	17.7	17.7	17.7	20.4	24.4	28.2	30.2	30.5	30.6	30.6	30.6	30.6
H38	21.8	21.8	21.8	24.5	28.5	32.3	34.3	34.7	34.7	34.7	34.7	34.7
H39	23.8	23.8	23.8	26.5	30.5	34.3	36.4	36.7	36.7	36.7	36.7	36.7
H40	22.0	22.0	22.0	24.7	28.7	32.5	34.6	34.9	34.9	34.9	34.9	34.9
H41	18.6	18.6	18.6	21.3	25.3	29.1	31.1	31.4	31.5	31.5	31.5	31.5
H42	19.3	19.3	19.3	22.0	26.1	29.8	31.9	32.2	32.2	32.2	32.2	32.2
H43	17.5	17.5	17.5	20.2	24.2	28.0	30.1	30.4	30.4	30.4	30.4	30.4
H44	21.2	21.2	21.2	23.9	27.9	31.7	33.7	34.0	34.1	34.1	34.1	34.1
H45	18.8	18.8	18.8	21.5	25.5	29.3	31.4	31.7	31.7	31.7	31.7	31.7
H46	18.2	18.2	18.2	20.9	24.9	28.7	30.7	31.0	31.1	31.1	31.1	31.1
H47	18.1	18.1	18.1	20.8	24.8	28.6	30.7	31.0	31.0	31.0	31.0	31.0
H48	20.5	20.5	20.5	23.2	27.2	31.0	33.0	33.4	33.4	33.4	33.4	33.4
H49	16.1	16.1	16.1	18.8	22.8	26.6	28.6	29.0	29.0	29.0	29.0	29.0
H50	15.6	15.6	15.6	18.3	22.4	26.1	28.2	28.5	28.5	28.5	28.5	28.5
H52	16.1	16.1	16.1	18.8	22.8	26.6	28.7	29.0	29.0	29.0	29.0	29.0
H53	16.0	16.0	16.0	18.6	22.7	26.4	28.5	28.8	28.9	28.9	28.9	28.9
H54	14.3	14.3	14.3	17.0	21.0	24.8	26.8	27.2	27.2	27.2	27.2	27.2
H55	13.9	13.9	13.9	16.6	20.7	24.4	26.5	26.8	26.8	26.8	26.8	26.8
H56	14.3	14.3	14.3	17.0	21.0	24.8	26.9	27.2	27.2	27.2	27.2	27.2
H57	14.5	14.5	14.5	17.2	21.2	25.0	27.1	27.4	27.4	27.4	27.4	27.4
H58	14.1	14.1	14.1	16.8	20.8	24.6	26.6	27.0	27.0	27.0	27.0	27.0
H59	14.1	14.1	14.1	16.8	20.8	24.6	26.6	27.0	27.0	27.0	27.0	27.0
H60	14.1	14.1	14.1	16.8	20.8	24.6	26.7	27.0	27.0	27.0	27.0	27.0
H61	14.2	14.2	14.2	16.9	20.9	24.7	26.7	27.1	27.1	27.1	27.1	27.1
H62	14.3	14.3	14.3	17.0	21.0	24.8	26.9	27.2	27.2	27.2	27.2	27.2
H63	13.5	13.5	13.5	16.2	20.2	24.0	26.1	26.4	26.4	26.4	26.4	26.4
H64	13.5	13.5	13.5	16.2	20.2	24.0	26.1	26.4	26.4	26.4	26.4	26.4
H65	13.5	13.5	13.5	16.2	20.3	24.0	26.1	26.4	26.4	26.4	26.4	26.4
H66	13.6	13.6	13.6	16.3	20.3	24.1	26.1	26.5	26.5	26.5	26.5	26.5
H67	13.9	13.9	13.9	16.6	20.6	24.4	26.5	26.8	26.8	26.8	26.8	26.8
H68	17.9	17.9	17.9	20.6	24.6	28.4	30.5	30.8	30.8	30.8	30.8	30.8

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H69	18.2	18.2	18.2	20.9	24.9	28.7	30.7	31.1	31.1	31.1	31.1	31.1
H70	15.4	15.4	15.4	18.1	22.1	25.9	27.9	28.3	28.3	28.3	28.3	28.3
H71	11.8	11.8	11.8	14.5	18.5	22.3	24.4	24.7	24.7	24.7	24.7	24.7
H72	11.0	11.0	11.0	13.7	17.7	21.5	23.6	23.9	23.9	23.9	23.9	23.9
H73	14.9	14.9	14.9	17.6	21.6	25.4	27.5	27.8	27.8	27.8	27.8	27.8
H74	15.0	15.0	15.0	17.7	21.7	25.5	27.6	27.9	27.9	27.9	27.9	27.9
H75	18.4	18.4	18.4	21.1	25.1	28.9	30.9	31.3	31.3	31.3	31.3	31.3
H76	14.1	14.1	14.1	16.8	20.8	24.6	26.7	27.0	27.0	27.0	27.0	27.0
H77	14.1	14.1	14.1	16.8	20.9	24.6	26.7	27.0	27.0	27.0	27.0	27.0
H78	17.9	17.9	17.9	20.6	24.6	28.4	30.4	30.7	30.8	30.8	30.8	30.8
H79	16.9	16.9	16.9	19.6	23.7	27.4	29.5	29.8	29.8	29.8	29.8	29.8
H80	14.4	14.4	14.4	17.1	21.1	24.9	26.9	27.3	27.3	27.3	27.3	27.3
H81	12.7	12.7	12.7	15.4	19.5	23.2	25.3	25.6	25.6	25.6	25.6	25.6
H82	13.4	13.4	13.4	16.0	20.1	23.8	25.9	26.2	26.3	26.3	26.3	26.3
H83	13.4	13.4	13.4	16.0	20.1	23.8	25.9	26.2	26.3	26.3	26.3	26.3
H84	11.2	11.2	11.2	13.9	17.9	21.7	23.7	24.1	24.1	24.1	24.1	24.1
H85	9.5	9.5	9.5	12.2	16.2	20.0	22.1	22.4	22.4	22.4	22.4	22.4
H86	9.2	9.2	9.2	11.9	16.0	19.7	21.8	22.1	22.1	22.1	22.1	22.1
H87	9.2	9.2	9.2	11.8	15.9	19.6	21.7	22.0	22.1	22.1	22.1	22.1
H88	22.2	22.2	22.2	24.8	28.9	32.6	34.7	35.0	35.1	35.1	35.1	35.1
H89	22.8	22.8	22.8	25.5	29.6	33.3	35.4	35.7	35.7	35.7	35.7	35.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H2	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H3	15.7	15.7	15.7	18.4	22.4	26.2	28.3	28.6	28.6	28.6	28.6	28.6
H4	15.7	15.7	15.7	18.4	22.4	26.2	28.3	28.6	28.6	28.6	28.6	28.6
H5	15.8	15.8	15.8	18.5	22.6	26.3	28.4	28.7	28.7	28.7	28.7	28.7
H6	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H7	17.9	17.9	17.9	20.6	24.6	28.4	30.5	30.8	30.8	30.8	30.8	30.8
H8	15.6	15.6	15.6	18.3	22.3	26.1	28.2	28.5	28.5	28.5	28.5	28.5
H9	16.6	16.6	16.6	19.2	23.3	27.0	29.1	29.4	29.5	29.5	29.5	29.5
H10	19.3	19.3	19.3	22.0	26.0	29.8	31.8	32.1	32.2	32.2	32.2	32.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H11	19.3	19.3	19.3	22.0	26.1	29.8	31.9	32.2	32.2	32.2	32.2	32.2
H12	20.2	20.2	20.2	22.9	27.0	30.7	32.8	33.1	33.1	33.1	33.1	33.1
H13	17.3	17.3	17.3	20.0	24.0	27.8	29.9	30.2	30.2	30.2	30.2	30.2
H14	17.3	17.3	17.3	20.0	24.0	27.8	29.8	30.2	30.2	30.2	30.2	30.2
H15	17.5	17.5	17.5	20.2	24.2	28.0	30.1	30.4	30.4	30.4	30.4	30.4
H16	17.0	17.0	17.0	19.7	23.7	27.5	29.6	29.9	29.9	29.9	29.9	29.9
H17	20.7	20.7	20.7	23.4	27.4	31.2	33.2	33.6	33.6	33.6	33.6	33.6
H18	21.5	21.5	21.5	24.2	28.3	32.0	34.1	34.4	34.4	34.4	34.4	34.4
H19	20.7	20.7	20.7	23.4	27.4	31.2	33.2	33.6	33.6	33.6	33.6	33.6
H20	21.8	21.8	21.8	24.5	28.6	32.3	34.4	34.7	34.7	34.7	34.7	34.7
H21	20.5	20.5	20.5	23.2	27.3	31.0	33.1	33.4	33.4	33.4	33.4	33.4
H22	21.0	21.0	21.0	23.7	27.8	31.5	33.6	33.9	33.9	33.9	33.9	33.9
H23	21.2	21.2	21.2	23.9	28.0	31.7	33.8	34.1	34.1	34.1	34.1	34.1
H24	22.7	22.7	22.7	25.4	29.5	33.2	35.3	35.6	35.6	35.6	35.6	35.6
H25	22.6	22.6	22.6	25.3	29.4	33.1	35.2	35.5	35.5	35.5	35.5	35.5
H26	20.6	20.6	20.6	23.3	27.3	31.1	33.2	33.5	33.5	33.5	33.5	33.5
H27	22.1	22.1	22.1	24.8	28.8	32.6	34.6	34.9	35.0	35.0	35.0	35.0
H28	21.5	21.5	21.5	24.1	28.2	31.9	34.0	34.3	34.4	34.4	34.4	34.4
H29	18.8	18.8	18.8	21.5	25.5	29.3	31.4	31.7	31.7	31.7	31.7	31.7
H30	20.5	20.5	20.5	23.2	27.2	31.0	33.0	33.4	33.4	33.4	33.4	33.4
H31	19.0	19.0	19.0	21.7	25.8	29.5	31.6	31.9	31.9	31.9	31.9	31.9
H32	19.3	19.3	19.3	22.0	26.0	29.8	31.8	32.1	32.2	32.2	32.2	32.2
H33	13.7	13.7	13.7	16.4	20.4	24.2	26.2	26.6	26.6	26.6	26.6	26.6
H34	25.1	25.1	25.1	27.8	31.9	35.6	37.7	38.0	38.0	38.0	38.0	38.0
H35	19.9	19.9	19.9	22.6	26.7	30.4	32.5	32.8	32.8	32.8	32.8	32.8
H36	17.8	17.8	17.8	20.5	24.5	28.3	30.4	30.7	30.7	30.7	30.7	30.7
H37	14.2	14.2	14.2	16.8	20.9	24.6	26.7	27.0	27.1	27.1	27.1	27.1
H38	20.2	20.2	20.2	22.9	27.0	30.7	32.8	33.1	33.1	33.1	33.1	33.1
H39	24.2	24.2	24.2	26.8	30.9	34.6	36.7	37.0	37.1	37.1	37.1	37.1
H40	20.3	20.3	20.3	22.9	27.0	30.7	32.8	33.1	33.2	33.2	33.2	33.2
H41	15.1	15.1	15.1	17.8	21.8	25.6	27.7	28.0	28.0	28.0	28.0	28.0
H42	15.9	15.9	15.9	18.6	22.6	26.4	28.4	28.8	28.8	28.8	28.8	28.8
H43	14.1	14.1	14.1	16.8	20.8	24.6	26.6	27.0	27.0	27.0	27.0	27.0
H44	19.4	19.4	19.4	22.1	26.2	29.9	32.0	32.3	32.3	32.3	32.3	32.3
H45	15.4	15.4	15.4	18.1	22.2	25.9	28.0	28.3	28.3	28.3	28.3	28.3

Table 10.11.2: Predicted Noise Levels in 30 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H46	14.8	14.8	14.8	17.5	21.5	25.3	27.3	27.6	27.7	27.7	27.7	27.7
H47	14.7	14.7	14.7	17.4	21.5	25.2	27.3	27.6	27.6	27.6	27.6	27.6
H48	22.1	22.1	22.1	24.8	28.8	32.6	34.7	35.0	35.0	35.0	35.0	35.0
H49	19.3	19.3	19.3	21.9	26.0	29.7	31.8	32.1	32.2	32.2	32.2	32.2
H50	18.8	18.8	18.8	21.5	25.5	29.3	31.4	31.7	31.7	31.7	31.7	31.7
H52	19.2	19.2	19.2	21.9	26.0	29.7	31.8	32.1	32.1	32.1	32.1	32.1
H53	19.1	19.1	19.1	21.8	25.8	29.6	31.6	32.0	32.0	32.0	32.0	32.0
H54	18.5	18.5	18.5	21.2	25.3	29.0	31.1	31.4	31.4	31.4	31.4	31.4
H55	18.0	18.0	18.0	20.7	24.7	28.5	30.6	30.9	30.9	30.9	30.9	30.9
H56	18.8	18.8	18.8	21.5	25.5	29.3	31.4	31.7	31.7	31.7	31.7	31.7
H57	19.0	19.0	19.0	21.7	25.7	29.5	31.6	31.9	31.9	31.9	31.9	31.9
H58	18.6	18.6	18.6	21.3	25.3	29.1	31.2	31.5	31.5	31.5	31.5	31.5
H59	18.6	18.6	18.6	21.3	25.3	29.1	31.2	31.5	31.5	31.5	31.5	31.5
H60	18.6	18.6	18.6	21.3	25.4	29.1	31.2	31.5	31.5	31.5	31.5	31.5
H61	18.7	18.7	18.7	21.4	25.4	29.2	31.3	31.6	31.6	31.6	31.6	31.6
H62	18.8	18.8	18.8	21.5	25.5	29.3	31.4	31.7	31.7	31.7	31.7	31.7
H63	18.0	18.0	18.0	20.7	24.8	28.5	30.6	30.9	30.9	30.9	30.9	30.9
H64	18.1	18.1	18.1	20.7	24.8	28.5	30.6	30.9	31.0	31.0	31.0	31.0
H65	18.1	18.1	18.1	20.8	24.8	28.6	30.6	31.0	31.0	31.0	31.0	31.0
H66	18.1	18.1	18.1	20.8	24.8	28.6	30.7	31.0	31.0	31.0	31.0	31.0
H67	18.5	18.5	18.5	21.2	25.2	29.0	31.0	31.3	31.4	31.4	31.4	31.4
H68	20.9	20.9	20.9	23.6	27.6	31.4	33.5	33.8	33.8	33.8	33.8	33.8
H69	20.7	20.7	20.7	23.4	27.4	31.2	33.3	33.6	33.6	33.6	33.6	33.6
H70	19.0	19.0	19.0	21.7	25.7	29.5	31.5	31.9	31.9	31.9	31.9	31.9
H71	16.2	16.2	16.2	18.9	22.9	26.7	28.7	29.1	29.1	29.1	29.1	29.1
H72	7.7	7.7	7.7	10.4	14.4	18.2	20.3	20.6	20.6	20.6	20.6	20.6
H73	17.9	17.9	17.9	20.6	24.6	28.4	30.4	30.8	30.8	30.8	30.8	30.8
H74	17.9	17.9	17.9	20.6	24.7	28.4	30.5	30.8	30.8	30.8	30.8	30.8
H75	18.1	18.1	18.1	20.8	24.9	28.6	30.7	31.0	31.0	31.0	31.0	31.0
H76	17.2	17.2	17.2	19.9	24.0	27.7	29.8	30.1	30.1	30.1	30.1	30.1
H77	17.3	17.3	17.3	20.0	24.0	27.8	29.8	30.1	30.2	30.2	30.2	30.2
H78	18.0	18.0	18.0	20.7	24.7	28.5	30.5	30.9	30.9	30.9	30.9	30.9
H79	17.5	17.5	17.5	20.2	24.2	28.0	30.1	30.4	30.4	30.4	30.4	30.4
H80	14.5	14.5	14.5	17.2	21.2	25.0	27.0	27.4	27.4	27.4	27.4	27.4
H81	14.3	14.3	14.3	17.0	21.0	24.8	26.8	27.2	27.2	27.2	27.2	27.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H82	13.4	13.4	13.4	16.1	20.2	23.9	26.0	26.3	26.3	26.3	26.3	26.3
H83	13.4	13.4	13.4	16.1	20.2	23.9	26.0	26.3	26.3	26.3	26.3	26.3
H84	13.5	13.5	13.5	16.2	20.3	24.0	26.1	26.4	26.4	26.4	26.4	26.4
H85	12.4	12.4	12.4	15.1	19.1	22.9	25.0	25.3	25.3	25.3	25.3	25.3
H86	12.1	12.1	12.1	14.8	18.9	22.6	24.7	25.0	25.0	25.0	25.0	25.0
H87	11.8	11.8	11.8	14.5	18.5	22.3	24.4	24.7	24.7	24.7	24.7	24.7
H88	20.6	20.6	20.6	23.3	27.4	31.1	33.2	33.5	33.5	33.5	33.5	33.5
H89	20.3	20.3	20.3	23.0	27.1	30.8	32.9	33.2	33.2	33.2	33.2	33.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H2	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H3	15.7	15.7	15.7	18.4	22.4	26.2	28.3	28.6	28.6	28.6	28.6	28.6
H4	15.7	15.7	15.7	18.4	22.4	26.2	28.3	28.6	28.6	28.6	28.6	28.6
H5	15.8	15.8	15.8	18.5	22.6	26.3	28.4	28.7	28.7	28.7	28.7	28.7
H6	14.1	14.1	14.1	16.8	20.8	24.6	26.7	27.0	27.0	27.0	27.0	27.0
H7	17.9	17.9	17.9	20.6	24.6	28.4	30.5	30.8	30.8	30.8	30.8	30.8
H8	15.6	15.6	15.6	18.3	22.3	26.1	28.2	28.5	28.5	28.5	28.5	28.5
H9	16.6	16.6	16.6	19.2	23.3	27.0	29.1	29.4	29.5	29.5	29.5	29.5
H10	19.3	19.3	19.3	22.0	26.0	29.8	31.8	32.1	32.2	32.2	32.2	32.2
H11	19.3	19.3	19.3	22.0	26.1	29.8	31.9	32.2	32.2	32.2	32.2	32.2
H12	20.2	20.2	20.2	22.9	27.0	30.7	32.8	33.1	33.1	33.1	33.1	33.1
H13	14.8	14.8	14.8	17.5	21.5	25.3	27.3	27.7	27.7	27.7	27.7	27.7
H14	17.3	17.3	17.3	20.0	24.0	27.8	29.8	30.2	30.2	30.2	30.2	30.2
H15	17.5	17.5	17.5	20.2	24.2	28.0	30.1	30.4	30.4	30.4	30.4	30.4
H16	13.4	13.4	13.4	16.1	20.1	23.9	26.0	26.3	26.3	26.3	26.3	26.3
H17	18.7	18.7	18.7	21.3	25.4	29.1	31.2	31.5	31.6	31.6	31.6	31.6
H18	19.5	19.5	19.5	22.2	26.2	30.0	32.1	32.4	32.4	32.4	32.4	32.4
H19	17.1	17.1	17.1	19.8	23.8	27.6	29.6	30.0	30.0	30.0	30.0	30.0
H20	19.8	19.8	19.8	22.5	26.5	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H21	16.9	16.9	16.9	19.6	23.7	27.4	29.5	29.8	29.8	29.8	29.8	29.8
H22	17.4	17.4	17.4	20.1	24.2	27.9	30.0	30.3	30.3	30.3	30.3	30.3
H23	17.6	17.6	17.6	20.3	24.4	28.1	30.2	30.5	30.5	30.5	30.5	30.5

Table 10.11.3: Predicted Noise Levels in 60 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H24	22.7	22.7	22.7	25.4	29.5	33.2	35.3	35.6	35.6	35.6	35.6	35.6
H25	20.8	20.8	20.8	23.5	27.5	31.3	33.3	33.7	33.7	33.7	33.7	33.7
H26	17.1	17.1	17.1	19.8	23.9	27.6	29.7	30.0	30.0	30.0	30.0	30.0
H27	18.9	18.9	18.9	21.6	25.6	29.4	31.4	31.8	31.8	31.8	31.8	31.8
H28	18.3	18.3	18.3	21.0	25.0	28.8	30.9	31.2	31.2	31.2	31.2	31.2
H29	14.4	14.4	14.4	17.1	21.1	24.9	26.9	27.2	27.3	27.3	27.3	27.3
H30	17.2	17.2	17.2	19.9	23.9	27.7	29.8	30.1	30.1	30.1	30.1	30.1
H31	14.6	14.6	14.6	17.3	21.3	25.1	27.1	27.5	27.5	27.5	27.5	27.5
H32	14.8	14.8	14.8	17.5	21.5	25.3	27.3	27.7	27.7	27.7	27.7	27.7
H33	9.6	9.6	9.6	12.3	16.3	20.1	22.2	22.5	22.5	22.5	22.5	22.5
H34	24.1	24.1	24.1	26.7	30.8	34.5	36.6	36.9	37.0	37.0	37.0	37.0
H35	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H36	13.4	13.4	13.4	16.1	20.1	23.9	26.0	26.3	26.3	26.3	26.3	26.3
H37	10.1	10.1	10.1	12.8	16.8	20.6	22.6	23.0	23.0	23.0	23.0	23.0
H38	16.0	16.0	16.0	18.7	22.7	26.5	28.6	28.9	28.9	28.9	28.9	28.9
H39	24.2	24.2	24.2	26.8	30.9	34.6	36.7	37.0	37.1	37.1	37.1	37.1
H40	16.3	16.3	16.3	19.0	23.0	26.8	28.8	29.2	29.2	29.2	29.2	29.2
H41	11.0	11.0	11.0	13.7	17.7	21.5	23.5	23.9	23.9	23.9	23.9	23.9
H42	11.8	11.8	11.8	14.5	18.5	22.3	24.3	24.7	24.7	24.7	24.7	24.7
H43	10.1	10.1	10.1	12.7	16.8	20.5	22.6	22.9	23.0	23.0	23.0	23.0
H44	15.1	15.1	15.1	17.8	21.9	25.6	27.7	28.0	28.0	28.0	28.0	28.0
H45	11.4	11.4	11.4	14.1	18.1	21.9	23.9	24.3	24.3	24.3	24.3	24.3
H46	10.7	10.7	10.7	13.4	17.4	21.2	23.3	23.6	23.6	23.6	23.6	23.6
H47	10.7	10.7	10.7	13.4	17.4	21.2	23.2	23.6	23.6	23.6	23.6	23.6
H48	22.1	22.1	22.1	24.8	28.8	32.6	34.7	35.0	35.0	35.0	35.0	35.0
H49	19.8	19.8	19.8	22.5	26.5	30.3	32.3	32.7	32.7	32.7	32.7	32.7
H50	19.3	19.3	19.3	22.0	26.0	29.8	31.9	32.2	32.2	32.2	32.2	32.2
H52	19.7	19.7	19.7	22.4	26.4	30.2	32.3	32.6	32.6	32.6	32.6	32.6
H53	19.5	19.5	19.5	22.2	26.3	30.0	32.1	32.4	32.4	32.4	32.4	32.4
H54	19.0	19.0	19.0	21.7	25.7	29.5	31.5	31.9	31.9	31.9	31.9	31.9
H55	19.3	19.3	19.3	22.0	26.0	29.8	31.8	32.2	32.2	32.2	32.2	32.2
H56	20.0	20.0	20.0	22.7	26.8	30.5	32.6	32.9	32.9	32.9	32.9	32.9
H57	20.2	20.2	20.2	22.9	26.9	30.7	32.8	33.1	33.1	33.1	33.1	33.1
H58	19.8	19.8	19.8	22.5	26.5	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H59	19.8	19.8	19.8	22.5	26.5	30.3	32.4	32.7	32.7	32.7	32.7	32.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H60	19.8	19.8	19.8	22.5	26.6	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H61	19.9	19.9	19.9	22.6	26.6	30.4	32.5	32.8	32.8	32.8	32.8	32.8
H62	20.0	20.0	20.0	22.7	26.7	30.5	32.6	32.9	32.9	32.9	32.9	32.9
H63	19.8	19.8	19.8	22.5	26.6	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H64	19.9	19.9	19.9	22.6	26.6	30.4	32.4	32.8	32.8	32.8	32.8	32.8
H65	19.9	19.9	19.9	22.6	26.6	30.4	32.4	32.8	32.8	32.8	32.8	32.8
H66	19.9	19.9	19.9	22.6	26.6	30.4	32.5	32.8	32.8	32.8	32.8	32.8
H67	20.3	20.3	20.3	23.0	27.0	30.8	32.8	33.2	33.2	33.2	33.2	33.2
H68	23.2	23.2	23.2	25.9	29.9	33.7	35.7	36.0	36.1	36.1	36.1	36.1
H69	23.6	23.6	23.6	26.3	30.3	34.1	36.2	36.5	36.5	36.5	36.5	36.5
H70	21.7	21.7	21.7	24.4	28.4	32.2	34.3	34.6	34.6	34.6	34.6	34.6
H71	18.8	18.8	18.8	21.5	25.5	29.3	31.4	31.7	31.7	31.7	31.7	31.7
H72	6.5	6.5	6.5	9.2	13.2	17.0	19.0	19.4	19.4	19.4	19.4	19.4
H73	21.3	21.3	21.3	24.0	28.0	31.8	33.8	34.2	34.2	34.2	34.2	34.2
H74	21.3	21.3	21.3	24.0	28.0	31.8	33.8	34.2	34.2	34.2	34.2	34.2
H75	18.7	18.7	18.7	21.4	25.4	29.2	31.3	31.6	31.6	31.6	31.6	31.6
H76	20.7	20.7	20.7	23.4	27.4	31.2	33.2	33.6	33.6	33.6	33.6	33.6
H77	20.7	20.7	20.7	23.4	27.4	31.2	33.3	33.6	33.6	33.6	33.6	33.6
H78	19.0	19.0	19.0	21.7	25.8	29.5	31.6	31.9	31.9	31.9	31.9	31.9
H79	19.4	19.4	19.4	22.1	26.1	29.9	32.0	32.3	32.3	32.3	32.3	32.3
H80	16.0	16.0	16.0	18.7	22.7	26.5	28.5	28.9	28.9	28.9	28.9	28.9
H81	17.9	17.9	17.9	20.6	24.7	28.4	30.5	30.8	30.8	30.8	30.8	30.8
H82	15.0	15.0	15.0	17.7	21.8	25.5	27.6	27.9	27.9	27.9	27.9	27.9
H83	15.0	15.0	15.0	17.7	21.8	25.5	27.6	27.9	27.9	27.9	27.9	27.9
H84	17.7	17.7	17.7	20.4	24.4	28.2	30.3	30.6	30.6	30.6	30.6	30.6
H85	16.9	16.9	16.9	19.6	23.6	27.4	29.4	29.8	29.8	29.8	29.8	29.8
H86	16.6	16.6	16.6	19.3	23.3	27.1	29.1	29.5	29.5	29.5	29.5	29.5
H87	16.3	16.3	16.3	19.0	23.0	26.7	28.8	29.1	29.2	29.2	29.2	29.2
H88	17.0	17.0	17.0	19.7	23.7	27.5	29.6	29.9	29.9	29.9	29.9	29.9
H89	17.5	17.5	17.5	20.2	24.3	28.0	30.1	30.4	30.4	30.4	30.4	30.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	13.0	13.0	13.0	15.7	19.7	23.5	25.5	25.9	25.9	25.9	25.9	25.9

Table 10.11.4: Predicted Noise Levels in 90 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H2	13.0	13.0	13.0	15.7	19.7	23.5	25.6	25.9	25.9	25.9	25.9	25.9
H3	13.4	13.4	13.4	16.1	20.2	23.9	26.0	26.3	26.3	26.3	26.3	26.3
H4	13.4	13.4	13.4	16.1	20.2	23.9	26.0	26.3	26.3	26.3	26.3	26.3
H5	13.5	13.5	13.5	16.2	20.3	24.0	26.1	26.4	26.4	26.4	26.4	26.4
H6	9.6	9.6	9.6	12.3	16.3	20.1	22.1	22.5	22.5	22.5	22.5	22.5
H7	17.9	17.9	17.9	20.6	24.6	28.4	30.5	30.8	30.8	30.8	30.8	30.8
H8	15.6	15.6	15.6	18.3	22.3	26.1	28.2	28.5	28.5	28.5	28.5	28.5
H9	16.6	16.6	16.6	19.2	23.3	27.0	29.1	29.4	29.5	29.5	29.5	29.5
H10	19.3	19.3	19.3	22.0	26.0	29.8	31.8	32.1	32.2	32.2	32.2	32.2
H11	19.3	19.3	19.3	22.0	26.1	29.8	31.9	32.2	32.2	32.2	32.2	32.2
H12	20.2	20.2	20.2	22.9	27.0	30.7	32.8	33.1	33.1	33.1	33.1	33.1
H13	10.6	10.6	10.6	13.3	17.3	21.1	23.2	23.5	23.5	23.5	23.5	23.5
H14	17.3	17.3	17.3	20.0	24.0	27.8	29.8	30.2	30.2	30.2	30.2	30.2
H15	17.5	17.5	17.5	20.2	24.2	28.0	30.1	30.4	30.4	30.4	30.4	30.4
H16	9.6	9.6	9.6	12.3	16.4	20.1	22.2	22.5	22.5	22.5	22.5	22.5
H17	14.5	14.5	14.5	17.2	21.2	25.0	27.1	27.4	27.4	27.4	27.4	27.4
H18	15.4	15.4	15.4	18.1	22.1	25.9	27.9	28.3	28.3	28.3	28.3	28.3
H19	13.3	13.3	13.3	16.0	20.0	23.8	25.8	26.2	26.2	26.2	26.2	26.2
H20	15.8	15.8	15.8	18.5	22.5	26.3	28.3	28.6	28.7	28.7	28.7	28.7
H21	13.1	13.1	13.1	15.8	19.9	23.6	25.7	26.0	26.0	26.0	26.0	26.0
H22	13.6	13.6	13.6	16.3	20.4	24.1	26.2	26.5	26.5	26.5	26.5	26.5
H23	13.8	13.8	13.8	16.5	20.6	24.3	26.4	26.7	26.7	26.7	26.7	26.7
H24	22.7	22.7	22.7	25.4	29.5	33.2	35.3	35.6	35.6	35.6	35.6	35.6
H25	17.1	17.1	17.1	19.8	23.8	27.6	29.6	30.0	30.0	30.0	30.0	30.0
H26	13.4	13.4	13.4	16.1	20.1	23.9	25.9	26.3	26.3	26.3	26.3	26.3
H27	15.5	15.5	15.5	18.2	22.3	26.0	28.1	28.4	28.4	28.4	28.4	28.4
H28	14.9	14.9	14.9	17.5	21.6	25.3	27.4	27.7	27.8	27.8	27.8	27.8
H29	11.6	11.6	11.6	14.3	18.3	22.1	24.1	24.5	24.5	24.5	24.5	24.5
H30	13.5	13.5	13.5	16.2	20.2	24.0	26.1	26.4	26.4	26.4	26.4	26.4
H31	11.8	11.8	11.8	14.5	18.5	22.3	24.3	24.6	24.7	24.7	24.7	24.7
H32	12.0	12.0	12.0	14.7	18.7	22.5	24.5	24.8	24.9	24.9	24.9	24.9
H33	7.7	7.7	7.7	10.4	14.4	18.2	20.3	20.6	20.6	20.6	20.6	20.6
H34	22.1	22.1	22.1	24.8	28.9	32.6	34.7	35.0	35.0	35.0	35.0	35.0
H35	12.8	12.8	12.8	15.5	19.5	23.3	25.3	25.7	25.7	25.7	25.7	25.7
H36	10.7	10.7	10.7	13.3	17.4	21.1	23.2	23.5	23.6	23.6	23.6	23.6

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H37	8.2	8.2	8.2	10.8	14.9	18.6	20.7	21.0	21.1	21.1	21.1	21.1
H38	13.3	13.3	13.3	15.9	20.0	23.7	25.8	26.1	26.2	26.2	26.2	26.2
H39	24.2	24.2	24.2	26.8	30.9	34.6	36.7	37.0	37.1	37.1	37.1	37.1
H40	13.7	13.7	13.7	16.4	20.4	24.2	26.3	26.6	26.6	26.6	26.6	26.6
H41	9.1	9.1	9.1	11.7	15.8	19.5	21.6	21.9	22.0	22.0	22.0	22.0
H42	9.8	9.8	9.8	12.5	16.6	20.3	22.4	22.7	22.7	22.7	22.7	22.7
H43	8.2	8.2	8.2	10.9	14.9	18.7	20.8	21.1	21.1	21.1	21.1	21.1
H44	12.4	12.4	12.4	15.1	19.1	22.9	24.9	25.2	25.3	25.3	25.3	25.3
H45	9.5	9.5	9.5	12.2	16.2	20.0	22.1	22.4	22.4	22.4	22.4	22.4
H46	8.9	8.9	8.9	11.5	15.6	19.3	21.4	21.7	21.8	21.8	21.8	21.8
H47	8.8	8.8	8.8	11.5	15.5	19.3	21.4	21.7	21.7	21.7	21.7	21.7
H48	22.1	22.1	22.1	24.8	28.8	32.6	34.7	35.0	35.0	35.0	35.0	35.0
H49	19.8	19.8	19.8	22.5	26.5	30.3	32.3	32.7	32.7	32.7	32.7	32.7
H50	19.3	19.3	19.3	22.0	26.0	29.8	31.9	32.2	32.2	32.2	32.2	32.2
H52	19.7	19.7	19.7	22.4	26.4	30.2	32.3	32.6	32.6	32.6	32.6	32.6
H53	19.5	19.5	19.5	22.2	26.3	30.0	32.1	32.4	32.4	32.4	32.4	32.4
H54	19.0	19.0	19.0	21.7	25.7	29.5	31.5	31.9	31.9	31.9	31.9	31.9
H55	19.3	19.3	19.3	22.0	26.0	29.8	31.8	32.2	32.2	32.2	32.2	32.2
H56	20.0	20.0	20.0	22.7	26.8	30.5	32.6	32.9	32.9	32.9	32.9	32.9
H57	20.2	20.2	20.2	22.9	26.9	30.7	32.8	33.1	33.1	33.1	33.1	33.1
H58	19.8	19.8	19.8	22.5	26.5	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H59	19.8	19.8	19.8	22.5	26.5	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H60	19.8	19.8	19.8	22.5	26.6	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H61	19.9	19.9	19.9	22.6	26.6	30.4	32.5	32.8	32.8	32.8	32.8	32.8
H62	20.0	20.0	20.0	22.7	26.7	30.5	32.6	32.9	32.9	32.9	32.9	32.9
H63	19.8	19.8	19.8	22.5	26.6	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H64	19.9	19.9	19.9	22.6	26.6	30.4	32.4	32.8	32.8	32.8	32.8	32.8
H65	19.9	19.9	19.9	22.6	26.6	30.4	32.4	32.8	32.8	32.8	32.8	32.8
H66	19.9	19.9	19.9	22.6	26.6	30.4	32.5	32.8	32.8	32.8	32.8	32.8
H67	20.3	20.3	20.3	23.0	27.0	30.8	32.8	33.2	33.2	33.2	33.2	33.2
H68	24.0	24.0	24.0	26.7	30.7	34.5	36.5	36.9	36.9	36.9	36.9	36.9
H69	24.3	24.3	24.3	27.0	31.1	34.8	36.9	37.2	37.2	37.2	37.2	37.2
H70	22.6	22.6	22.6	25.3	29.3	33.1	35.2	35.5	35.5	35.5	35.5	35.5
H71	18.8	18.8	18.8	21.5	25.5	29.3	31.4	31.7	31.7	31.7	31.7	31.7
H72	6.8	6.8	6.8	9.5	13.5	17.3	19.4	19.7	19.7	19.7	19.7	19.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H73	22.9	22.9	22.9	25.6	29.6	33.4	35.4	35.8	35.8	35.8	35.8	35.8
H74	22.7	22.7	22.7	25.4	29.5	33.2	35.3	35.6	35.6	35.6	35.6	35.6
H75	20.2	20.2	20.2	22.9	26.9	30.7	32.8	33.1	33.1	33.1	33.1	33.1
H76	22.2	22.2	22.2	24.9	28.9	32.7	34.8	35.1	35.1	35.1	35.1	35.1
H77	22.2	22.2	22.2	24.9	28.9	32.7	34.8	35.1	35.1	35.1	35.1	35.1
H78	21.2	21.2	21.2	23.9	28.0	31.7	33.8	34.1	34.1	34.1	34.1	34.1
H79	22.3	22.3	22.3	25.0	29.1	32.8	34.9	35.2	35.2	35.2	35.2	35.2
H80	19.1	19.1	19.1	21.8	25.9	29.6	31.7	32.0	32.0	32.0	32.0	32.0
H81	21.4	21.4	21.4	24.1	28.1	31.9	33.9	34.3	34.3	34.3	34.3	34.3
H82	18.5	18.5	18.5	21.2	25.2	29.0	31.0	31.4	31.4	31.4	31.4	31.4
H83	18.5	18.5	18.5	21.2	25.2	29.0	31.0	31.4	31.4	31.4	31.4	31.4
H84	20.1	20.1	20.1	22.8	26.8	30.6	32.6	33.0	33.0	33.0	33.0	33.0
H85	18.6	18.6	18.6	21.3	25.3	29.1	31.1	31.5	31.5	31.5	31.5	31.5
H86	18.3	18.3	18.3	21.0	25.0	28.8	30.9	31.2	31.2	31.2	31.2	31.2
H87	18.4	18.4	18.4	21.1	25.1	28.9	31.0	31.3	31.3	31.3	31.3	31.3
H88	14.7	14.7	14.7	17.3	21.4	25.1	27.2	27.5	27.6	27.6	27.6	27.6
H89	16.2	16.2	16.2	18.9	22.9	26.7	28.7	29.1	29.1	29.1	29.1	29.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	8.6	8.6	8.6	11.3	15.3	19.1	21.1	21.5	21.5	21.5	21.5	21.5
H2	8.6	8.6	8.6	11.3	15.3	19.1	21.1	21.5	21.5	21.5	21.5	21.5
H3	9.0	9.0	9.0	11.7	15.7	19.5	21.6	21.9	21.9	21.9	21.9	21.9
H4	9.0	9.0	9.0	11.7	15.8	19.5	21.6	21.9	21.9	21.9	21.9	21.9
H5	9.1	9.1	9.1	11.8	15.9	19.6	21.7	22.0	22.0	22.0	22.0	22.0
H6	6.6	6.6	6.6	9.3	13.3	17.1	19.1	19.5	19.5	19.5	19.5	19.5
H7	14.0	14.0	14.0	16.7	20.7	24.5	26.6	26.9	26.9	26.9	26.9	26.9
H8	15.3	15.3	15.3	18.0	22.0	25.8	27.9	28.2	28.2	28.2	28.2	28.2
H9	16.3	16.3	16.3	19.0	23.0	26.8	28.9	29.2	29.2	29.2	29.2	29.2
H10	15.3	15.3	15.3	18.0	22.0	25.8	27.8	28.2	28.2	28.2	28.2	28.2
H11	15.4	15.4	15.4	18.1	22.1	25.9	27.9	28.2	28.3	28.3	28.3	28.3
H12	18.4	18.4	18.4	21.1	25.2	28.9	31.0	31.3	31.3	31.3	31.3	31.3
H13	8.2	8.2	8.2	10.9	15.0	18.7	20.8	21.1	21.1	21.1	21.1	21.1
H14	17.3	17.3	17.3	20.0	24.0	27.8	29.8	30.2	30.2	30.2	30.2	30.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H15	17.5	17.5	17.5	20.2	24.2	28.0	30.1	30.4	30.4	30.4	30.4	30.4
H16	8.1	8.1	8.1	10.8	14.8	18.6	20.6	20.9	21.0	21.0	21.0	21.0
H17	12.2	12.2	12.2	14.9	18.9	22.7	24.7	25.1	25.1	25.1	25.1	25.1
H18	13.1	13.1	13.1	15.8	19.8	23.6	25.7	26.0	26.0	26.0	26.0	26.0
H19	11.7	11.7	11.7	14.4	18.4	22.2	24.3	24.6	24.6	24.6	24.6	24.6
H20	13.5	13.5	13.5	16.2	20.2	24.0	26.1	26.4	26.4	26.4	26.4	26.4
H21	11.5	11.5	11.5	14.2	18.3	22.0	24.1	24.4	24.4	24.4	24.4	24.4
H22	12.1	12.1	12.1	14.7	18.8	22.5	24.6	24.9	25.0	25.0	25.0	25.0
H23	12.2	12.2	12.2	14.9	19.0	22.7	24.8	25.1	25.1	25.1	25.1	25.1
H24	22.7	22.7	22.7	25.4	29.5	33.2	35.3	35.6	35.6	35.6	35.6	35.6
H25	15.0	15.0	15.0	17.7	21.7	25.5	27.5	27.8	27.9	27.9	27.9	27.9
H26	11.8	11.8	11.8	14.5	18.6	22.3	24.4	24.7	24.7	24.7	24.7	24.7
H27	14.1	14.1	14.1	16.8	20.9	24.6	26.7	27.0	27.0	27.0	27.0	27.0
H28	13.5	13.5	13.5	16.1	20.2	23.9	26.0	26.3	26.4	26.4	26.4	26.4
H29	10.8	10.8	10.8	13.5	17.5	21.3	23.4	23.7	23.7	23.7	23.7	23.7
H30	12.1	12.1	12.1	14.8	18.8	22.6	24.6	25.0	25.0	25.0	25.0	25.0
H31	11.0	11.0	11.0	13.7	17.7	21.5	23.6	23.9	23.9	23.9	23.9	23.9
H32	11.2	11.2	11.2	13.9	17.9	21.7	23.7	24.1	24.1	24.1	24.1	24.1
H33	7.6	7.6	7.6	10.3	14.3	18.1	20.1	20.4	20.5	20.5	20.5	20.5
H34	21.1	21.1	21.1	23.8	27.8	31.6	33.6	33.9	34.0	34.0	34.0	34.0
H35	12.0	12.0	12.0	14.7	18.7	22.5	24.5	24.9	24.9	24.9	24.9	24.9
H36	9.9	9.9	9.9	12.6	16.7	20.4	22.5	22.8	22.8	22.8	22.8	22.8
H37	8.0	8.0	8.0	10.7	14.7	18.5	20.6	20.9	20.9	20.9	20.9	20.9
H38	12.5	12.5	12.5	15.1	19.2	22.9	25.0	25.3	25.4	25.4	25.4	25.4
H39	24.2	24.2	24.2	26.8	30.9	34.6	36.7	37.0	37.1	37.1	37.1	37.1
H40	13.0	13.0	13.0	15.7	19.7	23.5	25.5	25.8	25.9	25.9	25.9	25.9
H41	8.9	8.9	8.9	11.6	15.6	19.4	21.4	21.8	21.8	21.8	21.8	21.8
H42	9.7	9.7	9.7	12.4	16.4	20.1	22.2	22.5	22.6	22.6	22.6	22.6
H43	8.2	8.2	8.2	10.8	14.9	18.6	20.7	21.0	21.1	21.1	21.1	21.1
H44	11.6	11.6	11.6	14.3	18.3	22.1	24.2	24.5	24.5	24.5	24.5	24.5
H45	9.4	9.4	9.4	12.1	16.1	19.9	22.0	22.3	22.3	22.3	22.3	22.3
H46	8.8	8.8	8.8	11.5	15.5	19.3	21.3	21.7	21.7	21.7	21.7	21.7
H47	8.7	8.7	8.7	11.4	15.4	19.2	21.3	21.6	21.6	21.6	21.6	21.6
H48	22.1	22.1	22.1	24.8	28.8	32.6	34.7	35.0	35.0	35.0	35.0	35.0
H49	19.8	19.8	19.8	22.5	26.5	30.3	32.3	32.7	32.7	32.7	32.7	32.7

Table 10.11.5: Predicted Noise Levels in 120 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H50	19.3	19.3	19.3	22.0	26.0	29.8	31.9	32.2	32.2	32.2	32.2	32.2
H52	19.7	19.7	19.7	22.4	26.4	30.2	32.3	32.6	32.6	32.6	32.6	32.6
H53	19.5	19.5	19.5	22.2	26.3	30.0	32.1	32.4	32.4	32.4	32.4	32.4
H54	19.0	19.0	19.0	21.7	25.7	29.5	31.5	31.9	31.9	31.9	31.9	31.9
H55	19.3	19.3	19.3	22.0	26.0	29.8	31.8	32.2	32.2	32.2	32.2	32.2
H56	20.0	20.0	20.0	22.7	26.8	30.5	32.6	32.9	32.9	32.9	32.9	32.9
H57	20.2	20.2	20.2	22.9	26.9	30.7	32.8	33.1	33.1	33.1	33.1	33.1
H58	19.8	19.8	19.8	22.5	26.5	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H59	19.8	19.8	19.8	22.5	26.5	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H60	19.8	19.8	19.8	22.5	26.6	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H61	19.9	19.9	19.9	22.6	26.6	30.4	32.5	32.8	32.8	32.8	32.8	32.8
H62	20.0	20.0	20.0	22.7	26.7	30.5	32.6	32.9	32.9	32.9	32.9	32.9
H63	19.8	19.8	19.8	22.5	26.6	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H64	19.9	19.9	19.9	22.6	26.6	30.4	32.4	32.8	32.8	32.8	32.8	32.8
H65	19.9	19.9	19.9	22.6	26.6	30.4	32.4	32.8	32.8	32.8	32.8	32.8
H66	19.9	19.9	19.9	22.6	26.6	30.4	32.5	32.8	32.8	32.8	32.8	32.8
H67	20.3	20.3	20.3	23.0	27.0	30.8	32.8	33.2	33.2	33.2	33.2	33.2
H68	24.0	24.0	24.0	26.7	30.7	34.5	36.5	36.9	36.9	36.9	36.9	36.9
H69	24.3	24.3	24.3	27.0	31.1	34.8	36.9	37.2	37.2	37.2	37.2	37.2
H70	22.6	22.6	22.6	25.3	29.3	33.1	35.2	35.5	35.5	35.5	35.5	35.5
H71	18.8	18.8	18.8	21.5	25.5	29.3	31.4	31.7	31.7	31.7	31.7	31.7
H72	8.9	8.9	8.9	11.6	15.6	19.4	21.5	21.8	21.8	21.8	21.8	21.8
H73	22.9	22.9	22.9	25.6	29.6	33.4	35.4	35.8	35.8	35.8	35.8	35.8
H74	22.9	22.9	22.9	25.6	29.6	33.4	35.5	35.8	35.8	35.8	35.8	35.8
H75	22.6	22.6	22.6	25.3	29.3	33.1	35.2	35.5	35.5	35.5	35.5	35.5
H76	22.4	22.4	22.4	25.1	29.1	32.9	35.0	35.3	35.3	35.3	35.3	35.3
H77	22.4	22.4	22.4	25.1	29.1	32.9	35.0	35.3	35.3	35.3	35.3	35.3
H78	23.4	23.4	23.4	26.1	30.1	33.9	35.9	36.3	36.3	36.3	36.3	36.3
H79	24.0	24.0	24.0	26.7	30.8	34.5	36.6	36.9	36.9	36.9	36.9	36.9
H80	21.9	21.9	21.9	24.6	28.7	32.4	34.5	34.8	34.8	34.8	34.8	34.8
H81	22.4	22.4	22.4	25.1	29.1	32.9	34.9	35.3	35.3	35.3	35.3	35.3
H82	21.4	21.4	21.4	24.1	28.1	31.9	34.0	34.3	34.3	34.3	34.3	34.3
H83	21.4	21.4	21.4	24.1	28.1	31.9	34.0	34.3	34.3	34.3	34.3	34.3
H84	20.6	20.6	20.6	23.3	27.3	31.0	33.1	33.4	33.5	33.5	33.5	33.5
H85	18.6	18.6	18.6	21.3	25.3	29.1	31.1	31.5	31.5	31.5	31.5	31.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H86	18.3	18.3	18.3	21.0	25.0	28.8	30.9	31.2	31.2	31.2	31.2	31.2
H87	18.4	18.4	18.4	21.1	25.1	28.9	31.0	31.3	31.3	31.3	31.3	31.3
H88	14.0	14.0	14.0	16.7	20.7	24.5	26.6	26.9	26.9	26.9	26.9	26.9
H89	16.1	16.1	16.1	18.8	22.8	26.6	28.6	29.0	29.0	29.0	29.0	29.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	6.1	6.1	6.1	8.8	12.9	16.6	18.7	19.0	19.0	19.0	19.0	19.0
H2	6.2	6.2	6.2	8.9	12.9	16.7	18.7	19.0	19.1	19.1	19.1	19.1
H3	6.4	6.4	6.4	9.1	13.1	16.9	19.0	19.3	19.3	19.3	19.3	19.3
H4	6.4	6.4	6.4	9.1	13.2	16.9	19.0	19.3	19.3	19.3	19.3	19.3
H5	6.5	6.5	6.5	9.2	13.3	17.0	19.1	19.4	19.4	19.4	19.4	19.4
H6	5.6	5.6	5.6	8.3	12.4	16.1	18.2	18.5	18.5	18.5	18.5	18.5
H7	10.0	10.0	10.0	12.7	16.7	20.5	22.6	22.9	22.9	22.9	22.9	22.9
H8	10.7	10.7	10.7	13.4	17.4	21.2	23.3	23.6	23.6	23.6	23.6	23.6
H9	11.7	11.7	11.7	14.4	18.4	22.2	24.2	24.6	24.6	24.6	24.6	24.6
H10	11.3	11.3	11.3	14.0	18.0	21.8	23.9	24.2	24.2	24.2	24.2	24.2
H11	11.4	11.4	11.4	14.1	18.1	21.9	24.0	24.3	24.3	24.3	24.3	24.3
H12	13.8	13.8	13.8	16.5	20.6	24.3	26.4	26.7	26.7	26.7	26.7	26.7
H13	7.9	7.9	7.9	10.5	14.6	18.3	20.4	20.7	20.8	20.8	20.8	20.8
H14	12.7	12.7	12.7	15.4	19.4	23.2	25.2	25.6	25.6	25.6	25.6	25.6
H15	14.5	14.5	14.5	17.2	21.2	25.0	27.1	27.4	27.4	27.4	27.4	27.4
H16	8.3	8.3	8.3	11.0	15.0	18.8	20.9	21.2	21.2	21.2	21.2	21.2
H17	12.0	12.0	12.0	14.7	18.7	22.5	24.6	24.9	24.9	24.9	24.9	24.9
H18	13.0	13.0	13.0	15.6	19.7	23.4	25.5	25.8	25.9	25.9	25.9	25.9
H19	12.0	12.0	12.0	14.6	18.7	22.4	24.5	24.8	24.9	24.9	24.9	24.9
H20	13.4	13.4	13.4	16.1	20.1	23.9	25.9	26.3	26.3	26.3	26.3	26.3
H21	11.8	11.8	11.8	14.5	18.5	22.3	24.3	24.6	24.7	24.7	24.7	24.7
H22	12.3	12.3	12.3	15.0	19.0	22.8	24.8	25.2	25.2	25.2	25.2	25.2
H23	12.5	12.5	12.5	15.1	19.2	22.9	25.0	25.3	25.4	25.4	25.4	25.4
H24	21.2	21.2	21.2	23.9	28.0	31.7	33.8	34.1	34.1	34.1	34.1	34.1
H25	14.7	14.7	14.7	17.4	21.5	25.2	27.3	27.6	27.6	27.6	27.6	27.6
H26	12.1	12.1	12.1	14.8	18.8	22.6	24.7	25.0	25.0	25.0	25.0	25.0
H27	14.3	14.3	14.3	17.0	21.1	24.8	26.9	27.2	27.2	27.2	27.2	27.2

Table 10.11.6: Predicted Noise Levels in 150 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H28	13.8	13.8	13.8	16.5	20.5	24.3	26.4	26.7	26.7	26.7	26.7	26.7
H29	11.8	11.8	11.8	14.5	18.5	22.3	24.4	24.7	24.7	24.7	24.7	24.7
H30	12.7	12.7	12.7	15.4	19.4	23.2	25.2	25.6	25.6	25.6	25.6	25.6
H31	12.0	12.0	12.0	14.7	18.7	22.5	24.5	24.9	24.9	24.9	24.9	24.9
H32	12.1	12.1	12.1	14.8	18.9	22.6	24.7	25.0	25.0	25.0	25.0	25.0
H33	9.1	9.1	9.1	11.8	15.8	19.6	21.6	21.9	22.0	22.0	22.0	22.0
H34	21.0	21.0	21.0	23.7	27.8	31.5	33.6	33.9	33.9	33.9	33.9	33.9
H35	12.9	12.9	12.9	15.5	19.6	23.3	25.4	25.7	25.8	25.8	25.8	25.8
H36	11.0	11.0	11.0	13.7	17.7	21.5	23.6	23.9	23.9	23.9	23.9	23.9
H37	9.5	9.5	9.5	12.2	16.2	20.0	22.0	22.4	22.4	22.4	22.4	22.4
H38	13.3	13.3	13.3	16.0	20.0	23.8	25.8	26.2	26.2	26.2	26.2	26.2
H39	23.8	23.8	23.8	26.5	30.5	34.3	36.4	36.7	36.7	36.7	36.7	36.7
H40	13.8	13.8	13.8	16.5	20.6	24.3	26.4	26.7	26.7	26.7	26.7	26.7
H41	10.3	10.3	10.3	13.0	17.1	20.8	22.9	23.2	23.2	23.2	23.2	23.2
H42	11.1	11.1	11.1	13.8	17.8	21.6	23.7	24.0	24.0	24.0	24.0	24.0
H43	9.8	9.8	9.8	12.5	16.5	20.3	22.4	22.7	22.7	22.7	22.7	22.7
H44	12.6	12.6	12.6	15.3	19.3	23.1	25.1	25.5	25.5	25.5	25.5	25.5
H45	11.0	11.0	11.0	13.7	17.8	21.5	23.6	23.9	23.9	23.9	23.9	23.9
H46	10.4	10.4	10.4	13.1	17.1	20.9	22.9	23.3	23.3	23.3	23.3	23.3
H47	10.3	10.3	10.3	13.0	17.0	20.8	22.9	23.2	23.2	23.2	23.2	23.2
H48	22.1	22.1	22.1	24.8	28.8	32.6	34.7	35.0	35.0	35.0	35.0	35.0
H49	19.8	19.8	19.8	22.5	26.5	30.3	32.3	32.7	32.7	32.7	32.7	32.7
H50	19.3	19.3	19.3	22.0	26.0	29.8	31.9	32.2	32.2	32.2	32.2	32.2
H52	19.7	19.7	19.7	22.4	26.4	30.2	32.3	32.6	32.6	32.6	32.6	32.6
H53	19.5	19.5	19.5	22.2	26.3	30.0	32.1	32.4	32.4	32.4	32.4	32.4
H54	19.0	19.0	19.0	21.7	25.7	29.5	31.5	31.9	31.9	31.9	31.9	31.9
H55	19.3	19.3	19.3	22.0	26.0	29.8	31.8	32.2	32.2	32.2	32.2	32.2
H56	20.0	20.0	20.0	22.7	26.8	30.5	32.6	32.9	32.9	32.9	32.9	32.9
H57	20.2	20.2	20.2	22.9	26.9	30.7	32.8	33.1	33.1	33.1	33.1	33.1
H58	19.8	19.8	19.8	22.5	26.5	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H59	19.8	19.8	19.8	22.5	26.5	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H60	19.8	19.8	19.8	22.5	26.6	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H61	19.9	19.9	19.9	22.6	26.6	30.4	32.5	32.8	32.8	32.8	32.8	32.8
H62	20.0	20.0	20.0	22.7	26.7	30.5	32.6	32.9	32.9	32.9	32.9	32.9
H63	19.8	19.8	19.8	22.5	26.6	30.3	32.4	32.7	32.7	32.7	32.7	32.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H64	19.9	19.9	19.9	22.6	26.6	30.4	32.4	32.8	32.8	32.8	32.8	32.8
H65	19.9	19.9	19.9	22.6	26.6	30.4	32.4	32.8	32.8	32.8	32.8	32.8
H66	19.9	19.9	19.9	22.6	26.6	30.4	32.5	32.8	32.8	32.8	32.8	32.8
H67	20.3	20.3	20.3	23.0	27.0	30.8	32.8	33.2	33.2	33.2	33.2	33.2
H68	24.0	24.0	24.0	26.7	30.7	34.5	36.5	36.9	36.9	36.9	36.9	36.9
H69	24.3	24.3	24.3	27.0	31.1	34.8	36.9	37.2	37.2	37.2	37.2	37.2
H70	22.6	22.6	22.6	25.3	29.3	33.1	35.2	35.5	35.5	35.5	35.5	35.5
H71	18.8	18.8	18.8	21.5	25.5	29.3	31.4	31.7	31.7	31.7	31.7	31.7
H72	13.2	13.2	13.2	15.9	19.9	23.7	25.7	26.1	26.1	26.1	26.1	26.1
H73	22.9	22.9	22.9	25.6	29.6	33.4	35.4	35.8	35.8	35.8	35.8	35.8
H74	22.9	22.9	22.9	25.6	29.6	33.4	35.5	35.8	35.8	35.8	35.8	35.8
H75	23.8	23.8	23.8	26.5	30.5	34.3	36.3	36.7	36.7	36.7	36.7	36.7
H76	22.4	22.4	22.4	25.1	29.1	32.9	35.0	35.3	35.3	35.3	35.3	35.3
H77	22.4	22.4	22.4	25.1	29.1	32.9	35.0	35.3	35.3	35.3	35.3	35.3
H78	23.9	23.9	23.9	26.6	30.6	34.4	36.5	36.8	36.8	36.8	36.8	36.8
H79	24.0	24.0	24.0	26.7	30.8	34.5	36.6	36.9	36.9	36.9	36.9	36.9
H80	22.6	22.6	22.6	25.2	29.3	33.0	35.1	35.4	35.5	35.5	35.5	35.5
H81	22.4	22.4	22.4	25.1	29.1	32.9	34.9	35.3	35.3	35.3	35.3	35.3
H82	22.1	22.1	22.1	24.8	28.8	32.6	34.6	35.0	35.0	35.0	35.0	35.0
H83	22.1	22.1	22.1	24.8	28.8	32.6	34.6	35.0	35.0	35.0	35.0	35.0
H84	20.6	20.6	20.6	23.3	27.3	31.0	33.1	33.4	33.5	33.5	33.5	33.5
H85	18.6	18.6	18.6	21.3	25.3	29.1	31.1	31.5	31.5	31.5	31.5	31.5
H86	18.3	18.3	18.3	21.0	25.0	28.8	30.9	31.2	31.2	31.2	31.2	31.2
H87	18.4	18.4	18.4	21.1	25.1	28.9	31.0	31.3	31.3	31.3	31.3	31.3
H88	14.9	14.9	14.9	17.6	21.6	25.4	27.4	27.8	27.8	27.8	27.8	27.8
H89	17.2	17.2	17.2	19.9	23.9	27.7	29.8	30.1	30.1	30.1	30.1	30.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	5.6	5.6	5.6	8.3	12.3	16.1	18.2	18.5	18.5	18.5	18.5	18.5
H2	5.6	5.6	5.6	8.3	12.4	16.1	18.2	18.5	18.5	18.5	18.5	18.5
H3	5.8	5.8	5.8	8.5	12.5	16.3	18.3	18.6	18.7	18.7	18.7	18.7
H4	5.8	5.8	5.8	8.5	12.5	16.3	18.3	18.7	18.7	18.7	18.7	18.7
H5	5.9	5.9	5.9	8.6	12.6	16.4	18.5	18.8	18.8	18.8	18.8	18.8

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H6	6.3	6.3	6.3	9.0	13.1	16.8	18.9	19.2	19.2	19.2	19.2	19.2
H7	8.1	8.1	8.1	10.8	14.9	18.6	20.7	21.0	21.0	21.0	21.0	21.0
H8	7.1	7.1	7.1	9.8	13.9	17.6	19.7	20.0	20.0	20.0	20.0	20.0
H9	8.1	8.1	8.1	10.8	14.8	18.6	20.7	21.0	21.0	21.0	21.0	21.0
H10	9.5	9.5	9.5	12.2	16.2	20.0	22.0	22.4	22.4	22.4	22.4	22.4
H11	9.6	9.6	9.6	12.3	16.3	20.1	22.1	22.4	22.5	22.5	22.5	22.5
H12	11.2	11.2	11.2	13.9	17.9	21.7	23.8	24.1	24.1	24.1	24.1	24.1
H13	9.3	9.3	9.3	12.0	16.0	19.8	21.8	22.2	22.2	22.2	22.2	22.2
H14	9.0	9.0	9.0	11.7	15.7	19.5	21.5	21.9	21.9	21.9	21.9	21.9
H15	10.2	10.2	10.2	12.8	16.9	20.6	22.7	23.0	23.1	23.1	23.1	23.1
H16	10.5	10.5	10.5	13.2	17.2	21.0	23.0	23.4	23.4	23.4	23.4	23.4
H17	13.9	13.9	13.9	16.6	20.7	24.4	26.5	26.8	26.8	26.8	26.8	26.8
H18	14.9	14.9	14.9	17.6	21.6	25.4	27.5	27.8	27.8	27.8	27.8	27.8
H19	14.1	14.1	14.1	16.8	20.8	24.6	26.7	27.0	27.0	27.0	27.0	27.0
H20	15.3	15.3	15.3	18.0	22.0	25.8	27.8	28.1	28.2	28.2	28.2	28.2
H21	13.9	13.9	13.9	16.6	20.6	24.4	26.5	26.8	26.8	26.8	26.8	26.8
H22	14.4	14.4	14.4	17.1	21.1	24.9	27.0	27.3	27.3	27.3	27.3	27.3
H23	14.6	14.6	14.6	17.3	21.3	25.1	27.1	27.5	27.5	27.5	27.5	27.5
H24	18.4	18.4	18.4	21.1	25.1	28.9	30.9	31.3	31.3	31.3	31.3	31.3
H25	16.4	16.4	16.4	19.1	23.1	26.9	28.9	29.3	29.3	29.3	29.3	29.3
H26	14.3	14.3	14.3	17.0	21.0	24.8	26.9	27.2	27.2	27.2	27.2	27.2
H27	16.3	16.3	16.3	19.0	23.1	26.8	28.9	29.2	29.2	29.2	29.2	29.2
H28	16.1	16.1	16.1	18.8	22.8	26.6	28.7	29.0	29.0	29.0	29.0	29.0
H29	14.9	14.9	14.9	17.6	21.6	25.4	27.5	27.8	27.8	27.8	27.8	27.8
H30	15.5	15.5	15.5	18.2	22.2	26.0	28.0	28.4	28.4	28.4	28.4	28.4
H31	15.1	15.1	15.1	17.8	21.8	25.6	27.6	28.0	28.0	28.0	28.0	28.0
H32	15.2	15.2	15.2	17.9	21.9	25.7	27.8	28.1	28.1	28.1	28.1	28.1
H33	12.7	12.7	12.7	15.4	19.4	23.2	25.3	25.6	25.6	25.6	25.6	25.6
H34	22.3	22.3	22.3	25.0	29.0	32.8	34.8	35.2	35.2	35.2	35.2	35.2
H35	15.8	15.8	15.8	18.5	22.6	26.3	28.4	28.7	28.7	28.7	28.7	28.7
H36	14.2	14.2	14.2	16.9	20.9	24.7	26.8	27.1	27.1	27.1	27.1	27.1
H37	13.1	13.1	13.1	15.8	19.8	23.6	25.7	26.0	26.0	26.0	26.0	26.0
H38	16.2	16.2	16.2	18.9	22.9	26.7	28.7	29.1	29.1	29.1	29.1	29.1
H39	21.8	21.8	21.8	24.5	28.5	32.3	34.3	34.7	34.7	34.7	34.7	34.7
H40	16.8	16.8	16.8	19.4	23.5	27.2	29.3	29.6	29.7	29.7	29.7	29.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H41	14.0	14.0	14.0	16.6	20.7	24.4	26.5	26.8	26.9	26.9	26.9	26.9
H42	14.7	14.7	14.7	17.4	21.4	25.2	27.3	27.6	27.6	27.6	27.6	27.6
H43	13.6	13.6	13.6	16.3	20.3	24.1	26.2	26.5	26.5	26.5	26.5	26.5
H44	15.7	15.7	15.7	18.4	22.4	26.2	28.2	28.5	28.6	28.6	28.6	28.6
H45	14.8	14.8	14.8	17.5	21.5	25.3	27.4	27.7	27.7	27.7	27.7	27.7
H46	14.2	14.2	14.2	16.9	20.9	24.7	26.7	27.1	27.1	27.1	27.1	27.1
H47	14.1	14.1	14.1	16.8	20.8	24.6	26.7	27.0	27.0	27.0	27.0	27.0
H48	20.3	20.3	20.3	23.0	27.0	30.8	32.8	33.2	33.2	33.2	33.2	33.2
H49	19.0	19.0	19.0	21.7	25.7	29.5	31.6	31.9	31.9	31.9	31.9	31.9
H50	18.6	18.6	18.6	21.3	25.3	29.1	31.1	31.5	31.5	31.5	31.5	31.5
H52	18.9	18.9	18.9	21.6	25.6	29.4	31.5	31.8	31.8	31.8	31.8	31.8
H53	18.7	18.7	18.7	21.4	25.5	29.2	31.3	31.6	31.6	31.6	31.6	31.6
H54	18.8	18.8	18.8	21.5	25.6	29.3	31.4	31.7	31.7	31.7	31.7	31.7
H55	19.1	19.1	19.1	21.8	25.8	29.6	31.7	32.0	32.0	32.0	32.0	32.0
H56	20.0	20.0	20.0	22.7	26.8	30.5	32.6	32.9	32.9	32.9	32.9	32.9
H57	20.2	20.2	20.2	22.9	26.9	30.7	32.8	33.1	33.1	33.1	33.1	33.1
H58	19.8	19.8	19.8	22.5	26.5	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H59	19.8	19.8	19.8	22.5	26.5	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H60	19.8	19.8	19.8	22.5	26.6	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H61	19.9	19.9	19.9	22.6	26.6	30.4	32.5	32.8	32.8	32.8	32.8	32.8
H62	20.0	20.0	20.0	22.7	26.7	30.5	32.6	32.9	32.9	32.9	32.9	32.9
H63	19.8	19.8	19.8	22.5	26.6	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H64	19.9	19.9	19.9	22.6	26.6	30.4	32.4	32.8	32.8	32.8	32.8	32.8
H65	19.9	19.9	19.9	22.6	26.6	30.4	32.4	32.8	32.8	32.8	32.8	32.8
H66	19.9	19.9	19.9	22.6	26.6	30.4	32.5	32.8	32.8	32.8	32.8	32.8
H67	20.3	20.3	20.3	23.0	27.0	30.8	32.8	33.2	33.2	33.2	33.2	33.2
H68	24.0	24.0	24.0	26.7	30.7	34.5	36.5	36.9	36.9	36.9	36.9	36.9
H69	24.3	24.3	24.3	27.0	31.1	34.8	36.9	37.2	37.2	37.2	37.2	37.2
H70	22.6	22.6	22.6	25.3	29.3	33.1	35.2	35.5	35.5	35.5	35.5	35.5
H71	18.8	18.8	18.8	21.5	25.5	29.3	31.4	31.7	31.7	31.7	31.7	31.7
H72	16.4	16.4	16.4	19.1	23.1	26.9	29.0	29.3	29.3	29.3	29.3	29.3
H73	22.9	22.9	22.9	25.6	29.6	33.4	35.4	35.8	35.8	35.8	35.8	35.8
H74	22.9	22.9	22.9	25.6	29.6	33.4	35.5	35.8	35.8	35.8	35.8	35.8
H75	23.8	23.8	23.8	26.5	30.5	34.3	36.3	36.7	36.7	36.7	36.7	36.7
H76	22.4	22.4	22.4	25.1	29.1	32.9	35.0	35.3	35.3	35.3	35.3	35.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H77	22.4	22.4	22.4	25.1	29.1	32.9	35.0	35.3	35.3	35.3	35.3	35.3
H78	23.9	23.9	23.9	26.6	30.6	34.4	36.5	36.8	36.8	36.8	36.8	36.8
H79	24.0	24.0	24.0	26.7	30.8	34.5	36.6	36.9	36.9	36.9	36.9	36.9
H80	22.6	22.6	22.6	25.2	29.3	33.0	35.1	35.4	35.5	35.5	35.5	35.5
H81	22.4	22.4	22.4	25.1	29.1	32.9	34.9	35.3	35.3	35.3	35.3	35.3
H82	22.1	22.1	22.1	24.8	28.8	32.6	34.6	35.0	35.0	35.0	35.0	35.0
H83	22.1	22.1	22.1	24.8	28.8	32.6	34.6	35.0	35.0	35.0	35.0	35.0
H84	20.6	20.6	20.6	23.3	27.3	31.0	33.1	33.4	33.5	33.5	33.5	33.5
H85	18.6	18.6	18.6	21.3	25.3	29.1	31.1	31.5	31.5	31.5	31.5	31.5
H86	18.3	18.3	18.3	21.0	25.0	28.8	30.9	31.2	31.2	31.2	31.2	31.2
H87	18.4	18.4	18.4	21.1	25.1	28.9	31.0	31.3	31.3	31.3	31.3	31.3
H88	17.8	17.8	17.8	20.5	24.5	28.3	30.3	30.7	30.7	30.7	30.7	30.7
H89	20.1	20.1	20.1	22.8	26.8	30.6	32.6	32.9	33.0	33.0	33.0	33.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	6.7	6.7	6.7	9.3	13.4	17.1	19.2	19.5	19.6	19.6	19.6	19.6
H2	6.7	6.7	6.7	9.4	13.4	17.2	19.2	19.6	19.6	19.6	19.6	19.6
H3	6.7	6.7	6.7	9.4	13.4	17.2	19.3	19.6	19.6	19.6	19.6	19.6
H4	6.7	6.7	6.7	9.4	13.5	17.2	19.3	19.6	19.6	19.6	19.6	19.6
H5	6.9	6.9	6.9	9.6	13.6	17.4	19.4	19.7	19.8	19.8	19.8	19.8
H6	9.0	9.0	9.0	11.7	15.7	19.5	21.6	21.9	21.9	21.9	21.9	21.9
H7	8.0	8.0	8.0	10.7	14.7	18.5	20.5	20.9	20.9	20.9	20.9	20.9
H8	5.7	5.7	5.7	8.4	12.4	16.2	18.2	18.6	18.6	18.6	18.6	18.6
H9	6.6	6.6	6.6	9.3	13.4	17.1	19.2	19.5	19.5	19.5	19.5	19.5
H10	9.3	9.3	9.3	12.0	16.1	19.8	21.9	22.2	22.2	22.2	22.2	22.2
H11	9.4	9.4	9.4	12.1	16.1	19.9	22.0	22.3	22.3	22.3	22.3	22.3
H12	10.4	10.4	10.4	13.1	17.2	20.9	23.0	23.3	23.3	23.3	23.3	23.3
H13	12.9	12.9	12.9	15.6	19.6	23.4	25.5	25.8	25.8	25.8	25.8	25.8
H14	7.4	7.4	7.4	10.1	14.1	17.9	19.9	20.3	20.3	20.3	20.3	20.3
H15	8.0	8.0	8.0	10.6	14.7	18.4	20.5	20.8	20.9	20.9	20.9	20.9
H16	14.5	14.5	14.5	17.2	21.3	25.0	27.1	27.4	27.4	27.4	27.4	27.4
H17	17.8	17.8	17.8	20.5	24.5	28.3	30.4	30.7	30.7	30.7	30.7	30.7
H18	18.8	18.8	18.8	21.5	25.5	29.3	31.3	31.7	31.7	31.7	31.7	31.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H19	18.2	18.2	18.2	20.9	24.9	28.7	30.7	31.1	31.1	31.1	31.1	31.1
H20	19.1	19.1	19.1	21.8	25.8	29.6	31.7	32.0	32.0	32.0	32.0	32.0
H21	17.9	17.9	17.9	20.6	24.7	28.4	30.5	30.8	30.8	30.8	30.8	30.8
H22	18.4	18.4	18.4	21.1	25.2	28.9	31.0	31.3	31.3	31.3	31.3	31.3
H23	18.6	18.6	18.6	21.3	25.3	29.1	31.2	31.5	31.5	31.5	31.5	31.5
H24	16.9	16.9	16.9	19.6	23.6	27.4	29.5	29.8	29.8	29.8	29.8	29.8
H25	19.9	19.9	19.9	22.6	26.7	30.4	32.5	32.8	32.8	32.8	32.8	32.8
H26	18.5	18.5	18.5	21.2	25.2	29.0	31.0	31.4	31.4	31.4	31.4	31.4
H27	20.2	20.2	20.2	22.9	26.9	30.7	32.8	33.1	33.1	33.1	33.1	33.1
H28	20.1	20.1	20.1	22.8	26.8	30.6	32.7	33.0	33.0	33.0	33.0	33.0
H29	18.8	18.8	18.8	21.5	25.5	29.3	31.3	31.7	31.7	31.7	31.7	31.7
H30	18.9	18.9	18.9	21.6	25.6	29.4	31.5	31.8	31.8	31.8	31.8	31.8
H31	18.9	18.9	18.9	21.6	25.7	29.4	31.5	31.8	31.8	31.8	31.8	31.8
H32	19.1	19.1	19.1	21.8	25.8	29.6	31.6	32.0	32.0	32.0	32.0	32.0
H33	16.9	16.9	16.9	19.5	23.6	27.3	29.4	29.7	29.8	29.8	29.8	29.8
H34	24.1	24.1	24.1	26.8	30.8	34.6	36.6	36.9	37.0	37.0	37.0	37.0
H35	19.7	19.7	19.7	22.4	26.4	30.2	32.3	32.6	32.6	32.6	32.6	32.6
H36	18.1	18.1	18.1	20.8	24.8	28.6	30.7	31.0	31.0	31.0	31.0	31.0
H37	17.3	17.3	17.3	20.0	24.0	27.8	29.8	30.2	30.2	30.2	30.2	30.2
H38	20.0	20.0	20.0	22.7	26.7	30.5	32.5	32.9	32.9	32.9	32.9	32.9
H39	19.7	19.7	19.7	22.4	26.4	30.2	32.3	32.6	32.6	32.6	32.6	32.6
H40	20.5	20.5	20.5	23.2	27.3	31.0	33.1	33.4	33.4	33.4	33.4	33.4
H41	18.1	18.1	18.1	20.8	24.9	28.6	30.7	31.0	31.0	31.0	31.0	31.0
H42	18.9	18.9	18.9	21.6	25.6	29.4	31.5	31.8	31.8	31.8	31.8	31.8
H43	17.3	17.3	17.3	20.0	24.1	27.8	29.9	30.2	30.2	30.2	30.2	30.2
H44	19.6	19.6	19.6	22.3	26.3	30.1	32.1	32.5	32.5	32.5	32.5	32.5
H45	18.6	18.6	18.6	21.3	25.3	29.1	31.1	31.5	31.5	31.5	31.5	31.5
H46	17.9	17.9	17.9	20.6	24.7	28.4	30.5	30.8	30.8	30.8	30.8	30.8
H47	17.9	17.9	17.9	20.5	24.6	28.3	30.4	30.7	30.8	30.8	30.8	30.8
H48	16.2	16.2	16.2	18.9	23.0	26.7	28.8	29.1	29.1	29.1	29.1	29.1
H49	15.5	15.5	15.5	18.2	22.2	26.0	28.1	28.4	28.4	28.4	28.4	28.4
H50	15.1	15.1	15.1	17.7	21.8	25.5	27.6	27.9	28.0	28.0	28.0	28.0
H52	15.4	15.4	15.4	18.0	22.1	25.8	27.9	28.2	28.3	28.3	28.3	28.3
H53	15.2	15.2	15.2	17.9	21.9	25.7	27.7	28.1	28.1	28.1	28.1	28.1
H54	15.1	15.1	15.1	17.8	21.8	25.6	27.7	28.0	28.0	28.0	28.0	28.0

Table 10.11.8: Predicted Noise Levels in 210 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H55	16.8	16.8	16.8	19.5	23.5	27.3	29.4	29.7	29.7	29.7	29.7	29.7
H56	17.6	17.6	17.6	20.3	24.3	28.1	30.2	30.5	30.5	30.5	30.5	30.5
H57	17.8	17.8	17.8	20.5	24.5	28.3	30.3	30.7	30.7	30.7	30.7	30.7
H58	17.4	17.4	17.4	20.0	24.1	27.8	29.9	30.2	30.3	30.3	30.3	30.3
H59	17.4	17.4	17.4	20.0	24.1	27.8	29.9	30.2	30.3	30.3	30.3	30.3
H60	17.4	17.4	17.4	20.1	24.1	27.9	30.0	30.3	30.3	30.3	30.3	30.3
H61	17.4	17.4	17.4	20.1	24.2	27.9	30.0	30.3	30.3	30.3	30.3	30.3
H62	17.5	17.5	17.5	20.2	24.3	28.0	30.1	30.4	30.4	30.4	30.4	30.4
H63	17.9	17.9	17.9	20.6	24.7	28.4	30.5	30.8	30.8	30.8	30.8	30.8
H64	17.9	17.9	17.9	20.6	24.7	28.4	30.5	30.8	30.8	30.8	30.8	30.8
H65	18.0	18.0	18.0	20.7	24.7	28.5	30.5	30.9	30.9	30.9	30.9	30.9
H66	18.0	18.0	18.0	20.7	24.7	28.5	30.6	30.9	30.9	30.9	30.9	30.9
H67	18.3	18.3	18.3	21.0	25.1	28.8	30.9	31.2	31.2	31.2	31.2	31.2
H68	23.4	23.4	23.4	26.0	30.1	33.8	35.9	36.2	36.3	36.3	36.3	36.3
H69	24.1	24.1	24.1	26.8	30.9	34.6	36.7	37.0	37.0	37.0	37.0	37.0
H70	22.0	22.0	22.0	24.7	28.7	32.5	34.5	34.9	34.9	34.9	34.9	34.9
H71	17.7	17.7	17.7	20.4	24.4	28.2	30.2	30.6	30.6	30.6	30.6	30.6
H72	16.4	16.4	16.4	19.1	23.1	26.9	29.0	29.3	29.3	29.3	29.3	29.3
H73	22.6	22.6	22.6	25.3	29.3	33.1	35.2	35.5	35.5	35.5	35.5	35.5
H74	22.6	22.6	22.6	25.3	29.4	33.1	35.2	35.5	35.5	35.5	35.5	35.5
H75	23.8	23.8	23.8	26.5	30.5	34.3	36.3	36.7	36.7	36.7	36.7	36.7
H76	22.1	22.1	22.1	24.8	28.8	32.6	34.7	35.0	35.0	35.0	35.0	35.0
H77	22.1	22.1	22.1	24.8	28.8	32.6	34.7	35.0	35.0	35.0	35.0	35.0
H78	23.9	23.9	23.9	26.6	30.6	34.4	36.5	36.8	36.8	36.8	36.8	36.8
H79	24.0	24.0	24.0	26.7	30.8	34.5	36.6	36.9	36.9	36.9	36.9	36.9
H80	22.6	22.6	22.6	25.2	29.3	33.0	35.1	35.4	35.5	35.5	35.5	35.5
H81	22.4	22.4	22.4	25.1	29.1	32.9	34.9	35.3	35.3	35.3	35.3	35.3
H82	22.1	22.1	22.1	24.8	28.8	32.6	34.6	35.0	35.0	35.0	35.0	35.0
H83	22.1	22.1	22.1	24.8	28.8	32.6	34.6	35.0	35.0	35.0	35.0	35.0
H84	20.6	20.6	20.6	23.3	27.3	31.0	33.1	33.4	33.5	33.5	33.5	33.5
H85	18.6	18.6	18.6	21.3	25.3	29.1	31.1	31.5	31.5	31.5	31.5	31.5
H86	18.3	18.3	18.3	21.0	25.0	28.8	30.9	31.2	31.2	31.2	31.2	31.2
H87	18.4	18.4	18.4	21.1	25.1	28.9	31.0	31.3	31.3	31.3	31.3	31.3
H88	20.9	20.9	20.9	23.6	27.7	31.4	33.5	33.8	33.8	33.8	33.8	33.8
H89	22.8	22.8	22.8	25.5	29.6	33.3	35.4	35.7	35.7	35.7	35.7	35.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	9.7	9.7	9.7	12.4	16.5	20.2	22.3	22.6	22.6	22.6	22.6	22.6
H2	9.7	9.7	9.7	12.4	16.5	20.2	22.3	22.6	22.6	22.6	22.6	22.6
H3	9.7	9.7	9.7	12.4	16.5	20.2	22.3	22.6	22.6	22.6	22.6	22.6
H4	9.8	9.8	9.8	12.5	16.5	20.3	22.3	22.7	22.7	22.7	22.7	22.7
H5	9.9	9.9	9.9	12.6	16.6	20.4	22.4	22.8	22.8	22.8	22.8	22.8
H6	13.4	13.4	13.4	16.1	20.1	23.9	26.0	26.3	26.3	26.3	26.3	26.3
H7	9.4	9.4	9.4	12.1	16.1	19.9	22.0	22.3	22.3	22.3	22.3	22.3
H8	5.8	5.8	5.8	8.5	12.5	16.3	18.4	18.7	18.7	18.7	18.7	18.7
H9	6.8	6.8	6.8	9.5	13.5	17.2	19.3	19.6	19.7	19.7	19.7	19.7
H10	10.8	10.8	10.8	13.5	17.5	21.3	23.3	23.7	23.7	23.7	23.7	23.7
H11	10.9	10.9	10.9	13.6	17.6	21.4	23.4	23.8	23.8	23.8	23.8	23.8
H12	11.1	11.1	11.1	13.8	17.8	21.6	23.7	24.0	24.0	24.0	24.0	24.0
H13	16.6	16.6	16.6	19.3	23.3	27.1	29.1	29.5	29.5	29.5	29.5	29.5
H14	7.4	7.4	7.4	10.1	14.1	17.9	19.9	20.3	20.3	20.3	20.3	20.3
H15	7.6	7.6	7.6	10.3	14.3	18.1	20.1	20.5	20.5	20.5	20.5	20.5
H16	17.4	17.4	17.4	20.1	24.1	27.9	30.0	30.3	30.3	30.3	30.3	30.3
H17	20.3	20.3	20.3	23.0	27.0	30.8	32.8	33.1	33.2	33.2	33.2	33.2
H18	21.2	21.2	21.2	23.9	27.9	31.7	33.8	34.1	34.1	34.1	34.1	34.1
H19	21.1	21.1	21.1	23.8	27.8	31.6	33.6	34.0	34.0	34.0	34.0	34.0
H20	21.5	21.5	21.5	24.2	28.2	32.0	34.1	34.4	34.4	34.4	34.4	34.4
H21	20.9	20.9	20.9	23.6	27.6	31.4	33.4	33.8	33.8	33.8	33.8	33.8
H22	21.4	21.4	21.4	24.1	28.1	31.9	33.9	34.3	34.3	34.3	34.3	34.3
H23	21.6	21.6	21.6	24.3	28.3	32.1	34.1	34.5	34.5	34.5	34.5	34.5
H24	16.6	16.6	16.6	19.2	23.3	27.0	29.1	29.4	29.5	29.5	29.5	29.5
H25	22.3	22.3	22.3	25.0	29.0	32.8	34.9	35.2	35.2	35.2	35.2	35.2
H26	21.1	21.1	21.1	23.8	27.9	31.6	33.7	34.0	34.0	34.0	34.0	34.0
H27	22.6	22.6	22.6	25.3	29.4	33.1	35.2	35.5	35.5	35.5	35.5	35.5
H28	22.2	22.2	22.2	24.9	28.9	32.7	34.8	35.1	35.1	35.1	35.1	35.1
H29	20.7	20.7	20.7	23.4	27.4	31.2	33.2	33.6	33.6	33.6	33.6	33.6
H30	21.2	21.2	21.2	23.9	27.9	31.7	33.8	34.1	34.1	34.1	34.1	34.1
H31	20.9	20.9	20.9	23.6	27.6	31.4	33.4	33.8	33.8	33.8	33.8	33.8
H32	21.1	21.1	21.1	23.7	27.8	31.5	33.6	33.9	34.0	34.0	34.0	34.0
H33	17.4	17.4	17.4	20.1	24.1	27.9	30.0	30.3	30.3	30.3	30.3	30.3
H34	25.3	25.3	25.3	28.0	32.1	35.8	37.9	38.2	38.2	38.2	38.2	38.2

Table 10.11.9: Predicted Noise Levels in 240 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H35	21.7	21.7	21.7	24.4	28.4	32.2	34.3	34.6	34.6	34.6	34.6	34.6
H36	19.8	19.8	19.8	22.5	26.5	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H37	17.9	17.9	17.9	20.5	24.6	28.3	30.4	30.7	30.8	30.8	30.8	30.8
H38	21.9	21.9	21.9	24.6	28.7	32.4	34.5	34.8	34.8	34.8	34.8	34.8
H39	18.7	18.7	18.7	21.4	25.4	29.2	31.3	31.6	31.6	31.6	31.6	31.6
H40	22.2	22.2	22.2	24.9	28.9	32.7	34.7	35.0	35.1	35.1	35.1	35.1
H41	18.7	18.7	18.7	21.4	25.5	29.2	31.3	31.6	31.6	31.6	31.6	31.6
H42	19.5	19.5	19.5	22.2	26.2	30.0	32.1	32.4	32.4	32.4	32.4	32.4
H43	17.9	17.9	17.9	20.6	24.7	28.4	30.5	30.8	30.8	30.8	30.8	30.8
H44	21.3	21.3	21.3	24.0	28.1	31.8	33.9	34.2	34.2	34.2	34.2	34.2
H45	19.2	19.2	19.2	21.9	25.9	29.7	31.8	32.1	32.1	32.1	32.1	32.1
H46	18.6	18.6	18.6	21.2	25.3	29.0	31.1	31.4	31.5	31.5	31.5	31.5
H47	18.5	18.5	18.5	21.2	25.2	29.0	31.1	31.4	31.4	31.4	31.4	31.4
H48	13.6	13.6	13.6	16.3	20.3	24.1	26.2	26.5	26.5	26.5	26.5	26.5
H49	11.7	11.7	11.7	14.4	18.4	22.2	24.2	24.6	24.6	24.6	24.6	24.6
H50	11.2	11.2	11.2	13.9	17.9	21.7	23.8	24.1	24.1	24.1	24.1	24.1
H52	11.6	11.6	11.6	14.2	18.3	22.0	24.1	24.4	24.5	24.5	24.5	24.5
H53	11.4	11.4	11.4	14.1	18.1	21.9	23.9	24.3	24.3	24.3	24.3	24.3
H54	11.1	11.1	11.1	13.8	17.8	21.6	23.7	24.0	24.0	24.0	24.0	24.0
H55	12.5	12.5	12.5	15.2	19.2	23.0	25.1	25.4	25.4	25.4	25.4	25.4
H56	13.3	13.3	13.3	16.0	20.0	23.8	25.8	26.2	26.2	26.2	26.2	26.2
H57	13.4	13.4	13.4	16.1	20.2	23.9	26.0	26.3	26.3	26.3	26.3	26.3
H58	13.0	13.0	13.0	15.7	19.8	23.5	25.6	25.9	25.9	25.9	25.9	25.9
H59	13.0	13.0	13.0	15.7	19.8	23.5	25.6	25.9	25.9	25.9	25.9	25.9
H60	13.1	13.1	13.1	15.8	19.8	23.6	25.6	26.0	26.0	26.0	26.0	26.0
H61	13.1	13.1	13.1	15.8	19.8	23.6	25.7	26.0	26.0	26.0	26.0	26.0
H62	13.2	13.2	13.2	15.9	20.0	23.7	25.8	26.1	26.1	26.1	26.1	26.1
H63	13.4	13.4	13.4	16.1	20.1	23.9	26.0	26.3	26.3	26.3	26.3	26.3
H64	13.4	13.4	13.4	16.1	20.2	23.9	26.0	26.3	26.3	26.3	26.3	26.3
H65	13.4	13.4	13.4	16.1	20.2	23.9	26.0	26.3	26.3	26.3	26.3	26.3
H66	13.5	13.5	13.5	16.2	20.2	24.0	26.0	26.4	26.4	26.4	26.4	26.4
H67	13.8	13.8	13.8	16.5	20.5	24.3	26.4	26.7	26.7	26.7	26.7	26.7
H68	21.4	21.4	21.4	24.1	28.1	31.9	33.9	34.3	34.3	34.3	34.3	34.3
H69	21.9	21.9	21.9	24.6	28.7	32.4	34.5	34.8	34.8	34.8	34.8	34.8
H70	19.6	19.6	19.6	22.3	26.3	30.1	32.2	32.5	32.5	32.5	32.5	32.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H71	13.1	13.1	13.1	15.8	19.8	23.6	25.6	26.0	26.0	26.0	26.0	26.0
H72	16.4	16.4	16.4	19.1	23.1	26.9	29.0	29.3	29.3	29.3	29.3	29.3
H73	21.0	21.0	21.0	23.7	27.7	31.5	33.6	33.9	33.9	33.9	33.9	33.9
H74	21.0	21.0	21.0	23.7	27.7	31.5	33.6	33.9	33.9	33.9	33.9	33.9
H75	23.8	23.8	23.8	26.5	30.5	34.3	36.3	36.7	36.7	36.7	36.7	36.7
H76	20.4	20.4	20.4	23.1	27.1	30.9	33.0	33.3	33.3	33.3	33.3	33.3
H77	20.4	20.4	20.4	23.1	27.1	30.9	33.0	33.3	33.3	33.3	33.3	33.3
H78	23.9	23.9	23.9	26.6	30.6	34.4	36.5	36.8	36.8	36.8	36.8	36.8
H79	24.0	24.0	24.0	26.7	30.8	34.5	36.6	36.9	36.9	36.9	36.9	36.9
H80	22.6	22.6	22.6	25.2	29.3	33.0	35.1	35.4	35.5	35.5	35.5	35.5
H81	21.9	21.9	21.9	24.6	28.7	32.4	34.5	34.8	34.8	34.8	34.8	34.8
H82	22.1	22.1	22.1	24.8	28.8	32.6	34.6	35.0	35.0	35.0	35.0	35.0
H83	22.1	22.1	22.1	24.8	28.8	32.6	34.6	35.0	35.0	35.0	35.0	35.0
H84	19.4	19.4	19.4	22.1	26.2	29.9	32.0	32.3	32.3	32.3	32.3	32.3
H85	16.7	16.7	16.7	19.4	23.4	27.2	29.3	29.6	29.6	29.6	29.6	29.6
H86	16.4	16.4	16.4	19.1	23.2	26.9	29.0	29.3	29.3	29.3	29.3	29.3
H87	16.9	16.9	16.9	19.6	23.6	27.4	29.4	29.7	29.8	29.8	29.8	29.8
H88	22.5	22.5	22.5	25.2	29.2	33.0	35.1	35.4	35.4	35.4	35.4	35.4
H89	23.3	23.3	23.3	26.0	30.0	33.8	35.8	36.1	36.2	36.2	36.2	36.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	14.3	14.3	14.3	17.0	21.1	24.8	26.9	27.2	27.2	27.2	27.2	27.2
H2	14.3	14.3	14.3	17.0	21.1	24.8	26.9	27.2	27.2	27.2	27.2	27.2
H3	14.3	14.3	14.3	17.0	21.0	24.8	26.8	27.2	27.2	27.2	27.2	27.2
H4	14.3	14.3	14.3	17.0	21.0	24.8	26.9	27.2	27.2	27.2	27.2	27.2
H5	14.4	14.4	14.4	17.1	21.1	24.9	27.0	27.3	27.3	27.3	27.3	27.3
H6	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H7	12.9	12.9	12.9	15.6	19.6	23.4	25.5	25.8	25.8	25.8	25.8	25.8
H8	7.6	7.6	7.6	10.3	14.3	18.1	20.2	20.5	20.5	20.5	20.5	20.5
H9	8.6	8.6	8.6	11.2	15.3	19.0	21.1	21.4	21.5	21.5	21.5	21.5
H10	14.3	14.3	14.3	17.0	21.1	24.8	26.9	27.2	27.2	27.2	27.2	27.2
H11	14.4	14.4	14.4	17.1	21.1	24.9	27.0	27.3	27.3	27.3	27.3	27.3
H12	13.6	13.6	13.6	16.3	20.3	24.1	26.1	26.5	26.5	26.5	26.5	26.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H13	17.6	17.6	17.6	20.3	24.4	28.1	30.2	30.5	30.5	30.5	30.5	30.5
H14	9.0	9.0	9.0	11.7	15.7	19.5	21.5	21.9	21.9	21.9	21.9	21.9
H15	8.7	8.7	8.7	11.4	15.4	19.2	21.3	21.6	21.6	21.6	21.6	21.6
H16	17.8	17.8	17.8	20.5	24.5	28.3	30.4	30.7	30.7	30.7	30.7	30.7
H17	21.5	21.5	21.5	24.2	28.2	32.0	34.1	34.4	34.4	34.4	34.4	34.4
H18	22.4	22.4	22.4	25.1	29.1	32.9	35.0	35.3	35.3	35.3	35.3	35.3
H19	21.5	21.5	21.5	24.2	28.2	32.0	34.0	34.4	34.4	34.4	34.4	34.4
H20	22.7	22.7	22.7	25.4	29.4	33.2	35.3	35.6	35.6	35.6	35.6	35.6
H21	21.3	21.3	21.3	24.0	28.0	31.8	33.9	34.2	34.2	34.2	34.2	34.2
H22	21.8	21.8	21.8	24.5	28.5	32.3	34.4	34.7	34.7	34.7	34.7	34.7
H23	22.0	22.0	22.0	24.7	28.7	32.5	34.6	34.9	34.9	34.9	34.9	34.9
H24	17.0	17.0	17.0	19.7	23.7	27.5	29.6	29.9	29.9	29.9	29.9	29.9
H25	23.4	23.4	23.4	26.1	30.2	33.9	36.0	36.3	36.3	36.3	36.3	36.3
H26	21.6	21.6	21.6	24.3	28.3	32.1	34.2	34.5	34.5	34.5	34.5	34.5
H27	23.1	23.1	23.1	25.7	29.8	33.5	35.6	35.9	36.0	36.0	36.0	36.0
H28	22.7	22.7	22.7	25.3	29.4	33.1	35.2	35.5	35.6	35.6	35.6	35.6
H29	20.7	20.7	20.7	23.4	27.4	31.2	33.2	33.6	33.6	33.6	33.6	33.6
H30	21.7	21.7	21.7	24.4	28.4	32.2	34.3	34.6	34.6	34.6	34.6	34.6
H31	20.9	20.9	20.9	23.6	27.6	31.4	33.4	33.8	33.8	33.8	33.8	33.8
H32	21.1	21.1	21.1	23.7	27.8	31.5	33.6	33.9	34.0	34.0	34.0	34.0
H33	17.4	17.4	17.4	20.1	24.1	27.9	30.0	30.3	30.3	30.3	30.3	30.3
H34	26.0	26.0	26.0	28.7	32.8	36.5	38.6	38.9	38.9	38.9	38.9	38.9
H35	21.7	21.7	21.7	24.4	28.4	32.2	34.3	34.6	34.6	34.6	34.6	34.6
H36	19.8	19.8	19.8	22.5	26.5	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H37	17.9	17.9	17.9	20.5	24.6	28.3	30.4	30.7	30.8	30.8	30.8	30.8
H38	21.9	21.9	21.9	24.6	28.7	32.4	34.5	34.8	34.8	34.8	34.8	34.8
H39	18.6	18.6	18.6	21.3	25.3	29.1	31.1	31.5	31.5	31.5	31.5	31.5
H40	22.2	22.2	22.2	24.9	28.9	32.7	34.7	35.0	35.1	35.1	35.1	35.1
H41	18.7	18.7	18.7	21.4	25.5	29.2	31.3	31.6	31.6	31.6	31.6	31.6
H42	19.5	19.5	19.5	22.2	26.2	30.0	32.1	32.4	32.4	32.4	32.4	32.4
H43	17.9	17.9	17.9	20.6	24.7	28.4	30.5	30.8	30.8	30.8	30.8	30.8
H44	21.3	21.3	21.3	24.0	28.1	31.8	33.9	34.2	34.2	34.2	34.2	34.2
H45	19.2	19.2	19.2	21.9	25.9	29.7	31.8	32.1	32.1	32.1	32.1	32.1
H46	18.6	18.6	18.6	21.2	25.3	29.0	31.1	31.4	31.5	31.5	31.5	31.5
H47	18.5	18.5	18.5	21.2	25.2	29.0	31.1	31.4	31.4	31.4	31.4	31.4

Table 10.11.10: Predicted Noise Levels in 270 Degree Sector												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H48	12.8	12.8	12.8	15.5	19.5	23.3	25.4	25.7	25.7	25.7	25.7	25.7
H49	10.0	10.0	10.0	12.7	16.7	20.5	22.6	22.9	22.9	22.9	22.9	22.9
H50	9.6	9.6	9.6	12.3	16.3	20.1	22.1	22.5	22.5	22.5	22.5	22.5
H52	9.9	9.9	9.9	12.6	16.7	20.4	22.5	22.8	22.8	22.8	22.8	22.8
H53	9.8	9.8	9.8	12.5	16.5	20.3	22.3	22.7	22.7	22.7	22.7	22.7
H54	9.2	9.2	9.2	11.9	16.0	19.7	21.8	22.1	22.1	22.1	22.1	22.1
H55	10.0	10.0	10.0	12.7	16.7	20.5	22.5	22.9	22.9	22.9	22.9	22.9
H56	10.7	10.7	10.7	13.4	17.4	21.2	23.3	23.6	23.6	23.6	23.6	23.6
H57	10.9	10.9	10.9	13.6	17.6	21.4	23.5	23.8	23.8	23.8	23.8	23.8
H58	10.5	10.5	10.5	13.2	17.2	21.0	23.0	23.4	23.4	23.4	23.4	23.4
H59	10.5	10.5	10.5	13.2	17.2	21.0	23.0	23.4	23.4	23.4	23.4	23.4
H60	10.5	10.5	10.5	13.2	17.2	21.0	23.1	23.4	23.4	23.4	23.4	23.4
H61	10.6	10.6	10.6	13.3	17.3	21.1	23.1	23.5	23.5	23.5	23.5	23.5
H62	10.7	10.7	10.7	13.4	17.4	21.2	23.2	23.6	23.6	23.6	23.6	23.6
H63	10.7	10.7	10.7	13.3	17.4	21.1	23.2	23.5	23.6	23.6	23.6	23.6
H64	10.7	10.7	10.7	13.4	17.4	21.2	23.2	23.6	23.6	23.6	23.6	23.6
H65	10.7	10.7	10.7	13.4	17.4	21.2	23.3	23.6	23.6	23.6	23.6	23.6
H66	10.7	10.7	10.7	13.4	17.4	21.2	23.3	23.6	23.6	23.6	23.6	23.6
H67	11.1	11.1	11.1	13.8	17.8	21.6	23.6	24.0	24.0	24.0	24.0	24.0
H68	18.2	18.2	18.2	20.9	24.9	28.7	30.8	31.1	31.1	31.1	31.1	31.1
H69	18.9	18.9	18.9	21.6	25.6	29.4	31.5	31.8	31.8	31.8	31.8	31.8
H70	15.8	15.8	15.8	18.4	22.5	26.2	28.3	28.6	28.7	28.7	28.7	28.7
H71	9.9	9.9	9.9	12.6	16.7	20.4	22.5	22.8	22.8	22.8	22.8	22.8
H72	16.4	16.4	16.4	19.1	23.1	26.9	29.0	29.3	29.3	29.3	29.3	29.3
H73	17.0	17.0	17.0	19.7	23.7	27.5	29.6	29.9	29.9	29.9	29.9	29.9
H74	17.6	17.6	17.6	20.3	24.3	28.1	30.1	30.5	30.5	30.5	30.5	30.5
H75	23.8	23.8	23.8	26.5	30.5	34.3	36.3	36.7	36.7	36.7	36.7	36.7
H76	16.8	16.8	16.8	19.5	23.5	27.3	29.4	29.7	29.7	29.7	29.7	29.7
H77	16.8	16.8	16.8	19.5	23.5	27.3	29.4	29.7	29.7	29.7	29.7	29.7
H78	23.5	23.5	23.5	26.2	30.3	34.0	36.1	36.4	36.4	36.4	36.4	36.4
H79	22.9	22.9	22.9	25.6	29.6	33.4	35.5	35.8	35.8	35.8	35.8	35.8
H80	22.1	22.1	22.1	24.7	28.8	32.5	34.6	34.9	35.0	35.0	35.0	35.0
H81	19.2	19.2	19.2	21.9	26.0	29.7	31.8	32.1	32.1	32.1	32.1	32.1
H82	21.5	21.5	21.5	24.2	28.2	32.0	34.1	34.4	34.4	34.4	34.4	34.4
H83	21.5	21.5	21.5	24.2	28.2	32.0	34.1	34.4	34.4	34.4	34.4	34.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H84	16.0	16.0	16.0	18.7	22.8	26.5	28.6	28.9	28.9	28.9	28.9	28.9
H85	12.3	12.3	12.3	15.0	19.0	22.8	24.8	25.2	25.2	25.2	25.2	25.2
H86	12.0	12.0	12.0	14.7	18.7	22.5	24.6	24.9	24.9	24.9	24.9	24.9
H87	12.3	12.3	12.3	15.0	19.0	22.8	24.9	25.2	25.2	25.2	25.2	25.2
H88	22.5	22.5	22.5	25.2	29.2	33.0	35.1	35.4	35.4	35.4	35.4	35.4
H89	23.3	23.3	23.3	26.0	30.0	33.8	35.8	36.1	36.2	36.2	36.2	36.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H2	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H3	15.7	15.7	15.7	18.4	22.4	26.2	28.3	28.6	28.6	28.6	28.6	28.6
H4	15.7	15.7	15.7	18.4	22.4	26.2	28.3	28.6	28.6	28.6	28.6	28.6
H5	15.8	15.8	15.8	18.5	22.6	26.3	28.4	28.7	28.7	28.7	28.7	28.7
H6	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H7	17.5	17.5	17.5	20.2	24.3	28.0	30.1	30.4	30.4	30.4	30.4	30.4
H8	11.5	11.5	11.5	14.2	18.3	22.0	24.1	24.4	24.4	24.4	24.4	24.4
H9	12.5	12.5	12.5	15.2	19.2	23.0	25.1	25.4	25.4	25.4	25.4	25.4
H10	18.9	18.9	18.9	21.6	25.7	29.4	31.5	31.8	31.8	31.8	31.8	31.8
H11	19.0	19.0	19.0	21.7	25.8	29.5	31.6	31.9	31.9	31.9	31.9	31.9
H12	18.1	18.1	18.1	20.8	24.9	28.6	30.7	31.0	31.0	31.0	31.0	31.0
H13	17.6	17.6	17.6	20.3	24.4	28.1	30.2	30.5	30.5	30.5	30.5	30.5
H14	12.7	12.7	12.7	15.4	19.4	23.2	25.2	25.6	25.6	25.6	25.6	25.6
H15	11.9	11.9	11.9	14.6	18.6	22.4	24.5	24.8	24.8	24.8	24.8	24.8
H16	17.8	17.8	17.8	20.5	24.5	28.3	30.4	30.7	30.7	30.7	30.7	30.7
H17	21.5	21.5	21.5	24.2	28.2	32.0	34.1	34.4	34.4	34.4	34.4	34.4
H18	22.4	22.4	22.4	25.1	29.1	32.9	35.0	35.3	35.3	35.3	35.3	35.3
H19	21.5	21.5	21.5	24.2	28.2	32.0	34.0	34.4	34.4	34.4	34.4	34.4
H20	22.7	22.7	22.7	25.4	29.4	33.2	35.3	35.6	35.6	35.6	35.6	35.6
H21	21.3	21.3	21.3	24.0	28.0	31.8	33.9	34.2	34.2	34.2	34.2	34.2
H22	21.8	21.8	21.8	24.5	28.5	32.3	34.4	34.7	34.7	34.7	34.7	34.7
H23	22.0	22.0	22.0	24.7	28.7	32.5	34.6	34.9	34.9	34.9	34.9	34.9
H24	18.6	18.6	18.6	21.3	25.3	29.1	31.2	31.5	31.5	31.5	31.5	31.5
H25	23.4	23.4	23.4	26.1	30.2	33.9	36.0	36.3	36.3	36.3	36.3	36.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H26	21.6	21.6	21.6	24.3	28.3	32.1	34.2	34.5	34.5	34.5	34.5	34.5
H27	23.1	23.1	23.1	25.7	29.8	33.5	35.6	35.9	36.0	36.0	36.0	36.0
H28	22.7	22.7	22.7	25.3	29.4	33.1	35.2	35.5	35.6	35.6	35.6	35.6
H29	20.7	20.7	20.7	23.4	27.4	31.2	33.2	33.6	33.6	33.6	33.6	33.6
H30	21.7	21.7	21.7	24.4	28.4	32.2	34.3	34.6	34.6	34.6	34.6	34.6
H31	20.9	20.9	20.9	23.6	27.6	31.4	33.4	33.8	33.8	33.8	33.8	33.8
H32	21.1	21.1	21.1	23.7	27.8	31.5	33.6	33.9	34.0	34.0	34.0	34.0
H33	17.4	17.4	17.4	20.1	24.1	27.9	30.0	30.3	30.3	30.3	30.3	30.3
H34	26.0	26.0	26.0	28.7	32.8	36.5	38.6	38.9	38.9	38.9	38.9	38.9
H35	21.7	21.7	21.7	24.4	28.4	32.2	34.3	34.6	34.6	34.6	34.6	34.6
H36	19.8	19.8	19.8	22.5	26.5	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H37	17.9	17.9	17.9	20.5	24.6	28.3	30.4	30.7	30.8	30.8	30.8	30.8
H38	21.9	21.9	21.9	24.6	28.7	32.4	34.5	34.8	34.8	34.8	34.8	34.8
H39	19.3	19.3	19.3	22.0	26.0	29.8	31.9	32.2	32.2	32.2	32.2	32.2
H40	22.2	22.2	22.2	24.9	28.9	32.7	34.7	35.0	35.1	35.1	35.1	35.1
H41	18.7	18.7	18.7	21.4	25.5	29.2	31.3	31.6	31.6	31.6	31.6	31.6
H42	19.5	19.5	19.5	22.2	26.2	30.0	32.1	32.4	32.4	32.4	32.4	32.4
H43	17.9	17.9	17.9	20.6	24.7	28.4	30.5	30.8	30.8	30.8	30.8	30.8
H44	21.3	21.3	21.3	24.0	28.1	31.8	33.9	34.2	34.2	34.2	34.2	34.2
H45	19.2	19.2	19.2	21.9	25.9	29.7	31.8	32.1	32.1	32.1	32.1	32.1
H46	18.6	18.6	18.6	21.2	25.3	29.0	31.1	31.4	31.5	31.5	31.5	31.5
H47	18.5	18.5	18.5	21.2	25.2	29.0	31.1	31.4	31.4	31.4	31.4	31.4
H48	13.5	13.5	13.5	16.2	20.3	24.0	26.1	26.4	26.4	26.4	26.4	26.4
H49	10.1	10.1	10.1	12.8	16.8	20.6	22.7	23.0	23.0	23.0	23.0	23.0
H50	9.7	9.7	9.7	12.4	16.4	20.2	22.2	22.5	22.6	22.6	22.6	22.6
H52	10.1	10.1	10.1	12.8	16.8	20.6	22.6	22.9	23.0	23.0	23.0	23.0
H53	9.9	9.9	9.9	12.6	16.6	20.4	22.5	22.8	22.8	22.8	22.8	22.8
H54	9.1	9.1	9.1	11.8	15.8	19.6	21.7	22.0	22.0	22.0	22.0	22.0
H55	9.4	9.4	9.4	12.1	16.1	19.9	22.0	22.3	22.3	22.3	22.3	22.3
H56	10.1	10.1	10.1	12.8	16.8	20.6	22.7	23.0	23.0	23.0	23.0	23.0
H57	10.3	10.3	10.3	13.0	17.0	20.8	22.9	23.2	23.2	23.2	23.2	23.2
H58	9.9	9.9	9.9	12.6	16.6	20.4	22.4	22.8	22.8	22.8	22.8	22.8
H59	9.9	9.9	9.9	12.6	16.6	20.4	22.4	22.8	22.8	22.8	22.8	22.8
H60	9.9	9.9	9.9	12.6	16.6	20.4	22.5	22.8	22.8	22.8	22.8	22.8
H61	10.0	10.0	10.0	12.7	16.7	20.5	22.5	22.9	22.9	22.9	22.9	22.9

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H62	10.1	10.1	10.1	12.8	16.8	20.6	22.7	23.0	23.0	23.0	23.0	23.0
H63	9.9	9.9	9.9	12.6	16.6	20.4	22.5	22.8	22.8	22.8	22.8	22.8
H64	9.9	9.9	9.9	12.6	16.6	20.4	22.5	22.8	22.8	22.8	22.8	22.8
H65	9.9	9.9	9.9	12.6	16.7	20.4	22.5	22.8	22.8	22.8	22.8	22.8
H66	10.0	10.0	10.0	12.7	16.7	20.4	22.5	22.8	22.9	22.9	22.9	22.9
H67	10.3	10.3	10.3	13.0	17.0	20.8	22.9	23.2	23.2	23.2	23.2	23.2
H68	16.7	16.7	16.7	19.4	23.4	27.2	29.2	29.5	29.6	29.6	29.6	29.6
H69	17.4	17.4	17.4	20.1	24.1	27.9	30.0	30.3	30.3	30.3	30.3	30.3
H70	13.8	13.8	13.8	16.5	20.5	24.3	26.3	26.7	26.7	26.7	26.7	26.7
H71	8.9	8.9	8.9	11.6	15.6	19.4	21.4	21.8	21.8	21.8	21.8	21.8
H72	16.4	16.4	16.4	19.1	23.1	26.9	29.0	29.3	29.3	29.3	29.3	29.3
H73	14.6	14.6	14.6	17.2	21.3	25.0	27.1	27.4	27.5	27.5	27.5	27.5
H74	14.8	14.8	14.8	17.5	21.6	25.3	27.4	27.7	27.7	27.7	27.7	27.7
H75	22.5	22.5	22.5	25.2	29.2	33.0	35.0	35.4	35.4	35.4	35.4	35.4
H76	13.9	13.9	13.9	16.6	20.6	24.4	26.5	26.8	26.8	26.8	26.8	26.8
H77	13.9	13.9	13.9	16.6	20.7	24.4	26.5	26.8	26.8	26.8	26.8	26.8
H78	21.2	21.2	21.2	23.9	27.9	31.7	33.7	34.1	34.1	34.1	34.1	34.1
H79	19.5	19.5	19.5	22.2	26.2	30.0	32.1	32.4	32.4	32.4	32.4	32.4
H80	19.1	19.1	19.1	21.8	25.8	29.6	31.7	32.0	32.0	32.0	32.0	32.0
H81	15.1	15.1	15.1	17.8	21.8	25.6	27.6	28.0	28.0	28.0	28.0	28.0
H82	18.5	18.5	18.5	21.2	25.2	29.0	31.0	31.3	31.4	31.4	31.4	31.4
H83	18.5	18.5	18.5	21.2	25.2	29.0	31.0	31.3	31.4	31.4	31.4	31.4
H84	12.3	12.3	12.3	15.0	19.0	22.8	24.9	25.2	25.2	25.2	25.2	25.2
H85	9.4	9.4	9.4	12.1	16.2	19.9	22.0	22.3	22.3	22.3	22.3	22.3
H86	9.2	9.2	9.2	11.9	15.9	19.7	21.7	22.1	22.1	22.1	22.1	22.1
H87	9.4	9.4	9.4	12.1	16.1	19.9	21.9	22.3	22.3	22.3	22.3	22.3
H88	22.5	22.5	22.5	25.2	29.2	33.0	35.1	35.4	35.4	35.4	35.4	35.4
H89	23.3	23.3	23.3	26.0	30.0	33.8	35.8	36.1	36.2	36.2	36.2	36.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H2	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H3	15.7	15.7	15.7	18.4	22.4	26.2	28.3	28.6	28.6	28.6	28.6	28.6

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H4	15.7	15.7	15.7	18.4	22.4	26.2	28.3	28.6	28.6	28.6	28.6	28.6
H5	15.8	15.8	15.8	18.5	22.6	26.3	28.4	28.7	28.7	28.7	28.7	28.7
H6	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H7	17.9	17.9	17.9	20.6	24.6	28.4	30.5	30.8	30.8	30.8	30.8	30.8
H8	15.6	15.6	15.6	18.3	22.3	26.1	28.2	28.5	28.5	28.5	28.5	28.5
H9	16.6	16.6	16.6	19.2	23.3	27.0	29.1	29.4	29.5	29.5	29.5	29.5
H10	19.3	19.3	19.3	22.0	26.0	29.8	31.8	32.1	32.2	32.2	32.2	32.2
H11	19.3	19.3	19.3	22.0	26.1	29.8	31.9	32.2	32.2	32.2	32.2	32.2
H12	20.2	20.2	20.2	22.9	27.0	30.7	32.8	33.1	33.1	33.1	33.1	33.1
H13	17.6	17.6	17.6	20.3	24.4	28.1	30.2	30.5	30.5	30.5	30.5	30.5
H14	17.3	17.3	17.3	20.0	24.0	27.8	29.8	30.2	30.2	30.2	30.2	30.2
H15	16.6	16.6	16.6	19.3	23.3	27.1	29.1	29.5	29.5	29.5	29.5	29.5
H16	17.8	17.8	17.8	20.5	24.5	28.3	30.4	30.7	30.7	30.7	30.7	30.7
H17	21.5	21.5	21.5	24.2	28.2	32.0	34.1	34.4	34.4	34.4	34.4	34.4
H18	22.4	22.4	22.4	25.1	29.1	32.9	35.0	35.3	35.3	35.3	35.3	35.3
H19	21.5	21.5	21.5	24.2	28.2	32.0	34.0	34.4	34.4	34.4	34.4	34.4
H20	22.7	22.7	22.7	25.4	29.4	33.2	35.3	35.6	35.6	35.6	35.6	35.6
H21	21.3	21.3	21.3	24.0	28.0	31.8	33.9	34.2	34.2	34.2	34.2	34.2
H22	21.8	21.8	21.8	24.5	28.5	32.3	34.4	34.7	34.7	34.7	34.7	34.7
H23	22.0	22.0	22.0	24.7	28.7	32.5	34.6	34.9	34.9	34.9	34.9	34.9
H24	21.6	21.6	21.6	24.3	28.3	32.1	34.2	34.5	34.5	34.5	34.5	34.5
H25	23.4	23.4	23.4	26.1	30.2	33.9	36.0	36.3	36.3	36.3	36.3	36.3
H26	21.6	21.6	21.6	24.3	28.3	32.1	34.2	34.5	34.5	34.5	34.5	34.5
H27	23.1	23.1	23.1	25.7	29.8	33.5	35.6	35.9	36.0	36.0	36.0	36.0
H28	22.7	22.7	22.7	25.3	29.4	33.1	35.2	35.5	35.6	35.6	35.6	35.6
H29	20.7	20.7	20.7	23.4	27.4	31.2	33.2	33.6	33.6	33.6	33.6	33.6
H30	21.7	21.7	21.7	24.4	28.4	32.2	34.3	34.6	34.6	34.6	34.6	34.6
H31	20.9	20.9	20.9	23.6	27.6	31.4	33.4	33.8	33.8	33.8	33.8	33.8
H32	21.1	21.1	21.1	23.7	27.8	31.5	33.6	33.9	34.0	34.0	34.0	34.0
H33	17.4	17.4	17.4	20.1	24.1	27.9	30.0	30.3	30.3	30.3	30.3	30.3
H34	26.0	26.0	26.0	28.7	32.8	36.5	38.6	38.9	38.9	38.9	38.9	38.9
H35	21.7	21.7	21.7	24.4	28.4	32.2	34.3	34.6	34.6	34.6	34.6	34.6
H36	19.8	19.8	19.8	22.5	26.5	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H37	17.9	17.9	17.9	20.5	24.6	28.3	30.4	30.7	30.8	30.8	30.8	30.8
H38	21.9	21.9	21.9	24.6	28.7	32.4	34.5	34.8	34.8	34.8	34.8	34.8

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H39	21.4	21.4	21.4	24.1	28.1	31.9	34.0	34.3	34.3	34.3	34.3	34.3
H40	22.2	22.2	22.2	24.9	28.9	32.7	34.7	35.0	35.1	35.1	35.1	35.1
H41	18.7	18.7	18.7	21.4	25.5	29.2	31.3	31.6	31.6	31.6	31.6	31.6
H42	19.5	19.5	19.5	22.2	26.2	30.0	32.1	32.4	32.4	32.4	32.4	32.4
H43	17.9	17.9	17.9	20.6	24.7	28.4	30.5	30.8	30.8	30.8	30.8	30.8
H44	21.3	21.3	21.3	24.0	28.1	31.8	33.9	34.2	34.2	34.2	34.2	34.2
H45	19.2	19.2	19.2	21.9	25.9	29.7	31.8	32.1	32.1	32.1	32.1	32.1
H46	18.6	18.6	18.6	21.2	25.3	29.0	31.1	31.4	31.5	31.5	31.5	31.5
H47	18.5	18.5	18.5	21.2	25.2	29.0	31.1	31.4	31.4	31.4	31.4	31.4
H48	16.2	16.2	16.2	18.9	22.9	26.7	28.8	29.1	29.1	29.1	29.1	29.1
H49	12.0	12.0	12.0	14.7	18.7	22.5	24.5	24.9	24.9	24.9	24.9	24.9
H50	11.6	11.6	11.6	14.2	18.3	22.0	24.1	24.4	24.5	24.5	24.5	24.5
H52	12.0	12.0	12.0	14.7	18.7	22.5	24.5	24.9	24.9	24.9	24.9	24.9
H53	11.8	11.8	11.8	14.5	18.5	22.3	24.4	24.7	24.7	24.7	24.7	24.7
H54	10.6	10.6	10.6	13.3	17.3	21.1	23.2	23.5	23.5	23.5	23.5	23.5
H55	10.6	10.6	10.6	13.3	17.3	21.1	23.2	23.5	23.5	23.5	23.5	23.5
H56	11.2	11.2	11.2	13.9	17.9	21.7	23.7	24.1	24.1	24.1	24.1	24.1
H57	11.4	11.4	11.4	14.0	18.1	21.8	23.9	24.2	24.3	24.3	24.3	24.3
H58	10.9	10.9	10.9	13.6	17.7	21.4	23.5	23.8	23.8	23.8	23.8	23.8
H59	10.9	10.9	10.9	13.6	17.7	21.4	23.5	23.8	23.8	23.8	23.8	23.8
H60	11.0	11.0	11.0	13.7	17.7	21.5	23.5	23.9	23.9	23.9	23.9	23.9
H61	11.0	11.0	11.0	13.7	17.8	21.5	23.6	23.9	23.9	23.9	23.9	23.9
H62	11.2	11.2	11.2	13.8	17.9	21.6	23.7	24.0	24.1	24.1	24.1	24.1
H63	10.7	10.7	10.7	13.4	17.4	21.2	23.3	23.6	23.6	23.6	23.6	23.6
H64	10.7	10.7	10.7	13.4	17.4	21.2	23.3	23.6	23.6	23.6	23.6	23.6
H65	10.7	10.7	10.7	13.4	17.5	21.2	23.3	23.6	23.6	23.6	23.6	23.6
H66	10.8	10.8	10.8	13.5	17.5	21.3	23.3	23.6	23.7	23.7	23.7	23.7
H67	11.1	11.1	11.1	13.8	17.8	21.6	23.7	24.0	24.0	24.0	24.0	24.0
H68	16.6	16.6	16.6	19.3	23.3	27.1	29.1	29.5	29.5	29.5	29.5	29.5
H69	17.2	17.2	17.2	19.9	24.0	27.7	29.8	30.1	30.1	30.1	30.1	30.1
H70	13.7	13.7	13.7	16.4	20.4	24.2	26.2	26.6	26.6	26.6	26.6	26.6
H71	9.4	9.4	9.4	12.1	16.1	19.9	22.0	22.3	22.3	22.3	22.3	22.3
H72	15.6	15.6	15.6	18.3	22.4	26.1	28.2	28.5	28.5	28.5	28.5	28.5
H73	13.9	13.9	13.9	16.6	20.7	24.4	26.5	26.8	26.8	26.8	26.8	26.8
H74	14.1	14.1	14.1	16.8	20.8	24.6	26.6	27.0	27.0	27.0	27.0	27.0

Table 10.12.12: Predicted Noise Levels in 330 Degree Sector

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H75	19.7	19.7	19.7	22.4	26.4	30.2	32.3	32.6	32.6	32.6	32.6	32.6
H76	13.1	13.1	13.1	15.8	19.8	23.6	25.7	26.0	26.0	26.0	26.0	26.0
H77	13.2	13.2	13.2	15.8	19.9	23.6	25.7	26.0	26.1	26.1	26.1	26.1
H78	18.7	18.7	18.7	21.4	25.4	29.2	31.3	31.6	31.6	31.6	31.6	31.6
H79	17.5	17.5	17.5	20.1	24.2	27.9	30.0	30.3	30.4	30.4	30.4	30.4
H80	15.7	15.7	15.7	18.4	22.4	26.2	28.3	28.6	28.6	28.6	28.6	28.6
H81	13.0	13.0	13.0	15.7	19.7	23.5	25.5	25.9	25.9	25.9	25.9	25.9
H82	14.9	14.9	14.9	17.5	21.6	25.3	27.4	27.7	27.8	27.8	27.8	27.8
H83	14.9	14.9	14.9	17.5	21.6	25.3	27.4	27.7	27.8	27.8	27.8	27.8
H84	10.8	10.8	10.8	13.5	17.5	21.3	23.4	23.7	23.7	23.7	23.7	23.7
H85	8.6	8.6	8.6	11.3	15.4	19.1	21.2	21.5	21.5	21.5	21.5	21.5
H86	8.4	8.4	8.4	11.1	15.1	18.9	20.9	21.3	21.3	21.3	21.3	21.3
H87	8.5	8.5	8.5	11.2	15.2	19.0	21.0	21.4	21.4	21.4	21.4	21.4
H88	22.5	22.5	22.5	25.2	29.2	33.0	35.1	35.4	35.4	35.4	35.4	35.4
H89	23.3	23.3	23.3	26.0	30.0	33.8	35.8	36.1	36.2	36.2	36.2	36.2

Technical Appendix 10.12: Directional Margins for Proposed Development

Table 10.12.1: Margins in 0 Degree Sector - Day												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-19.2	-19.2	-19.2	-16.5	-12.4	-8.5	-6.2	-5.5	-7.4	-11.1	-15.0	-19.6
H2	-19.2	-19.2	-19.2	-16.5	-12.4	-8.5	-6.2	-5.5	-7.4	-11.1	-15.0	-19.6
H3	-19.1	-19.1	-19.1	-16.3	-12.2	-8.4	-6.1	-5.4	-7.2	-10.9	-14.9	-19.5
H4	-19.1	-19.1	-19.0	-16.3	-12.2	-8.3	-6.1	-5.3	-7.2	-10.9	-14.9	-19.5
H5	-18.9	-18.9	-18.9	-16.2	-12.1	-8.2	-5.9	-5.2	-7.1	-10.8	-14.8	-19.4
H6	-19.3	-19.3	-19.3	-16.6	-12.5	-8.8	-6.6	-6.2	-7.8	-11.3	-15.1	-19.7
H7	-16.8	-16.8	-16.8	-14.0	-9.9	-6.0	-3.6	-2.7	-6.2	-9.5	-12.2	-14.4
H8	-18.9	-18.9	-18.9	-16.2	-12.0	-7.9	-5.4	-4.0	-8.0	-11.6	-14.3	-16.6
H9	-18.1	-18.1	-18.1	-15.4	-11.2	-7.3	-5.0	-4.1	-7.6	-10.8	-13.5	-15.7
H10	-15.4	-15.4	-15.4	-12.6	-8.4	-4.5	-2.1	-1.3	-4.8	-8.1	-10.8	-13.0
H11	-15.3	-15.3	-15.3	-12.5	-8.3	-4.4	-2.1	-1.2	-4.7	-8.0	-10.7	-12.9
H12	-14.4	-14.4	-14.4	-11.6	-7.4	-3.5	-1.1	-0.3	-3.7	-7.1	-9.8	-12.0
H13	-17.3	-17.3	-17.3	-14.6	-10.5	-6.7	-4.6	-4.2	-5.8	-9.2	-13.1	-17.6
H14	-17.5	-17.4	-17.4	-14.7	-10.5	-6.6	-4.3	-3.5	-6.9	-10.1	-12.8	-15.0
H15	-17.2	-17.2	-17.2	-14.4	-10.2	-6.4	-4.1	-3.4	-6.7	-9.9	-12.6	-14.8
H16	-17.1	-17.1	-17.1	-14.4	-10.4	-6.6	-4.5	-4.1	-5.7	-9.1	-12.9	-17.5
H17	-13.4	-13.4	-13.4	-10.7	-6.6	-2.8	-0.7	-0.3	-1.9	-5.3	-9.2	-13.8
H18	-12.5	-12.5	-12.5	-9.8	-5.7	-1.9	0.2	0.7	-1.0	-4.4	-8.3	-12.9
H19	-13.5	-13.5	-13.4	-10.7	-6.6	-2.9	-0.7	-0.3	-2.0	-5.4	-9.3	-13.8
H20	-12.2	-12.2	-12.2	-9.5	-5.4	-1.6	0.5	0.9	-0.7	-4.1	-8.0	-12.6
H21	-13.6	-13.6	-13.6	-10.9	-6.8	-3.0	-0.9	-0.5	-2.2	-5.6	-9.4	-14.0
H22	-13.1	-13.1	-13.1	-10.4	-6.3	-2.5	-0.4	0.0	-1.6	-5.0	-8.9	-13.5
H23	-12.9	-12.9	-12.9	-10.2	-6.1	-2.3	-0.2	0.2	-1.4	-4.9	-8.7	-13.3
H24	-12.0	-11.9	-11.9	-9.0	-4.8	-0.9	1.5	2.2	-1.2	-4.5	-7.3	-9.5
H25	-11.5	-11.5	-11.5	-8.8	-4.7	-0.9	1.3	1.7	0.0	-3.4	-7.3	-11.8
H26	-13.3	-13.3	-13.3	-10.6	-6.5	-2.8	-0.6	-0.2	-1.9	-5.3	-9.1	-13.7
H27	-11.9	-11.9	-11.9	-9.1	-5.1	-1.3	0.9	1.3	-0.4	-3.8	-7.7	-12.2
H28	-12.3	-12.3	-12.3	-9.5	-5.5	-1.7	0.4	0.8	-0.8	-4.2	-8.1	-12.6
H29	-14.5	-14.5	-14.4	-11.7	-7.7	-3.9	-1.8	-1.4	-3.0	-6.4	-10.3	-14.8
H30	-13.4	-13.4	-13.4	-10.7	-6.6	-2.8	-0.7	-0.3	-1.9	-5.4	-9.2	-13.8
H31	-14.3	-14.3	-14.3	-11.5	-7.5	-3.7	-1.6	-1.2	-2.8	-6.2	-10.1	-14.6
H32	-14.1	-14.1	-14.1	-11.3	-7.3	-3.5	-1.4	-1.0	-2.6	-6.0	-9.9	-14.4

House ID	Reference Wind Speed, Standardised v_{10} (ms ⁻¹)											
	1	2	3	4	5	6	7	8	9	10	11	12
H33	-17.7	-17.7	-17.7	-15.0	-10.9	-7.2	-5.0	-4.7	-6.3	-9.7	-13.5	-18.1
H34	-19.2	-19.2	-19.2	-16.5	-12.4	-8.7	-6.6	-6.2	-6.2	-6.2	-6.2	-9.4
H35	-13.4	-13.4	-13.4	-10.7	-6.6	-2.8	-0.7	-0.3	-1.9	-5.4	-9.2	-13.8
H36	-15.3	-15.3	-15.3	-12.6	-8.5	-4.7	-2.6	-2.3	-3.9	-7.3	-11.1	-15.7
H37	-17.3	-17.3	-17.3	-14.6	-10.5	-6.7	-4.6	-4.2	-5.8	-9.2	-13.1	-17.6
H38	-13.2	-13.2	-13.1	-10.4	-6.4	-2.6	-0.4	-0.1	-1.7	-5.1	-9.0	-13.5
H39	-10.9	-10.8	-10.7	-7.9	-3.6	0.3	2.7	3.4	0.0	-3.4	-6.2	-8.4
H40	-12.9	-12.9	-12.9	-10.2	-6.1	-2.3	-0.2	0.2	-1.5	-4.9	-8.7	-13.3
H41	-16.4	-16.4	-16.4	-13.7	-9.6	-5.8	-3.7	-3.3	-4.9	-8.3	-12.2	-16.7
H42	-15.6	-15.6	-15.6	-12.9	-8.8	-5.0	-2.9	-2.5	-4.1	-7.5	-11.4	-15.9
H43	-17.4	-17.4	-17.4	-14.7	-10.6	-6.9	-4.7	-4.4	-6.0	-9.4	-13.2	-17.8
H44	-13.8	-13.8	-13.8	-11.0	-7.0	-3.2	-1.1	-0.7	-2.3	-5.7	-9.6	-14.1
H45	-16.1	-16.1	-16.1	-13.4	-9.3	-5.5	-3.4	-3.1	-4.7	-8.1	-11.9	-16.5
H46	-16.8	-16.8	-16.8	-14.1	-10.0	-6.2	-4.1	-3.7	-5.3	-8.7	-12.6	-17.1
H47	-16.8	-16.8	-16.8	-14.1	-10.0	-6.2	-4.1	-3.7	-5.4	-8.7	-12.6	-17.2
H48	-14.2	-14.2	-14.0	-11.1	-6.8	-2.9	-0.5	0.3	-3.1	-6.6	-9.5	-11.7
H49	-18.5	-18.5	-18.4	-15.4	-11.0	-7.1	-4.5	-3.5	-7.2	-10.8	-13.8	-16.1
H50	-19.0	-18.9	-18.8	-15.8	-11.3	-7.5	-4.9	-3.9	-7.6	-11.2	-14.2	-16.5
H52	-18.4	-18.4	-18.2	-15.3	-10.7	-6.8	-4.2	-3.1	-7.0	-10.7	-13.7	-16.0
H53	-18.6	-18.6	-18.4	-15.5	-11.0	-7.1	-4.4	-3.4	-7.2	-10.8	-13.9	-16.2
H54	-20.3	-20.3	-20.1	-17.1	-12.5	-8.6	-5.9	-4.8	-8.7	-12.4	-15.5	-17.8
H55	-20.6	-20.5	-20.3	-17.3	-12.7	-8.8	-7.3	-10.2	-13.7	-17.4	-21.4	-25.6
H56	-20.2	-20.2	-20.0	-17.0	-12.5	-8.6	-7.1	-10.0	-13.4	-17.1	-21.0	-25.2
H57	-20.0	-20.0	-19.8	-16.9	-12.3	-8.4	-6.9	-9.8	-13.2	-16.9	-20.8	-25.0
H58	-20.4	-20.4	-20.2	-17.3	-12.7	-8.8	-7.3	-10.2	-13.6	-17.3	-21.2	-25.5
H59	-20.4	-20.4	-20.2	-17.3	-12.7	-8.8	-7.3	-10.2	-13.6	-17.3	-21.2	-25.4
H60	-20.4	-20.4	-20.2	-17.2	-12.7	-8.7	-7.2	-10.2	-13.6	-17.3	-21.2	-25.4
H61	-20.3	-20.3	-20.1	-17.2	-12.6	-8.7	-7.2	-10.1	-13.5	-17.2	-21.1	-25.4
H62	-20.2	-20.2	-20.0	-17.1	-12.5	-8.6	-7.1	-10.0	-13.4	-17.1	-21.0	-25.2
H63	-21.0	-21.0	-20.8	-17.8	-13.3	-9.4	-7.9	-10.8	-14.2	-17.9	-21.8	-26.0
H64	-21.0	-21.0	-20.8	-17.8	-13.3	-9.4	-7.8	-10.8	-14.2	-17.9	-21.8	-26.0
H65	-21.0	-20.9	-20.8	-17.8	-13.2	-9.3	-7.8	-10.7	-14.1	-17.9	-21.8	-26.0
H66	-20.9	-20.9	-20.7	-17.8	-13.2	-9.3	-7.8	-10.7	-14.1	-17.8	-21.8	-26.0
H67	-20.6	-20.5	-20.4	-17.4	-12.9	-9.0	-7.5	-10.4	-13.8	-17.5	-21.4	-25.6
H68	-15.6	-15.5	-15.4	-12.5	-7.4	-3.6	-2.2	-5.8	-9.6	-13.4	-17.4	-21.6
H69	-26.5	-26.5	-26.5	-23.8	-19.5	-15.7	-13.6	-13.3	-13.2	-13.1	-13.0	-15.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H70	-18.9	-18.9	-18.8	-16.0	-11.4	-7.5	-6.2	-9.1	-12.4	-16.1	-20.0	-24.2
H71	-22.8	-22.8	-22.6	-19.7	-15.2	-11.3	-9.9	-12.7	-16.0	-19.7	-23.6	-27.7
H72	-24.0	-24.0	-23.9	-21.2	-17.2	-13.4	-12.0	-14.3	-17.3	-20.8	-24.5	-28.6
H73	-19.0	-19.0	-18.9	-16.1	-11.4	-7.3	-5.9	-9.1	-12.7	-16.5	-20.4	-24.6
H74	-18.8	-18.8	-18.7	-15.9	-11.2	-7.1	-5.6	-8.9	-12.5	-16.3	-20.3	-24.5
H75	-16.3	-16.3	-16.3	-13.6	-9.4	-5.5	-4.0	-6.5	-9.7	-13.3	-17.0	-21.2
H76	-20.0	-20.0	-19.9	-17.1	-12.6	-8.7	-7.3	-10.2	-13.7	-17.4	-21.2	-25.4
H77	-19.9	-19.9	-19.9	-17.0	-12.6	-8.6	-7.2	-10.2	-13.6	-17.3	-21.2	-25.4
H78	-16.7	-16.7	-16.7	-13.9	-9.7	-5.7	-4.1	-6.7	-10.1	-13.7	-17.5	-21.7
H79	-17.5	-17.5	-17.5	-14.7	-10.4	-6.4	-4.8	-7.5	-10.9	-14.6	-18.4	-22.6
H80	-19.7	-19.7	-19.7	-16.9	-12.3	-7.8	-5.8	-9.0	-13.0	-17.0	-20.9	-25.1
H81	-21.5	-21.5	-21.5	-18.7	-14.4	-10.5	-9.0	-11.8	-15.1	-18.8	-22.6	-26.8
H82	-20.3	-20.3	-20.3	-17.5	-12.6	-8.2	-6.8	-9.1	-13.5	-17.8	-21.9	-26.1
H83	-20.3	-20.3	-20.3	-17.5	-12.6	-8.2	-6.8	-9.1	-13.5	-17.8	-21.9	-26.1
H84	-20.8	-20.8	-20.8	-18.1	-14.1	-10.3	-9.0	-11.2	-14.2	-17.7	-23.3	-28.0
H85	-25.1	-25.1	-25.0	-22.3	-18.1	-14.3	-12.9	-15.4	-18.6	-22.1	-25.9	-30.1
H86	-25.4	-25.4	-25.4	-22.6	-18.5	-14.6	-13.2	-15.8	-18.9	-22.4	-26.2	-30.3
H87	-25.5	-25.5	-25.5	-22.7	-18.5	-14.7	-13.3	-15.8	-19.0	-22.5	-26.3	-30.4
H88	-12.8	-12.8	-12.8	-10.0	-6.0	-2.2	-0.1	0.3	-1.3	-4.7	-8.6	-13.1
H89	-12.1	-12.1	-12.1	-9.3	-5.3	-1.5	0.7	1.1	-0.6	-4.0	-7.9	-12.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-19.3	-19.3	-19.3	-16.6	-12.5	-8.7	-6.6	-6.1	-7.7	-11.2	-15.1	-19.7
H2	-19.3	-19.3	-19.3	-16.6	-12.5	-8.7	-6.6	-6.1	-7.7	-11.2	-15.1	-19.7
H3	-19.2	-19.2	-19.2	-16.5	-12.4	-8.6	-6.4	-6.0	-7.6	-11.1	-15.0	-19.6
H4	-19.2	-19.2	-19.2	-16.5	-12.4	-8.6	-6.4	-5.9	-7.6	-11.1	-15.0	-19.5
H5	-19.1	-19.1	-19.0	-16.3	-12.3	-8.4	-6.3	-5.8	-7.5	-11.0	-14.9	-19.4
H6	-19.4	-19.4	-19.4	-16.7	-12.6	-8.8	-6.7	-6.4	-8.0	-11.3	-15.2	-19.7
H7	-16.9	-16.9	-16.9	-14.2	-10.1	-6.2	-4.0	-3.5	-6.5	-9.6	-12.3	-14.5
H8	-19.2	-19.2	-19.1	-16.4	-12.3	-8.4	-6.1	-5.5	-8.7	-11.9	-14.6	-16.7
H9	-18.3	-18.3	-18.2	-15.5	-11.4	-7.6	-5.4	-4.8	-7.9	-11.0	-13.7	-15.8
H10	-15.6	-15.5	-15.5	-12.7	-8.6	-4.8	-2.5	-2.0	-5.1	-8.2	-10.9	-13.1
H11	-15.5	-15.5	-15.4	-12.7	-8.5	-4.7	-2.4	-1.9	-5.0	-8.1	-10.9	-13.0

House ID	Reference Wind Speed, Standardised v_{10} (ms ⁻¹)											
	1	2	3	4	5	6	7	8	9	10	11	12
H12	-14.6	-14.6	-14.5	-11.7	-7.6	-3.7	-1.5	-0.9	-4.0	-7.2	-9.9	-12.1
H13	-17.7	-17.7	-17.7	-15.0	-10.9	-7.1	-5.0	-4.7	-6.3	-9.6	-13.5	-18.0
H14	-17.5	-17.5	-17.5	-14.8	-10.6	-6.8	-4.6	-4.0	-7.1	-10.2	-12.9	-15.1
H15	-17.3	-17.3	-17.2	-14.5	-10.4	-6.5	-4.3	-3.8	-6.8	-10.0	-12.7	-14.8
H16	-18.0	-18.0	-18.0	-15.3	-11.2	-7.4	-5.3	-5.0	-6.6	-9.9	-13.8	-18.3
H17	-14.3	-14.3	-14.3	-11.6	-7.5	-3.7	-1.6	-1.2	-2.8	-6.2	-10.1	-14.6
H18	-13.4	-13.4	-13.4	-10.7	-6.6	-2.8	-0.7	-0.3	-2.0	-5.3	-9.2	-13.7
H19	-14.3	-14.3	-14.3	-11.6	-7.5	-3.7	-1.6	-1.2	-2.8	-6.2	-10.1	-14.6
H20	-13.1	-13.1	-13.1	-10.4	-6.3	-2.5	-0.4	-0.1	-1.7	-5.1	-8.9	-13.4
H21	-14.4	-14.4	-14.4	-11.7	-7.7	-3.9	-1.8	-1.4	-3.0	-6.4	-10.2	-14.8
H22	-13.9	-13.9	-13.9	-11.2	-7.1	-3.4	-1.3	-0.9	-2.5	-5.9	-9.7	-14.2
H23	-13.7	-13.7	-13.7	-11.0	-6.9	-3.2	-1.1	-0.7	-2.3	-5.7	-9.5	-14.0
H24	-12.0	-12.0	-11.9	-9.1	-4.8	-1.0	1.3	1.9	-1.3	-4.6	-7.4	-9.6
H25	-12.3	-12.3	-12.3	-9.6	-5.5	-1.7	0.4	0.7	-0.9	-4.3	-8.1	-12.6
H26	-14.3	-14.3	-14.3	-11.6	-7.6	-3.8	-1.7	-1.3	-2.9	-6.3	-10.1	-14.7
H27	-12.9	-12.9	-12.9	-10.2	-6.1	-2.3	-0.2	0.1	-1.5	-4.8	-8.7	-13.2
H28	-13.5	-13.5	-13.5	-10.8	-6.7	-2.9	-0.8	-0.5	-2.1	-5.4	-9.3	-13.8
H29	-16.1	-16.1	-16.1	-13.4	-9.4	-5.6	-3.5	-3.1	-4.7	-8.1	-11.9	-16.5
H30	-14.5	-14.5	-14.5	-11.8	-7.7	-3.9	-1.8	-1.5	-3.1	-6.4	-10.3	-14.8
H31	-15.9	-15.9	-15.9	-13.2	-9.2	-5.4	-3.3	-2.9	-4.5	-7.9	-11.7	-16.2
H32	-15.7	-15.7	-15.7	-13.0	-8.9	-5.2	-3.1	-2.7	-4.3	-7.7	-11.5	-16.0
H33	-21.3	-21.3	-21.3	-18.6	-14.5	-10.7	-8.7	-8.3	-9.9	-13.2	-17.1	-21.6
H34	-19.9	-19.9	-19.9	-17.2	-13.1	-9.4	-7.3	-7.0	-6.9	-6.9	-6.9	-10.1
H35	-15.0	-15.0	-15.0	-12.3	-8.2	-4.5	-2.4	-2.0	-3.6	-7.0	-10.8	-15.3
H36	-17.2	-17.2	-17.2	-14.5	-10.4	-6.6	-4.5	-4.2	-5.8	-9.1	-13.0	-17.5
H37	-20.8	-20.8	-20.8	-18.1	-14.1	-10.3	-8.2	-7.8	-9.4	-12.8	-16.6	-21.1
H38	-14.7	-14.7	-14.7	-12.0	-8.0	-4.2	-2.1	-1.7	-3.3	-6.7	-10.5	-15.0
H39	-10.6	-10.6	-10.5	-7.7	-3.5	0.3	2.6	3.1	0.0	-3.2	-6.0	-8.2
H40	-14.7	-14.7	-14.7	-12.0	-7.9	-4.2	-2.1	-1.7	-3.3	-6.7	-10.5	-15.0
H41	-19.9	-19.9	-19.9	-17.2	-13.1	-9.3	-7.2	-6.9	-8.5	-11.8	-15.7	-20.2
H42	-19.1	-19.1	-19.1	-16.4	-12.3	-8.5	-6.5	-6.1	-7.7	-11.0	-14.9	-19.4
H43	-20.9	-20.9	-20.9	-18.2	-14.1	-10.3	-8.2	-7.9	-9.5	-12.8	-16.7	-21.2
H44	-15.5	-15.5	-15.5	-12.8	-8.8	-5.0	-2.9	-2.5	-4.1	-7.5	-11.3	-15.8
H45	-19.5	-19.5	-19.5	-16.8	-12.8	-9.0	-6.9	-6.6	-8.2	-11.5	-15.3	-19.9
H46	-20.2	-20.2	-20.2	-17.5	-13.4	-9.7	-7.5	-7.2	-8.8	-12.1	-16.0	-20.5
H47	-20.2	-20.2	-20.2	-17.5	-13.5	-9.7	-7.6	-7.2	-8.8	-12.2	-16.0	-20.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H48	-12.6	-12.6	-12.5	-9.7	-5.4	-1.6	0.7	1.3	-1.9	-5.2	-8.0	-10.2
H49	-15.5	-15.5	-15.4	-12.5	-8.2	-4.4	-2.0	-1.3	-4.6	-7.9	-10.8	-13.0
H50	-15.9	-15.9	-15.8	-13.0	-8.7	-4.8	-2.5	-1.7	-5.1	-8.4	-11.3	-13.5
H52	-15.5	-15.5	-15.4	-12.5	-8.2	-4.4	-2.0	-1.3	-4.6	-7.9	-10.8	-13.0
H53	-15.6	-15.6	-15.6	-12.7	-8.4	-4.6	-2.2	-1.5	-4.8	-8.1	-11.0	-13.2
H54	-16.2	-16.2	-16.1	-13.2	-9.0	-5.1	-2.7	-1.9	-5.3	-8.6	-11.5	-13.7
H55	-16.7	-16.7	-16.6	-13.8	-9.6	-5.7	-4.3	-6.8	-10.0	-13.6	-17.4	-21.5
H56	-15.9	-15.9	-15.8	-13.0	-8.8	-4.9	-3.5	-6.0	-9.2	-12.8	-16.6	-20.7
H57	-15.7	-15.7	-15.6	-12.9	-8.6	-4.8	-3.3	-5.9	-9.1	-12.6	-16.4	-20.5
H58	-16.1	-16.1	-16.1	-13.3	-9.0	-5.2	-3.8	-6.3	-9.5	-13.0	-16.8	-21.0
H59	-16.1	-16.1	-16.0	-13.3	-9.0	-5.2	-3.8	-6.3	-9.5	-13.0	-16.8	-21.0
H60	-16.1	-16.1	-16.0	-13.2	-9.0	-5.1	-3.7	-6.2	-9.4	-13.0	-16.8	-20.9
H61	-16.0	-16.0	-15.9	-13.2	-8.9	-5.1	-3.7	-6.2	-9.4	-12.9	-16.7	-20.9
H62	-15.9	-15.9	-15.8	-13.0	-8.8	-5.0	-3.5	-6.1	-9.2	-12.8	-16.6	-20.7
H63	-16.7	-16.7	-16.6	-13.8	-9.6	-5.7	-4.3	-6.9	-10.0	-13.6	-17.4	-21.5
H64	-16.6	-16.6	-16.6	-13.8	-9.6	-5.7	-4.3	-6.8	-10.0	-13.6	-17.4	-21.5
H65	-16.6	-16.6	-16.6	-13.8	-9.5	-5.7	-4.3	-6.8	-10.0	-13.5	-17.3	-21.5
H66	-16.6	-16.6	-16.5	-13.8	-9.5	-5.7	-4.2	-6.8	-10.0	-13.5	-17.3	-21.5
H67	-16.2	-16.2	-16.2	-13.4	-9.1	-5.3	-3.9	-6.4	-9.6	-13.2	-16.9	-21.1
H68	-12.7	-12.7	-12.7	-9.9	-4.9	-1.0	0.1	-3.2	-6.8	-10.6	-14.5	-18.6
H69	-24.0	-24.0	-24.0	-21.3	-17.1	-13.3	-11.2	-10.8	-10.7	-10.7	-10.6	-12.7
H70	-15.2	-15.2	-15.2	-12.5	-7.9	-4.1	-2.8	-5.6	-9.0	-12.6	-16.4	-20.6
H71	-18.5	-18.5	-18.5	-15.7	-11.5	-7.7	-6.2	-8.8	-11.9	-15.5	-19.3	-23.4
H72	-27.3	-27.3	-27.3	-24.6	-20.5	-16.8	-15.4	-17.7	-20.7	-24.1	-27.8	-31.9
H73	-14.9	-14.9	-14.9	-12.1	-7.4	-3.6	-2.3	-4.8	-9.0	-13.1	-17.2	-21.5
H74	-14.9	-14.9	-14.9	-12.1	-7.3	-3.6	-2.2	-4.5	-8.7	-12.9	-17.1	-21.4
H75	-16.6	-16.6	-16.6	-13.9	-9.7	-5.8	-4.4	-6.8	-10.0	-13.5	-17.3	-21.4
H76	-16.4	-16.4	-16.4	-13.7	-9.0	-4.8	-3.3	-6.6	-10.2	-14.1	-18.0	-22.2
H77	-16.4	-16.4	-16.3	-13.6	-9.0	-4.7	-3.2	-6.5	-10.2	-14.0	-18.0	-22.2
H78	-16.7	-16.7	-16.7	-13.9	-9.7	-5.7	-4.2	-6.7	-10.0	-13.6	-17.4	-21.6
H79	-17.0	-17.0	-17.0	-14.3	-10.1	-6.1	-4.5	-7.1	-10.4	-14.1	-17.9	-22.0
H80	-19.7	-19.7	-19.7	-16.9	-12.4	-8.0	-6.0	-9.0	-12.9	-16.9	-20.8	-25.0
H81	-20.2	-20.2	-20.2	-17.5	-13.3	-9.4	-7.9	-10.5	-13.8	-17.4	-21.2	-25.3
H82	-20.4	-20.4	-20.4	-17.6	-12.8	-8.1	-6.7	-9.0	-13.6	-17.8	-21.8	-26.0
H83	-20.4	-20.4	-20.4	-17.6	-12.8	-8.1	-6.7	-9.0	-13.6	-17.8	-21.8	-26.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H84	-18.5	-18.5	-18.5	-15.8	-11.7	-8.0	-6.6	-8.9	-11.9	-15.3	-20.9	-25.6
H85	-22.1	-22.1	-22.1	-19.3	-15.2	-11.3	-10.0	-12.5	-15.7	-19.2	-23.0	-27.2
H86	-22.5	-22.5	-22.4	-19.7	-15.6	-11.7	-10.4	-12.9	-16.0	-19.5	-23.3	-27.4
H87	-22.6	-22.6	-22.6	-19.9	-15.7	-11.9	-10.5	-13.1	-16.3	-19.9	-23.6	-27.8
H88	-14.3	-14.3	-14.3	-11.6	-7.6	-3.8	-1.7	-1.3	-2.9	-6.3	-10.1	-14.7
H89	-14.6	-14.6	-14.6	-11.9	-7.9	-4.1	-2.0	-1.6	-3.2	-6.6	-10.4	-14.9

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-19.4	-19.4	-19.4	-16.7	-12.6	-8.8	-6.7	-6.3	-7.9	-11.3	-15.2	-19.7
H2	-19.4	-19.4	-19.4	-16.7	-12.6	-8.8	-6.7	-6.3	-7.9	-11.3	-15.2	-19.7
H3	-19.2	-19.2	-19.2	-16.5	-12.5	-8.7	-6.6	-6.2	-7.8	-11.2	-15.1	-19.6
H4	-19.2	-19.2	-19.2	-16.5	-12.5	-8.7	-6.6	-6.2	-7.8	-11.2	-15.0	-19.6
H5	-19.1	-19.1	-19.1	-16.4	-12.4	-8.6	-6.5	-6.1	-7.7	-11.1	-14.9	-19.5
H6	-20.9	-20.9	-20.9	-18.2	-14.1	-10.4	-8.3	-7.9	-9.5	-12.9	-16.7	-21.2
H7	-17.0	-17.0	-17.0	-14.3	-10.2	-6.4	-4.3	-3.9	-6.8	-9.8	-12.4	-14.5
H8	-19.3	-19.3	-19.2	-16.5	-12.4	-8.6	-6.4	-5.9	-8.9	-12.0	-14.7	-16.8
H9	-18.3	-18.3	-18.3	-15.6	-11.5	-7.7	-5.5	-5.1	-8.0	-11.1	-13.7	-15.9
H10	-15.6	-15.6	-15.6	-12.9	-8.8	-5.0	-2.9	-2.4	-5.4	-8.4	-11.0	-13.2
H11	-15.6	-15.6	-15.5	-12.8	-8.7	-4.9	-2.8	-2.3	-5.3	-8.3	-11.0	-13.1
H12	-14.7	-14.7	-14.6	-11.9	-7.8	-4.0	-1.9	-1.4	-4.4	-7.4	-10.0	-12.2
H13	-20.2	-20.2	-20.2	-17.5	-13.4	-9.7	-7.6	-7.2	-8.8	-12.2	-16.0	-20.5
H14	-17.6	-17.6	-17.6	-14.9	-10.8	-7.0	-4.8	-4.3	-7.3	-10.3	-13.0	-15.1
H15	-17.4	-17.4	-17.3	-14.6	-10.5	-6.7	-4.5	-4.1	-7.0	-10.1	-12.8	-14.9
H16	-21.6	-21.6	-21.6	-18.9	-14.8	-11.0	-9.0	-8.6	-10.2	-13.5	-17.4	-21.9
H17	-16.3	-16.3	-16.3	-13.6	-9.6	-5.8	-3.7	-3.3	-4.9	-8.3	-12.1	-16.6
H18	-15.5	-15.5	-15.5	-12.8	-8.7	-4.9	-2.8	-2.5	-4.1	-7.4	-11.3	-15.8
H19	-17.9	-17.9	-17.9	-15.2	-11.2	-7.4	-5.3	-4.9	-6.5	-9.9	-13.7	-18.2
H20	-15.1	-15.1	-15.1	-12.4	-8.4	-4.6	-2.5	-2.2	-3.8	-7.1	-10.9	-15.5
H21	-18.0	-18.0	-18.0	-15.3	-11.3	-7.5	-5.4	-5.1	-6.7	-10.0	-13.8	-18.4
H22	-17.5	-17.5	-17.5	-14.8	-10.8	-7.0	-4.9	-4.6	-6.2	-9.5	-13.3	-17.8
H23	-17.3	-17.3	-17.3	-14.6	-10.6	-6.8	-4.7	-4.4	-6.0	-9.3	-13.1	-17.6
H24	-12.1	-12.1	-12.1	-9.4	-5.2	-1.4	0.7	1.2	-1.8	-4.8	-7.5	-9.7
H25	-14.2	-14.2	-14.2	-11.5	-7.4	-3.7	-1.6	-1.2	-2.8	-6.1	-10.0	-14.5
H26	-17.8	-17.8	-17.8	-15.1	-11.1	-7.3	-5.2	-4.9	-6.5	-9.8	-13.6	-18.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H27	-16.1	-16.1	-16.1	-13.4	-9.3	-5.6	-3.5	-3.1	-4.7	-8.1	-11.9	-16.4
H28	-16.7	-16.7	-16.7	-14.0	-9.9	-6.1	-4.0	-3.7	-5.3	-8.6	-12.5	-17.0
H29	-20.6	-20.6	-20.6	-17.9	-13.9	-10.1	-8.0	-7.7	-9.2	-12.6	-16.4	-20.9
H30	-17.8	-17.8	-17.8	-15.1	-11.0	-7.2	-5.1	-4.8	-6.4	-9.7	-13.6	-18.1
H31	-20.4	-20.4	-20.4	-17.7	-13.7	-9.9	-7.8	-7.4	-9.0	-12.4	-16.2	-20.7
H32	-20.2	-20.2	-20.2	-17.5	-13.4	-9.7	-7.6	-7.2	-8.8	-12.2	-16.0	-20.5
H33	-25.4	-25.4	-25.4	-22.7	-18.6	-14.8	-12.8	-12.4	-14.0	-17.3	-21.2	-25.7
H34	-20.9	-20.9	-20.9	-18.3	-14.2	-10.4	-8.4	-8.0	-8.0	-8.0	-8.0	-11.2
H35	-19.4	-19.4	-19.4	-16.7	-12.7	-8.9	-6.8	-6.4	-8.0	-11.4	-15.2	-19.7
H36	-21.6	-21.6	-21.6	-18.9	-14.8	-11.0	-9.0	-8.6	-10.2	-13.5	-17.4	-21.9
H37	-24.9	-24.9	-24.9	-22.2	-18.2	-14.4	-12.3	-11.9	-13.5	-16.9	-20.7	-25.2
H38	-19.0	-19.0	-19.0	-16.3	-12.2	-8.5	-6.4	-6.0	-7.6	-10.9	-14.8	-19.3
H39	-10.7	-10.7	-10.7	-8.0	-3.8	0.0	2.1	2.6	-0.4	-3.4	-6.1	-8.3
H40	-18.7	-18.7	-18.7	-16.0	-12.0	-8.2	-6.1	-5.7	-7.3	-10.7	-14.5	-19.0
H41	-24.0	-24.0	-24.0	-21.3	-17.2	-13.5	-11.4	-11.0	-12.6	-15.9	-19.8	-24.3
H42	-23.2	-23.2	-23.2	-20.5	-16.5	-12.7	-10.6	-10.3	-11.8	-15.2	-19.0	-23.5
H43	-24.9	-24.9	-24.9	-22.2	-18.2	-14.4	-12.3	-11.9	-13.5	-16.9	-20.7	-25.2
H44	-19.8	-19.8	-19.8	-17.1	-13.1	-9.3	-7.2	-6.9	-8.5	-11.8	-15.6	-20.2
H45	-23.6	-23.6	-23.6	-20.9	-16.9	-13.1	-11.0	-10.6	-12.2	-15.6	-19.4	-23.9
H46	-24.3	-24.3	-24.3	-21.6	-17.5	-13.7	-11.6	-11.3	-12.9	-16.2	-20.0	-24.6
H47	-24.3	-24.3	-24.3	-21.6	-17.6	-13.8	-11.7	-11.3	-12.9	-16.3	-20.1	-24.6
H48	-12.8	-12.7	-12.7	-10.0	-5.9	-2.0	0.1	0.6	-2.4	-5.4	-8.1	-10.3
H49	-15.1	-15.1	-15.0	-12.3	-8.1	-4.3	-2.1	-1.6	-4.6	-7.7	-10.4	-12.6
H50	-15.5	-15.5	-15.5	-12.7	-8.6	-4.8	-2.6	-2.1	-5.1	-8.2	-10.9	-13.1
H52	-15.1	-15.1	-15.1	-12.3	-8.2	-4.3	-2.1	-1.6	-4.7	-7.8	-10.5	-12.6
H53	-15.3	-15.3	-15.2	-12.5	-8.4	-4.5	-2.3	-1.8	-4.8	-7.9	-10.7	-12.8
H54	-15.8	-15.8	-15.8	-13.1	-8.9	-5.1	-2.9	-2.3	-5.4	-8.5	-11.2	-13.4
H55	-15.5	-15.5	-15.5	-12.7	-8.6	-4.8	-3.3	-5.8	-8.9	-12.4	-16.2	-20.3
H56	-14.7	-14.7	-14.7	-12.0	-7.8	-3.9	-2.5	-5.0	-8.1	-11.6	-15.4	-19.5
H57	-14.5	-14.5	-14.5	-11.8	-7.6	-3.8	-2.4	-4.8	-7.9	-11.4	-15.2	-19.3
H58	-15.0	-14.9	-14.9	-12.2	-8.0	-4.2	-2.8	-5.2	-8.4	-11.9	-15.6	-19.8
H59	-15.0	-14.9	-14.9	-12.2	-8.0	-4.2	-2.8	-5.2	-8.4	-11.9	-15.6	-19.8
H60	-14.9	-14.9	-14.9	-12.2	-8.0	-4.2	-2.7	-5.2	-8.3	-11.8	-15.6	-19.7
H61	-14.9	-14.8	-14.8	-12.1	-7.9	-4.1	-2.7	-5.1	-8.3	-11.8	-15.5	-19.7
H62	-14.7	-14.7	-14.7	-12.0	-7.8	-4.0	-2.6	-5.0	-8.1	-11.7	-15.4	-19.6

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H63	-14.9	-14.9	-14.9	-12.2	-8.0	-4.2	-2.7	-5.2	-8.3	-11.8	-15.6	-19.7
H64	-14.9	-14.9	-14.9	-12.1	-8.0	-4.1	-2.7	-5.2	-8.3	-11.8	-15.6	-19.7
H65	-14.9	-14.9	-14.8	-12.1	-7.9	-4.1	-2.7	-5.2	-8.3	-11.8	-15.5	-19.7
H66	-14.8	-14.8	-14.8	-12.1	-7.9	-4.1	-2.7	-5.1	-8.3	-11.8	-15.5	-19.7
H67	-14.5	-14.5	-14.4	-11.7	-7.5	-3.7	-2.3	-4.8	-7.9	-11.4	-15.2	-19.3
H68	-10.5	-10.5	-10.5	-7.8	-2.8	1.1	2.2	-1.1	-4.6	-8.3	-12.2	-16.4
H69	-21.1	-21.1	-21.1	-18.4	-14.1	-10.4	-8.3	-7.9	-7.8	-7.8	-7.7	-9.8
H70	-12.6	-12.6	-12.5	-9.8	-5.3	-1.5	-0.2	-3.0	-6.3	-9.9	-13.7	-17.9
H71	-15.9	-15.9	-15.9	-13.2	-9.0	-5.2	-3.8	-6.2	-9.4	-12.9	-16.6	-20.8
H72	-28.5	-28.5	-28.5	-25.8	-21.8	-18.0	-16.6	-18.9	-21.9	-25.3	-29.0	-33.1
H73	-10.7	-10.7	-10.7	-8.0	-4.0	-0.2	1.1	-1.1	-4.8	-9.4	-13.7	-18.1
H74	-10.7	-10.7	-10.7	-8.0	-4.0	-0.2	1.1	-1.1	-4.9	-9.4	-13.6	-18.0
H75	-16.1	-16.1	-16.1	-13.4	-9.3	-5.4	-4.0	-6.4	-9.5	-13.0	-16.8	-20.9
H76	-11.6	-11.6	-11.6	-8.9	-4.6	-0.8	0.5	-1.7	-6.1	-10.3	-14.4	-18.7
H77	-11.5	-11.5	-11.5	-8.8	-4.6	-0.8	0.6	-1.7	-6.1	-10.2	-14.3	-18.7
H78	-15.6	-15.6	-15.6	-12.9	-8.7	-4.7	-3.2	-5.7	-9.0	-12.6	-16.4	-20.5
H79	-15.2	-15.2	-15.2	-12.5	-8.3	-4.3	-2.7	-5.3	-8.6	-12.2	-16.0	-20.1
H80	-18.2	-18.2	-18.2	-15.4	-11.0	-6.5	-4.6	-7.6	-11.5	-15.4	-19.3	-23.5
H81	-16.7	-16.7	-16.7	-14.0	-9.8	-5.9	-4.5	-6.9	-10.1	-13.7	-17.5	-21.6
H82	-18.8	-18.8	-18.8	-16.0	-11.3	-6.5	-5.1	-7.5	-12.0	-16.2	-20.2	-24.4
H83	-18.8	-18.8	-18.8	-16.0	-11.3	-6.5	-5.1	-7.5	-12.0	-16.2	-20.2	-24.4
H84	-14.3	-14.3	-14.3	-11.6	-7.6	-3.8	-2.4	-4.7	-7.7	-11.6	-16.8	-21.5
H85	-17.5	-17.5	-17.5	-14.7	-10.5	-6.6	-5.2	-7.9	-11.1	-14.7	-18.5	-22.7
H86	-17.9	-17.9	-17.9	-15.1	-10.9	-7.1	-5.7	-8.2	-11.5	-15.0	-18.8	-23.0
H87	-18.0	-18.0	-18.0	-15.3	-11.1	-7.2	-5.8	-8.5	-11.7	-15.3	-19.1	-23.3
H88	-18.0	-18.0	-18.0	-15.3	-11.2	-7.4	-5.3	-5.0	-6.6	-9.9	-13.8	-18.3
H89	-17.4	-17.4	-17.4	-14.7	-10.7	-6.9	-4.8	-4.5	-6.0	-9.4	-13.2	-17.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-22.0	-22.0	-22.0	-19.3	-15.2	-11.5	-9.4	-9.0	-10.6	-14.0	-17.8	-22.3
H2	-22.0	-22.0	-22.0	-19.3	-15.2	-11.4	-9.3	-9.0	-10.6	-13.9	-17.8	-22.3
H3	-21.5	-21.5	-21.5	-18.8	-14.8	-11.0	-8.9	-8.5	-10.1	-13.5	-17.3	-21.9
H4	-21.5	-21.5	-21.5	-18.8	-14.8	-11.0	-8.9	-8.5	-10.1	-13.5	-17.3	-21.8
H5	-21.4	-21.4	-21.4	-18.7	-14.7	-10.9	-8.8	-8.4	-10.0	-13.4	-17.2	-21.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H6	-25.4	-25.4	-25.4	-22.7	-18.7	-14.9	-12.8	-12.5	-14.1	-17.4	-21.2	-25.7
H7	-17.0	-17.0	-17.0	-14.3	-10.3	-6.5	-4.4	-3.9	-6.8	-9.8	-12.4	-14.6
H8	-19.3	-19.3	-19.3	-16.6	-12.5	-8.7	-6.5	-6.0	-9.0	-12.0	-14.7	-16.8
H9	-18.3	-18.3	-18.3	-15.6	-11.6	-7.8	-5.6	-5.1	-8.1	-11.1	-13.7	-15.9
H10	-15.7	-15.7	-15.6	-12.9	-8.9	-5.1	-2.9	-2.5	-5.4	-8.4	-11.1	-13.2
H11	-15.6	-15.6	-15.6	-12.9	-8.8	-5.0	-2.9	-2.4	-5.3	-8.3	-11.0	-13.1
H12	-14.7	-14.7	-14.7	-12.0	-7.9	-4.1	-1.9	-1.5	-4.4	-7.4	-10.1	-12.2
H13	-24.4	-24.4	-24.4	-21.7	-17.7	-13.9	-11.8	-11.5	-13.0	-16.4	-20.2	-24.7
H14	-17.6	-17.6	-17.6	-14.9	-10.8	-7.0	-4.9	-4.4	-7.3	-10.4	-13.0	-15.2
H15	-17.4	-17.4	-17.3	-14.7	-10.6	-6.8	-4.6	-4.1	-7.1	-10.1	-12.8	-14.9
H16	-25.4	-25.4	-25.4	-22.7	-18.6	-14.9	-12.8	-12.4	-14.0	-17.3	-21.2	-25.7
H17	-20.5	-20.5	-20.5	-17.8	-13.7	-10.0	-7.9	-7.5	-9.1	-12.5	-16.3	-20.8
H18	-19.6	-19.6	-19.6	-16.9	-12.9	-9.1	-7.0	-6.7	-8.2	-11.6	-15.4	-19.9
H19	-21.7	-21.7	-21.7	-19.0	-15.0	-11.2	-9.1	-8.7	-10.3	-13.7	-17.5	-22.0
H20	-19.2	-19.2	-19.2	-16.5	-12.5	-8.7	-6.6	-6.3	-7.8	-11.2	-15.0	-19.5
H21	-21.9	-21.9	-21.8	-19.2	-15.1	-11.3	-9.3	-8.9	-10.5	-13.8	-17.6	-22.2
H22	-21.3	-21.3	-21.3	-18.6	-14.6	-10.8	-8.7	-8.4	-10.0	-13.3	-17.1	-21.7
H23	-21.1	-21.1	-21.1	-18.4	-14.4	-10.6	-8.5	-8.2	-9.8	-13.1	-16.9	-21.5
H24	-12.1	-12.1	-12.1	-9.4	-5.3	-1.5	0.6	1.1	-1.8	-4.9	-7.5	-9.7
H25	-17.9	-17.9	-17.9	-15.2	-11.2	-7.4	-5.3	-4.9	-6.5	-9.9	-13.7	-18.2
H26	-21.6	-21.6	-21.6	-18.9	-14.9	-11.1	-9.0	-8.7	-10.3	-13.6	-17.4	-21.9
H27	-19.5	-19.5	-19.4	-16.8	-12.7	-8.9	-6.8	-6.5	-8.1	-11.4	-15.2	-19.8
H28	-20.1	-20.1	-20.1	-17.4	-13.4	-9.6	-7.5	-7.2	-8.8	-12.1	-15.9	-20.4
H29	-23.4	-23.4	-23.4	-20.7	-16.7	-12.9	-10.8	-10.5	-12.1	-15.4	-19.2	-23.7
H30	-21.5	-21.5	-21.5	-18.8	-14.8	-11.0	-8.9	-8.6	-10.1	-13.5	-17.3	-21.8
H31	-23.2	-23.2	-23.2	-20.5	-16.5	-12.7	-10.6	-10.3	-11.9	-15.2	-19.0	-23.5
H32	-23.0	-23.0	-23.0	-20.3	-16.3	-12.5	-10.4	-10.1	-11.7	-15.0	-18.8	-23.3
H33	-27.3	-27.3	-27.3	-24.6	-20.5	-16.8	-14.7	-14.4	-15.9	-19.3	-23.1	-27.6
H34	-22.9	-22.9	-22.9	-20.2	-16.1	-12.4	-10.3	-10.0	-9.9	-9.9	-9.9	-13.1
H35	-22.2	-22.2	-22.2	-19.5	-15.5	-11.7	-9.6	-9.3	-10.9	-14.2	-18.0	-22.5
H36	-24.3	-24.3	-24.3	-21.6	-17.6	-13.8	-11.7	-11.4	-13.0	-16.3	-20.1	-24.6
H37	-26.8	-26.8	-26.8	-24.1	-20.1	-16.3	-14.2	-13.9	-15.5	-18.8	-22.6	-27.1
H38	-21.7	-21.7	-21.7	-19.0	-15.0	-11.2	-9.1	-8.8	-10.4	-13.7	-17.5	-22.0
H39	-10.7	-10.7	-10.7	-8.0	-3.9	-0.1	2.1	2.6	-0.4	-3.5	-6.1	-8.3
H40	-21.3	-21.3	-21.3	-18.6	-14.6	-10.8	-8.7	-8.4	-9.9	-13.3	-17.1	-21.6

House ID	Reference Wind Speed, Standardised v_{10} (ms ⁻¹)											
	1	2	3	4	5	6	7	8	9	10	11	12
H41	-25.9	-25.9	-25.9	-23.2	-19.2	-15.4	-13.3	-13.0	-14.6	-17.9	-21.7	-26.2
H42	-25.2	-25.2	-25.2	-22.5	-18.4	-14.6	-12.6	-12.2	-13.8	-17.1	-21.0	-25.5
H43	-26.8	-26.8	-26.8	-24.1	-20.0	-16.3	-14.2	-13.8	-15.4	-18.8	-22.6	-27.1
H44	-22.6	-22.6	-22.6	-19.9	-15.9	-12.1	-10.0	-9.7	-11.3	-14.6	-18.4	-22.9
H45	-25.5	-25.5	-25.5	-22.8	-18.7	-15.0	-12.9	-12.6	-14.1	-17.5	-21.3	-25.8
H46	-26.1	-26.1	-26.1	-23.4	-19.4	-15.6	-13.5	-13.2	-14.8	-18.1	-21.9	-26.4
H47	-26.2	-26.2	-26.2	-23.5	-19.5	-15.7	-13.6	-13.3	-14.8	-18.2	-22.0	-26.5
H48	-12.7	-12.7	-12.7	-10.0	-5.9	-2.1	0.1	0.6	-2.4	-5.5	-8.2	-10.3
H49	-15.0	-15.0	-15.0	-12.3	-8.2	-4.3	-2.1	-1.6	-4.6	-7.7	-10.4	-12.6
H50	-15.5	-15.5	-15.5	-12.8	-8.7	-4.8	-2.6	-2.1	-5.1	-8.2	-10.9	-13.1
H52	-15.1	-15.1	-15.1	-12.3	-8.2	-4.4	-2.1	-1.6	-4.6	-7.8	-10.5	-12.6
H53	-15.3	-15.2	-15.2	-12.5	-8.4	-4.5	-2.3	-1.8	-4.8	-8.0	-10.7	-12.8
H54	-15.8	-15.8	-15.8	-13.1	-8.9	-5.1	-2.9	-2.3	-5.4	-8.5	-11.2	-13.4
H55	-15.5	-15.5	-15.5	-12.7	-8.6	-4.8	-3.3	-5.8	-8.9	-12.4	-16.2	-20.3
H56	-14.7	-14.7	-14.7	-12.0	-7.8	-4.0	-2.5	-5.0	-8.1	-11.6	-15.4	-19.5
H57	-14.5	-14.5	-14.5	-11.8	-7.6	-3.8	-2.4	-4.8	-7.9	-11.4	-15.2	-19.3
H58	-14.9	-14.9	-14.9	-12.2	-8.0	-4.2	-2.8	-5.2	-8.4	-11.9	-15.6	-19.8
H59	-14.9	-14.9	-14.9	-12.2	-8.0	-4.2	-2.8	-5.2	-8.3	-11.9	-15.6	-19.8
H60	-14.9	-14.9	-14.9	-12.2	-8.0	-4.2	-2.7	-5.2	-8.3	-11.8	-15.6	-19.7
H61	-14.8	-14.8	-14.8	-12.1	-7.9	-4.1	-2.7	-5.1	-8.3	-11.8	-15.5	-19.7
H62	-14.7	-14.7	-14.7	-12.0	-7.8	-4.0	-2.6	-5.0	-8.1	-11.7	-15.4	-19.6
H63	-14.9	-14.9	-14.9	-12.2	-8.0	-4.2	-2.7	-5.2	-8.3	-11.8	-15.6	-19.7
H64	-14.9	-14.9	-14.9	-12.1	-8.0	-4.1	-2.7	-5.2	-8.3	-11.8	-15.6	-19.7
H65	-14.8	-14.8	-14.8	-12.1	-8.0	-4.1	-2.7	-5.1	-8.3	-11.8	-15.5	-19.7
H66	-14.8	-14.8	-14.8	-12.1	-7.9	-4.1	-2.7	-5.1	-8.2	-11.8	-15.5	-19.7
H67	-14.5	-14.5	-14.4	-11.7	-7.6	-3.7	-2.3	-4.7	-7.9	-11.4	-15.2	-19.3
H68	-9.7	-9.7	-9.7	-7.0	-2.0	1.9	3.0	-0.3	-3.8	-7.5	-11.4	-15.6
H69	-20.3	-20.3	-20.3	-17.6	-13.4	-9.6	-7.5	-7.2	-7.1	-7.1	-7.0	-9.1
H70	-11.6	-11.6	-11.6	-8.9	-4.4	-0.6	0.7	-2.1	-5.4	-9.0	-12.8	-16.9
H71	-15.9	-15.9	-15.9	-13.2	-9.0	-5.2	-3.8	-6.2	-9.3	-12.9	-16.6	-20.8
H72	-28.2	-28.2	-28.2	-25.5	-21.5	-17.7	-16.3	-18.6	-21.6	-25.0	-28.7	-32.8
H73	-9.1	-9.1	-9.1	-6.4	-2.4	1.4	2.7	0.5	-3.2	-7.8	-12.1	-16.5
H74	-9.3	-9.3	-9.3	-6.6	-2.5	1.2	2.6	0.3	-2.8	-7.7	-12.1	-16.6
H75	-14.7	-14.7	-14.7	-12.0	-7.9	-4.1	-2.7	-5.0	-8.1	-11.5	-15.2	-19.4
H76	-9.8	-9.8	-9.8	-7.1	-3.1	0.7	2.1	-0.2	-4.3	-8.6	-12.8	-17.2
H77	-9.8	-9.8	-9.8	-7.1	-3.1	0.7	2.1	-0.2	-4.2	-8.6	-12.8	-17.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H78	-13.5	-13.5	-13.5	-10.8	-6.7	-2.8	-1.3	-3.7	-6.9	-10.4	-14.2	-18.3
H79	-12.3	-12.3	-12.3	-9.6	-5.4	-1.4	0.2	-2.3	-5.6	-9.3	-13.1	-17.2
H80	-15.0	-15.0	-15.0	-12.3	-7.8	-3.4	-1.5	-4.4	-8.3	-12.2	-16.2	-20.4
H81	-13.3	-13.3	-13.3	-10.5	-6.4	-2.4	-0.9	-3.4	-6.7	-10.2	-14.0	-18.2
H82	-15.4	-15.4	-15.3	-12.6	-7.9	-3.0	-1.7	-4.1	-8.5	-12.7	-16.8	-21.0
H83	-15.4	-15.4	-15.3	-12.6	-7.9	-3.0	-1.7	-4.1	-8.5	-12.7	-16.8	-21.0
H84	-11.9	-11.9	-11.9	-9.2	-5.2	-1.4	-0.1	-2.3	-5.3	-9.8	-14.6	-19.2
H85	-15.7	-15.7	-15.7	-12.9	-8.7	-4.8	-3.4	-6.1	-9.4	-13.0	-16.8	-21.0
H86	-16.1	-16.1	-16.1	-13.3	-9.1	-5.2	-3.8	-6.5	-9.7	-13.3	-17.1	-21.2
H87	-15.8	-15.8	-15.8	-13.1	-8.8	-4.9	-3.5	-6.2	-9.5	-13.1	-17.0	-21.1
H88	-20.3	-20.3	-20.3	-17.6	-13.6	-9.8	-7.7	-7.4	-9.0	-12.3	-16.1	-20.6
H89	-18.8	-18.8	-18.8	-16.1	-12.1	-8.3	-6.2	-5.9	-7.4	-10.8	-14.6	-19.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-26.4	-26.4	-26.4	-23.7	-19.7	-15.9	-13.8	-13.4	-15.0	-18.4	-22.2	-26.7
H2	-26.4	-26.4	-26.4	-23.7	-19.6	-15.9	-13.7	-13.4	-15.0	-18.3	-22.2	-26.7
H3	-25.9	-25.9	-25.9	-23.2	-19.2	-15.4	-13.3	-12.9	-14.5	-17.9	-21.7	-26.3
H4	-25.9	-25.9	-25.9	-23.2	-19.2	-15.4	-13.3	-12.9	-14.5	-17.9	-21.7	-26.2
H5	-25.8	-25.8	-25.8	-23.1	-19.1	-15.3	-13.2	-12.8	-14.4	-17.8	-21.6	-26.1
H6	-28.4	-28.4	-28.4	-25.7	-21.7	-17.9	-15.8	-15.5	-17.1	-20.4	-24.2	-28.7
H7	-20.9	-20.9	-20.9	-18.2	-14.2	-10.3	-8.2	-7.7	-10.6	-13.7	-16.3	-18.4
H8	-19.5	-19.5	-19.5	-16.8	-12.7	-8.9	-6.6	-6.0	-9.1	-12.2	-14.9	-17.1
H9	-18.5	-18.5	-18.5	-15.9	-11.8	-7.9	-5.7	-5.1	-8.2	-11.3	-13.9	-16.1
H10	-19.6	-19.6	-19.6	-16.9	-12.8	-9.0	-6.9	-6.4	-9.3	-12.4	-15.0	-17.1
H11	-19.5	-19.5	-19.5	-16.8	-12.8	-8.9	-6.8	-6.3	-9.2	-12.3	-14.9	-17.1
H12	-16.4	-16.4	-16.4	-13.7	-9.7	-5.8	-3.7	-3.1	-6.1	-9.2	-11.8	-14.0
H13	-26.7	-26.7	-26.7	-24.0	-20.0	-16.2	-14.2	-13.8	-15.4	-18.7	-22.5	-27.1
H14	-17.5	-17.5	-17.5	-14.8	-10.8	-6.9	-4.7	-4.0	-7.1	-10.2	-12.9	-15.1
H15	-17.3	-17.3	-17.3	-14.6	-10.5	-6.6	-4.4	-3.7	-6.8	-10.0	-12.7	-14.8
H16	-26.9	-26.9	-26.9	-24.2	-20.2	-16.4	-14.4	-14.0	-15.6	-18.9	-22.7	-27.2
H17	-22.8	-22.8	-22.8	-20.1	-16.1	-12.3	-10.2	-9.8	-11.4	-14.8	-18.6	-23.1
H18	-21.9	-21.9	-21.9	-19.2	-15.1	-11.4	-9.3	-8.9	-10.5	-13.9	-17.7	-22.2
H19	-23.3	-23.3	-23.3	-20.6	-16.5	-12.8	-10.7	-10.3	-11.9	-15.2	-19.1	-23.6

House ID	Reference Wind Speed, Standardised v_{10} (ms ⁻¹)											
	1	2	3	4	5	6	7	8	9	10	11	12
H20	-21.5	-21.5	-21.4	-18.8	-14.7	-10.9	-8.8	-8.5	-10.1	-13.4	-17.3	-21.8
H21	-23.4	-23.4	-23.4	-20.7	-16.7	-12.9	-10.9	-10.5	-12.1	-15.4	-19.2	-23.8
H22	-22.9	-22.9	-22.9	-20.2	-16.2	-12.4	-10.3	-10.0	-11.6	-14.9	-18.7	-23.2
H23	-22.7	-22.7	-22.7	-20.0	-16.0	-12.2	-10.1	-9.8	-11.4	-14.7	-18.5	-23.1
H24	-12.0	-12.0	-12.0	-9.3	-5.3	-1.4	0.9	1.5	-1.6	-4.8	-7.5	-9.6
H25	-20.0	-20.0	-20.0	-17.3	-13.3	-9.5	-7.4	-7.1	-8.7	-12.0	-15.8	-20.3
H26	-23.1	-23.1	-23.1	-20.4	-16.4	-12.6	-10.6	-10.2	-11.8	-15.1	-18.9	-23.5
H27	-20.8	-20.8	-20.8	-18.2	-14.1	-10.3	-8.3	-7.9	-9.5	-12.8	-16.7	-21.2
H28	-21.5	-21.5	-21.5	-18.8	-14.8	-11.0	-8.9	-8.6	-10.2	-13.5	-17.3	-21.8
H29	-24.2	-24.2	-24.2	-21.5	-17.4	-13.7	-11.6	-11.2	-12.8	-16.1	-20.0	-24.5
H30	-22.9	-22.9	-22.9	-20.2	-16.2	-12.4	-10.3	-10.0	-11.6	-14.9	-18.7	-23.2
H31	-24.0	-24.0	-24.0	-21.3	-17.2	-13.5	-11.4	-11.0	-12.6	-16.0	-19.8	-24.3
H32	-23.8	-23.8	-23.8	-21.1	-17.1	-13.3	-11.2	-10.9	-12.5	-15.8	-19.6	-24.1
H33	-27.4	-27.4	-27.4	-24.7	-20.7	-16.9	-14.8	-14.5	-16.1	-19.4	-23.2	-27.7
H34	-23.9	-23.9	-23.9	-21.2	-17.2	-13.4	-11.4	-11.0	-11.0	-11.0	-11.0	-14.2
H35	-23.0	-23.0	-23.0	-20.3	-16.3	-12.5	-10.4	-10.1	-11.7	-15.0	-18.8	-23.3
H36	-25.0	-25.0	-25.0	-22.3	-18.3	-14.5	-12.5	-12.1	-13.7	-17.0	-20.8	-25.3
H37	-27.0	-27.0	-27.0	-24.3	-20.3	-16.5	-14.4	-14.1	-15.7	-19.0	-22.8	-27.3
H38	-22.5	-22.5	-22.5	-19.8	-15.8	-12.0	-9.9	-9.6	-11.2	-14.5	-18.3	-22.8
H39	-10.6	-10.6	-10.6	-7.9	-3.8	0.1	2.3	3.0	-0.1	-3.3	-6.0	-8.2
H40	-22.0	-22.0	-22.0	-19.3	-15.3	-11.5	-9.4	-9.1	-10.7	-14.0	-17.8	-22.3
H41	-26.1	-26.1	-26.1	-23.4	-19.4	-15.6	-13.5	-13.2	-14.8	-18.1	-21.9	-26.4
H42	-25.3	-25.3	-25.3	-22.6	-18.6	-14.8	-12.7	-12.4	-14.0	-17.3	-21.1	-25.6
H43	-26.8	-26.8	-26.8	-24.1	-20.1	-16.3	-14.3	-13.9	-15.5	-18.8	-22.6	-27.1
H44	-23.4	-23.4	-23.4	-20.7	-16.6	-12.9	-10.8	-10.4	-12.0	-15.4	-19.2	-23.7
H45	-25.6	-25.6	-25.6	-22.9	-18.8	-15.1	-13.0	-12.7	-14.2	-17.6	-21.4	-25.9
H46	-26.2	-26.2	-26.2	-23.5	-19.5	-15.7	-13.6	-13.3	-14.9	-18.2	-22.0	-26.5
H47	-26.3	-26.3	-26.3	-23.6	-19.6	-15.8	-13.7	-13.4	-15.0	-18.3	-22.1	-26.6
H48	-12.6	-12.6	-12.6	-9.9	-5.8	-1.9	0.4	1.2	-2.0	-5.3	-8.0	-10.2
H49	-14.9	-14.9	-14.8	-12.1	-8.0	-4.1	-1.7	-0.9	-4.2	-7.5	-10.3	-12.5
H50	-15.3	-15.3	-15.3	-12.6	-8.5	-4.6	-2.2	-1.4	-4.7	-8.0	-10.8	-13.0
H52	-14.9	-14.9	-14.9	-12.2	-8.0	-4.1	-1.7	-0.8	-4.2	-7.5	-10.3	-12.5
H53	-15.1	-15.1	-15.0	-12.3	-8.2	-4.3	-1.9	-1.0	-4.4	-7.7	-10.5	-12.7
H54	-15.6	-15.6	-15.6	-12.9	-8.8	-4.8	-2.5	-1.6	-4.9	-8.3	-11.1	-13.3
H55	-15.3	-15.3	-15.3	-12.6	-8.5	-4.6	-3.1	-5.5	-8.7	-12.3	-16.1	-20.3
H56	-14.6	-14.6	-14.5	-11.8	-7.7	-3.8	-2.3	-4.8	-8.0	-11.6	-15.4	-19.5

Table 10.12.5: Margins in 120 Degree Sector - Day

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H57	-14.4	-14.4	-14.4	-11.6	-7.5	-3.6	-2.1	-4.6	-7.8	-11.4	-15.2	-19.3
H58	-14.8	-14.8	-14.8	-12.1	-7.9	-4.0	-2.5	-5.0	-8.2	-11.8	-15.6	-19.7
H59	-14.8	-14.8	-14.8	-12.1	-7.9	-4.0	-2.5	-5.0	-8.2	-11.8	-15.6	-19.7
H60	-14.8	-14.8	-14.7	-12.0	-7.9	-4.0	-2.5	-5.0	-8.2	-11.8	-15.6	-19.7
H61	-14.7	-14.7	-14.7	-12.0	-7.8	-3.9	-2.4	-4.9	-8.1	-11.7	-15.5	-19.7
H62	-14.6	-14.6	-14.6	-11.9	-7.7	-3.8	-2.3	-4.8	-8.0	-11.6	-15.4	-19.5
H63	-14.8	-14.8	-14.7	-12.0	-7.9	-4.0	-2.5	-5.0	-8.2	-11.8	-15.6	-19.7
H64	-14.7	-14.7	-14.7	-12.0	-7.8	-3.9	-2.5	-4.9	-8.2	-11.7	-15.5	-19.7
H65	-14.7	-14.7	-14.7	-12.0	-7.8	-3.9	-2.5	-4.9	-8.1	-11.7	-15.5	-19.7
H66	-14.7	-14.7	-14.7	-12.0	-7.8	-3.9	-2.4	-4.9	-8.1	-11.7	-15.5	-19.6
H67	-14.3	-14.3	-14.3	-11.6	-7.4	-3.5	-2.1	-4.6	-7.8	-11.3	-15.1	-19.3
H68	-9.6	-9.6	-9.6	-6.9	-1.9	2.0	3.2	-0.2	-3.7	-7.5	-11.4	-15.6
H69	-20.3	-20.3	-20.3	-17.6	-13.4	-9.6	-7.5	-7.2	-7.1	-7.0	-7.0	-9.1
H70	-11.5	-11.5	-11.5	-8.8	-4.3	-0.4	0.9	-1.9	-5.3	-8.9	-12.8	-16.9
H71	-15.8	-15.8	-15.8	-13.0	-8.9	-5.0	-3.5	-6.0	-9.2	-12.8	-16.6	-20.7
H72	-26.1	-26.1	-26.1	-23.4	-19.4	-15.6	-14.2	-16.5	-19.5	-22.9	-26.6	-30.7
H73	-9.1	-9.1	-9.1	-6.4	-2.4	1.4	2.7	0.5	-3.2	-7.8	-12.1	-16.5
H74	-9.1	-9.1	-9.1	-6.4	-2.4	1.4	2.8	0.5	-2.6	-7.5	-11.9	-16.4
H75	-12.3	-12.3	-12.3	-9.6	-5.5	-1.7	-0.3	-2.6	-5.7	-9.1	-12.9	-17.0
H76	-9.6	-9.6	-9.6	-6.9	-2.9	0.9	2.3	0.0	-4.1	-8.4	-12.6	-17.0
H77	-9.6	-9.6	-9.6	-6.9	-2.9	0.9	2.3	0.0	-4.0	-8.4	-12.6	-17.0
H78	-11.5	-11.5	-11.5	-8.8	-4.7	-0.9	0.6	-1.8	-4.9	-8.3	-12.1	-16.2
H79	-10.6	-10.6	-10.6	-7.8	-3.6	0.4	1.9	-0.6	-3.9	-7.6	-11.4	-15.5
H80	-12.4	-12.4	-12.4	-9.7	-5.4	-1.1	0.6	-2.1	-5.7	-9.5	-13.4	-17.6
H81	-12.0	-12.0	-12.0	-9.3	-5.0	-0.9	0.7	-2.0	-5.4	-9.1	-12.9	-17.1
H82	-12.4	-12.4	-12.4	-9.6	-4.9	-0.1	1.3	-1.0	-5.5	-9.8	-13.8	-18.0
H83	-12.4	-12.4	-12.4	-9.6	-4.9	-0.1	1.3	-1.0	-5.5	-9.8	-13.8	-18.0
H84	-11.4	-11.4	-11.4	-8.7	-4.7	-1.0	0.4	-1.9	-4.8	-9.6	-14.3	-18.8
H85	-15.6	-15.6	-15.6	-12.9	-8.6	-4.6	-3.2	-6.0	-9.3	-13.0	-16.8	-21.0
H86	-16.0	-16.0	-16.0	-13.3	-9.0	-5.1	-3.7	-6.3	-9.6	-13.3	-17.1	-21.2
H87	-15.7	-15.7	-15.7	-13.0	-8.7	-4.7	-3.4	-6.1	-9.5	-13.1	-16.9	-21.1
H88	-21.0	-21.0	-21.0	-18.3	-14.3	-10.5	-8.4	-8.1	-9.7	-13.0	-16.8	-21.3
H89	-18.9	-18.9	-18.9	-16.2	-12.2	-8.4	-6.3	-6.0	-7.6	-10.9	-14.7	-19.2

House ID	Reference Wind Speed, Standardised v_{10} (ms ⁻¹)											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-28.8	-28.8	-28.8	-26.1	-22.0	-18.2	-16.1	-15.6	-17.3	-20.7	-24.6	-29.1
H2	-28.8	-28.8	-28.8	-26.1	-22.0	-18.2	-16.1	-15.6	-17.3	-20.7	-24.6	-29.1
H3	-28.5	-28.5	-28.5	-25.8	-21.8	-18.0	-15.8	-15.4	-17.0	-20.5	-24.3	-28.9
H4	-28.5	-28.5	-28.5	-25.8	-21.7	-17.9	-15.8	-15.3	-17.0	-20.4	-24.3	-28.8
H5	-28.4	-28.4	-28.4	-25.7	-21.6	-17.8	-15.7	-15.2	-16.9	-20.3	-24.2	-28.7
H6	-29.3	-29.3	-29.3	-26.6	-22.6	-18.8	-16.7	-16.4	-18.0	-21.3	-25.1	-29.6
H7	-24.8	-24.8	-24.8	-22.1	-18.0	-14.2	-11.9	-11.2	-14.3	-17.5	-20.2	-22.4
H8	-23.8	-23.8	-23.8	-21.1	-17.0	-13.0	-10.4	-9.0	-12.7	-16.4	-19.2	-21.5
H9	-22.9	-22.9	-22.9	-20.2	-16.1	-12.0	-9.5	-8.2	-11.9	-15.5	-18.3	-20.5
H10	-23.4	-23.4	-23.4	-20.7	-16.6	-12.7	-10.4	-9.5	-12.8	-16.1	-18.8	-21.0
H11	-23.3	-23.3	-23.3	-20.6	-16.5	-12.6	-10.3	-9.5	-12.7	-16.0	-18.7	-20.9
H12	-20.8	-20.8	-20.8	-18.1	-14.0	-10.1	-7.7	-6.8	-10.1	-13.5	-16.2	-18.4
H13	-27.1	-27.1	-27.1	-24.4	-20.4	-16.6	-14.5	-14.1	-15.7	-19.1	-22.9	-27.4
H14	-21.8	-21.8	-21.8	-19.2	-15.0	-11.0	-8.4	-6.9	-10.7	-14.4	-17.2	-19.5
H15	-20.0	-20.0	-20.0	-17.3	-13.1	-9.1	-6.5	-5.0	-8.8	-12.6	-15.4	-17.7
H16	-26.7	-26.7	-26.7	-24.0	-19.9	-16.2	-14.1	-13.7	-15.3	-18.7	-22.5	-27.0
H17	-22.9	-22.9	-22.9	-20.2	-16.2	-12.4	-10.3	-9.9	-11.5	-14.9	-18.7	-23.3
H18	-22.0	-22.0	-22.0	-19.3	-15.3	-11.5	-9.3	-8.9	-10.5	-14.0	-17.8	-22.3
H19	-23.0	-23.0	-23.0	-20.3	-16.3	-12.5	-10.4	-10.0	-11.6	-15.0	-18.8	-23.3
H20	-21.6	-21.6	-21.6	-18.9	-14.8	-11.0	-8.9	-8.5	-10.1	-13.5	-17.4	-21.9
H21	-23.2	-23.2	-23.2	-20.5	-16.5	-12.7	-10.6	-10.2	-11.8	-15.2	-19.0	-23.5
H22	-22.7	-22.7	-22.7	-20.0	-16.0	-12.2	-10.1	-9.7	-11.3	-14.7	-18.5	-23.0
H23	-22.5	-22.5	-22.5	-19.8	-15.8	-12.0	-9.9	-9.5	-11.1	-14.5	-18.3	-22.8
H24	-13.2	-13.2	-13.2	-10.5	-6.4	-2.3	0.3	1.8	-2.1	-5.8	-8.7	-10.9
H25	-20.2	-20.2	-20.2	-17.5	-13.5	-9.7	-7.6	-7.2	-8.8	-12.2	-16.0	-20.6
H26	-22.9	-22.9	-22.9	-20.2	-16.1	-12.3	-10.2	-9.9	-11.5	-14.8	-18.7	-23.2
H27	-20.6	-20.6	-20.6	-17.9	-13.9	-10.1	-8.0	-7.6	-9.2	-12.6	-16.4	-20.9
H28	-21.1	-21.1	-21.1	-18.5	-14.4	-10.6	-8.5	-8.2	-9.8	-13.1	-17.0	-21.5
H29	-23.2	-23.2	-23.2	-20.5	-16.4	-12.6	-10.6	-10.2	-11.8	-15.1	-19.0	-23.5
H30	-22.3	-22.3	-22.3	-19.6	-15.6	-11.8	-9.7	-9.3	-10.9	-14.3	-18.1	-22.6
H31	-23.0	-23.0	-23.0	-20.3	-16.3	-12.5	-10.4	-10.0	-11.6	-15.0	-18.8	-23.3
H32	-22.8	-22.8	-22.8	-20.1	-16.1	-12.3	-10.2	-9.9	-11.5	-14.8	-18.6	-23.2
H33	-25.9	-25.9	-25.9	-23.2	-19.2	-15.4	-13.3	-13.0	-14.6	-17.9	-21.7	-26.2
H34	-23.9	-23.9	-23.9	-21.3	-17.2	-13.5	-11.4	-11.0	-11.0	-11.0	-11.0	-14.2
H35	-22.1	-22.1	-22.1	-19.4	-15.4	-11.6	-9.5	-9.1	-10.7	-14.1	-17.9	-22.4
H36	-24.0	-24.0	-24.0	-21.3	-17.2	-13.5	-11.4	-11.0	-12.6	-16.0	-19.8	-24.3

Table 10.12.6: Margins in 150 Degree Sector - Day												
House ID	Reference Wind Speed, Standardised v_{10} (ms ⁻¹)											
	1	2	3	4	5	6	7	8	9	10	11	12
H37	-25.5	-25.5	-25.5	-22.8	-18.8	-15.0	-12.9	-12.6	-14.2	-17.5	-21.3	-25.8
H38	-21.7	-21.7	-21.7	-19.0	-15.0	-11.2	-9.1	-8.7	-10.3	-13.7	-17.5	-22.0
H39	-10.7	-10.6	-10.6	-8.0	-3.8	0.2	2.8	4.2	0.4	-3.2	-6.1	-8.4
H40	-21.1	-21.1	-21.1	-18.4	-14.4	-10.6	-8.5	-8.2	-9.8	-13.1	-16.9	-21.5
H41	-24.6	-24.6	-24.6	-21.9	-17.9	-14.1	-12.0	-11.7	-13.3	-16.6	-20.4	-24.9
H42	-23.9	-23.9	-23.9	-21.2	-17.1	-13.4	-11.3	-10.9	-12.5	-15.8	-19.7	-24.2
H43	-25.2	-25.2	-25.2	-22.5	-18.5	-14.7	-12.6	-12.2	-13.8	-17.2	-21.0	-25.5
H44	-22.4	-22.4	-22.4	-19.7	-15.7	-11.9	-9.8	-9.4	-11.0	-14.4	-18.2	-22.7
H45	-23.9	-23.9	-23.9	-21.3	-17.2	-13.4	-11.4	-11.0	-12.6	-15.9	-19.8	-24.3
H46	-24.6	-24.6	-24.6	-21.9	-17.9	-14.1	-12.0	-11.7	-13.2	-16.6	-20.4	-24.9
H47	-24.7	-24.7	-24.7	-22.0	-17.9	-14.2	-12.1	-11.7	-13.3	-16.7	-20.5	-25.0
H48	-12.3	-12.3	-12.3	-9.6	-5.5	-1.5	1.1	2.5	-1.3	-5.0	-7.8	-10.1
H49	-14.7	-14.7	-14.7	-12.0	-7.8	-3.8	-1.3	-0.1	-3.7	-7.3	-10.2	-12.4
H50	-15.1	-15.1	-15.1	-12.4	-8.3	-4.3	-1.8	-0.6	-4.2	-7.8	-10.6	-12.9
H52	-14.7	-14.7	-14.7	-12.0	-7.9	-3.9	-1.3	-0.1	-3.8	-7.4	-10.2	-12.5
H53	-14.9	-14.9	-14.9	-12.2	-8.0	-4.0	-1.5	-0.3	-4.0	-7.6	-10.4	-12.6
H54	-15.4	-15.4	-15.4	-12.7	-8.6	-4.6	-2.0	-0.8	-4.5	-8.1	-10.9	-13.2
H55	-15.2	-15.2	-15.1	-12.4	-8.3	-4.3	-2.8	-5.3	-8.6	-12.3	-16.1	-20.3
H56	-14.4	-14.4	-14.4	-11.7	-7.5	-3.5	-2.0	-4.6	-7.8	-11.5	-15.3	-19.5
H57	-14.2	-14.2	-14.2	-11.5	-7.3	-3.4	-1.8	-4.4	-7.7	-11.3	-15.1	-19.3
H58	-14.7	-14.6	-14.6	-11.9	-7.7	-3.8	-2.3	-4.8	-8.1	-11.7	-15.6	-19.7
H59	-14.6	-14.6	-14.6	-11.9	-7.7	-3.8	-2.2	-4.8	-8.1	-11.7	-15.6	-19.7
H60	-14.6	-14.6	-14.6	-11.9	-7.7	-3.7	-2.2	-4.8	-8.0	-11.7	-15.5	-19.7
H61	-14.6	-14.5	-14.5	-11.8	-7.6	-3.7	-2.2	-4.7	-8.0	-11.6	-15.5	-19.6
H62	-14.4	-14.4	-14.4	-11.7	-7.5	-3.6	-2.0	-4.6	-7.9	-11.5	-15.4	-19.5
H63	-14.6	-14.6	-14.6	-11.9	-7.7	-3.7	-2.2	-4.8	-8.0	-11.7	-15.5	-19.7
H64	-14.6	-14.6	-14.6	-11.9	-7.7	-3.7	-2.2	-4.7	-8.0	-11.7	-15.5	-19.7
H65	-14.6	-14.6	-14.5	-11.8	-7.7	-3.7	-2.2	-4.7	-8.0	-11.7	-15.5	-19.7
H66	-14.5	-14.5	-14.5	-11.8	-7.6	-3.7	-2.1	-4.7	-8.0	-11.6	-15.5	-19.6
H67	-14.2	-14.2	-14.2	-11.5	-7.3	-3.3	-1.8	-4.3	-7.6	-11.3	-15.1	-19.3
H68	-9.4	-9.4	-9.4	-6.7	-1.7	2.4	3.6	0.1	-3.6	-7.4	-11.3	-15.5
H69	-20.3	-20.3	-20.3	-17.6	-13.4	-9.6	-7.5	-7.1	-7.0	-7.0	-6.9	-9.0
H70	-11.4	-11.4	-11.4	-8.7	-4.2	-0.2	1.2	-1.7	-5.2	-8.9	-12.7	-16.9
H71	-15.6	-15.6	-15.6	-12.9	-8.7	-4.8	-3.2	-5.8	-9.1	-12.7	-16.6	-20.7
H72	-21.8	-21.8	-21.8	-19.1	-15.1	-11.3	-9.9	-12.2	-15.2	-18.6	-22.3	-26.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H73	-9.1	-9.1	-9.1	-6.4	-2.4	1.4	2.7	0.5	-3.0	-7.8	-12.1	-16.5
H74	-9.1	-9.1	-9.1	-6.4	-2.4	1.4	2.8	0.5	-2.5	-7.5	-11.9	-16.4
H75	-11.1	-11.1	-11.1	-8.4	-4.3	-0.5	1.0	-1.4	-4.5	-7.9	-11.7	-15.8
H76	-9.6	-9.6	-9.6	-6.9	-2.9	0.9	2.3	0.0	-4.0	-8.4	-12.6	-17.0
H77	-9.6	-9.6	-9.6	-6.9	-2.9	0.9	2.3	0.0	-3.9	-8.4	-12.6	-16.9
H78	-10.9	-10.9	-10.9	-8.2	-4.1	-0.3	1.2	-1.2	-4.3	-7.8	-11.5	-15.7
H79	-10.6	-10.6	-10.6	-7.9	-3.7	0.2	1.6	-0.8	-4.0	-7.6	-11.4	-15.5
H80	-12.0	-12.0	-12.0	-9.3	-5.1	-1.0	0.5	-2.0	-5.4	-9.0	-12.8	-17.0
H81	-11.6	-11.6	-11.6	-8.9	-4.4	-0.1	1.7	-1.3	-5.0	-8.9	-12.8	-17.1
H82	-12.0	-12.0	-12.0	-9.3	-4.8	-0.3	1.6	-1.4	-5.3	-9.3	-13.2	-17.4
H83	-12.0	-12.0	-12.0	-9.3	-4.8	-0.3	1.6	-1.4	-5.3	-9.3	-13.2	-17.4
H84	-11.4	-11.4	-11.4	-8.7	-4.7	-1.0	0.4	-1.9	-4.8	-9.7	-14.3	-18.8
H85	-15.4	-15.4	-15.4	-12.7	-8.4	-4.4	-3.0	-5.8	-9.2	-12.9	-16.8	-20.9
H86	-15.8	-15.8	-15.8	-13.1	-8.9	-4.9	-3.4	-6.2	-9.5	-13.2	-17.1	-21.2
H87	-15.5	-15.5	-15.5	-12.8	-8.5	-4.5	-3.1	-5.9	-9.4	-13.1	-16.9	-21.1
H88	-20.1	-20.1	-20.1	-17.4	-13.4	-9.6	-7.5	-7.1	-8.7	-12.1	-15.9	-20.4
H89	-17.7	-17.7	-17.7	-15.0	-11.0	-7.2	-5.1	-4.7	-6.3	-9.7	-13.5	-18.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-29.2	-29.2	-29.2	-26.4	-22.3	-18.4	-16.1	-15.3	-17.2	-21.0	-24.9	-29.6
H2	-29.1	-29.1	-29.1	-26.4	-22.3	-18.4	-16.1	-15.3	-17.2	-21.0	-24.9	-29.6
H3	-29.0	-29.0	-29.0	-26.3	-22.2	-18.3	-16.0	-15.2	-17.0	-20.8	-24.8	-29.4
H4	-29.0	-29.0	-29.0	-26.3	-22.2	-18.3	-15.9	-15.1	-17.0	-20.8	-24.8	-29.4
H5	-28.9	-28.9	-28.9	-26.1	-22.1	-18.1	-15.8	-15.0	-16.9	-20.7	-24.7	-29.3
H6	-28.6	-28.6	-28.6	-25.9	-21.8	-18.0	-15.9	-15.4	-17.1	-20.5	-24.4	-28.9
H7	-26.4	-26.4	-26.3	-23.6	-19.4	-15.3	-12.6	-11.0	-15.1	-18.9	-21.7	-24.0
H8	-27.0	-27.0	-27.0	-24.2	-19.8	-15.4	-12.3	-12.0	-14.8	-19.3	-22.2	-24.7
H9	-26.1	-26.1	-26.1	-23.3	-19.1	-14.8	-11.5	-11.0	-14.1	-18.5	-21.4	-23.8
H10	-24.9	-24.9	-24.9	-22.1	-17.9	-13.7	-10.8	-9.6	-13.4	-17.4	-20.2	-22.5
H11	-24.8	-24.8	-24.8	-22.0	-17.8	-13.6	-10.7	-9.6	-13.3	-17.3	-20.1	-22.5
H12	-23.1	-23.1	-23.1	-20.4	-16.1	-11.9	-9.0	-7.9	-11.6	-15.6	-18.5	-20.8
H13	-25.6	-25.6	-25.6	-22.9	-18.9	-15.0	-12.9	-12.4	-14.1	-17.6	-21.4	-26.0
H14	-25.2	-25.2	-25.2	-22.4	-18.1	-13.8	-10.5	-10.1	-13.1	-17.6	-20.5	-22.9
H15	-24.1	-24.1	-24.1	-21.3	-17.0	-12.8	-9.6	-9.0	-12.2	-16.5	-19.4	-21.8

Table 10.12.7: Margins in 180 Degree Sector - Day

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H16	-24.5	-24.5	-24.5	-21.8	-17.7	-14.0	-11.8	-11.5	-13.1	-16.5	-20.3	-24.8
H17	-21.0	-21.0	-21.0	-18.3	-14.2	-10.4	-8.2	-7.7	-9.4	-12.9	-16.8	-21.3
H18	-20.0	-20.0	-20.0	-17.3	-13.2	-9.4	-7.2	-6.7	-8.4	-11.9	-15.8	-20.4
H19	-20.8	-20.8	-20.8	-18.1	-14.0	-10.2	-8.1	-7.6	-9.3	-12.7	-16.6	-21.2
H20	-19.6	-19.6	-19.6	-16.9	-12.8	-9.0	-6.8	-6.3	-8.0	-11.5	-15.4	-20.0
H21	-21.0	-21.0	-21.0	-18.3	-14.3	-10.5	-8.3	-7.9	-9.6	-13.0	-16.8	-21.4
H22	-20.5	-20.5	-20.5	-17.8	-13.8	-10.0	-7.8	-7.4	-9.0	-12.5	-16.3	-20.9
H23	-20.3	-20.3	-20.3	-17.6	-13.6	-9.8	-7.6	-7.2	-8.9	-12.3	-16.1	-20.7
H24	-15.9	-15.9	-15.9	-13.1	-8.9	-4.7	-1.7	-0.7	-4.4	-8.4	-11.3	-13.6
H25	-18.5	-18.5	-18.5	-15.8	-11.8	-7.9	-5.8	-5.2	-6.9	-10.4	-14.3	-18.9
H26	-20.6	-20.6	-20.6	-17.9	-13.9	-10.1	-7.9	-7.5	-9.2	-12.6	-16.4	-21.0
H27	-18.6	-18.6	-18.6	-15.9	-11.8	-8.0	-5.9	-5.4	-7.1	-10.5	-14.4	-18.9
H28	-18.8	-18.8	-18.8	-16.1	-12.1	-8.2	-6.1	-5.7	-7.3	-10.8	-14.6	-19.2
H29	-20.0	-20.0	-20.0	-17.3	-13.3	-9.5	-7.3	-6.9	-8.6	-12.0	-15.8	-20.4
H30	-19.4	-19.4	-19.4	-16.7	-12.7	-8.9	-6.8	-6.3	-8.0	-11.4	-15.3	-19.8
H31	-19.9	-19.9	-19.9	-17.2	-13.1	-9.3	-7.2	-6.8	-8.4	-11.8	-15.7	-20.2
H32	-19.7	-19.7	-19.7	-17.0	-13.0	-9.2	-7.1	-6.7	-8.3	-11.7	-15.5	-20.1
H33	-22.2	-22.2	-22.2	-19.5	-15.5	-11.7	-9.6	-9.2	-10.8	-14.2	-18.1	-22.6
H34	-22.7	-22.7	-22.7	-20.0	-16.0	-12.2	-10.1	-9.8	-9.8	-9.8	-9.7	-13.0
H35	-19.1	-19.1	-19.1	-16.4	-12.3	-8.5	-6.4	-6.0	-7.6	-11.1	-14.9	-19.4
H36	-20.7	-20.7	-20.7	-18.0	-14.0	-10.2	-8.1	-7.7	-9.3	-12.7	-16.6	-21.1
H37	-21.8	-21.8	-21.8	-19.1	-15.1	-11.3	-9.2	-8.8	-10.4	-13.8	-17.6	-22.2
H38	-18.8	-18.8	-18.8	-16.1	-12.0	-8.2	-6.1	-5.7	-7.3	-10.7	-14.6	-19.1
H39	-12.6	-12.6	-12.5	-9.8	-5.6	-1.5	1.3	2.7	-1.3	-5.2	-8.0	-10.3
H40	-18.2	-18.2	-18.2	-15.5	-11.4	-7.6	-5.5	-5.1	-6.7	-10.1	-14.0	-18.5
H41	-21.0	-21.0	-21.0	-18.3	-14.3	-10.5	-8.4	-8.0	-9.6	-13.0	-16.8	-21.3
H42	-20.2	-20.2	-20.2	-17.5	-13.5	-9.7	-7.6	-7.2	-8.8	-12.2	-16.0	-20.6
H43	-21.3	-21.3	-21.3	-18.6	-14.6	-10.8	-8.7	-8.3	-9.9	-13.3	-17.1	-21.7
H44	-19.3	-19.3	-19.3	-16.6	-12.5	-8.7	-6.6	-6.2	-7.8	-11.2	-15.1	-19.6
H45	-20.1	-20.1	-20.1	-17.4	-13.4	-9.6	-7.5	-7.1	-8.7	-12.1	-15.9	-20.5
H46	-20.8	-20.8	-20.8	-18.1	-14.0	-10.2	-8.1	-7.8	-9.4	-12.7	-16.6	-21.1
H47	-20.9	-20.9	-20.9	-18.2	-14.1	-10.3	-8.2	-7.9	-9.5	-12.8	-16.7	-21.2
H48	-14.1	-14.1	-14.1	-11.3	-7.2	-3.1	-0.4	1.2	-3.0	-6.7	-9.6	-11.8
H49	-15.4	-15.4	-15.3	-12.6	-8.4	-4.4	-1.8	-0.3	-4.4	-8.0	-10.9	-13.1
H50	-15.8	-15.8	-15.8	-13.0	-8.9	-4.9	-2.2	-0.8	-4.9	-8.5	-11.3	-13.6

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H52	-15.4	-15.4	-15.4	-12.6	-8.5	-4.4	-1.8	-0.4	-4.4	-8.1	-10.9	-13.2
H53	-15.6	-15.6	-15.6	-12.8	-8.7	-4.6	-2.0	-0.6	-4.6	-8.3	-11.1	-13.4
H54	-15.5	-15.5	-15.4	-12.7	-8.6	-4.5	-1.9	-0.5	-4.6	-8.2	-11.0	-13.3
H55	-15.3	-15.2	-15.1	-12.4	-8.3	-4.3	-2.7	-5.3	-8.7	-12.4	-16.2	-20.4
H56	-14.4	-14.4	-14.3	-11.6	-7.4	-3.4	-1.9	-4.5	-7.8	-11.5	-15.3	-19.5
H57	-14.2	-14.2	-14.1	-11.4	-7.2	-3.3	-1.7	-4.3	-7.7	-11.3	-15.1	-19.3
H58	-14.6	-14.6	-14.5	-11.8	-7.6	-3.7	-2.1	-4.7	-8.1	-11.7	-15.6	-19.7
H59	-14.6	-14.6	-14.5	-11.8	-7.6	-3.6	-2.1	-4.7	-8.1	-11.7	-15.6	-19.7
H60	-14.6	-14.5	-14.5	-11.7	-7.6	-3.6	-2.1	-4.7	-8.0	-11.7	-15.5	-19.7
H61	-14.5	-14.5	-14.4	-11.7	-7.5	-3.6	-2.0	-4.6	-8.0	-11.6	-15.5	-19.6
H62	-14.4	-14.4	-14.3	-11.6	-7.4	-3.5	-1.9	-4.5	-7.9	-11.5	-15.3	-19.5
H63	-14.6	-14.5	-14.5	-11.7	-7.6	-3.6	-2.1	-4.7	-8.0	-11.7	-15.5	-19.7
H64	-14.5	-14.5	-14.5	-11.7	-7.6	-3.6	-2.1	-4.6	-8.0	-11.7	-15.5	-19.7
H65	-14.5	-14.5	-14.4	-11.7	-7.6	-3.6	-2.0	-4.6	-8.0	-11.7	-15.5	-19.7
H66	-14.5	-14.5	-14.4	-11.7	-7.5	-3.6	-2.0	-4.6	-8.0	-11.6	-15.5	-19.6
H67	-14.2	-14.2	-14.1	-11.4	-7.2	-3.2	-1.7	-4.3	-7.6	-11.3	-15.1	-19.3
H68	-10.2	-10.2	-10.1	-7.4	-3.0	1.0	2.4	-0.4	-3.9	-7.5	-11.4	-15.6
H69	-20.5	-20.5	-20.5	-17.8	-13.7	-9.9	-7.8	-7.5	-7.4	-7.4	-7.3	-9.3
H70	-11.5	-11.5	-11.5	-8.7	-4.4	-0.4	1.1	-1.8	-5.2	-8.9	-12.7	-16.9
H71	-15.4	-15.4	-15.3	-12.6	-8.4	-4.4	-2.8	-5.5	-8.9	-12.7	-16.5	-20.7
H72	-18.5	-18.5	-18.5	-15.8	-11.8	-8.0	-6.6	-8.9	-11.9	-15.3	-19.1	-23.2
H73	-9.1	-9.1	-9.1	-6.4	-2.4	1.4	2.7	0.5	-2.7	-7.7	-12.0	-16.4
H74	-9.1	-9.1	-9.1	-6.4	-2.4	1.4	2.8	0.5	-2.5	-7.3	-11.8	-16.3
H75	-11.0	-10.9	-10.9	-8.2	-4.1	-0.3	1.2	-1.3	-4.4	-7.9	-11.7	-15.8
H76	-9.6	-9.6	-9.6	-6.9	-2.9	0.9	2.3	0.0	-3.8	-8.3	-12.6	-17.0
H77	-9.6	-9.6	-9.6	-6.9	-2.9	0.9	2.3	0.0	-3.7	-8.3	-12.5	-16.9
H78	-10.8	-10.8	-10.7	-8.0	-3.9	0.0	1.4	-1.0	-4.2	-7.7	-11.5	-15.7
H79	-10.4	-10.4	-10.4	-7.6	-3.4	0.5	2.0	-0.6	-3.9	-7.5	-11.3	-15.5
H80	-11.9	-11.9	-11.9	-9.2	-5.0	-1.0	0.5	-2.1	-5.4	-9.0	-12.8	-17.0
H81	-11.5	-11.5	-11.4	-8.7	-4.3	0.0	1.7	-1.4	-5.0	-8.9	-12.8	-17.1
H82	-12.1	-12.1	-12.0	-9.3	-4.9	-0.6	1.2	-1.8	-5.5	-9.3	-13.3	-17.4
H83	-12.1	-12.1	-12.0	-9.3	-4.9	-0.6	1.2	-1.8	-5.5	-9.3	-13.3	-17.4
H84	-11.4	-11.4	-11.4	-8.7	-4.7	-1.0	0.4	-1.9	-4.8	-9.5	-14.2	-18.7
H85	-15.3	-15.3	-15.2	-12.4	-8.1	-4.1	-2.6	-5.6	-9.1	-12.8	-16.7	-20.9
H86	-15.7	-15.7	-15.6	-12.8	-8.6	-4.5	-3.0	-6.0	-9.4	-13.1	-17.0	-21.2
H87	-15.3	-15.3	-15.1	-12.4	-8.1	-4.0	-2.6	-5.7	-9.2	-13.0	-16.9	-21.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H88	-17.1	-17.1	-17.1	-14.4	-10.4	-6.6	-4.5	-4.1	-5.7	-9.1	-13.0	-17.5
H89	-14.9	-14.9	-14.8	-12.1	-8.1	-4.3	-2.2	-1.7	-3.4	-6.8	-10.7	-15.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-28.0	-28.0	-28.0	-25.2	-21.1	-17.1	-14.6	-13.6	-15.7	-19.8	-23.8	-28.5
H2	-28.0	-28.0	-28.0	-25.2	-21.1	-17.1	-14.6	-13.6	-15.7	-19.8	-23.8	-28.5
H3	-27.9	-27.9	-27.9	-25.2	-21.0	-17.0	-14.5	-13.4	-15.6	-19.7	-23.7	-28.4
H4	-27.9	-27.9	-27.9	-25.1	-21.0	-17.0	-14.4	-13.4	-15.6	-19.7	-23.7	-28.4
H5	-27.8	-27.8	-27.8	-25.0	-20.8	-16.8	-14.3	-13.2	-15.4	-19.5	-23.5	-28.3
H6	-25.9	-25.9	-25.9	-23.2	-19.1	-15.3	-13.1	-12.6	-14.3	-17.8	-21.7	-26.3
H7	-26.4	-26.4	-26.4	-23.6	-19.3	-15.0	-12.0	-11.1	-15.0	-18.9	-21.6	-24.0
H8	-28.3	-28.3	-28.2	-25.3	-20.7	-15.9	-13.8	-13.4	-16.2	-20.5	-23.3	-25.9
H9	-27.5	-27.5	-27.5	-24.6	-20.2	-15.7	-12.8	-12.5	-15.4	-19.9	-22.7	-25.1
H10	-25.0	-24.9	-24.9	-22.1	-17.7	-13.4	-10.2	-9.8	-13.3	-17.4	-20.2	-22.6
H11	-24.9	-24.9	-24.8	-22.0	-17.7	-13.4	-10.1	-9.7	-13.2	-17.4	-20.1	-22.5
H12	-23.8	-23.8	-23.8	-20.9	-16.6	-12.3	-9.0	-8.7	-12.1	-16.3	-19.0	-21.4
H13	-22.0	-22.0	-22.0	-19.3	-15.2	-11.3	-9.1	-8.6	-10.4	-13.9	-17.8	-22.4
H14	-26.8	-26.8	-26.8	-23.9	-19.5	-15.0	-12.1	-11.7	-14.8	-19.2	-22.0	-24.4
H15	-26.3	-26.3	-26.2	-23.4	-19.0	-14.6	-11.5	-11.2	-14.4	-18.7	-21.4	-23.9
H16	-20.4	-20.4	-20.4	-17.7	-13.6	-9.9	-7.7	-7.3	-9.0	-12.4	-16.2	-20.7
H17	-17.1	-17.1	-17.0	-14.3	-10.3	-6.4	-4.3	-3.8	-5.5	-9.0	-12.9	-17.4
H18	-16.1	-16.1	-16.1	-13.3	-9.3	-5.4	-3.2	-2.7	-4.4	-8.0	-11.9	-16.5
H19	-16.7	-16.7	-16.7	-14.0	-9.9	-6.1	-4.0	-3.5	-5.2	-8.7	-12.5	-17.1
H20	-15.8	-15.8	-15.7	-13.0	-8.9	-5.1	-2.9	-2.4	-4.1	-7.7	-11.6	-16.1
H21	-17.0	-17.0	-16.9	-14.2	-10.2	-6.4	-4.2	-3.8	-5.5	-8.9	-12.8	-17.3
H22	-16.4	-16.4	-16.4	-13.7	-9.7	-5.9	-3.7	-3.3	-4.9	-8.4	-12.3	-16.8
H23	-16.3	-16.3	-16.3	-13.5	-9.5	-5.7	-3.5	-3.1	-4.8	-8.2	-12.1	-16.6
H24	-17.3	-17.3	-17.2	-14.4	-10.0	-5.8	-2.5	-2.2	-5.7	-9.8	-12.6	-15.0
H25	-14.9	-14.9	-14.9	-12.2	-8.1	-4.3	-2.1	-1.6	-3.3	-6.8	-10.7	-15.3
H26	-16.4	-16.4	-16.4	-13.7	-9.6	-5.8	-3.7	-3.3	-4.9	-8.4	-12.2	-16.8
H27	-14.7	-14.7	-14.6	-11.9	-7.9	-4.0	-1.9	-1.4	-3.1	-6.6	-10.5	-15.0
H28	-14.8	-14.8	-14.7	-12.0	-8.0	-4.2	-2.0	-1.6	-3.2	-6.7	-10.6	-15.1
H29	-16.1	-16.1	-16.1	-13.4	-9.3	-5.5	-3.4	-3.0	-4.6	-8.1	-11.9	-16.5

House ID	Reference Wind Speed, Standardised v_{10} (ms ⁻¹)											
	1	2	3	4	5	6	7	8	9	10	11	12
H30	-16.0	-16.0	-15.9	-13.2	-9.2	-5.4	-3.2	-2.8	-4.5	-7.9	-11.8	-16.3
H31	-16.0	-16.0	-15.9	-13.2	-9.2	-5.4	-3.2	-2.8	-4.5	-7.9	-11.8	-16.3
H32	-15.8	-15.8	-15.8	-13.1	-9.0	-5.2	-3.1	-2.7	-4.3	-7.8	-11.6	-16.2
H33	-18.1	-18.1	-18.0	-15.3	-11.3	-7.5	-5.4	-5.0	-6.6	-10.0	-13.9	-18.4
H34	-20.9	-20.9	-20.9	-18.2	-14.2	-10.4	-8.3	-8.0	-8.0	-8.0	-7.9	-11.2
H35	-15.2	-15.2	-15.2	-12.5	-8.4	-4.6	-2.5	-2.1	-3.7	-7.2	-11.0	-15.6
H36	-16.8	-16.8	-16.8	-14.1	-10.0	-6.2	-4.1	-3.7	-5.3	-8.8	-12.6	-17.2
H37	-17.6	-17.6	-17.6	-14.9	-10.9	-7.1	-5.0	-4.6	-6.2	-9.6	-13.5	-18.0
H38	-14.9	-14.9	-14.9	-12.2	-8.1	-4.3	-2.2	-1.8	-3.4	-6.9	-10.7	-15.3
H39	-14.5	-14.5	-14.3	-11.5	-7.2	-3.0	0.1	0.6	-3.0	-7.0	-9.9	-12.2
H40	-14.4	-14.3	-14.3	-11.6	-7.6	-3.8	-1.6	-1.2	-2.9	-6.3	-10.2	-14.7
H41	-16.8	-16.8	-16.7	-14.0	-10.0	-6.2	-4.1	-3.7	-5.3	-8.7	-12.6	-17.1
H42	-16.0	-16.0	-16.0	-13.3	-9.2	-5.4	-3.3	-2.9	-4.5	-8.0	-11.8	-16.4
H43	-17.6	-17.6	-17.6	-14.9	-10.8	-7.0	-4.9	-4.5	-6.1	-9.5	-13.4	-17.9
H44	-15.3	-15.3	-15.3	-12.6	-8.5	-4.7	-2.6	-2.2	-3.8	-7.3	-11.1	-15.7
H45	-16.3	-16.3	-16.3	-13.6	-9.6	-5.8	-3.6	-3.3	-4.9	-8.3	-12.1	-16.7
H46	-17.0	-17.0	-17.0	-14.3	-10.2	-6.4	-4.3	-3.9	-5.6	-8.9	-12.8	-17.3
H47	-17.1	-17.1	-17.0	-14.3	-10.3	-6.5	-4.4	-4.0	-5.6	-9.0	-12.9	-17.4
H48	-18.0	-18.0	-17.8	-15.0	-10.7	-6.6	-3.5	-2.9	-6.6	-10.6	-13.4	-15.8
H49	-18.7	-18.6	-18.4	-15.6	-11.4	-7.2	-4.3	-3.6	-7.3	-11.3	-14.1	-16.5
H50	-19.1	-19.1	-18.8	-16.0	-11.8	-7.7	-4.7	-4.1	-7.8	-11.7	-14.6	-17.0
H52	-18.7	-18.7	-18.4	-15.5	-11.3	-7.1	-4.1	-3.8	-7.3	-11.3	-14.2	-16.6
H53	-18.9	-18.9	-18.6	-15.8	-11.5	-7.4	-4.3	-3.9	-7.5	-11.5	-14.4	-16.8
H54	-18.9	-18.9	-18.5	-15.7	-11.5	-7.3	-4.3	-4.0	-7.4	-11.5	-14.5	-16.9
H55	-17.2	-17.1	-16.7	-13.8	-9.6	-5.5	-3.7	-7.0	-10.7	-14.5	-18.5	-22.7
H56	-16.5	-16.4	-16.1	-13.3	-9.1	-5.0	-3.3	-6.4	-10.0	-13.8	-17.7	-21.9
H57	-16.3	-16.3	-15.9	-13.1	-8.9	-4.8	-3.1	-6.2	-9.8	-13.6	-17.5	-21.7
H58	-16.7	-16.6	-16.2	-13.4	-9.2	-5.1	-3.4	-6.6	-10.2	-14.0	-17.9	-22.2
H59	-16.7	-16.6	-16.2	-13.4	-9.2	-5.1	-3.4	-6.6	-10.2	-14.0	-17.9	-22.2
H60	-16.7	-16.6	-16.2	-13.4	-9.2	-5.1	-3.4	-6.6	-10.1	-14.0	-17.9	-22.1
H61	-16.6	-16.6	-16.2	-13.3	-9.1	-5.1	-3.4	-6.5	-10.1	-13.9	-17.8	-22.1
H62	-16.5	-16.5	-16.1	-13.3	-9.1	-5.0	-3.3	-6.4	-10.0	-13.8	-17.7	-22.0
H63	-16.1	-16.1	-15.7	-12.9	-8.7	-4.6	-2.9	-6.0	-9.6	-13.4	-17.4	-21.6
H64	-16.1	-16.1	-15.6	-12.8	-8.6	-4.6	-2.9	-6.0	-9.6	-13.4	-17.3	-21.6
H65	-16.1	-16.0	-15.6	-12.8	-8.6	-4.6	-2.9	-6.0	-9.6	-13.4	-17.3	-21.5
H66	-16.1	-16.0	-15.6	-12.8	-8.6	-4.5	-2.9	-6.0	-9.6	-13.4	-17.3	-21.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H67	-15.8	-15.7	-15.4	-12.6	-8.4	-4.3	-2.6	-5.7	-9.3	-13.1	-17.0	-21.2
H68	-10.8	-10.8	-10.5	-7.7	-3.5	0.5	2.0	-0.9	-4.4	-8.1	-12.0	-16.2
H69	-20.8	-20.8	-20.7	-18.0	-14.0	-10.2	-8.1	-7.7	-7.7	-7.6	-7.6	-9.6
H70	-12.3	-12.2	-12.0	-9.2	-5.0	-1.0	0.5	-2.4	-5.8	-9.5	-13.4	-17.6
H71	-16.3	-16.3	-15.8	-13.0	-8.8	-4.7	-3.0	-6.3	-9.8	-13.7	-17.6	-21.8
H72	-18.5	-18.5	-18.5	-15.8	-11.7	-7.9	-6.5	-8.8	-11.9	-15.3	-19.1	-23.2
H73	-9.4	-9.4	-9.4	-6.7	-2.7	1.1	2.5	0.2	-3.7	-8.3	-12.5	-16.8
H74	-9.4	-9.4	-9.4	-6.7	-2.6	1.1	2.5	0.2	-3.4	-8.1	-12.4	-16.8
H75	-10.9	-10.9	-10.8	-8.1	-4.0	-0.1	1.3	-1.2	-4.3	-7.9	-11.6	-15.8
H76	-9.9	-9.9	-9.9	-7.2	-3.2	0.6	2.0	-0.3	-4.4	-8.8	-12.9	-17.3
H77	-9.9	-9.9	-9.9	-7.2	-3.2	0.6	2.0	-0.3	-4.3	-8.7	-12.9	-17.3
H78	-10.7	-10.7	-10.6	-7.9	-3.8	0.1	1.6	-1.0	-4.2	-7.7	-11.5	-15.7
H79	-10.3	-10.3	-10.2	-7.5	-3.3	0.7	2.2	-0.6	-3.9	-7.5	-11.3	-15.5
H80	-11.9	-11.9	-11.8	-9.0	-4.8	-0.8	0.7	-2.0	-5.4	-9.0	-12.8	-17.0
H81	-11.3	-11.3	-11.1	-8.4	-3.9	0.5	2.1	-1.2	-5.0	-8.8	-12.8	-17.1
H82	-12.1	-12.1	-11.9	-9.2	-4.8	-0.6	1.2	-1.8	-5.5	-9.3	-13.3	-17.4
H83	-12.1	-12.1	-11.9	-9.2	-4.8	-0.6	1.2	-1.8	-5.5	-9.3	-13.3	-17.4
H84	-11.4	-11.4	-11.4	-8.7	-4.7	-1.0	0.4	-1.9	-4.8	-9.2	-14.1	-18.7
H85	-15.5	-15.5	-15.2	-12.5	-8.2	-4.1	-2.6	-5.6	-9.1	-12.8	-16.7	-20.9
H86	-15.8	-15.8	-15.6	-12.8	-8.6	-4.5	-3.0	-6.0	-9.4	-13.1	-17.0	-21.2
H87	-15.6	-15.6	-15.3	-12.6	-8.3	-4.2	-2.8	-5.8	-9.3	-13.0	-16.9	-21.1
H88	-13.9	-13.9	-13.9	-11.2	-7.2	-3.4	-1.2	-0.8	-2.4	-5.9	-9.8	-14.3
H89	-12.0	-12.0	-12.0	-9.3	-5.2	-1.4	0.7	1.2	-0.5	-4.0	-7.9	-12.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-24.9	-24.9	-24.9	-22.1	-17.9	-13.9	-11.3	-10.3	-12.6	-16.6	-20.6	-25.4
H2	-24.9	-24.9	-24.9	-22.1	-17.9	-13.9	-11.3	-10.4	-12.6	-16.7	-20.6	-25.4
H3	-24.9	-24.9	-24.9	-22.1	-17.9	-13.8	-11.2	-10.3	-12.5	-16.6	-20.6	-25.4
H4	-24.9	-24.9	-24.8	-22.1	-17.8	-13.8	-11.2	-10.2	-12.5	-16.6	-20.6	-25.4
H5	-24.7	-24.7	-24.7	-21.9	-17.7	-13.7	-11.0	-10.1	-12.3	-16.5	-20.5	-25.2
H6	-21.5	-21.5	-21.5	-18.7	-14.6	-10.8	-8.6	-8.1	-9.9	-13.4	-17.3	-21.8
H7	-24.9	-24.9	-24.9	-22.0	-17.6	-13.3	-10.0	-9.7	-13.5	-17.4	-20.1	-22.5
H8	-28.1	-28.1	-28.1	-25.1	-20.3	-15.7	-13.6	-13.3	-16.1	-20.4	-23.1	-25.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H9	-27.4	-27.4	-27.4	-24.5	-19.9	-15.3	-12.7	-12.4	-15.3	-19.8	-22.5	-24.9
H10	-23.4	-23.4	-23.4	-20.4	-16.0	-11.5	-8.7	-8.3	-11.7	-15.9	-18.6	-21.0
H11	-23.4	-23.3	-23.3	-20.3	-15.9	-11.5	-8.6	-8.2	-11.6	-15.8	-18.5	-20.9
H12	-23.1	-23.1	-23.0	-20.1	-15.6	-11.1	-8.3	-8.0	-11.2	-15.5	-18.3	-20.7
H13	-18.3	-18.3	-18.3	-15.6	-11.5	-7.6	-5.4	-4.9	-6.7	-10.2	-14.1	-18.7
H14	-26.7	-26.7	-26.7	-23.8	-19.2	-14.6	-12.1	-11.7	-14.7	-19.2	-21.9	-24.3
H15	-26.6	-26.6	-26.5	-23.6	-19.1	-14.6	-11.9	-11.5	-14.7	-19.0	-21.7	-24.2
H16	-17.5	-17.5	-17.5	-14.8	-10.8	-7.0	-4.8	-4.4	-6.1	-9.5	-13.3	-17.9
H17	-14.6	-14.6	-14.6	-11.9	-7.8	-3.9	-1.7	-1.3	-3.0	-6.5	-10.4	-15.0
H18	-13.7	-13.6	-13.6	-10.9	-6.8	-2.9	-0.7	-0.2	-2.0	-5.5	-9.4	-14.0
H19	-13.8	-13.8	-13.8	-11.1	-7.0	-3.2	-1.0	-0.5	-2.2	-5.7	-9.6	-14.2
H20	-13.4	-13.3	-13.3	-10.6	-6.5	-2.6	-0.4	0.1	-1.7	-5.2	-9.1	-13.7
H21	-14.0	-14.0	-14.0	-11.3	-7.2	-3.4	-1.2	-0.8	-2.5	-5.9	-9.8	-14.4
H22	-13.5	-13.5	-13.5	-10.8	-6.7	-2.9	-0.7	-0.3	-2.0	-5.4	-9.3	-13.9
H23	-13.3	-13.3	-13.3	-10.6	-6.5	-2.7	-0.5	-0.1	-1.8	-5.2	-9.1	-13.7
H24	-17.5	-17.5	-17.4	-14.3	-9.8	-5.4	-2.9	-2.6	-5.5	-9.9	-12.8	-15.2
H25	-12.6	-12.6	-12.5	-9.8	-5.7	-1.8	0.4	0.9	-0.9	-4.4	-8.3	-12.9
H26	-13.8	-13.8	-13.8	-11.0	-7.0	-3.1	-1.0	-0.6	-2.2	-5.7	-9.6	-14.1
H27	-12.2	-12.2	-12.2	-9.5	-5.4	-1.6	0.6	1.1	-0.6	-4.1	-8.0	-12.6
H28	-12.7	-12.7	-12.6	-9.9	-5.8	-2.0	0.2	0.6	-1.1	-4.6	-8.5	-13.0
H29	-14.2	-14.2	-14.2	-11.5	-7.4	-3.6	-1.4	-1.0	-2.7	-6.1	-10.0	-14.6
H30	-13.7	-13.7	-13.7	-10.9	-6.9	-3.1	-0.9	-0.5	-2.2	-5.6	-9.5	-14.1
H31	-14.0	-14.0	-14.0	-11.3	-7.2	-3.4	-1.3	-0.8	-2.5	-6.0	-9.8	-14.4
H32	-13.9	-13.9	-13.8	-11.1	-7.0	-3.2	-1.1	-0.7	-2.3	-5.8	-9.7	-14.2
H33	-17.5	-17.5	-17.5	-14.8	-10.7	-6.9	-4.8	-4.4	-6.0	-9.5	-13.3	-17.9
H34	-19.6	-19.6	-19.6	-16.9	-12.9	-9.1	-7.0	-6.7	-6.7	-6.7	-6.6	-9.9
H35	-13.2	-13.2	-13.2	-10.5	-6.4	-2.6	-0.4	0.0	-1.7	-5.1	-9.0	-13.6
H36	-15.1	-15.1	-15.1	-12.4	-8.3	-4.5	-2.4	-2.0	-3.6	-7.1	-10.9	-15.5
H37	-17.1	-17.1	-17.1	-14.3	-10.3	-6.5	-4.4	-4.0	-5.6	-9.0	-12.9	-17.4
H38	-13.0	-13.0	-12.9	-10.2	-6.1	-2.3	-0.2	0.2	-1.4	-4.9	-8.8	-13.3
H39	-15.5	-15.4	-15.3	-12.2	-7.8	-3.4	-0.7	-0.4	-3.7	-7.9	-10.7	-13.1
H40	-12.7	-12.7	-12.7	-10.0	-5.9	-2.1	0.0	0.4	-1.2	-4.7	-8.5	-13.1
H41	-16.2	-16.2	-16.2	-13.4	-9.4	-5.6	-3.4	-3.1	-4.7	-8.1	-12.0	-16.5
H42	-15.4	-15.4	-15.4	-12.7	-8.6	-4.8	-2.7	-2.3	-3.9	-7.3	-11.2	-15.7
H43	-17.0	-17.0	-17.0	-14.3	-10.2	-6.4	-4.3	-3.9	-5.5	-8.9	-12.8	-17.3
H44	-13.6	-13.6	-13.6	-10.8	-6.8	-3.0	-0.8	-0.4	-2.1	-5.5	-9.4	-13.9

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H45	-15.7	-15.7	-15.7	-13.0	-8.9	-5.1	-3.0	-2.6	-4.2	-7.7	-11.5	-16.1
H46	-16.4	-16.4	-16.4	-13.6	-9.6	-5.8	-3.7	-3.3	-4.9	-8.3	-12.2	-16.7
H47	-16.4	-16.4	-16.4	-13.7	-9.6	-5.9	-3.7	-3.3	-5.0	-8.4	-12.2	-16.8
H48	-20.6	-20.5	-20.3	-17.2	-12.8	-8.5	-5.8	-5.5	-8.8	-12.9	-15.9	-18.3
H49	-22.5	-22.5	-22.2	-19.1	-14.7	-10.4	-7.8	-7.4	-10.7	-14.8	-17.8	-20.2
H50	-22.9	-22.9	-22.6	-19.4	-15.1	-10.8	-8.2	-7.9	-11.0	-15.2	-18.3	-20.7
H52	-22.6	-22.6	-22.3	-19.0	-14.7	-10.4	-7.9	-7.6	-10.6	-14.9	-17.9	-20.3
H53	-22.8	-22.8	-22.5	-19.3	-14.9	-10.7	-8.1	-7.7	-10.9	-15.1	-18.1	-20.5
H54	-23.0	-23.0	-22.7	-19.4	-15.1	-10.8	-8.3	-8.0	-11.0	-15.3	-18.4	-20.8
H55	-21.7	-21.7	-21.4	-18.1	-13.8	-9.6	-7.8	-11.3	-15.0	-18.8	-22.8	-27.0
H56	-21.0	-21.0	-20.7	-17.6	-13.3	-9.2	-7.5	-10.7	-14.3	-18.1	-22.0	-26.2
H57	-20.9	-20.8	-20.6	-17.5	-13.2	-9.1	-7.4	-10.6	-14.1	-17.9	-21.8	-26.1
H58	-21.3	-21.2	-21.0	-17.8	-13.5	-9.4	-7.7	-10.9	-14.5	-18.3	-22.2	-26.5
H59	-21.3	-21.2	-21.0	-17.8	-13.5	-9.4	-7.7	-10.9	-14.5	-18.3	-22.2	-26.5
H60	-21.2	-21.2	-20.9	-17.8	-13.5	-9.4	-7.7	-10.9	-14.5	-18.3	-22.2	-26.4
H61	-21.2	-21.1	-20.9	-17.7	-13.4	-9.3	-7.6	-10.9	-14.4	-18.3	-22.2	-26.4
H62	-21.1	-21.1	-20.8	-17.6	-13.4	-9.3	-7.6	-10.8	-14.4	-18.2	-22.1	-26.3
H63	-20.9	-20.9	-20.6	-17.4	-13.2	-9.1	-7.3	-10.6	-14.2	-18.0	-21.9	-26.1
H64	-20.9	-20.8	-20.6	-17.4	-13.1	-9.0	-7.3	-10.6	-14.1	-18.0	-21.9	-26.1
H65	-20.9	-20.8	-20.6	-17.4	-13.1	-9.0	-7.3	-10.5	-14.1	-17.9	-21.8	-26.1
H66	-20.8	-20.8	-20.6	-17.4	-13.1	-9.0	-7.3	-10.5	-14.1	-17.9	-21.8	-26.0
H67	-20.5	-20.5	-20.3	-17.1	-12.9	-8.8	-7.1	-10.3	-13.8	-17.6	-21.5	-25.7
H68	-13.0	-13.0	-12.8	-9.8	-5.5	-1.4	0.1	-2.9	-6.4	-10.1	-14.0	-18.1
H69	-23.0	-23.0	-23.0	-20.3	-16.2	-12.4	-10.3	-9.9	-9.9	-9.8	-9.7	-11.8
H70	-14.9	-14.9	-14.7	-11.7	-7.5	-3.4	-1.9	-4.8	-8.2	-11.9	-15.8	-19.9
H71	-21.2	-21.2	-20.9	-17.7	-13.4	-9.3	-7.6	-10.9	-14.5	-18.3	-22.2	-26.4
H72	-18.5	-18.5	-18.5	-15.8	-11.7	-7.9	-6.5	-8.8	-11.9	-15.3	-19.1	-23.2
H73	-12.4	-12.4	-12.2	-9.2	-4.3	-0.5	0.9	-1.9	-6.2	-10.2	-14.2	-18.5
H74	-11.1	-11.0	-11.0	-8.3	-4.3	-0.5	0.9	-1.4	-5.4	-9.9	-14.1	-18.4
H75	-10.9	-10.9	-10.8	-8.1	-3.9	0.0	1.5	-1.1	-4.3	-7.8	-11.6	-15.8
H76	-12.7	-12.7	-12.5	-9.4	-4.9	-1.1	0.3	-2.0	-6.6	-10.7	-14.8	-19.1
H77	-12.7	-12.6	-12.4	-9.4	-4.9	-1.1	0.3	-2.0	-6.5	-10.7	-14.8	-19.0
H78	-10.7	-10.7	-10.7	-7.9	-3.7	0.2	1.7	-0.9	-4.1	-7.7	-11.5	-15.6
H79	-10.4	-10.4	-10.3	-7.4	-3.2	0.9	2.3	-0.5	-3.8	-7.5	-11.3	-15.5
H80	-11.9	-11.9	-11.9	-9.0	-4.8	-0.8	0.8	-2.0	-5.3	-9.0	-12.8	-17.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H81	-11.7	-11.7	-11.6	-8.7	-4.1	0.4	1.8	-1.5	-5.3	-9.3	-13.2	-17.5
H82	-12.1	-12.1	-12.1	-9.2	-4.8	-0.5	1.2	-1.8	-5.5	-9.3	-13.3	-17.4
H83	-12.1	-12.1	-12.1	-9.2	-4.8	-0.5	1.2	-1.8	-5.5	-9.3	-13.3	-17.4
H84	-12.6	-12.6	-12.6	-9.9	-5.8	-2.1	-0.7	-3.0	-6.0	-9.4	-14.9	-19.7
H85	-17.7	-17.7	-17.6	-14.6	-10.4	-6.3	-4.8	-7.7	-11.1	-14.8	-18.7	-22.8
H86	-18.0	-18.0	-17.9	-14.9	-10.7	-6.7	-5.1	-8.0	-11.4	-15.1	-18.9	-23.1
H87	-17.6	-17.5	-17.4	-14.4	-10.2	-6.2	-4.7	-7.6	-11.0	-14.6	-18.5	-22.7
H88	-12.4	-12.4	-12.4	-9.6	-5.6	-1.8	0.4	0.8	-0.9	-4.3	-8.2	-12.8
H89	-11.6	-11.6	-11.6	-8.9	-4.8	-1.0	1.2	1.6	0.0	-3.5	-7.4	-12.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-20.3	-20.3	-20.3	-17.5	-13.3	-9.3	-6.7	-5.9	-8.0	-12.1	-16.1	-20.8
H2	-20.3	-20.3	-20.3	-17.5	-13.3	-9.3	-6.7	-5.9	-8.1	-12.1	-16.1	-20.8
H3	-20.4	-20.4	-20.3	-17.6	-13.3	-9.3	-6.7	-5.9	-8.1	-12.1	-16.1	-20.8
H4	-20.3	-20.3	-20.3	-17.5	-13.3	-9.3	-6.7	-5.8	-8.0	-12.1	-16.1	-20.8
H5	-20.2	-20.2	-20.2	-17.4	-13.2	-9.1	-6.5	-5.7	-7.9	-12.0	-16.0	-20.7
H6	-19.3	-19.3	-19.3	-16.5	-12.5	-8.6	-6.4	-6.0	-7.7	-11.2	-15.1	-19.7
H7	-21.4	-21.4	-21.4	-18.5	-14.1	-9.8	-6.5	-6.2	-10.1	-14.0	-16.7	-19.0
H8	-26.3	-26.2	-26.2	-23.2	-18.4	-13.9	-11.8	-11.5	-14.3	-18.6	-21.3	-23.8
H9	-25.6	-25.6	-25.5	-22.6	-18.0	-13.4	-10.9	-10.6	-13.7	-18.0	-20.7	-23.1
H10	-19.9	-19.9	-19.8	-16.9	-12.4	-8.0	-5.1	-4.8	-8.3	-12.4	-15.1	-17.5
H11	-19.8	-19.8	-19.7	-16.8	-12.3	-7.9	-5.0	-4.7	-8.2	-12.3	-15.0	-17.4
H12	-20.6	-20.6	-20.5	-17.6	-13.1	-8.6	-5.9	-5.5	-8.9	-13.1	-15.8	-18.2
H13	-17.2	-17.2	-17.2	-14.5	-10.4	-6.5	-4.3	-3.9	-5.6	-9.1	-13.0	-17.6
H14	-25.1	-25.1	-25.1	-22.1	-17.5	-13.0	-10.5	-10.1	-13.2	-17.6	-20.3	-22.7
H15	-25.4	-25.4	-25.4	-22.4	-17.9	-13.3	-10.7	-10.4	-13.6	-17.9	-20.6	-23.0
H16	-17.1	-17.1	-17.1	-14.4	-10.3	-6.5	-4.4	-4.0	-5.6	-9.1	-12.9	-17.5
H17	-13.4	-13.3	-13.3	-10.6	-6.5	-2.7	-0.4	0.0	-1.7	-5.3	-9.1	-13.7
H18	-12.4	-12.4	-12.4	-9.7	-5.6	-1.7	0.5	1.0	-0.7	-4.3	-8.2	-12.8
H19	-13.4	-13.4	-13.4	-10.6	-6.6	-2.7	-0.6	-0.1	-1.8	-5.3	-9.2	-13.8
H20	-12.2	-12.2	-12.1	-9.4	-5.3	-1.4	0.8	1.3	-0.4	-4.0	-7.9	-12.5
H21	-13.6	-13.6	-13.6	-10.8	-6.8	-2.9	-0.8	-0.3	-2.0	-5.5	-9.4	-14.0
H22	-13.1	-13.1	-13.1	-10.3	-6.2	-2.4	-0.2	0.2	-1.5	-5.0	-8.9	-13.4
H23	-12.9	-12.9	-12.9	-10.1	-6.1	-2.2	-0.1	0.4	-1.3	-4.8	-8.7	-13.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H24	-17.1	-17.1	-17.0	-13.9	-9.4	-4.9	-2.4	-2.1	-5.2	-9.5	-12.4	-14.8
H25	-11.4	-11.4	-11.4	-8.6	-4.5	-0.7	1.5	2.0	0.3	-3.3	-7.2	-11.8
H26	-13.3	-13.3	-13.3	-10.6	-6.5	-2.7	-0.5	-0.1	-1.7	-5.2	-9.1	-13.7
H27	-11.8	-11.8	-11.8	-9.1	-5.0	-1.1	1.0	1.5	-0.2	-3.7	-7.6	-12.2
H28	-12.2	-12.2	-12.2	-9.5	-5.4	-1.6	0.6	1.1	-0.6	-4.1	-8.0	-12.6
H29	-14.2	-14.2	-14.2	-11.5	-7.4	-3.6	-1.4	-1.0	-2.7	-6.1	-10.0	-14.6
H30	-13.2	-13.2	-13.2	-10.4	-6.4	-2.5	-0.4	0.1	-1.6	-5.1	-9.0	-13.5
H31	-14.0	-14.0	-14.0	-11.3	-7.2	-3.4	-1.2	-0.8	-2.5	-5.9	-9.8	-14.4
H32	-13.8	-13.8	-13.8	-11.1	-7.0	-3.2	-1.1	-0.6	-2.3	-5.8	-9.6	-14.2
H33	-17.5	-17.5	-17.5	-14.8	-10.7	-6.9	-4.8	-4.4	-6.0	-9.4	-13.3	-17.8
H34	-19.0	-19.0	-19.0	-16.3	-12.2	-8.4	-6.4	-6.0	-6.0	-6.0	-5.9	-9.2
H35	-13.2	-13.2	-13.2	-10.5	-6.4	-2.6	-0.4	0.0	-1.7	-5.1	-9.0	-13.6
H36	-15.1	-15.1	-15.1	-12.4	-8.3	-4.5	-2.3	-1.9	-3.6	-7.0	-10.9	-15.5
H37	-17.1	-17.1	-17.0	-14.3	-10.3	-6.5	-4.3	-3.9	-5.6	-9.0	-12.9	-17.4
H38	-13.0	-13.0	-12.9	-10.2	-6.1	-2.3	-0.2	0.3	-1.4	-4.9	-8.7	-13.3
H39	-15.6	-15.6	-15.4	-12.4	-7.9	-3.6	-0.9	-0.5	-3.9	-8.0	-10.9	-13.3
H40	-12.7	-12.7	-12.7	-10.0	-5.9	-2.1	0.1	0.5	-1.2	-4.7	-8.5	-13.1
H41	-16.2	-16.2	-16.1	-13.4	-9.4	-5.5	-3.4	-3.0	-4.6	-8.1	-12.0	-16.5
H42	-15.4	-15.4	-15.4	-12.7	-8.6	-4.8	-2.6	-2.2	-3.9	-7.3	-11.2	-15.7
H43	-17.0	-17.0	-17.0	-14.3	-10.2	-6.4	-4.2	-3.8	-5.5	-8.9	-12.8	-17.3
H44	-13.6	-13.6	-13.6	-10.8	-6.8	-2.9	-0.8	-0.4	-2.0	-5.5	-9.4	-13.9
H45	-15.7	-15.7	-15.7	-13.0	-8.9	-5.1	-3.0	-2.6	-4.2	-7.6	-11.5	-16.1
H46	-16.4	-16.4	-16.3	-13.6	-9.6	-5.7	-3.6	-3.2	-4.8	-8.3	-12.2	-16.7
H47	-16.4	-16.4	-16.4	-13.7	-9.6	-5.8	-3.7	-3.3	-4.9	-8.3	-12.2	-16.8
H48	-21.4	-21.4	-21.2	-18.1	-13.6	-9.3	-6.6	-6.3	-9.6	-13.8	-16.7	-19.1
H49	-24.2	-24.1	-23.9	-20.8	-16.3	-12.1	-9.4	-9.1	-12.4	-16.5	-19.5	-21.9
H50	-24.6	-24.6	-24.3	-21.1	-16.7	-12.4	-9.9	-9.5	-12.7	-16.9	-19.9	-22.3
H52	-24.2	-24.2	-23.9	-20.7	-16.3	-12.0	-9.5	-9.2	-12.3	-16.5	-19.5	-21.9
H53	-24.4	-24.4	-24.1	-20.9	-16.5	-12.2	-9.7	-9.3	-12.5	-16.7	-19.7	-22.1
H54	-24.9	-24.9	-24.6	-21.4	-16.9	-12.7	-10.2	-9.9	-12.9	-17.2	-20.2	-22.6
H55	-24.3	-24.2	-24.0	-20.7	-16.3	-12.2	-10.4	-13.8	-17.5	-21.4	-25.3	-29.5
H56	-23.6	-23.6	-23.3	-20.2	-15.9	-11.7	-10.0	-13.3	-16.9	-20.7	-24.6	-28.8
H57	-23.4	-23.4	-23.2	-20.1	-15.7	-11.6	-9.9	-13.1	-16.7	-20.5	-24.4	-28.6
H58	-23.8	-23.8	-23.6	-20.4	-16.1	-11.9	-10.2	-13.5	-17.1	-20.9	-24.8	-29.0
H59	-23.8	-23.8	-23.6	-20.4	-16.1	-12.0	-10.2	-13.5	-17.1	-20.9	-24.8	-29.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H60	-23.8	-23.8	-23.5	-20.4	-16.0	-11.9	-10.2	-13.5	-17.1	-20.9	-24.8	-29.0
H61	-23.8	-23.7	-23.5	-20.3	-16.0	-11.9	-10.2	-13.4	-17.0	-20.8	-24.7	-28.9
H62	-23.7	-23.6	-23.4	-20.2	-15.9	-11.8	-10.1	-13.3	-16.9	-20.7	-24.6	-28.8
H63	-23.7	-23.6	-23.4	-20.2	-15.9	-11.8	-10.1	-13.3	-16.9	-20.7	-24.6	-28.9
H64	-23.6	-23.6	-23.4	-20.2	-15.9	-11.8	-10.1	-13.3	-16.9	-20.7	-24.6	-28.8
H65	-23.6	-23.6	-23.4	-20.2	-15.9	-11.8	-10.1	-13.3	-16.9	-20.7	-24.6	-28.8
H66	-23.6	-23.6	-23.3	-20.2	-15.9	-11.8	-10.0	-13.3	-16.9	-20.7	-24.6	-28.8
H67	-23.3	-23.3	-23.0	-19.9	-15.6	-11.5	-9.8	-13.0	-16.5	-20.3	-24.2	-28.4
H68	-16.2	-16.2	-16.0	-13.0	-8.7	-4.6	-2.9	-5.9	-9.4	-13.2	-17.1	-21.3
H69	-26.0	-26.0	-26.0	-23.3	-19.2	-15.4	-13.3	-12.9	-12.7	-12.7	-12.6	-14.7
H70	-18.7	-18.7	-18.6	-15.6	-11.3	-7.3	-5.7	-8.6	-12.0	-15.7	-19.6	-23.8
H71	-24.4	-24.3	-24.1	-20.9	-16.5	-12.4	-10.7	-14.0	-17.6	-21.4	-25.3	-29.6
H72	-18.5	-18.5	-18.5	-15.8	-11.7	-7.9	-6.5	-8.8	-11.9	-15.3	-19.1	-23.2
H73	-17.0	-17.0	-16.9	-13.9	-9.3	-4.8	-3.1	-6.1	-10.0	-14.2	-18.2	-22.5
H74	-16.2	-16.2	-16.0	-13.0	-8.2	-3.9	-2.6	-4.8	-8.9	-13.4	-17.6	-21.9
H75	-10.9	-10.8	-10.8	-8.0	-3.8	0.2	1.7	-0.9	-4.2	-7.8	-11.6	-15.8
H76	-17.3	-17.3	-17.1	-14.1	-9.6	-5.1	-3.3	-6.3	-10.3	-14.4	-18.4	-22.7
H77	-17.2	-17.2	-17.0	-14.0	-9.5	-5.0	-3.3	-6.3	-10.2	-14.3	-18.4	-22.7
H78	-11.0	-11.0	-10.9	-8.1	-3.9	0.1	1.7	-1.0	-4.3	-8.0	-11.8	-16.0
H79	-11.5	-11.5	-11.4	-8.6	-4.3	-0.2	1.4	-1.4	-4.8	-8.5	-12.4	-16.6
H80	-12.3	-12.3	-12.3	-9.4	-5.2	-1.0	0.6	-2.2	-5.7	-9.4	-13.3	-17.5
H81	-14.4	-14.4	-14.3	-11.4	-6.8	-2.3	-0.9	-3.8	-7.7	-11.8	-15.9	-20.2
H82	-12.6	-12.6	-12.5	-9.7	-5.2	-0.8	1.0	-2.1	-5.9	-9.8	-13.8	-18.0
H83	-12.6	-12.6	-12.5	-9.7	-5.2	-0.8	1.0	-2.1	-5.9	-9.8	-13.8	-18.0
H84	-16.0	-16.0	-16.0	-13.3	-9.2	-5.5	-4.1	-6.4	-9.4	-12.8	-18.3	-23.1
H85	-22.3	-22.3	-22.1	-19.2	-15.0	-11.0	-9.5	-12.3	-15.6	-19.3	-23.1	-27.3
H86	-22.6	-22.6	-22.4	-19.5	-15.3	-11.4	-9.8	-12.6	-15.9	-19.5	-23.4	-27.5
H87	-22.2	-22.2	-22.1	-19.2	-15.0	-11.0	-9.5	-12.3	-15.6	-19.2	-23.1	-27.2
H88	-12.4	-12.4	-12.4	-9.6	-5.6	-1.7	0.4	0.8	-0.8	-4.3	-8.2	-12.7
H89	-11.6	-11.6	-11.6	-8.9	-4.8	-0.9	1.2	1.7	0.0	-3.5	-7.4	-12.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-19.1	-19.1	-19.0	-16.3	-12.1	-8.1	-5.5	-4.7	-6.9	-10.9	-14.8	-19.6
H2	-19.1	-19.1	-19.0	-16.3	-12.1	-8.1	-5.5	-4.8	-6.9	-10.9	-14.8	-19.6

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H3	-18.9	-18.9	-18.9	-16.1	-11.9	-7.9	-5.4	-4.6	-6.7	-10.7	-14.7	-19.4
H4	-18.9	-18.9	-18.9	-16.1	-11.9	-7.9	-5.3	-4.5	-6.7	-10.7	-14.7	-19.4
H5	-18.8	-18.8	-18.8	-16.0	-11.8	-7.8	-5.2	-4.4	-6.5	-10.6	-14.6	-19.3
H6	-19.3	-19.3	-19.3	-16.5	-12.5	-8.6	-6.4	-6.0	-7.7	-11.2	-15.1	-19.7
H7	-16.8	-16.8	-16.8	-13.9	-9.5	-5.3	-2.1	-1.6	-5.6	-9.4	-12.1	-14.4
H8	-22.3	-22.3	-22.3	-19.2	-14.6	-10.0	-7.9	-7.6	-10.4	-14.8	-17.5	-20.0
H9	-21.6	-21.6	-21.6	-18.7	-14.2	-9.7	-6.9	-6.6	-9.9	-14.2	-16.9	-19.2
H10	-15.3	-15.3	-15.2	-12.3	-7.9	-3.5	-0.5	-0.2	-3.8	-7.8	-10.6	-12.9
H11	-15.2	-15.2	-15.1	-12.2	-7.8	-3.4	-0.4	-0.1	-3.7	-7.7	-10.5	-12.8
H12	-16.0	-16.0	-16.0	-13.0	-8.6	-4.2	-1.3	-1.0	-4.5	-8.6	-11.3	-13.7
H13	-17.2	-17.2	-17.2	-14.5	-10.4	-6.5	-4.3	-3.9	-5.6	-9.1	-13.0	-17.6
H14	-21.5	-21.5	-21.4	-18.4	-14.0	-9.5	-6.8	-6.4	-9.8	-14.0	-16.7	-19.1
H15	-22.3	-22.3	-22.2	-19.2	-14.8	-10.4	-7.5	-7.2	-10.7	-14.8	-17.5	-19.9
H16	-17.1	-17.1	-17.1	-14.4	-10.3	-6.5	-4.4	-4.0	-5.6	-9.1	-12.9	-17.5
H17	-13.3	-13.3	-13.3	-10.6	-6.5	-2.7	-0.5	0.0	-1.7	-5.2	-9.1	-13.7
H18	-12.4	-12.4	-12.4	-9.7	-5.6	-1.7	0.5	1.0	-0.7	-4.3	-8.2	-12.8
H19	-13.4	-13.4	-13.4	-10.6	-6.6	-2.7	-0.6	-0.1	-1.8	-5.3	-9.2	-13.8
H20	-12.2	-12.1	-12.1	-9.4	-5.3	-1.4	0.8	1.3	-0.5	-4.0	-7.9	-12.5
H21	-13.6	-13.6	-13.6	-10.8	-6.8	-2.9	-0.8	-0.3	-2.0	-5.5	-9.4	-14.0
H22	-13.1	-13.1	-13.1	-10.3	-6.2	-2.4	-0.2	0.2	-1.5	-5.0	-8.9	-13.4
H23	-12.9	-12.9	-12.9	-10.1	-6.1	-2.2	-0.1	0.4	-1.3	-4.8	-8.7	-13.3
H24	-15.5	-15.5	-15.4	-12.3	-7.9	-3.6	-0.8	-0.5	-3.9	-8.0	-10.9	-13.2
H25	-11.4	-11.4	-11.4	-8.6	-4.5	-0.7	1.5	2.0	0.3	-3.3	-7.2	-11.8
H26	-13.3	-13.3	-13.3	-10.5	-6.5	-2.7	-0.5	-0.1	-1.7	-5.2	-9.1	-13.7
H27	-11.8	-11.8	-11.8	-9.1	-5.0	-1.1	1.0	1.5	-0.2	-3.7	-7.6	-12.2
H28	-12.2	-12.2	-12.2	-9.5	-5.4	-1.6	0.6	1.1	-0.6	-4.1	-8.0	-12.6
H29	-14.2	-14.2	-14.2	-11.5	-7.4	-3.6	-1.4	-1.0	-2.7	-6.1	-10.0	-14.6
H30	-13.2	-13.2	-13.2	-10.4	-6.4	-2.5	-0.4	0.1	-1.6	-5.1	-9.0	-13.5
H31	-14.0	-14.0	-14.0	-11.3	-7.2	-3.4	-1.2	-0.8	-2.5	-5.9	-9.8	-14.4
H32	-13.8	-13.8	-13.8	-11.1	-7.0	-3.2	-1.1	-0.6	-2.3	-5.8	-9.6	-14.2
H33	-17.5	-17.5	-17.5	-14.8	-10.7	-6.9	-4.8	-4.4	-6.0	-9.4	-13.3	-17.8
H34	-19.0	-19.0	-19.0	-16.3	-12.2	-8.4	-6.4	-6.0	-6.0	-6.0	-5.9	-9.2
H35	-13.2	-13.2	-13.2	-10.5	-6.4	-2.6	-0.4	0.0	-1.7	-5.1	-9.0	-13.6
H36	-15.1	-15.1	-15.1	-12.4	-8.3	-4.5	-2.4	-2.0	-3.6	-7.0	-10.9	-15.5
H37	-17.1	-17.1	-17.0	-14.3	-10.3	-6.5	-4.3	-3.9	-5.6	-9.0	-12.9	-17.4

House ID	Reference Wind Speed, Standardised v_{10} (ms ⁻¹)											
	1	2	3	4	5	6	7	8	9	10	11	12
H38	-12.9	-12.9	-12.9	-10.2	-6.1	-2.3	-0.2	0.3	-1.4	-4.9	-8.7	-13.3
H39	-14.9	-14.9	-14.7	-11.7	-7.3	-3.1	-0.1	0.2	-3.4	-7.4	-10.3	-12.6
H40	-12.7	-12.7	-12.7	-10.0	-5.9	-2.1	0.1	0.5	-1.2	-4.6	-8.5	-13.1
H41	-16.2	-16.2	-16.2	-13.4	-9.4	-5.6	-3.4	-3.0	-4.6	-8.1	-12.0	-16.5
H42	-15.4	-15.4	-15.4	-12.7	-8.6	-4.8	-2.6	-2.2	-3.9	-7.3	-11.2	-15.7
H43	-17.0	-17.0	-17.0	-14.3	-10.2	-6.4	-4.2	-3.8	-5.5	-8.9	-12.8	-17.3
H44	-13.6	-13.6	-13.6	-10.8	-6.8	-2.9	-0.8	-0.4	-2.0	-5.5	-9.4	-13.9
H45	-15.7	-15.7	-15.7	-13.0	-8.9	-5.1	-3.0	-2.6	-4.2	-7.6	-11.5	-16.1
H46	-16.4	-16.4	-16.3	-13.6	-9.6	-5.8	-3.6	-3.2	-4.8	-8.3	-12.2	-16.7
H47	-16.4	-16.4	-16.4	-13.7	-9.6	-5.8	-3.7	-3.3	-4.9	-8.3	-12.2	-16.8
H48	-20.7	-20.7	-20.5	-17.4	-13.1	-8.9	-5.9	-5.6	-9.3	-13.2	-16.1	-18.4
H49	-24.2	-24.2	-24.0	-20.9	-16.6	-12.5	-9.6	-9.0	-12.8	-16.6	-19.6	-21.9
H50	-24.7	-24.6	-24.4	-21.3	-17.0	-12.9	-10.0	-9.5	-13.2	-17.1	-20.0	-22.4
H52	-24.3	-24.2	-24.0	-20.8	-16.5	-12.4	-9.5	-9.1	-12.7	-16.6	-19.6	-22.0
H53	-24.5	-24.4	-24.2	-21.1	-16.8	-12.7	-9.8	-9.2	-13.0	-16.8	-19.8	-22.2
H54	-25.2	-25.2	-24.9	-21.7	-17.4	-13.4	-10.4	-10.0	-13.7	-17.5	-20.6	-22.9
H55	-24.9	-24.9	-24.6	-21.5	-17.2	-13.1	-11.5	-14.7	-18.2	-22.0	-25.9	-30.1
H56	-24.3	-24.3	-24.1	-20.9	-16.7	-12.7	-11.1	-14.1	-17.6	-21.3	-25.2	-29.4
H57	-24.1	-24.1	-23.9	-20.8	-16.5	-12.6	-11.0	-14.0	-17.4	-21.1	-25.0	-29.2
H58	-24.5	-24.5	-24.3	-21.2	-16.9	-12.9	-11.3	-14.4	-17.8	-21.5	-25.4	-29.6
H59	-24.5	-24.5	-24.3	-21.2	-16.9	-12.9	-11.3	-14.4	-17.8	-21.5	-25.4	-29.6
H60	-24.5	-24.5	-24.2	-21.1	-16.9	-12.9	-11.3	-14.3	-17.8	-21.5	-25.4	-29.6
H61	-24.5	-24.4	-24.2	-21.1	-16.8	-12.8	-11.2	-14.3	-17.7	-21.5	-25.3	-29.5
H62	-24.3	-24.3	-24.1	-21.0	-16.7	-12.7	-11.1	-14.2	-17.6	-21.3	-25.2	-29.4
H63	-24.5	-24.5	-24.3	-21.2	-16.9	-12.9	-11.3	-14.4	-17.8	-21.5	-25.4	-29.6
H64	-24.5	-24.5	-24.3	-21.1	-16.9	-12.9	-11.3	-14.4	-17.8	-21.5	-25.4	-29.6
H65	-24.5	-24.5	-24.2	-21.1	-16.9	-12.9	-11.3	-14.3	-17.8	-21.5	-25.4	-29.6
H66	-24.5	-24.5	-24.2	-21.1	-16.9	-12.9	-11.3	-14.3	-17.7	-21.5	-25.4	-29.6
H67	-24.1	-24.1	-23.9	-20.8	-16.6	-12.6	-11.0	-14.0	-17.4	-21.1	-25.0	-29.2
H68	-17.7	-17.7	-17.5	-14.5	-10.2	-6.1	-4.4	-7.4	-10.9	-14.7	-18.6	-22.8
H69	-27.5	-27.5	-27.5	-24.8	-20.7	-16.9	-14.7	-14.3	-14.0	-13.9	-13.9	-16.1
H70	-20.7	-20.7	-20.6	-17.6	-13.4	-9.4	-7.8	-10.6	-14.0	-17.7	-21.6	-25.7
H71	-25.5	-25.5	-25.3	-22.1	-17.8	-13.9	-12.3	-15.4	-18.8	-22.5	-26.4	-30.7
H72	-18.5	-18.5	-18.5	-15.8	-11.7	-7.9	-6.5	-8.8	-11.9	-15.3	-19.1	-23.2
H73	-19.5	-19.5	-19.3	-16.3	-11.9	-7.6	-5.7	-9.0	-12.6	-16.6	-20.7	-24.9
H74	-19.1	-19.0	-18.9	-15.9	-11.4	-6.9	-5.3	-8.4	-12.1	-16.3	-20.4	-24.6

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H75	-12.2	-12.1	-12.1	-9.3	-5.1	-1.1	0.4	-2.2	-5.5	-9.1	-12.9	-17.1
H76	-20.2	-20.2	-20.0	-17.1	-12.7	-8.5	-6.8	-9.9	-13.4	-17.4	-21.3	-25.6
H77	-20.0	-20.0	-19.9	-16.9	-12.5	-8.2	-6.5	-9.8	-13.4	-17.3	-21.3	-25.6
H78	-13.3	-13.2	-13.2	-10.4	-6.1	-2.0	-0.3	-3.1	-6.6	-10.3	-14.2	-18.3
H79	-14.9	-14.8	-14.8	-11.9	-7.6	-3.5	-1.8	-4.7	-8.1	-11.9	-15.8	-20.0
H80	-15.0	-15.0	-14.9	-12.1	-7.6	-3.1	-1.2	-4.3	-8.2	-12.2	-16.2	-20.4
H81	-18.8	-18.7	-18.6	-15.7	-11.3	-6.9	-5.0	-8.4	-12.1	-16.1	-20.1	-24.4
H82	-15.4	-15.4	-15.4	-12.5	-7.9	-3.2	-1.7	-4.5	-8.6	-12.8	-16.8	-21.0
H83	-15.4	-15.4	-15.4	-12.5	-7.9	-3.2	-1.7	-4.5	-8.6	-12.8	-16.8	-21.0
H84	-19.7	-19.7	-19.7	-17.0	-13.0	-9.2	-7.8	-10.1	-13.1	-16.5	-22.1	-26.9
H85	-25.2	-25.2	-25.0	-22.1	-17.9	-14.0	-12.6	-15.3	-18.5	-22.1	-25.9	-30.1
H86	-25.5	-25.5	-25.3	-22.4	-18.3	-14.4	-12.9	-15.6	-18.8	-22.4	-26.2	-30.4
H87	-25.3	-25.2	-25.1	-22.2	-18.0	-14.1	-12.7	-15.4	-18.6	-22.2	-26.0	-30.2
H88	-12.4	-12.4	-12.4	-9.6	-5.6	-1.7	0.4	0.9	-0.8	-4.3	-8.2	-12.7
H89	-11.6	-11.6	-11.6	-8.9	-4.8	-0.9	1.2	1.7	0.0	-3.5	-7.4	-12.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-19.1	-19.1	-19.1	-16.3	-12.2	-8.2	-5.7	-4.8	-6.9	-10.9	-14.9	-19.6
H2	-19.1	-19.1	-19.1	-16.3	-12.2	-8.2	-5.7	-4.8	-6.9	-10.9	-14.9	-19.6
H3	-18.9	-18.9	-18.9	-16.2	-12.0	-8.0	-5.5	-4.6	-6.7	-10.7	-14.7	-19.5
H4	-18.9	-18.9	-18.9	-16.2	-12.0	-8.0	-5.5	-4.6	-6.7	-10.7	-14.7	-19.4
H5	-18.8	-18.8	-18.8	-16.0	-11.9	-7.9	-5.4	-4.4	-6.6	-10.6	-14.6	-19.3
H6	-19.3	-19.3	-19.3	-16.6	-12.5	-8.7	-6.5	-6.0	-7.7	-11.2	-15.1	-19.7
H7	-16.5	-16.5	-16.5	-13.7	-9.4	-5.2	-2.3	-1.2	-5.4	-9.1	-11.8	-14.1
H8	-18.5	-18.5	-18.5	-15.6	-11.2	-6.8	-3.8	-3.5	-6.7	-11.0	-13.8	-16.2
H9	-17.8	-17.8	-17.8	-15.0	-10.7	-6.5	-3.5	-2.6	-6.6	-10.4	-13.1	-15.4
H10	-15.1	-15.1	-15.0	-12.2	-7.9	-3.7	-0.7	0.1	-3.8	-7.7	-10.4	-12.7
H11	-15.0	-15.0	-14.9	-12.1	-7.8	-3.6	-0.6	0.2	-3.7	-7.6	-10.3	-12.7
H12	-14.1	-14.1	-14.0	-11.2	-6.9	-2.7	0.3	1.1	-2.8	-6.7	-9.4	-11.8
H13	-17.2	-17.2	-17.2	-14.5	-10.4	-6.6	-4.4	-3.9	-5.6	-9.1	-13.0	-17.6
H14	-17.1	-17.1	-17.1	-14.3	-10.0	-5.8	-2.9	-1.8	-6.0	-9.7	-12.4	-14.8
H15	-17.9	-17.9	-17.8	-15.0	-10.8	-6.7	-3.9	-2.6	-6.9	-10.5	-13.2	-15.5
H16	-17.1	-17.1	-17.1	-14.4	-10.3	-6.5	-4.4	-4.0	-5.7	-9.1	-12.9	-17.5

House ID	Reference Wind Speed, Standardised v_{10} (ms ⁻¹)											
	1	2	3	4	5	6	7	8	9	10	11	12
H17	-13.4	-13.4	-13.4	-10.6	-6.5	-2.7	-0.5	-0.1	-1.8	-5.3	-9.2	-13.7
H18	-12.5	-12.5	-12.4	-9.7	-5.6	-1.8	0.4	0.9	-0.8	-4.3	-8.2	-12.8
H19	-13.4	-13.4	-13.4	-10.7	-6.6	-2.8	-0.6	-0.2	-1.8	-5.3	-9.2	-13.8
H20	-12.2	-12.2	-12.2	-9.4	-5.3	-1.5	0.7	1.2	-0.5	-4.1	-8.0	-12.6
H21	-13.6	-13.6	-13.6	-10.9	-6.8	-3.0	-0.8	-0.4	-2.1	-5.5	-9.4	-14.0
H22	-13.1	-13.1	-13.1	-10.4	-6.3	-2.5	-0.3	0.1	-1.5	-5.0	-8.9	-13.4
H23	-12.9	-12.9	-12.9	-10.2	-6.1	-2.3	-0.1	0.3	-1.3	-4.8	-8.7	-13.3
H24	-12.9	-12.9	-12.8	-9.9	-5.6	-1.6	1.1	2.2	-1.8	-5.4	-8.2	-10.5
H25	-11.4	-11.4	-11.4	-8.7	-4.6	-0.8	1.4	1.9	0.2	-3.3	-7.2	-11.8
H26	-13.3	-13.3	-13.3	-10.6	-6.5	-2.7	-0.5	-0.1	-1.8	-5.2	-9.1	-13.7
H27	-11.8	-11.8	-11.8	-9.1	-5.0	-1.2	1.0	1.4	-0.3	-3.7	-7.6	-12.2
H28	-12.2	-12.2	-12.2	-9.5	-5.4	-1.6	0.6	1.0	-0.7	-4.1	-8.0	-12.6
H29	-14.2	-14.2	-14.2	-11.5	-7.4	-3.6	-1.5	-1.0	-2.7	-6.1	-10.0	-14.6
H30	-13.2	-13.2	-13.2	-10.5	-6.4	-2.6	-0.4	0.0	-1.6	-5.1	-9.0	-13.5
H31	-14.0	-14.0	-14.0	-11.3	-7.2	-3.4	-1.3	-0.9	-2.5	-6.0	-9.8	-14.4
H32	-13.9	-13.9	-13.8	-11.1	-7.1	-3.2	-1.1	-0.7	-2.3	-5.8	-9.7	-14.2
H33	-17.5	-17.5	-17.5	-14.8	-10.7	-6.9	-4.8	-4.4	-6.0	-9.4	-13.3	-17.9
H34	-19.0	-19.0	-19.0	-16.3	-12.2	-8.4	-6.4	-6.0	-6.0	-6.0	-6.0	-9.2
H35	-13.2	-13.2	-13.2	-10.5	-6.4	-2.6	-0.5	0.0	-1.7	-5.1	-9.0	-13.6
H36	-15.1	-15.1	-15.1	-12.4	-8.3	-4.5	-2.4	-2.0	-3.6	-7.0	-10.9	-15.5
H37	-17.1	-17.1	-17.1	-14.4	-10.3	-6.5	-4.3	-3.9	-5.6	-9.0	-12.9	-17.4
H38	-13.0	-13.0	-13.0	-10.2	-6.2	-2.3	-0.2	0.2	-1.4	-4.9	-8.8	-13.3
H39	-13.1	-13.1	-13.0	-10.1	-5.7	-1.8	0.8	1.7	-2.1	-5.6	-8.5	-10.8
H40	-12.8	-12.8	-12.7	-10.0	-5.9	-2.1	0.0	0.4	-1.2	-4.7	-8.5	-13.1
H41	-16.2	-16.2	-16.2	-13.5	-9.4	-5.6	-3.4	-3.0	-4.7	-8.1	-12.0	-16.5
H42	-15.4	-15.4	-15.4	-12.7	-8.6	-4.8	-2.7	-2.3	-3.9	-7.3	-11.2	-15.7
H43	-17.0	-17.0	-17.0	-14.3	-10.2	-6.4	-4.3	-3.9	-5.5	-8.9	-12.8	-17.3
H44	-13.6	-13.6	-13.6	-10.9	-6.8	-3.0	-0.8	-0.4	-2.1	-5.5	-9.4	-13.9
H45	-15.7	-15.7	-15.7	-13.0	-8.9	-5.1	-3.0	-2.6	-4.2	-7.6	-11.5	-16.1
H46	-16.4	-16.4	-16.4	-13.6	-9.6	-5.8	-3.6	-3.2	-4.9	-8.3	-12.2	-16.7
H47	-16.4	-16.4	-16.4	-13.7	-9.6	-5.8	-3.7	-3.3	-4.9	-8.3	-12.2	-16.8
H48	-18.4	-18.3	-18.2	-15.3	-10.9	-7.0	-4.4	-3.5	-7.2	-10.8	-13.7	-16.0
H49	-22.6	-22.6	-22.4	-19.5	-15.0	-11.1	-8.4	-7.6	-11.3	-14.9	-17.9	-20.2
H50	-23.0	-23.0	-22.9	-19.9	-15.4	-11.5	-8.8	-8.0	-11.7	-15.3	-18.3	-20.6
H52	-22.6	-22.5	-22.4	-19.4	-14.9	-10.9	-8.2	-7.3	-11.1	-14.8	-17.8	-20.2
H53	-22.7	-22.7	-22.6	-19.6	-15.1	-11.1	-8.4	-7.5	-11.4	-15.0	-18.0	-20.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H54	-23.9	-23.9	-23.7	-20.7	-16.2	-12.2	-9.5	-8.6	-12.5	-16.2	-19.2	-21.5
H55	-24.0	-23.9	-23.7	-20.7	-16.2	-12.2	-10.6	-13.7	-17.1	-20.8	-24.7	-28.9
H56	-23.4	-23.4	-23.2	-20.3	-15.8	-11.9	-10.3	-13.2	-16.6	-20.3	-24.2	-28.4
H57	-23.2	-23.2	-23.1	-20.1	-15.6	-11.7	-10.1	-13.1	-16.4	-20.1	-24.0	-28.2
H58	-23.6	-23.6	-23.5	-20.5	-16.0	-12.0	-10.5	-13.4	-16.8	-20.5	-24.4	-28.6
H59	-23.6	-23.6	-23.5	-20.5	-16.0	-12.1	-10.5	-13.5	-16.8	-20.5	-24.4	-28.6
H60	-23.6	-23.6	-23.4	-20.4	-15.9	-12.0	-10.4	-13.4	-16.8	-20.5	-24.4	-28.6
H61	-23.6	-23.5	-23.4	-20.4	-15.9	-12.0	-10.4	-13.4	-16.7	-20.4	-24.3	-28.5
H62	-23.4	-23.4	-23.3	-20.3	-15.8	-11.9	-10.3	-13.3	-16.6	-20.3	-24.2	-28.4
H63	-23.9	-23.9	-23.7	-20.7	-16.2	-12.3	-10.7	-13.7	-17.1	-20.8	-24.7	-28.8
H64	-23.9	-23.9	-23.7	-20.7	-16.2	-12.3	-10.7	-13.7	-17.0	-20.7	-24.6	-28.8
H65	-23.9	-23.8	-23.7	-20.7	-16.2	-12.3	-10.7	-13.7	-17.0	-20.7	-24.6	-28.8
H66	-23.8	-23.8	-23.6	-20.7	-16.2	-12.3	-10.7	-13.6	-17.0	-20.7	-24.6	-28.8
H67	-23.5	-23.5	-23.3	-20.4	-15.9	-12.0	-10.4	-13.3	-16.7	-20.3	-24.2	-28.4
H68	-17.7	-17.7	-17.6	-14.7	-10.0	-5.7	-3.7	-7.2	-11.0	-14.8	-18.7	-23.0
H69	-27.6	-27.6	-27.6	-24.9	-20.8	-16.9	-14.7	-14.3	-14.2	-14.1	-14.1	-16.2
H70	-20.9	-20.9	-20.8	-17.9	-13.5	-9.5	-7.9	-10.8	-14.2	-17.8	-21.7	-25.9
H71	-25.2	-25.2	-25.0	-22.0	-17.5	-13.6	-12.0	-15.0	-18.3	-22.1	-26.0	-30.1
H72	-19.3	-19.3	-19.3	-16.6	-12.5	-8.7	-7.3	-9.6	-12.7	-16.1	-19.8	-24.0
H73	-20.2	-20.2	-20.1	-17.2	-12.6	-8.3	-6.5	-9.9	-13.6	-17.4	-21.4	-25.6
H74	-20.0	-20.0	-19.8	-16.9	-12.3	-8.0	-6.1	-9.7	-13.4	-17.3	-21.2	-25.4
H75	-15.0	-15.0	-14.9	-12.2	-7.9	-4.0	-2.5	-5.0	-8.3	-11.9	-15.7	-19.8
H76	-21.0	-21.0	-20.9	-18.0	-13.5	-9.4	-7.7	-11.0	-14.5	-18.3	-22.2	-26.4
H77	-21.0	-21.0	-20.8	-18.0	-13.5	-9.3	-7.7	-10.9	-14.5	-18.3	-22.2	-26.4
H78	-15.8	-15.8	-15.7	-12.9	-8.6	-4.5	-2.9	-5.6	-9.1	-12.8	-16.6	-20.8
H79	-16.8	-16.8	-16.7	-13.9	-9.5	-5.2	-3.5	-6.5	-10.1	-13.9	-17.9	-22.0
H80	-18.3	-18.2	-18.2	-15.4	-10.7	-6.1	-4.4	-7.4	-11.5	-15.5	-19.6	-23.8
H81	-21.3	-21.3	-21.2	-18.4	-14.0	-10.0	-8.5	-11.4	-14.8	-18.5	-22.4	-26.6
H82	-18.7	-18.7	-18.7	-15.8	-10.8	-6.7	-5.3	-7.6	-11.9	-16.2	-20.3	-24.6
H83	-18.7	-18.7	-18.7	-15.8	-10.8	-6.7	-5.3	-7.6	-11.9	-16.2	-20.3	-24.6
H84	-21.2	-21.2	-21.2	-18.5	-14.5	-10.7	-9.3	-11.6	-14.6	-18.0	-23.6	-28.4
H85	-26.0	-26.0	-25.9	-23.1	-18.8	-14.9	-13.5	-16.1	-19.4	-22.9	-26.8	-30.9
H86	-26.3	-26.3	-26.2	-23.4	-19.1	-15.3	-13.8	-16.5	-19.6	-23.2	-27.0	-31.2
H87	-26.2	-26.2	-26.1	-23.3	-19.0	-15.2	-13.7	-16.4	-19.5	-23.1	-26.9	-31.1
H88	-12.4	-12.4	-12.4	-9.7	-5.6	-1.8	0.4	0.8	-0.9	-4.3	-8.2	-12.8

Table 10.12.12: Margins in 330 Degree Sector - Day

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H89	-11.6	-11.6	-11.6	-8.9	-4.8	-1.0	1.2	1.6	-0.1	-3.5	-7.4	-12.0

Table 10.12.13: Margins in 0 Degree Sector - Night

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-22.3	-22.3	-22.3	-19.5	-15.3	-11.5	-9.4	-9.0	-9.0	-8.8	-12.3	-17.7
H2	-22.3	-22.3	-22.3	-19.5	-15.3	-11.5	-9.4	-9.0	-9.0	-8.8	-12.3	-17.7
H3	-22.2	-22.2	-22.2	-19.4	-15.2	-11.4	-9.3	-8.9	-8.8	-8.7	-12.2	-17.6
H4	-22.2	-22.2	-22.2	-19.3	-15.1	-11.4	-9.2	-8.9	-8.8	-8.7	-12.2	-17.6
H5	-22.0	-22.0	-22.0	-19.2	-15.0	-11.2	-9.1	-8.8	-8.7	-8.5	-12.1	-17.5
H6	-22.4	-22.4	-22.4	-19.6	-15.6	-11.8	-9.7	-9.4	-9.3	-9.3	-12.6	-17.8
H7	-19.9	-19.9	-19.9	-17.1	-12.8	-9.0	-6.9	-6.5	-6.4	-6.4	-10.2	-14.3
H8	-22.1	-22.1	-22.1	-19.2	-14.8	-11.0	-8.8	-8.4	-8.3	-8.2	-12.2	-16.5
H9	-21.3	-21.3	-21.3	-18.4	-14.2	-10.4	-8.3	-7.9	-7.8	-7.8	-11.6	-15.6
H10	-18.5	-18.5	-18.5	-15.7	-11.5	-7.7	-5.5	-5.1	-5.0	-5.0	-8.8	-12.9
H11	-18.5	-18.5	-18.5	-15.6	-11.4	-7.6	-5.4	-5.0	-4.9	-4.9	-8.7	-12.8
H12	-17.6	-17.6	-17.6	-14.7	-10.5	-6.7	-4.5	-4.1	-4.0	-4.0	-7.8	-11.9
H13	-20.3	-20.3	-20.3	-17.6	-13.5	-9.7	-7.7	-7.3	-7.3	-7.2	-10.5	-15.7
H14	-20.6	-20.6	-20.6	-17.8	-13.6	-9.7	-7.6	-7.2	-7.1	-7.2	-10.9	-15.0
H15	-20.3	-20.3	-20.3	-17.5	-13.3	-9.5	-7.4	-7.0	-6.9	-6.9	-10.7	-14.7
H16	-20.2	-20.2	-20.2	-17.5	-13.4	-9.6	-7.5	-7.2	-7.2	-7.1	-10.4	-15.6
H17	-16.4	-16.4	-16.4	-13.7	-9.7	-5.9	-3.8	-3.4	-3.4	-3.3	-6.7	-11.8
H18	-15.5	-15.5	-15.5	-12.8	-8.8	-5.0	-2.9	-2.5	-2.5	-2.4	-5.7	-10.9
H19	-16.5	-16.5	-16.5	-13.8	-9.7	-5.9	-3.8	-3.5	-3.4	-3.4	-6.7	-11.9
H20	-15.3	-15.3	-15.3	-12.5	-8.5	-4.7	-2.6	-2.2	-2.2	-2.1	-5.5	-10.7
H21	-16.7	-16.7	-16.7	-14.0	-9.9	-6.1	-4.0	-3.7	-3.6	-3.6	-6.9	-12.1
H22	-16.1	-16.1	-16.1	-13.4	-9.4	-5.6	-3.5	-3.2	-3.1	-3.1	-6.4	-11.5
H23	-16.0	-16.0	-16.0	-13.3	-9.2	-5.4	-3.3	-3.0	-2.9	-2.9	-6.2	-11.4
H24	-15.0	-15.0	-15.0	-12.3	-8.1	-4.2	-2.1	-1.7	-1.4	-1.4	-5.3	-9.4
H25	-14.5	-14.5	-14.5	-11.8	-7.7	-3.9	-1.9	-1.5	-1.4	-1.4	-4.7	-9.9
H26	-16.4	-16.4	-16.4	-13.7	-9.6	-5.8	-3.7	-3.4	-3.3	-3.3	-6.6	-11.8
H27	-14.9	-14.9	-14.9	-12.2	-8.1	-4.3	-2.3	-1.9	-1.8	-1.8	-5.1	-10.3
H28	-15.3	-15.3	-15.3	-12.6	-8.5	-4.7	-2.7	-2.3	-2.3	-2.2	-5.5	-10.7
H29	-17.5	-17.5	-17.5	-14.8	-10.7	-6.9	-4.8	-4.5	-4.4	-4.4	-7.7	-12.9
H30	-16.4	-16.4	-16.4	-13.7	-9.7	-5.9	-3.8	-3.5	-3.4	-3.4	-6.7	-11.8
H31	-17.3	-17.3	-17.3	-14.6	-10.5	-6.7	-4.7	-4.3	-4.3	-4.2	-7.5	-12.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H32	-17.1	-17.1	-17.1	-14.4	-10.3	-6.6	-4.5	-4.1	-4.1	-4.0	-7.3	-12.5
H33	-20.8	-20.8	-20.8	-18.1	-14.0	-10.2	-8.1	-7.8	-7.7	-7.7	-11.0	-16.1
H34	-19.2	-19.2	-19.2	-16.5	-12.4	-8.7	-6.6	-6.2	-6.2	-6.2	-6.2	-7.5
H35	-16.4	-16.4	-16.4	-13.7	-9.7	-5.9	-3.8	-3.5	-3.4	-3.4	-6.7	-11.8
H36	-18.3	-18.3	-18.3	-15.6	-11.6	-7.8	-5.7	-5.4	-5.3	-5.3	-8.6	-13.7
H37	-20.3	-20.3	-20.3	-17.6	-13.6	-9.8	-7.7	-7.3	-7.3	-7.2	-10.5	-15.7
H38	-16.2	-16.2	-16.2	-13.5	-9.4	-5.6	-3.5	-3.2	-3.1	-3.1	-6.4	-11.6
H39	-13.9	-13.9	-13.9	-11.2	-7.1	-3.1	-1.0	-0.5	-0.3	-0.2	-4.2	-8.3
H40	-16.0	-16.0	-16.0	-13.3	-9.2	-5.4	-3.3	-3.0	-2.9	-2.9	-6.2	-11.4
H41	-19.4	-19.4	-19.4	-16.7	-12.6	-8.9	-6.8	-6.4	-6.4	-6.3	-9.6	-14.8
H42	-18.6	-18.6	-18.6	-15.9	-11.9	-8.1	-6.0	-5.6	-5.6	-5.6	-8.8	-14.0
H43	-20.5	-20.5	-20.5	-17.8	-13.7	-9.9	-7.8	-7.5	-7.4	-7.4	-10.7	-15.8
H44	-16.8	-16.8	-16.8	-14.1	-10.0	-6.3	-4.2	-3.8	-3.8	-3.7	-7.0	-12.2
H45	-19.1	-19.1	-19.1	-16.4	-12.4	-8.6	-6.5	-6.2	-6.1	-6.1	-9.4	-14.5
H46	-19.8	-19.8	-19.8	-17.1	-13.1	-9.3	-7.2	-6.8	-6.8	-6.7	-10.0	-15.2
H47	-19.9	-19.9	-19.9	-17.2	-13.1	-9.3	-7.2	-6.9	-6.8	-6.8	-10.1	-15.2
H48	-17.2	-17.2	-17.2	-14.5	-10.4	-6.4	-4.2	-3.7	-3.4	-3.4	-7.5	-11.6
H49	-21.6	-21.6	-21.6	-18.9	-14.7	-10.8	-8.5	-8.0	-7.5	-7.4	-11.7	-16.0
H50	-22.0	-22.0	-22.0	-19.3	-15.2	-11.2	-8.9	-8.4	-7.9	-7.8	-12.2	-16.4
H52	-21.5	-21.5	-21.5	-18.8	-14.7	-10.6	-8.4	-7.8	-7.3	-7.1	-11.6	-15.9
H53	-21.7	-21.7	-21.7	-19.0	-14.8	-10.8	-8.5	-8.0	-7.5	-7.3	-11.8	-16.1
H54	-23.4	-23.4	-23.4	-20.6	-16.5	-12.4	-10.1	-9.6	-9.0	-8.8	-13.4	-17.7
H55	-23.6	-23.6	-23.6	-20.9	-16.8	-12.7	-10.4	-9.8	-11.7	-15.9	-20.4	-25.3
H56	-23.3	-23.3	-23.3	-20.6	-16.4	-12.4	-10.2	-9.6	-11.4	-15.5	-20.1	-24.9
H57	-23.1	-23.1	-23.1	-20.4	-16.3	-12.3	-10.0	-9.4	-11.2	-15.4	-19.9	-24.7
H58	-23.5	-23.5	-23.5	-20.8	-16.7	-12.7	-10.4	-9.8	-11.6	-15.8	-20.3	-25.1
H59	-23.5	-23.5	-23.5	-20.8	-16.7	-12.6	-10.4	-9.8	-11.6	-15.8	-20.3	-25.1
H60	-23.5	-23.5	-23.5	-20.8	-16.6	-12.6	-10.3	-9.8	-11.6	-15.7	-20.3	-25.1
H61	-23.4	-23.4	-23.4	-20.7	-16.6	-12.6	-10.3	-9.7	-11.5	-15.7	-20.2	-25.0
H62	-23.3	-23.3	-23.3	-20.6	-16.5	-12.4	-10.2	-9.6	-11.4	-15.6	-20.1	-24.9
H63	-24.1	-24.1	-24.1	-21.4	-17.3	-13.2	-11.0	-10.4	-12.2	-16.4	-20.9	-25.7
H64	-24.1	-24.1	-24.1	-21.4	-17.2	-13.2	-10.9	-10.4	-12.2	-16.3	-20.9	-25.7
H65	-24.1	-24.1	-24.1	-21.4	-17.2	-13.2	-10.9	-10.3	-12.2	-16.3	-20.8	-25.7
H66	-24.1	-24.1	-24.1	-21.3	-17.2	-13.2	-10.9	-10.3	-12.1	-16.3	-20.8	-25.7
H67	-23.7	-23.7	-23.7	-21.0	-16.8	-12.8	-10.6	-10.0	-11.8	-15.9	-20.5	-25.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H68	-19.3	-19.3	-19.3	-16.6	-12.1	-8.1	-5.9	-5.4	-7.5	-11.8	-16.4	-21.3
H69	-26.5	-26.5	-26.5	-23.8	-19.5	-15.7	-13.6	-13.3	-13.2	-13.1	-13.0	-15.1
H70	-22.2	-22.2	-22.2	-19.5	-15.3	-11.4	-9.2	-8.7	-10.6	-14.6	-19.0	-23.9
H71	-25.9	-25.9	-25.9	-23.2	-19.0	-15.0	-12.8	-12.3	-14.1	-18.1	-22.6	-27.4
H72	-27.0	-27.0	-27.0	-24.3	-20.2	-16.4	-14.4	-14.0	-15.7	-19.4	-23.6	-28.3
H73	-22.5	-22.5	-22.5	-19.8	-15.6	-11.6	-9.3	-8.7	-10.7	-14.9	-19.4	-24.3
H74	-22.4	-22.4	-22.4	-19.7	-15.4	-11.4	-9.1	-8.5	-10.4	-14.7	-19.3	-24.2
H75	-19.5	-19.5	-19.5	-16.8	-12.7	-8.8	-6.6	-6.2	-8.0	-11.8	-16.1	-20.9
H76	-23.4	-23.4	-23.4	-20.7	-16.5	-12.6	-10.4	-9.8	-11.7	-15.8	-20.3	-25.1
H77	-23.4	-23.4	-23.4	-20.7	-16.5	-12.6	-10.3	-9.8	-11.7	-15.8	-20.3	-25.1
H78	-19.9	-19.9	-19.9	-17.2	-13.1	-9.2	-6.9	-6.3	-8.2	-12.2	-16.6	-21.4
H79	-20.8	-20.8	-20.8	-18.1	-13.9	-10.0	-7.7	-7.1	-9.0	-13.1	-17.5	-22.3
H80	-23.2	-23.2	-23.2	-20.4	-16.2	-12.1	-9.6	-8.5	-10.8	-15.4	-20.0	-24.8
H81	-24.9	-24.9	-24.9	-22.2	-18.0	-14.1	-11.9	-11.4	-13.3	-17.3	-21.7	-26.5
H82	-24.0	-24.0	-24.0	-21.3	-16.9	-12.7	-9.9	-8.8	-11.0	-16.1	-20.9	-25.8
H83	-24.0	-24.0	-24.0	-21.3	-16.9	-12.7	-9.9	-8.8	-11.0	-16.1	-20.9	-25.8
H84	-23.8	-23.8	-23.8	-21.1	-17.1	-13.3	-11.3	-10.9	-12.6	-16.2	-22.1	-27.7
H85	-28.3	-28.3	-28.3	-25.6	-21.5	-17.6	-15.5	-15.1	-16.9	-20.7	-25.0	-29.8
H86	-28.6	-28.6	-28.6	-25.9	-21.8	-18.0	-15.8	-15.4	-17.2	-21.0	-25.3	-30.0
H87	-28.7	-28.7	-28.7	-26.0	-21.9	-18.0	-15.9	-15.5	-17.3	-21.1	-25.4	-30.1
H88	-15.8	-15.8	-15.8	-13.1	-9.0	-5.3	-3.2	-2.8	-2.8	-2.7	-6.0	-11.2
H89	-15.1	-15.1	-15.1	-12.4	-8.4	-4.6	-2.5	-2.1	-2.0	-2.0	-5.3	-10.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-22.4	-22.4	-22.4	-19.6	-15.5	-11.8	-9.7	-9.3	-9.3	-9.2	-12.6	-17.8
H2	-22.4	-22.4	-22.4	-19.6	-15.5	-11.7	-9.6	-9.3	-9.2	-9.2	-12.5	-17.8
H3	-22.2	-22.2	-22.2	-19.5	-15.4	-11.6	-9.5	-9.2	-9.1	-9.1	-12.4	-17.6
H4	-22.2	-22.2	-22.2	-19.5	-15.4	-11.6	-9.5	-9.2	-9.1	-9.0	-12.4	-17.6
H5	-22.1	-22.1	-22.1	-19.4	-15.3	-11.5	-9.4	-9.0	-9.0	-8.9	-12.3	-17.5
H6	-22.4	-22.4	-22.4	-19.7	-15.6	-11.9	-9.8	-9.4	-9.4	-9.4	-12.6	-17.8
H7	-20.0	-20.0	-20.0	-17.2	-13.1	-9.3	-7.2	-6.8	-6.8	-6.9	-10.4	-14.4
H8	-22.3	-22.3	-22.3	-19.5	-15.3	-11.5	-9.4	-9.0	-8.9	-9.0	-12.6	-16.7
H9	-21.3	-21.3	-21.3	-18.6	-14.4	-10.6	-8.5	-8.2	-8.1	-8.2	-11.8	-15.7
H10	-18.6	-18.6	-18.6	-15.9	-11.7	-7.9	-5.8	-5.4	-5.3	-5.4	-9.0	-13.0

Table 10.12.14: Margins in 30 Degree Sector - Night

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H11	-18.5	-18.5	-18.5	-15.8	-11.6	-7.8	-5.7	-5.3	-5.2	-5.3	-8.9	-12.9
H12	-17.6	-17.6	-17.6	-14.9	-10.7	-6.9	-4.8	-4.4	-4.3	-4.3	-8.0	-12.0
H13	-20.7	-20.7	-20.7	-18.0	-13.9	-10.2	-8.1	-7.7	-7.7	-7.7	-10.9	-16.1
H14	-20.6	-20.6	-20.6	-17.9	-13.7	-9.9	-7.8	-7.4	-7.3	-7.4	-11.0	-15.0
H15	-20.4	-20.4	-20.4	-17.6	-13.5	-9.7	-7.5	-7.2	-7.1	-7.2	-10.8	-14.8
H16	-21.0	-21.0	-21.0	-18.3	-14.2	-10.5	-8.4	-8.1	-8.0	-8.0	-11.2	-16.4
H17	-17.3	-17.3	-17.3	-14.6	-10.5	-6.8	-4.7	-4.3	-4.3	-4.3	-7.5	-12.7
H18	-16.4	-16.4	-16.4	-13.7	-9.7	-5.9	-3.8	-3.5	-3.4	-3.4	-6.7	-11.8
H19	-17.3	-17.3	-17.3	-14.6	-10.5	-6.8	-4.7	-4.3	-4.3	-4.3	-7.5	-12.7
H20	-16.1	-16.1	-16.1	-13.4	-9.4	-5.6	-3.5	-3.2	-3.1	-3.1	-6.4	-11.5
H21	-17.4	-17.4	-17.4	-14.7	-10.7	-6.9	-4.8	-4.5	-4.5	-4.4	-7.7	-12.8
H22	-16.9	-16.9	-16.9	-14.2	-10.2	-6.4	-4.3	-4.0	-3.9	-3.9	-7.2	-12.3
H23	-16.7	-16.7	-16.7	-14.0	-10.0	-6.2	-4.1	-3.8	-3.7	-3.7	-7.0	-12.1
H24	-15.1	-15.1	-15.1	-12.3	-8.2	-4.3	-2.2	-1.8	-1.6	-1.6	-5.4	-9.5
H25	-15.3	-15.3	-15.3	-12.6	-8.6	-4.8	-2.7	-2.4	-2.3	-2.3	-5.6	-10.7
H26	-17.4	-17.4	-17.4	-14.7	-10.6	-6.8	-4.8	-4.4	-4.4	-4.4	-7.6	-12.8
H27	-15.9	-15.9	-15.9	-13.2	-9.2	-5.4	-3.3	-3.0	-2.9	-2.9	-6.2	-11.3
H28	-16.5	-16.5	-16.5	-13.8	-9.8	-6.0	-3.9	-3.6	-3.5	-3.5	-6.8	-11.9
H29	-19.2	-19.2	-19.2	-16.5	-12.4	-8.6	-6.6	-6.2	-6.2	-6.1	-9.4	-14.5
H30	-17.5	-17.5	-17.5	-14.8	-10.8	-7.0	-4.9	-4.5	-4.5	-4.5	-7.7	-12.9
H31	-18.9	-18.9	-18.9	-16.2	-12.2	-8.4	-6.3	-6.0	-6.0	-5.9	-9.2	-14.3
H32	-18.7	-18.7	-18.7	-16.0	-12.0	-8.2	-6.1	-5.8	-5.7	-5.7	-9.0	-14.1
H33	-24.3	-24.3	-24.3	-21.6	-17.6	-13.8	-11.7	-11.4	-11.3	-11.3	-14.5	-19.7
H34	-19.9	-19.9	-19.9	-17.2	-13.1	-9.4	-7.3	-7.0	-6.9	-6.9	-6.9	-8.2
H35	-18.0	-18.0	-18.0	-15.3	-11.3	-7.5	-5.4	-5.1	-5.0	-5.0	-8.3	-13.4
H36	-20.2	-20.2	-20.2	-17.5	-13.4	-9.7	-7.6	-7.2	-7.2	-7.2	-10.4	-15.6
H37	-23.8	-23.8	-23.8	-21.1	-17.1	-13.3	-11.2	-10.9	-10.8	-10.8	-14.1	-19.2
H38	-17.7	-17.7	-17.7	-15.0	-11.0	-7.2	-5.1	-4.8	-4.8	-4.7	-8.0	-13.1
H39	-13.7	-13.7	-13.7	-11.0	-6.8	-3.0	-0.8	-0.4	-0.3	-0.3	-4.1	-8.1
H40	-17.7	-17.7	-17.7	-15.0	-11.0	-7.2	-5.1	-4.8	-4.7	-4.7	-8.0	-13.1
H41	-22.9	-22.9	-22.9	-20.2	-16.1	-12.4	-10.3	-9.9	-9.9	-9.9	-13.1	-18.3
H42	-22.1	-22.1	-22.1	-19.4	-15.4	-11.6	-9.5	-9.2	-9.1	-9.1	-12.4	-17.5
H43	-23.9	-23.9	-23.9	-21.2	-17.2	-13.4	-11.3	-11.0	-10.9	-10.9	-14.1	-19.3
H44	-18.5	-18.5	-18.5	-15.8	-11.8	-8.0	-5.9	-5.6	-5.6	-5.5	-8.8	-13.9
H45	-22.6	-22.6	-22.6	-19.9	-15.8	-12.0	-10.0	-9.6	-9.6	-9.6	-12.8	-17.9

Table 10.12.14: Margins in 30 Degree Sector - Night

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H46	-23.2	-23.2	-23.2	-20.5	-16.5	-12.7	-10.6	-10.3	-10.2	-10.2	-13.4	-18.6
H47	-23.2	-23.2	-23.2	-20.6	-16.5	-12.7	-10.6	-10.3	-10.3	-10.2	-13.5	-18.6
H48	-15.7	-15.7	-15.7	-13.0	-8.9	-5.0	-2.8	-2.4	-2.2	-2.2	-6.0	-10.1
H49	-18.5	-18.5	-18.5	-15.8	-11.7	-7.8	-5.6	-5.1	-4.9	-4.9	-8.8	-12.9
H50	-19.0	-19.0	-19.0	-16.3	-12.1	-8.2	-6.0	-5.6	-5.3	-5.3	-9.3	-13.4
H52	-18.5	-18.5	-18.5	-15.8	-11.7	-7.8	-5.6	-5.1	-4.9	-4.9	-8.8	-12.9
H53	-18.7	-18.7	-18.7	-16.0	-11.9	-8.0	-5.8	-5.3	-5.1	-5.1	-9.0	-13.1
H54	-19.3	-19.3	-19.3	-16.5	-12.4	-8.5	-6.3	-5.8	-5.5	-5.6	-9.5	-13.6
H55	-19.8	-19.8	-19.8	-17.1	-13.0	-9.1	-6.9	-6.5	-8.3	-12.1	-16.5	-21.2
H56	-19.0	-19.0	-19.0	-16.3	-12.2	-8.3	-6.1	-5.7	-7.5	-11.3	-15.7	-20.4
H57	-18.8	-18.8	-18.8	-16.1	-12.0	-8.1	-6.0	-5.5	-7.3	-11.1	-15.5	-20.2
H58	-19.2	-19.2	-19.2	-16.5	-12.4	-8.5	-6.4	-5.9	-7.7	-11.5	-15.9	-20.7
H59	-19.2	-19.2	-19.2	-16.5	-12.4	-8.5	-6.4	-5.9	-7.7	-11.5	-15.9	-20.7
H60	-19.2	-19.2	-19.2	-16.5	-12.4	-8.5	-6.3	-5.9	-7.7	-11.5	-15.9	-20.6
H61	-19.1	-19.1	-19.1	-16.4	-12.3	-8.4	-6.3	-5.8	-7.6	-11.4	-15.8	-20.6
H62	-19.0	-19.0	-19.0	-16.3	-12.2	-8.3	-6.2	-5.7	-7.5	-11.3	-15.7	-20.4
H63	-19.8	-19.8	-19.8	-17.1	-13.0	-9.1	-6.9	-6.5	-8.3	-12.1	-16.5	-21.2
H64	-19.8	-19.8	-19.8	-17.0	-12.9	-9.1	-6.9	-6.5	-8.2	-12.1	-16.4	-21.2
H65	-19.7	-19.7	-19.7	-17.0	-12.9	-9.0	-6.9	-6.5	-8.2	-12.1	-16.4	-21.2
H66	-19.7	-19.7	-19.7	-17.0	-12.9	-9.0	-6.9	-6.4	-8.2	-12.0	-16.4	-21.2
H67	-19.3	-19.3	-19.3	-16.6	-12.5	-8.7	-6.5	-6.1	-7.8	-11.7	-16.0	-20.8
H68	-16.4	-16.4	-16.4	-13.7	-9.3	-5.5	-3.3	-2.8	-4.9	-9.0	-13.5	-18.3
H69	-24.0	-24.0	-24.0	-21.3	-17.1	-13.3	-11.2	-10.8	-10.7	-10.7	-10.6	-12.6
H70	-18.6	-18.6	-18.6	-15.9	-11.7	-7.8	-5.7	-5.3	-7.2	-11.1	-15.5	-20.3
H71	-21.6	-21.6	-21.6	-18.9	-14.8	-11.0	-8.8	-8.4	-10.2	-14.0	-18.3	-23.1
H72	-30.3	-30.3	-30.3	-27.6	-23.6	-19.8	-17.7	-17.4	-19.1	-22.7	-26.9	-31.6
H73	-19.1	-19.1	-19.1	-16.4	-11.9	-7.8	-5.3	-4.2	-6.5	-11.3	-16.2	-21.2
H74	-19.1	-19.1	-19.1	-16.4	-11.9	-7.7	-5.1	-4.2	-6.1	-11.1	-16.0	-21.1
H75	-19.7	-19.7	-19.7	-17.0	-12.9	-9.1	-6.9	-6.5	-8.2	-12.1	-16.4	-21.1
H76	-20.1	-20.1	-20.1	-17.4	-13.2	-9.2	-6.9	-6.1	-8.1	-12.4	-17.0	-21.9
H77	-20.1	-20.1	-20.1	-17.4	-13.1	-9.1	-6.8	-6.1	-8.1	-12.4	-17.0	-21.9
H78	-19.8	-19.8	-19.8	-17.1	-13.0	-9.1	-6.9	-6.3	-8.2	-12.1	-16.5	-21.3
H79	-20.3	-20.3	-20.3	-17.5	-13.4	-9.5	-7.3	-6.7	-8.6	-12.6	-17.0	-21.7
H80	-23.1	-23.1	-23.1	-20.4	-16.2	-12.1	-9.6	-8.6	-10.8	-15.3	-19.9	-24.7
H81	-23.5	-23.5	-23.5	-20.8	-16.7	-12.8	-10.6	-10.1	-12.0	-15.9	-20.2	-25.0
H82	-24.0	-24.0	-24.0	-21.3	-17.0	-12.8	-10.0	-8.7	-11.1	-16.1	-20.9	-25.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H83	-24.0	-24.0	-24.0	-21.3	-17.0	-12.8	-10.0	-8.7	-11.1	-16.1	-20.9	-25.7
H84	-21.5	-21.5	-21.5	-18.8	-14.7	-11.0	-8.9	-8.6	-10.3	-13.9	-19.7	-25.3
H85	-25.3	-25.3	-25.3	-22.6	-18.5	-14.7	-12.6	-12.2	-14.0	-17.8	-22.1	-26.9
H86	-25.7	-25.7	-25.7	-23.0	-18.9	-15.1	-12.9	-12.5	-14.3	-18.1	-22.4	-27.1
H87	-25.9	-25.9	-25.9	-23.2	-19.1	-15.3	-13.2	-12.8	-14.6	-18.4	-22.7	-27.5
H88	-17.3	-17.3	-17.3	-14.6	-10.6	-6.8	-4.7	-4.4	-4.4	-4.3	-7.6	-12.7
H89	-17.6	-17.6	-17.6	-14.9	-10.9	-7.1	-5.0	-4.7	-4.6	-4.6	-7.9	-13.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-22.4	-22.4	-22.4	-19.7	-15.6	-11.8	-9.8	-9.4	-9.4	-9.4	-12.6	-17.8
H2	-22.4	-22.4	-22.4	-19.7	-15.6	-11.8	-9.7	-9.4	-9.4	-9.3	-12.6	-17.8
H3	-22.3	-22.3	-22.3	-19.6	-15.5	-11.7	-9.6	-9.3	-9.3	-9.2	-12.5	-17.7
H4	-22.3	-22.3	-22.3	-19.5	-15.5	-11.7	-9.6	-9.3	-9.2	-9.2	-12.5	-17.7
H5	-22.1	-22.1	-22.1	-19.4	-15.4	-11.6	-9.5	-9.2	-9.1	-9.1	-12.4	-17.5
H6	-23.9	-23.9	-23.9	-21.2	-17.2	-13.4	-11.3	-11.0	-10.9	-10.9	-14.2	-19.3
H7	-20.1	-20.1	-20.1	-17.3	-13.2	-9.4	-7.4	-7.0	-7.0	-7.1	-10.6	-14.4
H8	-22.3	-22.3	-22.3	-19.6	-15.4	-11.6	-9.5	-9.2	-9.1	-9.2	-12.8	-16.7
H9	-21.4	-21.4	-21.4	-18.6	-14.5	-10.7	-8.6	-8.3	-8.2	-8.4	-11.9	-15.8
H10	-18.7	-18.7	-18.7	-15.9	-11.8	-8.1	-6.0	-5.6	-5.6	-5.7	-9.2	-13.1
H11	-18.6	-18.6	-18.6	-15.9	-11.8	-8.0	-5.9	-5.5	-5.5	-5.6	-9.1	-13.0
H12	-17.7	-17.7	-17.7	-15.0	-10.9	-7.1	-5.0	-4.6	-4.6	-4.7	-8.2	-12.1
H13	-23.2	-23.2	-23.2	-20.5	-16.5	-12.7	-10.6	-10.3	-10.3	-10.2	-13.5	-18.6
H14	-20.7	-20.7	-20.7	-17.9	-13.8	-10.0	-7.9	-7.6	-7.5	-7.6	-11.1	-15.0
H15	-20.4	-20.4	-20.4	-17.7	-13.6	-9.8	-7.7	-7.3	-7.2	-7.4	-10.9	-14.8
H16	-24.6	-24.6	-24.6	-21.9	-17.8	-14.1	-12.0	-11.7	-11.6	-11.6	-14.8	-20.0
H17	-19.3	-19.3	-19.3	-16.6	-12.6	-8.8	-6.7	-6.4	-6.4	-6.3	-9.6	-14.7
H18	-18.5	-18.5	-18.5	-15.8	-11.7	-8.0	-5.9	-5.6	-5.5	-5.5	-8.7	-13.9
H19	-20.9	-20.9	-20.9	-18.2	-14.2	-10.4	-8.3	-8.0	-8.0	-7.9	-11.2	-16.3
H20	-18.2	-18.2	-18.2	-15.5	-11.4	-7.6	-5.6	-5.2	-5.2	-5.2	-8.4	-13.6
H21	-21.1	-21.1	-21.1	-18.4	-14.3	-10.5	-8.5	-8.1	-8.1	-8.1	-11.3	-16.4
H22	-20.5	-20.5	-20.5	-17.8	-13.8	-10.0	-8.0	-7.6	-7.6	-7.6	-10.8	-15.9
H23	-20.3	-20.3	-20.3	-17.6	-13.6	-9.8	-7.7	-7.4	-7.4	-7.4	-10.6	-15.7
H24	-15.2	-15.2	-15.2	-12.4	-8.3	-4.5	-2.4	-2.1	-2.0	-2.1	-5.6	-9.6

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H25	-17.2	-17.2	-17.2	-14.5	-10.5	-6.7	-4.6	-4.3	-4.2	-4.2	-7.5	-12.6
H26	-20.9	-20.9	-20.9	-18.2	-14.1	-10.3	-8.3	-7.9	-7.9	-7.9	-11.1	-16.3
H27	-19.1	-19.1	-19.1	-16.4	-12.4	-8.6	-6.5	-6.2	-6.1	-6.1	-9.4	-14.5
H28	-19.7	-19.7	-19.7	-17.0	-12.9	-9.2	-7.1	-6.7	-6.7	-6.7	-9.9	-15.1
H29	-23.6	-23.6	-23.6	-20.9	-16.9	-13.1	-11.0	-10.7	-10.7	-10.7	-13.9	-19.0
H30	-20.8	-20.8	-20.8	-18.1	-14.0	-10.3	-8.2	-7.8	-7.8	-7.8	-11.0	-16.2
H31	-23.4	-23.4	-23.4	-20.7	-16.7	-12.9	-10.8	-10.5	-10.5	-10.4	-13.7	-18.8
H32	-23.2	-23.2	-23.2	-20.5	-16.5	-12.7	-10.6	-10.3	-10.2	-10.2	-13.5	-18.6
H33	-28.4	-28.4	-28.4	-25.7	-21.6	-17.9	-15.8	-15.5	-15.4	-15.4	-18.6	-23.8
H34	-20.9	-20.9	-20.9	-18.2	-14.2	-10.4	-8.4	-8.0	-8.0	-8.0	-8.0	-9.3
H35	-22.4	-22.4	-22.4	-19.7	-15.7	-11.9	-9.8	-9.5	-9.5	-9.4	-12.7	-17.8
H36	-24.6	-24.6	-24.6	-21.9	-17.8	-14.1	-12.0	-11.6	-11.6	-11.6	-14.8	-20.0
H37	-27.9	-27.9	-27.9	-25.2	-21.2	-17.4	-15.3	-15.0	-15.0	-14.9	-18.2	-23.3
H38	-22.0	-22.0	-22.0	-19.3	-15.3	-11.5	-9.4	-9.1	-9.0	-9.0	-12.3	-17.4
H39	-13.8	-13.8	-13.8	-11.0	-6.9	-3.1	-1.0	-0.7	-0.6	-0.7	-4.2	-8.2
H40	-21.7	-21.7	-21.7	-19.0	-15.0	-11.2	-9.1	-8.8	-8.8	-8.7	-12.0	-17.1
H41	-27.0	-27.0	-27.0	-24.3	-20.3	-16.5	-14.4	-14.1	-14.0	-14.0	-17.2	-22.4
H42	-26.2	-26.2	-26.2	-23.5	-19.5	-15.7	-13.6	-13.3	-13.3	-13.2	-16.5	-21.6
H43	-27.9	-27.9	-27.9	-25.2	-21.2	-17.4	-15.3	-15.0	-15.0	-14.9	-18.2	-23.3
H44	-22.9	-22.9	-22.9	-20.2	-16.1	-12.3	-10.3	-9.9	-9.9	-9.9	-13.1	-18.3
H45	-26.6	-26.6	-26.6	-23.9	-19.9	-16.1	-14.0	-13.7	-13.7	-13.6	-16.9	-22.0
H46	-27.3	-27.3	-27.3	-24.6	-20.5	-16.8	-14.7	-14.3	-14.3	-14.3	-17.5	-22.7
H47	-27.3	-27.3	-27.3	-24.6	-20.6	-16.8	-14.7	-14.4	-14.3	-14.3	-17.6	-22.7
H48	-15.8	-15.8	-15.8	-13.1	-9.0	-5.2	-3.1	-2.7	-2.6	-2.7	-6.3	-10.2
H49	-18.1	-18.1	-18.1	-15.4	-11.3	-7.5	-5.4	-5.0	-4.9	-5.0	-8.5	-12.5
H50	-18.6	-18.6	-18.6	-15.9	-11.8	-7.9	-5.8	-5.4	-5.3	-5.5	-9.0	-13.0
H52	-18.2	-18.2	-18.2	-15.4	-11.3	-7.5	-5.4	-5.0	-4.9	-5.0	-8.6	-12.5
H53	-18.3	-18.3	-18.3	-15.6	-11.5	-7.7	-5.6	-5.2	-5.1	-5.2	-8.8	-12.7
H54	-18.9	-18.9	-18.9	-16.2	-12.1	-8.3	-6.1	-5.7	-5.6	-5.7	-9.3	-13.3
H55	-18.6	-18.6	-18.6	-15.9	-11.8	-8.0	-5.8	-5.4	-7.2	-10.9	-15.2	-20.0
H56	-17.8	-17.8	-17.8	-15.1	-11.0	-7.2	-5.0	-4.7	-6.4	-10.2	-14.5	-19.2
H57	-17.6	-17.6	-17.6	-14.9	-10.8	-7.0	-4.9	-4.5	-6.2	-10.0	-14.3	-19.0
H58	-18.1	-18.1	-18.1	-15.3	-11.2	-7.4	-5.3	-4.9	-6.7	-10.4	-14.7	-19.5
H59	-18.1	-18.1	-18.1	-15.3	-11.2	-7.4	-5.3	-4.9	-6.6	-10.4	-14.7	-19.5
H60	-18.0	-18.0	-18.0	-15.3	-11.2	-7.4	-5.2	-4.9	-6.6	-10.4	-14.7	-19.4
H61	-18.0	-18.0	-18.0	-15.2	-11.1	-7.3	-5.2	-4.8	-6.6	-10.3	-14.6	-19.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H62	-17.8	-17.8	-17.8	-15.1	-11.0	-7.2	-5.1	-4.7	-6.4	-10.2	-14.5	-19.2
H63	-18.0	-18.0	-18.0	-15.3	-11.2	-7.4	-5.3	-4.9	-6.6	-10.4	-14.7	-19.4
H64	-18.0	-18.0	-18.0	-15.3	-11.2	-7.4	-5.2	-4.8	-6.6	-10.4	-14.7	-19.4
H65	-18.0	-18.0	-18.0	-15.3	-11.2	-7.3	-5.2	-4.8	-6.6	-10.3	-14.6	-19.4
H66	-17.9	-17.9	-17.9	-15.2	-11.1	-7.3	-5.2	-4.8	-6.5	-10.3	-14.6	-19.4
H67	-17.6	-17.6	-17.6	-14.9	-10.8	-6.9	-4.8	-4.4	-6.2	-9.9	-14.3	-19.0
H68	-14.2	-14.2	-14.2	-11.5	-7.1	-3.3	-1.1	-0.7	-2.7	-6.8	-11.3	-16.1
H69	-21.0	-21.0	-21.0	-18.4	-14.1	-10.4	-8.3	-7.9	-7.8	-7.8	-7.7	-9.7
H70	-15.9	-15.9	-15.9	-13.2	-9.0	-5.2	-3.0	-2.6	-4.5	-8.4	-12.8	-17.6
H71	-19.0	-19.0	-19.0	-16.3	-12.2	-8.4	-6.3	-5.9	-7.7	-11.4	-15.7	-20.5
H72	-31.5	-31.5	-31.5	-28.8	-24.8	-21.0	-19.0	-18.6	-20.3	-23.9	-28.1	-32.8
H73	-14.7	-14.7	-14.7	-12.0	-7.0	-3.2	-1.2	-0.8	-2.5	-7.5	-12.7	-17.8
H74	-15.1	-15.1	-15.1	-12.4	-7.3	-3.2	-1.2	-0.8	-2.5	-7.5	-12.6	-17.7
H75	-19.2	-19.2	-19.2	-16.5	-12.4	-8.6	-6.5	-6.1	-7.8	-11.6	-15.8	-20.6
H76	-16.2	-16.2	-16.2	-13.5	-8.8	-4.7	-2.2	-1.4	-3.6	-8.5	-13.4	-18.4
H77	-16.1	-16.1	-16.1	-13.4	-8.8	-4.7	-2.1	-1.4	-3.5	-8.5	-13.3	-18.4
H78	-18.8	-18.8	-18.8	-16.1	-12.0	-8.1	-5.9	-5.3	-7.2	-11.1	-15.5	-20.2
H79	-18.4	-18.4	-18.4	-15.7	-11.6	-7.7	-5.5	-4.9	-6.8	-10.7	-15.1	-19.8
H80	-21.6	-21.6	-21.6	-18.9	-14.7	-10.6	-8.1	-7.1	-9.4	-13.8	-18.4	-23.2
H81	-19.9	-19.9	-19.9	-17.2	-13.1	-9.2	-7.1	-6.6	-8.4	-12.2	-16.6	-21.3
H82	-22.4	-22.4	-22.4	-19.7	-15.4	-11.2	-8.4	-7.1	-9.6	-14.5	-19.3	-24.1
H83	-22.4	-22.4	-22.4	-19.7	-15.4	-11.2	-8.4	-7.1	-9.6	-14.5	-19.3	-24.1
H84	-17.3	-17.3	-17.3	-14.6	-10.6	-6.8	-4.7	-4.4	-6.1	-9.7	-15.7	-21.2
H85	-20.8	-20.8	-20.8	-18.1	-14.0	-10.1	-8.0	-7.5	-9.4	-13.2	-17.6	-22.4
H86	-21.1	-21.1	-21.1	-18.4	-14.3	-10.5	-8.3	-7.9	-9.7	-13.6	-17.9	-22.7
H87	-21.4	-21.4	-21.4	-18.7	-14.6	-10.7	-8.6	-8.1	-9.9	-13.8	-18.2	-23.0
H88	-21.0	-21.0	-21.0	-18.3	-14.2	-10.5	-8.4	-8.0	-8.0	-8.0	-11.2	-16.4
H89	-20.4	-20.4	-20.4	-17.8	-13.7	-9.9	-7.9	-7.5	-7.5	-7.5	-10.7	-15.8

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-25.0	-25.0	-25.0	-22.3	-18.2	-14.5	-12.4	-12.0	-12.0	-12.0	-15.3	-20.4
H2	-25.0	-25.0	-25.0	-22.3	-18.2	-14.4	-12.4	-12.0	-12.0	-12.0	-15.2	-20.4
H3	-24.5	-24.5	-24.5	-21.8	-17.8	-14.0	-11.9	-11.6	-11.6	-11.5	-14.8	-19.9

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H4	-24.5	-24.5	-24.5	-21.8	-17.8	-14.0	-11.9	-11.6	-11.5	-11.5	-14.8	-19.9
H5	-24.4	-24.4	-24.4	-21.7	-17.7	-13.9	-11.8	-11.5	-11.4	-11.4	-14.7	-19.8
H6	-28.4	-28.4	-28.4	-25.7	-21.7	-17.9	-15.8	-15.5	-15.5	-15.5	-18.7	-23.8
H7	-20.1	-20.1	-20.1	-17.3	-13.2	-9.5	-7.4	-7.1	-7.0	-7.2	-10.6	-14.5
H8	-22.3	-22.3	-22.3	-19.6	-15.4	-11.7	-9.6	-9.2	-9.2	-9.3	-12.8	-16.7
H9	-21.4	-21.4	-21.4	-18.6	-14.5	-10.7	-8.6	-8.3	-8.3	-8.4	-11.9	-15.8
H10	-18.7	-18.7	-18.7	-16.0	-11.9	-8.1	-6.0	-5.7	-5.6	-5.8	-9.2	-13.1
H11	-18.6	-18.6	-18.6	-15.9	-11.8	-8.0	-5.9	-5.6	-5.5	-5.7	-9.1	-13.0
H12	-17.7	-17.7	-17.7	-15.0	-10.9	-7.1	-5.0	-4.7	-4.6	-4.8	-8.2	-12.1
H13	-27.4	-27.4	-27.4	-24.7	-20.7	-16.9	-14.8	-14.5	-14.5	-14.5	-17.7	-22.8
H14	-20.7	-20.7	-20.7	-17.9	-13.8	-10.0	-7.9	-7.6	-7.5	-7.7	-11.2	-15.1
H15	-20.4	-20.4	-20.4	-17.7	-13.5	-9.8	-7.7	-7.3	-7.3	-7.4	-10.9	-14.8
H16	-28.4	-28.4	-28.4	-25.7	-21.6	-17.9	-15.8	-15.5	-15.4	-15.4	-18.6	-23.8
H17	-23.5	-23.5	-23.5	-20.8	-16.7	-13.0	-10.9	-10.6	-10.5	-10.5	-13.8	-18.9
H18	-22.6	-22.6	-22.6	-19.9	-15.9	-12.1	-10.0	-9.7	-9.7	-9.7	-12.9	-18.0
H19	-24.7	-24.7	-24.7	-22.0	-18.0	-14.2	-12.1	-11.8	-11.8	-11.7	-15.0	-20.1
H20	-22.2	-22.2	-22.2	-19.5	-15.5	-11.7	-9.6	-9.3	-9.3	-9.3	-12.5	-17.6
H21	-24.9	-24.9	-24.9	-22.2	-18.1	-14.3	-12.3	-11.9	-11.9	-11.9	-15.1	-20.3
H22	-24.3	-24.3	-24.3	-21.7	-17.6	-13.8	-11.8	-11.4	-11.4	-11.4	-14.6	-19.7
H23	-24.2	-24.2	-24.2	-21.5	-17.4	-13.6	-11.6	-11.2	-11.2	-11.2	-14.4	-19.5
H24	-15.2	-15.2	-15.2	-12.4	-8.3	-4.5	-2.4	-2.1	-2.0	-2.2	-5.7	-9.6
H25	-20.9	-20.9	-20.9	-18.2	-14.2	-10.4	-8.3	-8.0	-8.0	-7.9	-11.2	-16.3
H26	-24.6	-24.6	-24.6	-21.9	-17.9	-14.1	-12.0	-11.7	-11.7	-11.7	-14.9	-20.0
H27	-22.5	-22.5	-22.5	-19.8	-15.7	-11.9	-9.9	-9.5	-9.5	-9.5	-12.7	-17.9
H28	-23.1	-23.1	-23.1	-20.4	-16.4	-12.6	-10.6	-10.2	-10.2	-10.2	-13.4	-18.5
H29	-26.4	-26.4	-26.4	-23.7	-19.7	-15.9	-13.8	-13.5	-13.5	-13.5	-16.7	-21.8
H30	-24.5	-24.5	-24.5	-21.8	-17.8	-14.0	-11.9	-11.6	-11.6	-11.5	-14.8	-19.9
H31	-26.2	-26.2	-26.2	-23.5	-19.5	-15.7	-13.6	-13.3	-13.3	-13.3	-16.5	-21.6
H32	-26.0	-26.0	-26.0	-23.3	-19.3	-15.5	-13.5	-13.1	-13.1	-13.1	-16.3	-21.4
H33	-30.3	-30.3	-30.3	-27.6	-23.6	-19.8	-17.7	-17.4	-17.4	-17.3	-20.6	-25.7
H34	-22.9	-22.9	-22.9	-20.2	-16.1	-12.4	-10.3	-10.0	-9.9	-9.9	-9.9	-11.2
H35	-25.2	-25.2	-25.2	-22.5	-18.5	-14.7	-12.6	-12.3	-12.3	-12.3	-15.5	-20.6
H36	-27.3	-27.3	-27.3	-24.6	-20.6	-16.8	-14.8	-14.4	-14.4	-14.4	-17.6	-22.7
H37	-29.8	-29.8	-29.8	-27.1	-23.1	-19.3	-17.3	-16.9	-16.9	-16.9	-20.1	-25.2
H38	-24.7	-24.7	-24.7	-22.0	-18.0	-14.2	-12.2	-11.8	-11.8	-11.8	-15.0	-20.1
H39	-13.8	-13.8	-13.8	-11.0	-6.9	-3.1	-1.0	-0.7	-0.6	-0.8	-4.3	-8.2

Table 10.12.16: Margins in 90 Degree Sector - Night

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H40	-24.3	-24.3	-24.3	-21.6	-17.6	-13.8	-11.7	-11.4	-11.4	-11.3	-14.6	-19.7
H41	-28.9	-28.9	-28.9	-26.2	-22.2	-18.4	-16.4	-16.0	-16.0	-16.0	-19.2	-24.3
H42	-28.2	-28.2	-28.2	-25.5	-21.4	-17.7	-15.6	-15.3	-15.2	-15.2	-18.4	-23.6
H43	-29.8	-29.8	-29.8	-27.1	-23.0	-19.3	-17.2	-16.9	-16.8	-16.8	-20.1	-25.2
H44	-25.6	-25.6	-25.6	-22.9	-18.9	-15.1	-13.0	-12.7	-12.7	-12.7	-15.9	-21.0
H45	-28.5	-28.5	-28.5	-25.8	-21.8	-18.0	-15.9	-15.6	-15.6	-15.5	-18.8	-23.9
H46	-29.1	-29.1	-29.1	-26.4	-22.4	-18.6	-16.6	-16.2	-16.2	-16.2	-19.4	-24.5
H47	-29.2	-29.2	-29.2	-26.5	-22.5	-18.7	-16.6	-16.3	-16.3	-16.3	-19.5	-24.6
H48	-15.8	-15.8	-15.8	-13.1	-8.9	-5.1	-3.0	-2.7	-2.6	-2.7	-6.3	-10.2
H49	-18.1	-18.1	-18.1	-15.4	-11.2	-7.4	-5.3	-4.9	-4.9	-5.0	-8.5	-12.5
H50	-18.6	-18.6	-18.6	-15.8	-11.7	-7.9	-5.8	-5.4	-5.4	-5.5	-9.0	-13.0
H52	-18.2	-18.2	-18.2	-15.4	-11.3	-7.5	-5.3	-5.0	-4.9	-5.0	-8.6	-12.5
H53	-18.3	-18.3	-18.3	-15.6	-11.5	-7.6	-5.5	-5.1	-5.1	-5.2	-8.8	-12.7
H54	-18.9	-18.9	-18.9	-16.2	-12.0	-8.2	-6.1	-5.7	-5.6	-5.7	-9.3	-13.3
H55	-18.6	-18.6	-18.6	-15.9	-11.7	-7.9	-5.8	-5.4	-7.2	-10.9	-15.2	-20.0
H56	-17.8	-17.8	-17.8	-15.1	-10.9	-7.1	-5.0	-4.6	-6.4	-10.2	-14.5	-19.2
H57	-17.6	-17.6	-17.6	-14.9	-10.8	-7.0	-4.8	-4.4	-6.2	-10.0	-14.3	-19.0
H58	-18.0	-18.0	-18.0	-15.3	-11.2	-7.4	-5.3	-4.9	-6.6	-10.4	-14.7	-19.5
H59	-18.0	-18.0	-18.0	-15.3	-11.2	-7.4	-5.3	-4.9	-6.6	-10.4	-14.7	-19.5
H60	-18.0	-18.0	-18.0	-15.3	-11.1	-7.3	-5.2	-4.8	-6.6	-10.4	-14.7	-19.4
H61	-18.0	-18.0	-18.0	-15.2	-11.1	-7.3	-5.2	-4.8	-6.5	-10.3	-14.6	-19.4
H62	-17.8	-17.8	-17.8	-15.1	-11.0	-7.2	-5.0	-4.7	-6.4	-10.2	-14.5	-19.2
H63	-18.0	-18.0	-18.0	-15.3	-11.1	-7.3	-5.2	-4.8	-6.6	-10.4	-14.7	-19.4
H64	-18.0	-18.0	-18.0	-15.3	-11.1	-7.3	-5.2	-4.8	-6.6	-10.3	-14.7	-19.4
H65	-18.0	-18.0	-18.0	-15.2	-11.1	-7.3	-5.2	-4.8	-6.6	-10.3	-14.6	-19.4
H66	-17.9	-17.9	-17.9	-15.2	-11.1	-7.3	-5.1	-4.8	-6.5	-10.3	-14.6	-19.4
H67	-17.6	-17.6	-17.6	-14.9	-10.7	-6.9	-4.8	-4.4	-6.2	-9.9	-14.2	-19.0
H68	-13.4	-13.4	-13.4	-10.7	-6.3	-2.4	-0.3	0.1	-1.9	-6.0	-10.4	-15.3
H69	-20.3	-20.3	-20.3	-17.6	-13.4	-9.6	-7.5	-7.2	-7.1	-7.1	-7.0	-9.0
H70	-15.0	-15.0	-15.0	-12.3	-8.0	-4.2	-2.1	-1.7	-3.6	-7.5	-11.9	-16.6
H71	-19.0	-19.0	-19.0	-16.3	-12.2	-8.4	-6.2	-5.9	-7.6	-11.4	-15.7	-20.4
H72	-31.2	-31.2	-31.2	-28.5	-24.5	-20.7	-18.6	-18.3	-20.0	-23.6	-27.8	-32.5
H73	-13.1	-13.1	-13.1	-10.4	-5.4	-1.6	0.4	0.8	-0.9	-5.9	-11.1	-16.2
H74	-12.9	-12.9	-12.9	-10.1	-5.5	-1.8	0.3	0.6	-1.1	-5.7	-11.0	-16.2
H75	-17.7	-17.7	-17.7	-15.0	-11.0	-7.2	-5.1	-4.7	-6.4	-10.1	-14.3	-19.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H76	-14.3	-14.3	-14.3	-11.5	-6.6	-2.4	-0.2	0.1	-1.6	-6.8	-11.8	-16.9
H77	-14.2	-14.2	-14.2	-11.5	-6.5	-2.3	-0.2	0.1	-1.6	-6.8	-11.8	-16.8
H78	-16.6	-16.6	-16.6	-13.9	-9.9	-6.0	-3.8	-3.4	-5.2	-9.0	-13.3	-18.0
H79	-15.5	-15.5	-15.5	-12.8	-8.6	-4.8	-2.5	-2.0	-3.8	-7.8	-12.1	-16.9
H80	-18.5	-18.5	-18.5	-15.7	-11.5	-7.5	-5.0	-4.0	-6.2	-10.7	-15.2	-20.0
H81	-16.4	-16.4	-16.4	-13.7	-9.6	-5.8	-3.6	-3.1	-4.9	-8.8	-13.1	-17.9
H82	-19.0	-19.0	-19.0	-16.2	-11.9	-7.7	-5.0	-3.6	-6.1	-11.1	-15.8	-20.7
H83	-19.0	-19.0	-19.0	-16.2	-11.9	-7.7	-5.0	-3.6	-6.1	-11.1	-15.8	-20.7
H84	-14.9	-14.9	-14.9	-12.2	-8.2	-4.4	-2.4	-2.0	-3.7	-7.4	-13.5	-18.9
H85	-19.1	-19.1	-19.1	-16.3	-12.2	-8.3	-6.2	-5.7	-7.6	-11.5	-15.9	-20.7
H86	-19.4	-19.4	-19.4	-16.7	-12.5	-8.7	-6.5	-6.1	-7.9	-11.8	-16.2	-20.9
H87	-19.2	-19.2	-19.2	-16.5	-12.3	-8.5	-6.3	-5.9	-7.7	-11.7	-16.0	-20.8
H88	-23.3	-23.3	-23.3	-20.6	-16.6	-12.8	-10.8	-10.4	-10.4	-10.4	-13.6	-18.7
H89	-21.8	-21.8	-21.8	-19.1	-15.1	-11.3	-9.2	-8.9	-8.9	-8.8	-12.1	-17.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-29.4	-29.4	-29.4	-26.7	-22.6	-18.9	-16.8	-16.4	-16.4	-16.4	-19.7	-24.8
H2	-29.4	-29.4	-29.4	-26.7	-22.6	-18.8	-16.8	-16.4	-16.4	-16.4	-19.6	-24.8
H3	-29.0	-29.0	-29.0	-26.2	-22.2	-18.4	-16.3	-16.0	-16.0	-15.9	-19.2	-24.4
H4	-28.9	-28.9	-28.9	-26.2	-22.1	-18.4	-16.3	-16.0	-15.9	-15.9	-19.2	-24.3
H5	-28.8	-28.8	-28.8	-26.1	-22.0	-18.3	-16.2	-15.9	-15.8	-15.8	-19.1	-24.2
H6	-31.4	-31.4	-31.4	-28.7	-24.7	-20.9	-18.8	-18.5	-18.5	-18.5	-21.7	-26.8
H7	-23.9	-23.9	-23.9	-21.2	-17.1	-13.3	-11.2	-10.9	-10.9	-11.0	-14.5	-18.3
H8	-22.6	-22.6	-22.6	-19.8	-15.6	-11.8	-9.7	-9.3	-9.3	-9.4	-13.0	-17.0
H9	-21.6	-21.6	-21.6	-18.8	-14.6	-10.9	-8.8	-8.4	-8.4	-8.5	-12.1	-16.0
H10	-22.7	-22.7	-22.7	-19.9	-15.8	-12.0	-9.9	-9.5	-9.5	-9.7	-13.2	-17.0
H11	-22.6	-22.6	-22.6	-19.8	-15.7	-11.9	-9.8	-9.5	-9.4	-9.6	-13.1	-17.0
H12	-19.5	-19.5	-19.5	-16.7	-12.6	-8.8	-6.7	-6.3	-6.3	-6.4	-10.0	-13.9
H13	-29.8	-29.8	-29.8	-27.1	-23.0	-19.2	-17.2	-16.8	-16.8	-16.8	-20.0	-25.2
H14	-20.6	-20.6	-20.6	-17.8	-13.6	-9.8	-7.7	-7.3	-7.3	-7.4	-11.0	-15.0
H15	-20.4	-20.4	-20.4	-17.5	-13.3	-9.5	-7.4	-7.0	-7.0	-7.1	-10.8	-14.7
H16	-29.9	-29.9	-29.9	-27.2	-23.2	-19.4	-17.4	-17.0	-17.0	-17.0	-20.2	-25.3
H17	-25.8	-25.8	-25.8	-23.1	-19.1	-15.3	-13.2	-12.9	-12.9	-12.8	-16.1	-21.2
H18	-24.9	-24.9	-24.9	-22.2	-18.1	-14.4	-12.3	-12.0	-11.9	-11.9	-15.2	-20.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H19	-26.3	-26.3	-26.3	-23.6	-19.5	-15.8	-13.7	-13.4	-13.3	-13.3	-16.6	-21.7
H20	-24.5	-24.5	-24.5	-21.8	-17.7	-13.9	-11.9	-11.5	-11.5	-11.5	-14.7	-19.9
H21	-26.4	-26.4	-26.4	-23.8	-19.7	-15.9	-13.9	-13.5	-13.5	-13.5	-16.7	-21.8
H22	-25.9	-25.9	-25.9	-23.2	-19.2	-15.4	-13.4	-13.0	-13.0	-13.0	-16.2	-21.3
H23	-25.7	-25.7	-25.7	-23.0	-19.0	-15.2	-13.2	-12.8	-12.8	-12.8	-16.0	-21.1
H24	-15.1	-15.1	-15.1	-12.3	-8.1	-4.3	-2.2	-1.8	-1.8	-1.9	-5.6	-9.5
H25	-23.0	-23.0	-23.0	-20.3	-16.3	-12.5	-10.4	-10.1	-10.1	-10.1	-13.3	-18.4
H26	-26.2	-26.2	-26.2	-23.5	-19.4	-15.6	-13.6	-13.2	-13.2	-13.2	-16.4	-21.6
H27	-23.9	-23.9	-23.9	-21.2	-17.1	-13.3	-11.3	-10.9	-10.9	-10.9	-14.1	-19.3
H28	-24.5	-24.5	-24.5	-21.8	-17.8	-14.0	-11.9	-11.6	-11.6	-11.6	-14.8	-19.9
H29	-27.2	-27.2	-27.2	-24.5	-20.4	-16.7	-14.6	-14.3	-14.2	-14.2	-17.4	-22.6
H30	-25.9	-25.9	-25.9	-23.2	-19.2	-15.4	-13.3	-13.0	-13.0	-13.0	-16.2	-21.3
H31	-27.0	-27.0	-27.0	-24.3	-20.2	-16.5	-14.4	-14.1	-14.1	-14.0	-17.3	-22.4
H32	-26.8	-26.8	-26.8	-24.1	-20.1	-16.3	-14.2	-13.9	-13.9	-13.9	-17.1	-22.2
H33	-30.4	-30.4	-30.4	-27.7	-23.7	-19.9	-17.9	-17.5	-17.5	-17.5	-20.7	-25.8
H34	-23.9	-23.9	-23.9	-21.2	-17.2	-13.4	-11.4	-11.0	-11.0	-11.0	-11.0	-12.3
H35	-26.0	-26.0	-26.0	-23.3	-19.3	-15.5	-13.4	-13.1	-13.1	-13.1	-16.3	-21.4
H36	-28.0	-28.0	-28.0	-25.3	-21.3	-17.5	-15.5	-15.1	-15.1	-15.1	-18.3	-23.4
H37	-30.0	-30.0	-30.0	-27.3	-23.3	-19.5	-17.4	-17.1	-17.1	-17.1	-20.3	-25.4
H38	-25.5	-25.5	-25.5	-22.8	-18.8	-15.0	-13.0	-12.6	-12.6	-12.6	-15.8	-20.9
H39	-13.7	-13.7	-13.7	-10.9	-6.7	-2.9	-0.8	-0.4	-0.4	-0.4	-4.1	-8.1
H40	-25.0	-25.0	-25.0	-22.3	-18.3	-14.5	-12.4	-12.1	-12.1	-12.1	-15.3	-20.4
H41	-29.1	-29.1	-29.1	-26.4	-22.4	-18.6	-16.5	-16.2	-16.2	-16.2	-19.4	-24.5
H42	-28.3	-28.3	-28.3	-25.6	-21.6	-17.8	-15.8	-15.4	-15.4	-15.4	-18.6	-23.7
H43	-29.8	-29.8	-29.8	-27.1	-23.1	-19.3	-17.3	-16.9	-16.9	-16.9	-20.1	-25.2
H44	-26.4	-26.4	-26.4	-23.7	-19.6	-15.9	-13.8	-13.5	-13.5	-13.4	-16.7	-21.8
H45	-28.6	-28.6	-28.6	-25.9	-21.8	-18.1	-16.0	-15.7	-15.7	-15.6	-18.9	-24.0
H46	-29.2	-29.2	-29.2	-26.5	-22.5	-18.7	-16.6	-16.3	-16.3	-16.3	-19.5	-24.6
H47	-29.3	-29.3	-29.3	-26.6	-22.6	-18.8	-16.7	-16.4	-16.4	-16.4	-19.6	-24.7
H48	-15.7	-15.7	-15.7	-12.9	-8.6	-4.9	-2.7	-2.3	-2.3	-2.3	-6.1	-10.1
H49	-18.0	-18.0	-18.0	-15.2	-10.9	-7.1	-4.9	-4.5	-4.4	-4.4	-8.3	-12.4
H50	-18.5	-18.5	-18.5	-15.6	-11.3	-7.6	-5.4	-5.0	-4.9	-5.0	-8.8	-12.9
H52	-18.1	-18.1	-18.1	-15.2	-10.9	-7.1	-5.0	-4.5	-4.4	-4.4	-8.3	-12.5
H53	-18.2	-18.2	-18.2	-15.4	-11.1	-7.3	-5.1	-4.7	-4.6	-4.6	-8.5	-12.6
H54	-18.8	-18.8	-18.8	-16.0	-11.7	-7.9	-5.7	-5.3	-5.2	-5.2	-9.1	-13.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H55	-18.5	-18.5	-18.5	-15.7	-11.4	-7.6	-5.5	-5.1	-6.9	-10.8	-15.2	-20.0
H56	-17.7	-17.7	-17.7	-14.9	-10.7	-6.9	-4.7	-4.3	-6.2	-10.1	-14.4	-19.2
H57	-17.6	-17.6	-17.6	-14.8	-10.5	-6.7	-4.6	-4.1	-6.0	-9.9	-14.3	-19.0
H58	-18.0	-18.0	-18.0	-15.2	-10.9	-7.1	-5.0	-4.6	-6.4	-10.3	-14.7	-19.4
H59	-18.0	-18.0	-18.0	-15.2	-10.9	-7.1	-5.0	-4.6	-6.4	-10.3	-14.7	-19.4
H60	-17.9	-17.9	-17.9	-15.1	-10.9	-7.1	-4.9	-4.5	-6.4	-10.3	-14.6	-19.4
H61	-17.9	-17.9	-17.9	-15.1	-10.8	-7.0	-4.9	-4.5	-6.3	-10.2	-14.6	-19.3
H62	-17.8	-17.8	-17.8	-15.0	-10.7	-6.9	-4.8	-4.4	-6.2	-10.1	-14.5	-19.2
H63	-17.9	-17.9	-17.9	-15.1	-10.9	-7.1	-4.9	-4.5	-6.4	-10.3	-14.6	-19.4
H64	-17.9	-17.9	-17.9	-15.1	-10.9	-7.1	-4.9	-4.5	-6.4	-10.2	-14.6	-19.4
H65	-17.9	-17.9	-17.9	-15.1	-10.8	-7.1	-4.9	-4.5	-6.4	-10.2	-14.6	-19.4
H66	-17.9	-17.9	-17.9	-15.1	-10.8	-7.0	-4.9	-4.5	-6.3	-10.2	-14.6	-19.3
H67	-17.5	-17.5	-17.5	-14.7	-10.5	-6.7	-4.5	-4.1	-6.0	-9.8	-14.2	-19.0
H68	-13.4	-13.4	-13.4	-10.6	-6.1	-2.3	-0.1	0.3	-1.8	-5.9	-10.4	-15.3
H69	-20.3	-20.3	-20.3	-17.6	-13.4	-9.6	-7.5	-7.2	-7.1	-7.0	-7.0	-9.0
H70	-15.0	-15.0	-15.0	-12.2	-7.9	-4.1	-1.9	-1.5	-3.4	-7.4	-11.8	-16.6
H71	-19.0	-19.0	-19.0	-16.2	-11.9	-8.1	-6.0	-5.6	-7.4	-11.3	-15.7	-20.4
H72	-29.1	-29.1	-29.1	-26.4	-22.4	-18.6	-16.5	-16.2	-17.9	-21.5	-25.7	-30.4
H73	-13.2	-13.2	-13.2	-10.4	-5.4	-1.6	0.4	0.8	-0.9	-5.9	-11.1	-16.2
H74	-12.8	-12.8	-12.8	-10.0	-5.4	-1.6	0.5	0.8	-0.9	-5.5	-10.9	-16.0
H75	-15.4	-15.4	-15.4	-12.6	-8.6	-4.8	-2.7	-2.3	-4.0	-7.7	-12.0	-16.7
H76	-14.1	-14.1	-14.1	-11.4	-6.3	-2.2	0.0	0.3	-1.4	-6.6	-11.6	-16.7
H77	-14.1	-14.1	-14.1	-11.4	-6.3	-2.2	0.0	0.3	-1.4	-6.6	-11.6	-16.6
H78	-14.5	-14.5	-14.5	-11.8	-7.8	-4.0	-1.9	-1.5	-3.2	-6.9	-11.2	-15.9
H79	-13.8	-13.8	-13.8	-11.0	-6.9	-3.0	-0.8	-0.2	-2.1	-6.1	-10.4	-15.2
H80	-15.8	-15.8	-15.8	-13.0	-8.9	-4.9	-2.5	-1.7	-3.8	-8.0	-12.5	-17.3
H81	-15.3	-15.3	-15.3	-12.6	-8.4	-4.5	-2.2	-1.6	-3.5	-7.5	-12.0	-16.8
H82	-16.0	-16.0	-16.0	-13.3	-8.9	-4.7	-2.0	-0.7	-3.1	-8.1	-12.9	-17.7
H83	-16.0	-16.0	-16.0	-13.3	-8.9	-4.7	-2.0	-0.7	-3.1	-8.1	-12.9	-17.7
H84	-14.4	-14.4	-14.4	-11.7	-7.7	-4.0	-1.9	-1.6	-3.2	-7.4	-13.2	-18.4
H85	-19.0	-19.0	-19.0	-16.3	-12.1	-8.2	-6.0	-5.6	-7.5	-11.4	-15.9	-20.7
H86	-19.3	-19.3	-19.3	-16.6	-12.4	-8.6	-6.4	-5.9	-7.8	-11.8	-16.1	-20.9
H87	-19.1	-19.1	-19.1	-16.4	-12.2	-8.4	-6.2	-5.7	-7.6	-11.6	-16.0	-20.8
H88	-24.0	-24.0	-24.0	-21.3	-17.3	-13.5	-11.4	-11.1	-11.1	-11.1	-14.3	-19.4
H89	-21.9	-21.9	-21.9	-19.2	-15.2	-11.4	-9.3	-9.0	-9.0	-9.0	-12.2	-17.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-31.8	-31.8	-31.8	-29.1	-25.0	-21.2	-19.1	-18.8	-18.7	-18.7	-22.0	-27.2
H2	-31.8	-31.8	-31.8	-29.1	-25.0	-21.2	-19.1	-18.8	-18.7	-18.7	-22.0	-27.2
H3	-31.5	-31.5	-31.5	-28.8	-24.7	-20.9	-18.9	-18.5	-18.5	-18.4	-21.8	-27.0
H4	-31.5	-31.5	-31.5	-28.8	-24.7	-20.9	-18.8	-18.5	-18.5	-18.4	-21.7	-26.9
H5	-31.4	-31.4	-31.4	-28.7	-24.6	-20.8	-18.7	-18.4	-18.3	-18.3	-21.6	-26.8
H6	-32.3	-32.3	-32.3	-29.6	-25.6	-21.8	-19.7	-19.4	-19.4	-19.4	-22.6	-27.7
H7	-27.9	-27.9	-27.9	-25.1	-20.9	-17.1	-15.0	-14.6	-14.5	-14.6	-18.3	-22.3
H8	-27.1	-27.1	-27.1	-24.1	-19.6	-15.8	-13.6	-13.1	-13.0	-12.8	-17.2	-21.4
H9	-26.1	-26.1	-26.1	-23.1	-18.7	-14.9	-12.7	-12.2	-12.1	-12.0	-16.2	-20.4
H10	-26.5	-26.5	-26.5	-23.7	-19.4	-15.6	-13.5	-13.1	-13.0	-13.0	-16.9	-20.9
H11	-26.5	-26.5	-26.5	-23.6	-19.3	-15.6	-13.4	-13.0	-12.9	-13.0	-16.8	-20.8
H12	-24.0	-24.0	-24.0	-21.1	-16.8	-13.0	-10.9	-10.4	-10.3	-10.3	-14.3	-18.4
H13	-30.1	-30.1	-30.1	-27.4	-23.4	-19.6	-17.5	-17.2	-17.2	-17.1	-20.4	-25.5
H14	-25.1	-25.1	-25.1	-22.1	-17.6	-13.8	-11.6	-11.1	-11.0	-10.8	-15.2	-19.4
H15	-23.2	-23.2	-23.2	-20.2	-15.7	-11.9	-9.8	-9.2	-9.1	-8.9	-13.3	-17.6
H16	-29.7	-29.7	-29.7	-27.0	-22.9	-19.2	-17.1	-16.8	-16.8	-16.7	-20.0	-25.1
H17	-26.0	-26.0	-26.0	-23.2	-19.2	-15.4	-13.3	-13.0	-13.0	-12.9	-16.2	-21.4
H18	-25.0	-25.0	-25.0	-22.3	-18.2	-14.5	-12.4	-12.0	-12.0	-12.0	-15.3	-20.4
H19	-26.0	-26.0	-26.0	-23.3	-19.3	-15.5	-13.4	-13.1	-13.0	-13.0	-16.3	-21.4
H20	-24.6	-24.6	-24.6	-21.9	-17.8	-14.0	-12.0	-11.6	-11.6	-11.5	-14.8	-20.0
H21	-26.2	-26.2	-26.2	-23.5	-19.5	-15.7	-13.6	-13.3	-13.3	-13.2	-16.5	-21.6
H22	-25.7	-25.7	-25.7	-23.0	-18.9	-15.2	-13.1	-12.8	-12.7	-12.7	-16.0	-21.1
H23	-25.5	-25.5	-25.5	-22.8	-18.8	-15.0	-12.9	-12.6	-12.6	-12.5	-15.8	-20.9
H24	-16.5	-16.5	-16.5	-13.5	-9.0	-5.2	-3.0	-2.4	-2.3	-2.2	-6.6	-10.9
H25	-23.2	-23.2	-23.2	-20.5	-16.4	-12.7	-10.6	-10.2	-10.2	-10.2	-13.5	-18.6
H26	-25.9	-25.9	-25.9	-23.2	-19.1	-15.3	-13.3	-12.9	-12.9	-12.9	-16.1	-21.3
H27	-23.6	-23.6	-23.6	-20.9	-16.9	-13.1	-11.0	-10.7	-10.6	-10.6	-13.9	-19.0
H28	-24.2	-24.2	-24.2	-21.5	-17.4	-13.6	-11.6	-11.2	-11.2	-11.2	-14.4	-19.6
H29	-26.2	-26.2	-26.2	-23.5	-19.4	-15.7	-13.6	-13.2	-13.2	-13.2	-16.4	-21.6
H30	-25.3	-25.3	-25.3	-22.6	-18.6	-14.8	-12.7	-12.4	-12.4	-12.3	-15.6	-20.7
H31	-26.0	-26.0	-26.0	-23.3	-19.3	-15.5	-13.4	-13.1	-13.1	-13.0	-16.3	-21.4
H32	-25.9	-25.9	-25.9	-23.1	-19.1	-15.3	-13.3	-12.9	-12.9	-12.9	-16.1	-21.3
H33	-28.9	-28.9	-28.9	-26.2	-22.2	-18.4	-16.3	-16.0	-16.0	-16.0	-19.2	-24.3
H34	-23.9	-23.9	-23.9	-21.2	-17.2	-13.4	-11.4	-11.0	-11.0	-11.0	-11.0	-12.3
H35	-25.1	-25.1	-25.1	-22.4	-18.4	-14.6	-12.5	-12.2	-12.2	-12.1	-15.4	-20.5

House ID	Reference Wind Speed, Standardised v_{10} (ms ⁻¹)											
	1	2	3	4	5	6	7	8	9	10	11	12
H36	-27.0	-27.0	-27.0	-24.3	-20.2	-16.5	-14.4	-14.1	-14.0	-14.0	-17.3	-22.4
H37	-28.5	-28.5	-28.5	-25.8	-21.8	-18.0	-15.9	-15.6	-15.6	-15.6	-18.8	-23.9
H38	-24.7	-24.7	-24.7	-22.0	-17.9	-14.2	-12.1	-11.8	-11.7	-11.7	-15.0	-20.1
H39	-13.9	-13.9	-13.9	-10.9	-6.4	-2.7	-0.5	0.1	0.2	0.3	-4.0	-8.3
H40	-24.1	-24.1	-24.1	-21.4	-17.4	-13.6	-11.5	-11.2	-11.2	-11.2	-14.4	-19.5
H41	-27.6	-27.6	-27.6	-24.9	-20.9	-17.1	-15.1	-14.7	-14.7	-14.7	-17.9	-23.0
H42	-26.9	-26.9	-26.9	-24.2	-20.1	-16.4	-14.3	-13.9	-13.9	-13.9	-17.1	-22.3
H43	-28.2	-28.2	-28.2	-25.5	-21.4	-17.7	-15.6	-15.3	-15.3	-15.2	-18.5	-23.6
H44	-25.4	-25.4	-25.4	-22.7	-18.7	-14.9	-12.8	-12.5	-12.5	-12.4	-15.7	-20.8
H45	-27.0	-27.0	-27.0	-24.3	-20.2	-16.4	-14.4	-14.0	-14.0	-14.0	-17.2	-22.4
H46	-27.6	-27.6	-27.6	-24.9	-20.9	-17.1	-15.0	-14.7	-14.7	-14.6	-17.9	-23.0
H47	-27.7	-27.7	-27.7	-25.0	-20.9	-17.2	-15.1	-14.8	-14.7	-14.7	-18.0	-23.1
H48	-15.6	-15.6	-15.6	-12.6	-8.2	-4.4	-2.2	-1.7	-1.6	-1.4	-5.7	-10.0
H49	-18.0	-18.0	-18.0	-15.0	-10.6	-6.8	-4.7	-4.1	-4.0	-3.9	-8.1	-12.3
H50	-18.4	-18.4	-18.4	-15.5	-11.1	-7.3	-5.1	-4.6	-4.5	-4.4	-8.6	-12.8
H52	-18.0	-18.0	-18.0	-15.1	-10.7	-6.9	-4.7	-4.2	-4.0	-3.9	-8.2	-12.4
H53	-18.2	-18.2	-18.2	-15.3	-10.9	-7.1	-4.9	-4.4	-4.2	-4.1	-8.3	-12.6
H54	-18.7	-18.7	-18.7	-15.8	-11.4	-7.6	-5.5	-4.9	-4.8	-4.6	-8.9	-13.1
H55	-18.4	-18.4	-18.4	-15.6	-11.2	-7.4	-5.3	-4.8	-6.7	-10.7	-15.2	-20.0
H56	-17.7	-17.7	-17.7	-14.8	-10.5	-6.7	-4.5	-4.0	-6.0	-10.0	-14.4	-19.2
H57	-17.5	-17.5	-17.5	-14.6	-10.3	-6.5	-4.4	-3.9	-5.8	-9.8	-14.2	-19.0
H58	-17.9	-17.9	-17.9	-15.1	-10.7	-7.0	-4.8	-4.3	-6.2	-10.2	-14.6	-19.4
H59	-17.9	-17.9	-17.9	-15.1	-10.7	-7.0	-4.8	-4.3	-6.2	-10.2	-14.6	-19.4
H60	-17.9	-17.9	-17.9	-15.0	-10.7	-6.9	-4.7	-4.2	-6.2	-10.2	-14.6	-19.4
H61	-17.8	-17.8	-17.8	-15.0	-10.7	-6.9	-4.7	-4.2	-6.1	-10.1	-14.5	-19.3
H62	-17.7	-17.7	-17.7	-14.9	-10.5	-6.8	-4.6	-4.1	-6.0	-10.0	-14.4	-19.2
H63	-17.9	-17.9	-17.9	-15.0	-10.7	-6.9	-4.8	-4.2	-6.2	-10.2	-14.6	-19.4
H64	-17.9	-17.9	-17.9	-15.0	-10.7	-6.9	-4.7	-4.2	-6.2	-10.1	-14.6	-19.4
H65	-17.8	-17.8	-17.8	-15.0	-10.7	-6.9	-4.7	-4.2	-6.2	-10.1	-14.6	-19.4
H66	-17.8	-17.8	-17.8	-15.0	-10.7	-6.9	-4.7	-4.2	-6.1	-10.1	-14.5	-19.3
H67	-17.5	-17.5	-17.5	-14.6	-10.3	-6.5	-4.3	-3.8	-5.8	-9.7	-14.2	-19.0
H68	-13.3	-13.3	-13.3	-10.5	-5.9	-2.1	0.1	0.7	-1.6	-5.8	-10.4	-15.2
H69	-20.3	-20.3	-20.3	-17.6	-13.4	-9.6	-7.5	-7.1	-7.0	-7.0	-6.9	-8.9
H70	-14.9	-14.9	-14.9	-12.1	-7.7	-3.9	-1.7	-1.2	-3.3	-7.3	-11.8	-16.6
H71	-18.9	-18.9	-18.9	-16.1	-11.8	-8.0	-5.8	-5.3	-7.2	-11.2	-15.6	-20.4
H72	-24.8	-24.8	-24.8	-22.1	-18.1	-14.3	-12.2	-11.9	-13.6	-17.2	-21.4	-26.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H73	-13.1	-13.1	-13.1	-10.3	-5.4	-1.6	0.4	0.8	-0.9	-5.7	-11.0	-16.1
H74	-12.7	-12.7	-12.7	-9.9	-5.4	-1.6	0.5	0.8	-0.9	-5.3	-10.8	-16.0
H75	-14.1	-14.1	-14.1	-11.4	-7.3	-3.5	-1.4	-1.0	-2.8	-6.5	-10.8	-15.5
H76	-14.1	-14.1	-14.1	-11.3	-6.2	-2.1	0.0	0.3	-1.4	-6.5	-11.6	-16.6
H77	-14.1	-14.1	-14.1	-11.3	-6.1	-2.1	0.0	0.3	-1.4	-6.4	-11.5	-16.6
H78	-14.0	-14.0	-14.0	-11.3	-7.2	-3.4	-1.3	-0.9	-2.6	-6.3	-10.6	-15.4
H79	-13.8	-13.8	-13.8	-11.0	-6.9	-3.1	-0.9	-0.5	-2.2	-6.1	-10.4	-15.2
H80	-15.2	-15.2	-15.2	-12.5	-8.3	-4.5	-2.2	-1.6	-3.4	-7.4	-11.8	-16.7
H81	-15.1	-15.1	-15.1	-12.4	-8.1	-4.1	-1.7	-0.8	-2.8	-7.1	-11.8	-16.7
H82	-15.5	-15.5	-15.5	-12.7	-8.5	-4.4	-1.9	-0.9	-2.7	-7.2	-12.0	-17.0
H83	-15.5	-15.5	-15.5	-12.7	-8.5	-4.4	-1.9	-0.9	-2.7	-7.2	-12.0	-17.0
H84	-14.4	-14.4	-14.4	-11.7	-7.7	-4.0	-1.9	-1.6	-3.2	-7.3	-13.1	-18.4
H85	-18.9	-18.9	-18.9	-16.2	-11.9	-8.1	-5.9	-5.3	-7.3	-11.3	-15.8	-20.6
H86	-19.3	-19.3	-19.3	-16.5	-12.3	-8.4	-6.2	-5.7	-7.6	-11.6	-16.1	-20.9
H87	-19.1	-19.1	-19.1	-16.3	-12.1	-8.2	-6.0	-5.5	-7.4	-11.5	-16.0	-20.8
H88	-23.1	-23.1	-23.1	-20.4	-16.3	-12.6	-10.5	-10.2	-10.1	-10.1	-13.4	-18.5
H89	-20.8	-20.8	-20.8	-18.0	-14.0	-10.2	-8.1	-7.8	-7.8	-7.7	-11.0	-16.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-32.3	-32.3	-32.3	-29.4	-25.2	-21.4	-19.3	-18.9	-18.9	-18.7	-22.3	-27.7
H2	-32.3	-32.3	-32.3	-29.4	-25.2	-21.4	-19.3	-18.9	-18.9	-18.7	-22.3	-27.6
H3	-32.1	-32.1	-32.1	-29.3	-25.1	-21.3	-19.2	-18.7	-18.7	-18.5	-22.1	-27.5
H4	-32.1	-32.1	-32.1	-29.3	-25.0	-21.3	-19.2	-18.7	-18.7	-18.5	-22.1	-27.5
H5	-32.0	-32.0	-32.0	-29.2	-24.9	-21.1	-19.0	-18.6	-18.5	-18.4	-22.0	-27.4
H6	-31.6	-31.6	-31.6	-28.9	-24.8	-21.0	-19.0	-18.6	-18.6	-18.5	-21.8	-27.0
H7	-29.6	-29.6	-29.6	-26.6	-22.1	-18.3	-16.1	-15.5	-15.4	-15.2	-19.6	-23.9
H8	-30.4	-30.4	-30.4	-27.2	-22.1	-18.4	-16.1	-15.1	-15.0	-15.2	-19.8	-24.6
H9	-29.5	-29.5	-29.5	-26.3	-21.5	-17.7	-15.5	-14.6	-14.5	-14.2	-19.1	-23.8
H10	-28.2	-28.2	-28.2	-25.1	-20.5	-16.7	-14.5	-13.8	-13.7	-13.4	-18.0	-22.5
H11	-28.1	-28.1	-28.1	-25.0	-20.4	-16.6	-14.4	-13.7	-13.6	-13.3	-17.9	-22.4
H12	-26.5	-26.5	-26.5	-23.4	-18.7	-14.9	-12.7	-12.0	-11.9	-11.5	-16.2	-20.8
H13	-28.7	-28.7	-28.7	-25.9	-21.8	-18.1	-16.0	-15.6	-15.6	-15.5	-18.9	-24.1
H14	-28.6	-28.6	-28.6	-25.4	-20.5	-16.8	-14.5	-13.6	-13.5	-13.3	-18.2	-22.9

House ID	Reference Wind Speed, Standardised v_{10} (ms ⁻¹)											
	1	2	3	4	5	6	7	8	9	10	11	12
H15	-27.5	-27.5	-27.5	-24.3	-19.5	-15.7	-13.5	-12.7	-12.5	-12.1	-17.1	-21.7
H16	-27.5	-27.5	-27.5	-24.8	-20.7	-17.0	-14.9	-14.5	-14.5	-14.5	-17.8	-22.9
H17	-24.0	-24.0	-24.0	-21.3	-17.2	-13.4	-11.3	-10.9	-10.9	-10.8	-14.2	-19.4
H18	-23.0	-23.0	-23.0	-20.3	-16.2	-12.4	-10.3	-9.9	-9.9	-9.8	-13.2	-18.4
H19	-23.8	-23.8	-23.8	-21.1	-17.0	-13.2	-11.2	-10.8	-10.8	-10.7	-14.0	-19.2
H20	-22.7	-22.7	-22.7	-19.9	-15.8	-12.0	-9.9	-9.6	-9.5	-9.4	-12.8	-18.1
H21	-24.1	-24.1	-24.1	-21.3	-17.3	-13.5	-11.4	-11.0	-11.0	-11.0	-14.3	-19.5
H22	-23.6	-23.6	-23.6	-20.8	-16.7	-13.0	-10.9	-10.5	-10.5	-10.5	-13.8	-19.0
H23	-23.4	-23.4	-23.4	-20.6	-16.6	-12.8	-10.7	-10.4	-10.3	-10.3	-13.6	-18.8
H24	-19.3	-19.3	-19.3	-16.2	-11.5	-7.7	-5.5	-4.8	-4.7	-4.3	-9.0	-13.6
H25	-21.6	-21.6	-21.6	-18.8	-14.7	-10.9	-8.9	-8.5	-8.4	-8.4	-11.7	-17.0
H26	-23.6	-23.6	-23.6	-20.9	-16.8	-13.1	-11.0	-10.6	-10.6	-10.6	-13.9	-19.0
H27	-21.6	-21.6	-21.6	-18.9	-14.8	-11.0	-8.9	-8.6	-8.6	-8.5	-11.8	-17.0
H28	-21.8	-21.8	-21.8	-19.1	-15.0	-11.3	-9.2	-8.8	-8.8	-8.7	-12.1	-17.2
H29	-23.0	-23.0	-23.0	-20.3	-16.2	-12.5	-10.4	-10.0	-10.0	-10.0	-13.3	-18.4
H30	-22.5	-22.5	-22.5	-19.8	-15.7	-11.9	-9.8	-9.5	-9.5	-9.4	-12.7	-17.9
H31	-22.9	-22.9	-22.9	-20.2	-16.1	-12.3	-10.2	-9.9	-9.9	-9.8	-13.1	-18.3
H32	-22.8	-22.8	-22.8	-20.0	-16.0	-12.2	-10.1	-9.8	-9.7	-9.7	-13.0	-18.2
H33	-25.3	-25.3	-25.3	-22.6	-18.5	-14.7	-12.6	-12.3	-12.3	-12.2	-15.5	-20.7
H34	-22.7	-22.7	-22.7	-20.0	-16.0	-12.2	-10.1	-9.8	-9.8	-9.8	-9.7	-11.1
H35	-22.1	-22.1	-22.1	-19.4	-15.3	-11.6	-9.5	-9.1	-9.1	-9.1	-12.4	-17.5
H36	-23.8	-23.8	-23.8	-21.1	-17.0	-13.2	-11.2	-10.8	-10.8	-10.7	-14.0	-19.2
H37	-24.9	-24.9	-24.9	-22.2	-18.1	-14.3	-12.2	-11.9	-11.9	-11.9	-15.1	-20.3
H38	-21.8	-21.8	-21.8	-19.1	-15.0	-11.2	-9.2	-8.8	-8.8	-8.7	-12.0	-17.2
H39	-15.9	-15.9	-15.9	-12.9	-8.3	-4.6	-2.4	-1.7	-1.6	-1.4	-5.8	-10.2
H40	-21.2	-21.2	-21.2	-18.5	-14.4	-10.6	-8.6	-8.2	-8.2	-8.1	-11.4	-16.6
H41	-24.0	-24.0	-24.0	-21.3	-17.2	-13.5	-11.4	-11.1	-11.0	-11.0	-14.3	-19.4
H42	-23.3	-23.3	-23.3	-20.5	-16.5	-12.7	-10.6	-10.3	-10.3	-10.2	-13.5	-18.7
H43	-24.3	-24.3	-24.3	-21.6	-17.6	-13.8	-11.7	-11.4	-11.4	-11.3	-14.6	-19.8
H44	-22.3	-22.3	-22.3	-19.6	-15.5	-11.8	-9.7	-9.3	-9.3	-9.3	-12.5	-17.7
H45	-23.1	-23.1	-23.1	-20.4	-16.4	-12.6	-10.5	-10.2	-10.2	-10.1	-13.4	-18.6
H46	-23.8	-23.8	-23.8	-21.1	-17.0	-13.3	-11.2	-10.8	-10.8	-10.8	-14.0	-19.2
H47	-23.9	-23.9	-23.9	-21.2	-17.1	-13.4	-11.3	-10.9	-10.9	-10.9	-14.1	-19.3
H48	-17.4	-17.4	-17.4	-14.4	-10.0	-6.2	-4.0	-3.4	-3.3	-3.1	-7.4	-11.8
H49	-18.7	-18.7	-18.7	-15.7	-11.3	-7.6	-5.4	-4.8	-4.7	-4.5	-8.8	-13.0
H50	-19.1	-19.1	-19.1	-16.2	-11.8	-8.0	-5.8	-5.3	-5.1	-5.0	-9.2	-13.5

Table 10.12.19: Margins in 180 Degree Sector - Night

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H52	-18.7	-18.7	-18.7	-15.8	-11.4	-7.6	-5.5	-4.9	-4.7	-4.6	-8.8	-13.1
H53	-18.9	-18.9	-18.9	-16.0	-11.6	-7.8	-5.7	-5.1	-4.9	-4.8	-9.0	-13.3
H54	-18.8	-18.8	-18.8	-15.9	-11.5	-7.8	-5.6	-5.0	-4.8	-4.7	-8.9	-13.2
H55	-18.5	-18.5	-18.5	-15.7	-11.3	-7.6	-5.4	-4.8	-6.8	-10.8	-15.3	-20.1
H56	-17.6	-17.6	-17.6	-14.8	-10.5	-6.7	-4.5	-4.0	-6.0	-9.9	-14.4	-19.2
H57	-17.5	-17.5	-17.5	-14.6	-10.3	-6.5	-4.4	-3.8	-5.8	-9.8	-14.2	-19.0
H58	-17.9	-17.9	-17.9	-15.0	-10.7	-6.9	-4.8	-4.2	-6.2	-10.2	-14.6	-19.4
H59	-17.9	-17.9	-17.9	-15.0	-10.7	-6.9	-4.8	-4.2	-6.2	-10.2	-14.6	-19.4
H60	-17.8	-17.8	-17.8	-15.0	-10.7	-6.9	-4.7	-4.2	-6.2	-10.1	-14.6	-19.4
H61	-17.8	-17.8	-17.8	-14.9	-10.6	-6.8	-4.7	-4.2	-6.1	-10.1	-14.5	-19.3
H62	-17.7	-17.7	-17.7	-14.8	-10.5	-6.7	-4.6	-4.1	-6.0	-10.0	-14.4	-19.2
H63	-17.8	-17.8	-17.8	-15.0	-10.7	-6.9	-4.7	-4.2	-6.2	-10.1	-14.6	-19.4
H64	-17.8	-17.8	-17.8	-15.0	-10.7	-6.9	-4.7	-4.2	-6.1	-10.1	-14.6	-19.4
H65	-17.8	-17.8	-17.8	-14.9	-10.7	-6.9	-4.7	-4.2	-6.1	-10.1	-14.5	-19.4
H66	-17.8	-17.8	-17.8	-14.9	-10.6	-6.8	-4.7	-4.2	-6.1	-10.1	-14.5	-19.3
H67	-17.4	-17.4	-17.4	-14.6	-10.3	-6.5	-4.3	-3.8	-5.8	-9.7	-14.2	-19.0
H68	-13.6	-13.6	-13.6	-10.8	-6.5	-2.6	-0.5	0.0	-2.0	-6.0	-10.5	-15.3
H69	-20.5	-20.5	-20.5	-17.8	-13.7	-9.9	-7.8	-7.4	-7.4	-7.3	-7.3	-9.2
H70	-14.9	-14.9	-14.9	-12.1	-7.8	-4.0	-1.8	-1.3	-3.3	-7.4	-11.8	-16.6
H71	-18.8	-18.8	-18.8	-15.9	-11.6	-7.8	-5.6	-5.1	-7.0	-11.1	-15.6	-20.4
H72	-21.5	-21.5	-21.5	-18.8	-14.8	-11.0	-8.9	-8.6	-10.3	-13.9	-18.2	-22.9
H73	-13.0	-13.0	-13.0	-10.1	-5.4	-1.6	0.4	0.8	-0.9	-5.6	-10.9	-16.1
H74	-12.6	-12.6	-12.6	-9.7	-5.4	-1.6	0.5	0.8	-0.9	-5.1	-10.7	-16.0
H75	-14.1	-14.1	-14.1	-11.4	-7.3	-3.5	-1.3	-0.9	-2.7	-6.4	-10.7	-15.5
H76	-14.0	-14.0	-14.0	-11.2	-6.0	-2.1	0.0	0.3	-1.4	-6.4	-11.5	-16.6
H77	-13.9	-13.9	-13.9	-11.1	-5.9	-2.1	0.0	0.3	-1.4	-6.3	-11.5	-16.6
H78	-13.9	-13.9	-13.9	-11.2	-7.1	-3.3	-1.1	-0.7	-2.5	-6.2	-10.6	-15.3
H79	-13.7	-13.7	-13.7	-10.9	-6.8	-2.9	-0.8	-0.3	-2.1	-6.0	-10.4	-15.2
H80	-15.2	-15.2	-15.2	-12.5	-8.3	-4.4	-2.2	-1.7	-3.5	-7.4	-11.8	-16.7
H81	-15.1	-15.1	-15.1	-12.3	-8.0	-4.1	-1.7	-0.9	-2.9	-7.2	-11.8	-16.7
H82	-15.5	-15.5	-15.5	-12.8	-8.5	-4.6	-2.2	-1.3	-3.1	-7.4	-12.1	-17.1
H83	-15.5	-15.5	-15.5	-12.8	-8.5	-4.6	-2.2	-1.3	-3.1	-7.4	-12.1	-17.1
H84	-14.4	-14.4	-14.4	-11.7	-7.7	-4.0	-1.9	-1.6	-3.2	-7.2	-13.1	-18.4
H85	-18.8	-18.8	-18.8	-16.1	-11.8	-8.0	-5.7	-5.2	-7.1	-11.2	-15.8	-20.6
H86	-19.2	-19.2	-19.2	-16.4	-12.2	-8.3	-6.1	-5.5	-7.5	-11.6	-16.1	-20.9

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H87	-18.9	-18.9	-18.9	-16.1	-11.9	-8.0	-5.8	-5.2	-7.2	-11.4	-15.9	-20.8
H88	-20.2	-20.2	-20.2	-17.5	-13.4	-9.6	-7.5	-7.2	-7.2	-7.1	-10.4	-15.6
H89	-17.9	-17.9	-17.9	-15.2	-11.1	-7.3	-5.2	-4.9	-4.8	-4.8	-8.1	-13.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-31.2	-31.2	-31.2	-28.3	-23.9	-20.2	-18.1	-17.6	-17.5	-17.2	-20.9	-26.5
H2	-31.2	-31.2	-31.2	-28.3	-23.9	-20.2	-18.1	-17.6	-17.5	-17.3	-20.9	-26.5
H3	-31.1	-31.1	-31.1	-28.2	-23.9	-20.1	-18.0	-17.5	-17.4	-17.1	-20.8	-26.5
H4	-31.1	-31.1	-31.1	-28.2	-23.8	-20.1	-17.9	-17.5	-17.4	-17.1	-20.8	-26.4
H5	-31.0	-31.0	-31.0	-28.1	-23.7	-19.9	-17.8	-17.3	-17.3	-17.0	-20.7	-26.3
H6	-28.9	-28.9	-28.9	-26.2	-22.1	-18.3	-16.2	-15.9	-15.8	-15.7	-19.1	-24.3
H7	-29.7	-29.7	-29.7	-26.6	-22.0	-18.2	-16.1	-15.4	-15.3	-15.0	-19.4	-23.9
H8	-31.8	-31.8	-31.8	-28.4	-23.1	-19.3	-17.0	-16.4	-16.4	-16.6	-20.5	-25.9
H9	-31.0	-31.0	-31.0	-27.7	-22.8	-19.0	-16.8	-15.9	-15.8	-15.7	-20.2	-25.1
H10	-28.3	-28.3	-28.3	-25.2	-20.5	-16.7	-14.5	-13.8	-13.7	-13.3	-17.8	-22.5
H11	-28.2	-28.2	-28.2	-25.1	-20.4	-16.6	-14.4	-13.7	-13.6	-13.2	-17.7	-22.4
H12	-27.2	-27.2	-27.2	-24.0	-19.3	-15.5	-13.3	-12.6	-12.5	-12.0	-16.7	-21.4
H13	-25.0	-25.0	-25.0	-22.3	-18.2	-14.4	-12.3	-11.9	-11.9	-11.8	-15.2	-20.4
H14	-30.2	-30.2	-30.2	-27.0	-22.1	-18.3	-16.1	-15.3	-15.1	-14.9	-19.5	-24.4
H15	-29.7	-29.7	-29.7	-26.5	-21.6	-17.9	-15.7	-14.9	-14.7	-14.3	-19.0	-23.8
H16	-23.4	-23.4	-23.4	-20.7	-16.7	-12.9	-10.8	-10.5	-10.4	-10.4	-13.7	-18.8
H17	-20.1	-20.1	-20.1	-17.4	-13.3	-9.5	-7.4	-7.0	-7.0	-6.9	-10.3	-15.5
H18	-19.1	-19.1	-19.1	-16.4	-12.3	-8.5	-6.4	-6.0	-6.0	-5.9	-9.3	-14.5
H19	-19.8	-19.8	-19.8	-17.0	-12.9	-9.2	-7.1	-6.7	-6.7	-6.6	-9.9	-15.2
H20	-18.8	-18.8	-18.8	-16.1	-11.9	-8.2	-6.1	-5.7	-5.7	-5.6	-8.9	-14.2
H21	-20.0	-20.0	-20.0	-17.3	-13.2	-9.4	-7.3	-7.0	-6.9	-6.9	-10.2	-15.4
H22	-19.5	-19.5	-19.5	-16.8	-12.7	-8.9	-6.8	-6.5	-6.4	-6.4	-9.7	-14.9
H23	-19.3	-19.3	-19.3	-16.6	-12.5	-8.7	-6.6	-6.3	-6.3	-6.2	-9.5	-14.7
H24	-20.7	-20.7	-20.7	-17.6	-12.9	-9.1	-6.9	-6.2	-6.0	-5.6	-10.2	-14.9
H25	-18.0	-18.0	-18.0	-15.2	-11.1	-7.3	-5.3	-4.9	-4.8	-4.7	-8.1	-13.4
H26	-19.5	-19.5	-19.5	-16.7	-12.7	-8.9	-6.8	-6.5	-6.4	-6.4	-9.7	-14.9
H27	-17.7	-17.7	-17.7	-15.0	-10.9	-7.1	-5.0	-4.7	-4.6	-4.5	-7.9	-13.1
H28	-17.8	-17.8	-17.8	-15.1	-11.0	-7.2	-5.1	-4.8	-4.7	-4.7	-8.0	-13.2
H29	-19.2	-19.2	-19.2	-16.4	-12.4	-8.6	-6.5	-6.2	-6.1	-6.1	-9.4	-14.6

Table 10.12.20: Margins in 210 Degree Sector - Night

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H30	-19.0	-19.0	-19.0	-16.3	-12.2	-8.4	-6.4	-6.0	-6.0	-5.9	-9.2	-14.4
H31	-19.0	-19.0	-19.0	-16.3	-12.2	-8.4	-6.3	-6.0	-6.0	-5.9	-9.2	-14.4
H32	-18.9	-18.9	-18.9	-16.1	-12.1	-8.3	-6.2	-5.9	-5.8	-5.8	-9.1	-14.3
H33	-21.1	-21.1	-21.1	-18.4	-14.3	-10.5	-8.5	-8.1	-8.1	-8.0	-11.3	-16.5
H34	-20.9	-20.9	-20.9	-18.2	-14.2	-10.4	-8.3	-8.0	-8.0	-8.0	-7.9	-9.3
H35	-18.2	-18.2	-18.2	-15.5	-11.4	-7.7	-5.6	-5.2	-5.2	-5.1	-8.5	-13.7
H36	-19.8	-19.8	-19.8	-17.1	-13.1	-9.3	-7.2	-6.9	-6.8	-6.8	-10.1	-15.2
H37	-20.7	-20.7	-20.7	-18.0	-13.9	-10.1	-8.0	-7.7	-7.7	-7.6	-10.9	-16.1
H38	-18.0	-18.0	-18.0	-15.2	-11.2	-7.4	-5.3	-5.0	-4.9	-4.8	-8.2	-13.4
H39	-17.8	-17.8	-17.8	-14.8	-10.2	-6.5	-4.2	-3.6	-3.4	-3.0	-7.6	-12.2
H40	-17.4	-17.4	-17.4	-14.7	-10.6	-6.8	-4.7	-4.4	-4.3	-4.3	-7.6	-12.8
H41	-19.8	-19.8	-19.8	-17.1	-13.0	-9.3	-7.2	-6.8	-6.8	-6.7	-10.0	-15.2
H42	-19.0	-19.0	-19.0	-16.3	-12.2	-8.5	-6.4	-6.0	-6.0	-6.0	-9.3	-14.4
H43	-20.6	-20.6	-20.6	-17.9	-13.8	-10.1	-8.0	-7.6	-7.6	-7.6	-10.8	-16.0
H44	-18.4	-18.4	-18.4	-15.6	-11.6	-7.8	-5.7	-5.4	-5.3	-5.3	-8.6	-13.8
H45	-19.4	-19.4	-19.4	-16.6	-12.6	-8.8	-6.7	-6.4	-6.3	-6.3	-9.6	-14.8
H46	-20.0	-20.0	-20.0	-17.3	-13.2	-9.5	-7.4	-7.1	-7.0	-7.0	-10.3	-15.4
H47	-20.1	-20.1	-20.1	-17.4	-13.3	-9.6	-7.5	-7.1	-7.1	-7.0	-10.3	-15.5
H48	-21.3	-21.3	-21.3	-18.3	-13.8	-10.0	-7.8	-7.2	-6.9	-6.6	-11.1	-15.7
H49	-22.0	-22.0	-22.0	-19.0	-14.6	-10.8	-8.6	-8.0	-7.7	-7.4	-11.9	-16.4
H50	-22.4	-22.4	-22.4	-19.5	-15.0	-11.3	-9.0	-8.4	-8.1	-7.8	-12.3	-16.9
H52	-22.0	-22.0	-22.0	-19.1	-14.7	-10.9	-8.6	-8.0	-7.6	-7.2	-11.9	-16.5
H53	-22.2	-22.2	-22.2	-19.3	-14.9	-11.1	-8.8	-8.2	-7.8	-7.4	-12.2	-16.7
H54	-22.2	-22.2	-22.2	-19.3	-14.9	-11.1	-8.8	-8.2	-7.8	-7.3	-12.2	-16.8
H55	-20.5	-20.5	-20.5	-17.6	-13.3	-9.4	-7.1	-6.5	-8.6	-12.9	-17.5	-22.4
H56	-19.8	-19.8	-19.8	-16.9	-12.6	-8.8	-6.5	-5.9	-7.9	-12.2	-16.7	-21.6
H57	-19.6	-19.6	-19.6	-16.7	-12.4	-8.6	-6.3	-5.8	-7.8	-12.0	-16.6	-21.4
H58	-20.0	-20.0	-20.0	-17.1	-12.8	-9.0	-6.7	-6.1	-8.1	-12.4	-17.0	-21.9
H59	-20.0	-20.0	-20.0	-17.1	-12.8	-9.0	-6.7	-6.1	-8.1	-12.4	-17.0	-21.9
H60	-19.9	-19.9	-19.9	-17.1	-12.8	-9.0	-6.7	-6.1	-8.1	-12.3	-16.9	-21.8
H61	-19.9	-19.9	-19.9	-17.0	-12.7	-8.9	-6.6	-6.1	-8.1	-12.3	-16.9	-21.8
H62	-19.8	-19.8	-19.8	-16.9	-12.6	-8.8	-6.5	-6.0	-8.0	-12.2	-16.8	-21.7
H63	-19.4	-19.4	-19.4	-16.5	-12.2	-8.4	-6.2	-5.6	-7.6	-11.8	-16.4	-21.3
H64	-19.4	-19.4	-19.4	-16.5	-12.2	-8.4	-6.1	-5.6	-7.6	-11.8	-16.4	-21.3
H65	-19.4	-19.4	-19.4	-16.5	-12.2	-8.4	-6.1	-5.6	-7.5	-11.8	-16.4	-21.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H66	-19.3	-19.3	-19.3	-16.5	-12.2	-8.4	-6.1	-5.5	-7.5	-11.8	-16.3	-21.2
H67	-19.0	-19.0	-19.0	-16.2	-11.9	-8.1	-5.8	-5.3	-7.3	-11.4	-16.0	-20.9
H68	-14.1	-14.1	-14.1	-11.3	-7.0	-3.2	-1.0	-0.5	-2.5	-6.5	-11.0	-15.9
H69	-20.7	-20.7	-20.7	-18.0	-13.9	-10.2	-8.1	-7.7	-7.7	-7.6	-7.6	-9.5
H70	-15.5	-15.5	-15.5	-12.7	-8.5	-4.7	-2.5	-2.0	-3.9	-7.9	-12.4	-17.3
H71	-19.6	-19.6	-19.6	-16.8	-12.5	-8.7	-6.4	-5.8	-7.8	-12.1	-16.7	-21.5
H72	-21.5	-21.5	-21.5	-18.8	-14.8	-11.0	-8.9	-8.5	-10.2	-13.9	-18.1	-22.9
H73	-13.3	-13.3	-13.3	-10.5	-5.7	-1.9	0.2	0.5	-1.2	-6.4	-11.5	-16.5
H74	-13.1	-13.1	-13.1	-10.2	-5.6	-1.9	0.2	0.5	-1.2	-6.2	-11.4	-16.4
H75	-14.0	-14.0	-14.0	-11.3	-7.2	-3.4	-1.3	-0.8	-2.6	-6.4	-10.7	-15.5
H76	-14.3	-14.3	-14.3	-11.5	-6.4	-2.4	-0.3	0.0	-1.7	-6.9	-11.9	-17.0
H77	-14.2	-14.2	-14.2	-11.4	-6.3	-2.4	-0.3	0.0	-1.7	-6.9	-11.9	-17.0
H78	-13.9	-13.9	-13.9	-11.1	-7.0	-3.2	-1.1	-0.6	-2.4	-6.2	-10.6	-15.3
H79	-13.6	-13.6	-13.6	-10.9	-6.7	-2.9	-0.7	-0.2	-2.0	-6.0	-10.4	-15.2
H80	-15.1	-15.1	-15.1	-12.4	-8.2	-4.4	-2.2	-1.6	-3.4	-7.4	-11.8	-16.7
H81	-14.9	-14.9	-14.9	-12.2	-7.9	-3.9	-1.5	-0.8	-2.8	-7.1	-11.8	-16.7
H82	-15.5	-15.5	-15.5	-12.7	-8.5	-4.6	-2.2	-1.4	-3.2	-7.5	-12.1	-17.1
H83	-15.5	-15.5	-15.5	-12.7	-8.5	-4.6	-2.2	-1.4	-3.2	-7.5	-12.1	-17.1
H84	-14.4	-14.4	-14.4	-11.7	-7.7	-4.0	-1.9	-1.6	-3.2	-6.8	-13.0	-18.4
H85	-18.8	-18.8	-18.8	-16.1	-11.8	-8.0	-5.7	-5.2	-7.1	-11.3	-15.8	-20.6
H86	-19.2	-19.2	-19.2	-16.4	-12.2	-8.3	-6.1	-5.6	-7.5	-11.6	-16.1	-20.9
H87	-19.0	-19.0	-19.0	-16.2	-12.0	-8.1	-5.9	-5.4	-7.3	-11.4	-15.9	-20.8
H88	-17.0	-17.0	-17.0	-14.3	-10.2	-6.4	-4.3	-4.0	-3.9	-3.9	-7.2	-12.4
H89	-15.1	-15.1	-15.1	-12.4	-8.3	-4.5	-2.4	-2.1	-2.0	-1.9	-5.3	-10.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-28.1	-28.1	-28.1	-25.2	-20.8	-17.0	-14.9	-14.5	-14.4	-14.1	-17.7	-23.4
H2	-28.1	-28.1	-28.1	-25.2	-20.8	-17.0	-14.9	-14.5	-14.4	-14.1	-17.8	-23.4
H3	-28.1	-28.1	-28.1	-25.2	-20.8	-17.0	-14.9	-14.4	-14.4	-14.1	-17.7	-23.4
H4	-28.0	-28.0	-28.0	-25.1	-20.8	-17.0	-14.8	-14.4	-14.3	-14.1	-17.7	-23.4
H5	-27.9	-27.9	-27.9	-25.0	-20.6	-16.8	-14.7	-14.3	-14.2	-13.9	-17.6	-23.3
H6	-24.5	-24.5	-24.5	-21.8	-17.6	-13.9	-11.8	-11.4	-11.4	-11.3	-14.6	-19.9
H7	-28.2	-28.2	-28.2	-25.2	-20.5	-16.7	-14.5	-13.9	-13.8	-13.5	-17.7	-22.5
H8	-31.7	-31.7	-31.7	-28.2	-22.8	-19.0	-16.7	-16.3	-16.3	-16.5	-20.1	-25.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H9	-30.8	-30.8	-30.8	-27.6	-22.5	-18.8	-16.5	-15.9	-15.7	-15.5	-19.8	-24.9
H10	-26.8	-26.8	-26.8	-23.7	-18.8	-15.1	-12.8	-12.2	-12.0	-11.6	-16.1	-21.0
H11	-26.7	-26.7	-26.7	-23.6	-18.8	-15.0	-12.7	-12.2	-11.9	-11.5	-16.0	-20.9
H12	-26.5	-26.5	-26.5	-23.3	-18.5	-14.7	-12.4	-11.8	-11.6	-11.2	-15.7	-20.7
H13	-21.4	-21.4	-21.4	-18.6	-14.5	-10.7	-8.6	-8.2	-8.2	-8.1	-11.5	-16.7
H14	-30.2	-30.2	-30.2	-27.0	-21.9	-18.2	-15.9	-15.3	-15.1	-14.9	-19.2	-24.3
H15	-30.0	-30.0	-30.0	-26.8	-21.9	-18.1	-15.8	-15.2	-15.0	-14.7	-19.1	-24.1
H16	-20.6	-20.6	-20.6	-17.9	-13.8	-10.0	-7.9	-7.6	-7.6	-7.5	-10.8	-16.0
H17	-17.7	-17.7	-17.7	-14.9	-10.8	-7.0	-4.9	-4.6	-4.5	-4.4	-7.8	-13.1
H18	-16.7	-16.7	-16.7	-14.0	-9.8	-6.0	-3.9	-3.6	-3.5	-3.4	-6.8	-12.1
H19	-16.9	-16.9	-16.9	-14.1	-10.0	-6.2	-4.2	-3.8	-3.8	-3.7	-7.0	-12.3
H20	-16.4	-16.4	-16.4	-13.7	-9.5	-5.7	-3.6	-3.3	-3.2	-3.1	-6.5	-11.8
H21	-17.1	-17.1	-17.1	-14.3	-10.2	-6.5	-4.4	-4.0	-4.0	-3.9	-7.2	-12.5
H22	-16.5	-16.5	-16.5	-13.8	-9.7	-5.9	-3.9	-3.5	-3.5	-3.4	-6.7	-12.0
H23	-16.4	-16.4	-16.4	-13.6	-9.5	-5.8	-3.7	-3.3	-3.3	-3.2	-6.5	-11.8
H24	-20.9	-20.9	-20.9	-17.8	-13.0	-9.1	-6.9	-6.2	-5.9	-5.7	-10.2	-15.2
H25	-15.6	-15.6	-15.6	-12.9	-8.7	-5.0	-2.9	-2.5	-2.4	-2.3	-5.7	-11.0
H26	-16.8	-16.8	-16.8	-14.1	-10.0	-6.2	-4.1	-3.8	-3.7	-3.7	-7.0	-12.2
H27	-15.3	-15.3	-15.3	-12.5	-8.4	-4.7	-2.6	-2.2	-2.2	-2.1	-5.4	-10.7
H28	-15.7	-15.7	-15.7	-13.0	-8.9	-5.1	-3.0	-2.7	-2.6	-2.5	-5.9	-11.1
H29	-17.2	-17.2	-17.2	-14.5	-10.4	-6.7	-4.6	-4.2	-4.2	-4.1	-7.4	-12.7
H30	-16.7	-16.7	-16.7	-14.0	-9.9	-6.1	-4.0	-3.7	-3.7	-3.6	-6.9	-12.1
H31	-17.1	-17.1	-17.1	-14.3	-10.3	-6.5	-4.4	-4.0	-4.0	-3.9	-7.2	-12.5
H32	-16.9	-16.9	-16.9	-14.2	-10.1	-6.3	-4.2	-3.9	-3.8	-3.8	-7.1	-12.3
H33	-20.5	-20.5	-20.5	-17.8	-13.8	-10.0	-7.9	-7.6	-7.5	-7.5	-10.7	-15.9
H34	-19.6	-19.6	-19.6	-16.9	-12.9	-9.1	-7.0	-6.7	-6.7	-6.7	-6.6	-8.0
H35	-16.2	-16.2	-16.2	-13.5	-9.4	-5.7	-3.6	-3.2	-3.2	-3.1	-6.4	-11.7
H36	-18.1	-18.1	-18.1	-15.4	-11.4	-7.6	-5.5	-5.1	-5.1	-5.0	-8.3	-13.5
H37	-20.1	-20.1	-20.1	-17.4	-13.3	-9.5	-7.5	-7.1	-7.1	-7.0	-10.3	-15.5
H38	-16.0	-16.0	-16.0	-13.3	-9.2	-5.4	-3.3	-3.0	-2.9	-2.9	-6.2	-11.4
H39	-18.8	-18.8	-18.8	-15.7	-11.1	-7.2	-5.0	-4.4	-4.0	-3.6	-8.3	-13.1
H40	-15.8	-15.8	-15.8	-13.1	-9.0	-5.2	-3.1	-2.8	-2.7	-2.6	-6.0	-11.2
H41	-19.2	-19.2	-19.2	-16.5	-12.4	-8.6	-6.6	-6.2	-6.2	-6.1	-9.4	-14.6
H42	-18.4	-18.4	-18.4	-15.7	-11.6	-7.9	-5.8	-5.4	-5.4	-5.3	-8.6	-13.8
H43	-20.0	-20.0	-20.0	-17.3	-13.2	-9.5	-7.4	-7.0	-7.0	-6.9	-10.2	-15.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H44	-16.6	-16.6	-16.6	-13.9	-9.8	-6.0	-3.9	-3.6	-3.6	-3.5	-6.8	-12.0
H45	-18.7	-18.7	-18.7	-16.0	-12.0	-8.2	-6.1	-5.8	-5.7	-5.7	-8.9	-14.1
H46	-19.4	-19.4	-19.4	-16.7	-12.6	-8.8	-6.8	-6.4	-6.4	-6.3	-9.6	-14.8
H47	-19.5	-19.5	-19.5	-16.8	-12.7	-8.9	-6.8	-6.5	-6.4	-6.4	-9.7	-14.9
H48	-23.8	-23.8	-23.8	-20.8	-16.2	-12.4	-10.1	-9.5	-9.1	-8.7	-13.4	-18.2
H49	-25.7	-25.7	-25.7	-22.8	-18.2	-14.4	-12.1	-11.5	-11.0	-10.6	-15.4	-20.2
H50	-26.2	-26.2	-26.2	-23.2	-18.7	-14.8	-12.5	-11.9	-11.4	-11.1	-15.8	-20.6
H52	-25.8	-25.8	-25.8	-22.9	-18.3	-14.5	-12.1	-11.6	-11.0	-10.7	-15.5	-20.3
H53	-26.0	-26.0	-26.0	-23.1	-18.5	-14.7	-12.3	-11.8	-11.2	-10.9	-15.7	-20.5
H54	-26.3	-26.3	-26.3	-23.3	-18.8	-14.9	-12.6	-12.0	-11.4	-11.2	-15.9	-20.7
H55	-24.9	-24.9	-24.9	-22.0	-17.6	-13.7	-11.4	-10.8	-12.9	-17.2	-21.8	-26.7
H56	-24.2	-24.2	-24.2	-21.3	-16.9	-13.1	-10.8	-10.3	-12.3	-16.5	-21.0	-25.9
H57	-24.0	-24.0	-24.0	-21.2	-16.8	-12.9	-10.7	-10.2	-12.1	-16.3	-20.9	-25.8
H58	-24.4	-24.4	-24.4	-21.6	-17.2	-13.3	-11.0	-10.5	-12.5	-16.7	-21.3	-26.2
H59	-24.4	-24.4	-24.4	-21.6	-17.2	-13.3	-11.0	-10.5	-12.5	-16.7	-21.3	-26.2
H60	-24.4	-24.4	-24.4	-21.5	-17.1	-13.3	-11.0	-10.5	-12.5	-16.7	-21.3	-26.1
H61	-24.3	-24.3	-24.3	-21.5	-17.1	-13.2	-10.9	-10.4	-12.4	-16.6	-21.2	-26.1
H62	-24.2	-24.2	-24.2	-21.4	-17.0	-13.1	-10.9	-10.4	-12.3	-16.5	-21.1	-26.0
H63	-24.0	-24.0	-24.0	-21.2	-16.8	-12.9	-10.7	-10.1	-12.1	-16.3	-20.9	-25.8
H64	-24.0	-24.0	-24.0	-21.2	-16.8	-12.9	-10.6	-10.1	-12.1	-16.3	-20.9	-25.8
H65	-24.0	-24.0	-24.0	-21.2	-16.8	-12.9	-10.6	-10.1	-12.1	-16.3	-20.9	-25.8
H66	-24.0	-24.0	-24.0	-21.1	-16.7	-12.9	-10.6	-10.1	-12.1	-16.3	-20.9	-25.7
H67	-23.7	-23.7	-23.7	-20.8	-16.5	-12.6	-10.3	-9.8	-11.8	-16.0	-20.5	-25.4
H68	-16.2	-16.2	-16.2	-13.4	-9.1	-5.2	-3.0	-2.5	-4.5	-8.5	-13.0	-17.8
H69	-23.0	-23.0	-23.0	-20.2	-16.2	-12.4	-10.3	-9.9	-9.9	-9.8	-9.7	-11.7
H70	-18.0	-18.0	-18.0	-15.2	-10.9	-7.1	-4.9	-4.4	-6.3	-10.4	-14.8	-19.6
H71	-24.3	-24.3	-24.3	-21.5	-17.1	-13.3	-11.0	-10.5	-12.4	-16.7	-21.2	-26.1
H72	-21.5	-21.5	-21.5	-18.8	-14.8	-11.0	-8.9	-8.5	-10.2	-13.9	-18.1	-22.9
H73	-16.1	-16.1	-16.1	-13.3	-8.8	-4.4	-1.9	-1.3	-3.9	-8.5	-13.2	-18.2
H74	-15.6	-15.6	-15.6	-12.8	-7.8	-3.5	-1.4	-1.1	-2.8	-8.1	-13.1	-18.1
H75	-14.0	-14.0	-14.0	-11.3	-7.2	-3.3	-1.2	-0.7	-2.5	-6.3	-10.7	-15.5
H76	-16.6	-16.6	-16.6	-13.8	-9.2	-4.6	-2.0	-1.7	-4.1	-9.0	-13.8	-18.8
H77	-16.6	-16.6	-16.6	-13.8	-9.1	-4.5	-2.0	-1.7	-4.1	-9.0	-13.8	-18.7
H78	-13.9	-13.9	-13.9	-11.1	-7.0	-3.2	-1.0	-0.6	-2.3	-6.2	-10.5	-15.3
H79	-13.6	-13.6	-13.6	-10.9	-6.7	-2.8	-0.6	-0.1	-2.0	-5.9	-10.4	-15.2
H80	-15.1	-15.1	-15.1	-12.4	-8.2	-4.4	-2.1	-1.6	-3.4	-7.4	-11.8	-16.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H81	-15.4	-15.4	-15.4	-12.6	-8.3	-4.2	-1.8	-1.0	-3.1	-7.6	-12.3	-17.2
H82	-15.5	-15.5	-15.5	-12.8	-8.5	-4.5	-2.1	-1.4	-3.2	-7.5	-12.1	-17.1
H83	-15.5	-15.5	-15.5	-12.8	-8.5	-4.5	-2.1	-1.4	-3.2	-7.5	-12.1	-17.1
H84	-15.6	-15.6	-15.6	-12.9	-8.8	-5.1	-3.0	-2.7	-4.4	-8.0	-13.7	-19.4
H85	-20.9	-20.9	-20.9	-18.1	-13.9	-10.0	-7.8	-7.3	-9.2	-13.3	-17.7	-22.5
H86	-21.2	-21.2	-21.2	-18.4	-14.2	-10.3	-8.1	-7.7	-9.5	-13.5	-18.0	-22.8
H87	-20.7	-20.7	-20.7	-18.0	-13.7	-9.9	-7.6	-7.2	-9.1	-13.1	-17.5	-22.4
H88	-15.4	-15.4	-15.4	-12.7	-8.6	-4.8	-2.8	-2.4	-2.4	-2.3	-5.6	-10.8
H89	-14.7	-14.7	-14.7	-11.9	-7.8	-4.1	-2.0	-1.6	-1.6	-1.5	-4.8	-10.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-23.5	-23.5	-23.5	-20.6	-16.2	-12.4	-10.3	-9.9	-9.8	-9.6	-13.1	-18.8
H2	-23.5	-23.5	-23.5	-20.6	-16.2	-12.4	-10.3	-9.9	-9.9	-9.6	-13.1	-18.8
H3	-23.5	-23.5	-23.5	-20.6	-16.2	-12.5	-10.3	-10.0	-9.9	-9.6	-13.2	-18.9
H4	-23.5	-23.5	-23.5	-20.6	-16.2	-12.4	-10.3	-9.9	-9.9	-9.6	-13.2	-18.9
H5	-23.4	-23.4	-23.4	-20.5	-16.1	-12.3	-10.1	-9.8	-9.7	-9.4	-13.0	-18.7
H6	-22.3	-22.3	-22.3	-19.6	-15.5	-11.7	-9.6	-9.3	-9.2	-9.1	-12.5	-17.7
H7	-24.7	-24.7	-24.7	-21.7	-16.9	-13.1	-10.9	-10.5	-10.4	-10.1	-14.2	-18.9
H8	-29.8	-29.8	-29.8	-26.4	-20.9	-17.1	-14.8	-14.5	-14.5	-14.7	-18.2	-23.8
H9	-29.0	-29.0	-29.0	-25.8	-20.7	-16.9	-14.6	-14.2	-14.0	-13.7	-18.0	-23.1
H10	-23.2	-23.2	-23.2	-20.1	-15.3	-11.5	-9.2	-8.8	-8.6	-8.2	-12.6	-17.4
H11	-23.2	-23.2	-23.2	-20.0	-15.2	-11.4	-9.1	-8.7	-8.5	-8.1	-12.5	-17.3
H12	-24.0	-24.0	-24.0	-20.8	-15.9	-12.1	-9.9	-9.5	-9.2	-8.8	-13.2	-18.2
H13	-20.3	-20.3	-20.3	-17.5	-13.4	-9.6	-7.5	-7.2	-7.1	-7.0	-10.4	-15.7
H14	-28.6	-28.6	-28.6	-25.3	-20.3	-16.5	-14.2	-13.8	-13.6	-13.3	-17.6	-22.7
H15	-28.8	-28.8	-28.8	-25.6	-20.7	-16.9	-14.6	-14.2	-14.0	-13.6	-18.0	-23.0
H16	-20.1	-20.1	-20.1	-17.4	-13.4	-9.6	-7.5	-7.2	-7.1	-7.1	-10.3	-15.5
H17	-16.4	-16.4	-16.4	-13.7	-9.5	-5.8	-3.6	-3.3	-3.2	-3.2	-6.5	-11.8
H18	-15.5	-15.5	-15.5	-12.7	-8.6	-4.8	-2.7	-2.4	-2.3	-2.2	-5.6	-10.9
H19	-16.4	-16.4	-16.4	-13.7	-9.6	-5.8	-3.7	-3.4	-3.3	-3.2	-6.6	-11.8
H20	-15.2	-15.2	-15.2	-12.5	-8.3	-4.5	-2.4	-2.1	-2.0	-1.9	-5.3	-10.6
H21	-16.6	-16.6	-16.6	-13.9	-9.8	-6.0	-3.9	-3.6	-3.5	-3.5	-6.8	-12.0
H22	-16.1	-16.1	-16.1	-13.4	-9.3	-5.5	-3.4	-3.1	-3.0	-2.9	-6.3	-11.5

House ID	Reference Wind Speed, Standardised v_{10} (ms ⁻¹)											
	1	2	3	4	5	6	7	8	9	10	11	12
H23	-15.9	-15.9	-15.9	-13.2	-9.1	-5.3	-3.2	-2.9	-2.8	-2.7	-6.1	-11.3
H24	-20.5	-20.5	-20.5	-17.4	-12.5	-8.7	-6.4	-5.9	-5.6	-5.3	-9.8	-14.7
H25	-14.5	-14.5	-14.5	-11.7	-7.6	-3.8	-1.7	-1.3	-1.3	-1.2	-4.5	-9.9
H26	-16.3	-16.3	-16.3	-13.6	-9.5	-5.7	-3.6	-3.3	-3.2	-3.2	-6.5	-11.7
H27	-14.9	-14.9	-14.9	-12.1	-8.0	-4.2	-2.1	-1.8	-1.7	-1.6	-5.0	-10.3
H28	-15.3	-15.3	-15.3	-12.5	-8.4	-4.7	-2.6	-2.2	-2.1	-2.1	-5.4	-10.7
H29	-17.2	-17.2	-17.2	-14.5	-10.4	-6.7	-4.6	-4.2	-4.2	-4.1	-7.4	-12.6
H30	-16.2	-16.2	-16.2	-13.5	-9.4	-5.6	-3.5	-3.2	-3.1	-3.0	-6.4	-11.6
H31	-17.1	-17.1	-17.1	-14.3	-10.3	-6.5	-4.4	-4.0	-4.0	-3.9	-7.2	-12.5
H32	-16.9	-16.9	-16.9	-14.2	-10.1	-6.3	-4.2	-3.9	-3.8	-3.7	-7.1	-12.3
H33	-20.5	-20.5	-20.5	-17.8	-13.7	-10.0	-7.9	-7.5	-7.5	-7.4	-10.7	-15.9
H34	-19.0	-19.0	-19.0	-16.2	-12.2	-8.4	-6.3	-6.0	-6.0	-6.0	-5.9	-7.3
H35	-16.2	-16.2	-16.2	-13.5	-9.4	-5.7	-3.6	-3.2	-3.2	-3.1	-6.4	-11.6
H36	-18.1	-18.1	-18.1	-15.4	-11.3	-7.6	-5.5	-5.1	-5.1	-5.0	-8.3	-13.5
H37	-20.1	-20.1	-20.1	-17.4	-13.3	-9.5	-7.4	-7.1	-7.0	-7.0	-10.3	-15.5
H38	-16.0	-16.0	-16.0	-13.3	-9.2	-5.4	-3.3	-3.0	-2.9	-2.8	-6.2	-11.4
H39	-18.9	-18.9	-18.9	-15.9	-11.2	-7.3	-5.0	-4.6	-4.3	-3.8	-8.4	-13.2
H40	-15.8	-15.8	-15.8	-13.1	-9.0	-5.2	-3.1	-2.7	-2.7	-2.6	-5.9	-11.2
H41	-19.2	-19.2	-19.2	-16.5	-12.4	-8.6	-6.5	-6.2	-6.1	-6.0	-9.4	-14.6
H42	-18.4	-18.4	-18.4	-15.7	-11.6	-7.9	-5.8	-5.4	-5.4	-5.3	-8.6	-13.8
H43	-20.0	-20.0	-20.0	-17.3	-13.2	-9.5	-7.4	-7.0	-7.0	-6.9	-10.2	-15.4
H44	-16.6	-16.6	-16.6	-13.9	-9.8	-6.0	-3.9	-3.6	-3.5	-3.5	-6.8	-12.0
H45	-18.7	-18.7	-18.7	-16.0	-12.0	-8.2	-6.1	-5.7	-5.7	-5.6	-8.9	-14.1
H46	-19.4	-19.4	-19.4	-16.7	-12.6	-8.8	-6.7	-6.4	-6.3	-6.2	-9.6	-14.8
H47	-19.5	-19.5	-19.5	-16.7	-12.7	-8.9	-6.8	-6.4	-6.4	-6.3	-9.6	-14.8
H48	-24.6	-24.6	-24.6	-21.7	-17.0	-13.2	-10.9	-10.4	-10.0	-9.6	-14.2	-19.0
H49	-27.4	-27.4	-27.4	-24.5	-19.9	-16.0	-13.7	-13.2	-12.7	-12.3	-17.1	-21.8
H50	-27.8	-27.8	-27.8	-24.9	-20.3	-16.4	-14.1	-13.6	-13.1	-12.7	-17.5	-22.3
H52	-27.4	-27.4	-27.4	-24.5	-19.9	-16.0	-13.7	-13.2	-12.6	-12.4	-17.1	-21.9
H53	-27.6	-27.6	-27.6	-24.7	-20.1	-16.3	-13.9	-13.4	-12.9	-12.5	-17.3	-22.0
H54	-28.1	-28.1	-28.1	-25.2	-20.7	-16.8	-14.4	-13.9	-13.3	-13.1	-17.8	-22.6
H55	-27.4	-27.4	-27.4	-24.6	-20.1	-16.2	-13.9	-13.4	-15.4	-19.7	-24.3	-29.2
H56	-26.8	-26.8	-26.8	-23.9	-19.5	-15.6	-13.3	-12.9	-14.8	-19.0	-23.6	-28.5
H57	-26.6	-26.6	-26.6	-23.7	-19.3	-15.5	-13.2	-12.7	-14.7	-18.9	-23.4	-28.3
H58	-27.0	-27.0	-27.0	-24.1	-19.7	-15.8	-13.5	-13.1	-15.1	-19.3	-23.8	-28.7
H59	-27.0	-27.0	-27.0	-24.1	-19.7	-15.8	-13.5	-13.1	-15.1	-19.3	-23.8	-28.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H60	-27.0	-27.0	-27.0	-24.1	-19.7	-15.8	-13.5	-13.1	-15.0	-19.2	-23.8	-28.7
H61	-26.9	-26.9	-26.9	-24.1	-19.6	-15.8	-13.5	-13.0	-15.0	-19.2	-23.8	-28.6
H62	-26.8	-26.8	-26.8	-24.0	-19.6	-15.7	-13.4	-12.9	-14.9	-19.1	-23.6	-28.5
H63	-26.8	-26.8	-26.8	-24.0	-19.6	-15.7	-13.4	-12.9	-14.9	-19.1	-23.7	-28.6
H64	-26.8	-26.8	-26.8	-23.9	-19.5	-15.7	-13.4	-12.9	-14.9	-19.1	-23.6	-28.5
H65	-26.8	-26.8	-26.8	-23.9	-19.5	-15.6	-13.4	-12.9	-14.9	-19.1	-23.6	-28.5
H66	-26.8	-26.8	-26.8	-23.9	-19.5	-15.6	-13.3	-12.9	-14.8	-19.1	-23.6	-28.5
H67	-26.4	-26.4	-26.4	-23.6	-19.2	-15.3	-13.1	-12.6	-14.6	-18.7	-23.3	-28.1
H68	-19.4	-19.4	-19.4	-16.5	-12.2	-8.3	-6.0	-5.5	-7.4	-11.6	-16.1	-21.0
H69	-26.0	-26.0	-26.0	-23.3	-19.2	-15.4	-13.3	-12.9	-12.7	-12.7	-12.6	-14.6
H70	-21.9	-21.9	-21.9	-19.1	-14.8	-10.9	-8.7	-8.2	-10.1	-14.2	-18.6	-23.5
H71	-27.5	-27.5	-27.5	-24.7	-20.3	-16.4	-14.1	-13.6	-15.6	-19.8	-24.4	-29.3
H72	-21.5	-21.5	-21.5	-18.8	-14.8	-11.0	-8.9	-8.5	-10.2	-13.9	-18.1	-22.9
H73	-20.4	-20.4	-20.4	-17.6	-13.2	-9.2	-6.6	-5.6	-7.6	-12.5	-17.2	-22.2
H74	-19.7	-19.7	-19.7	-16.9	-12.5	-8.3	-5.4	-4.5	-6.2	-11.6	-16.6	-21.6
H75	-14.0	-14.0	-14.0	-11.3	-7.1	-3.3	-1.1	-0.5	-2.3	-6.2	-10.7	-15.5
H76	-20.6	-20.6	-20.6	-17.9	-13.5	-9.4	-6.9	-5.8	-7.9	-12.7	-17.4	-22.4
H77	-20.6	-20.6	-20.6	-17.8	-13.4	-9.4	-6.8	-5.7	-7.8	-12.6	-17.4	-22.4
H78	-14.2	-14.2	-14.2	-11.4	-7.3	-3.4	-1.1	-0.6	-2.4	-6.4	-10.9	-15.7
H79	-14.7	-14.7	-14.7	-12.0	-7.8	-3.9	-1.6	-1.0	-2.8	-7.0	-11.5	-16.3
H80	-15.6	-15.6	-15.6	-12.9	-8.7	-4.7	-2.4	-1.7	-3.6	-7.7	-12.3	-17.1
H81	-18.1	-18.1	-18.1	-15.3	-11.0	-6.9	-4.3	-3.2	-5.3	-10.1	-14.9	-19.9
H82	-16.0	-16.0	-16.0	-13.3	-9.0	-5.0	-2.5	-1.6	-3.4	-7.9	-12.7	-17.6
H83	-16.0	-16.0	-16.0	-13.3	-9.0	-5.0	-2.5	-1.6	-3.4	-7.9	-12.7	-17.6
H84	-19.0	-19.0	-19.0	-16.3	-12.2	-8.5	-6.4	-6.1	-7.8	-11.4	-17.0	-22.8
H85	-25.4	-25.4	-25.4	-22.6	-18.4	-14.6	-12.3	-11.9	-13.7	-17.7	-22.2	-27.0
H86	-25.7	-25.7	-25.7	-22.9	-18.7	-14.8	-12.6	-12.2	-14.0	-18.0	-22.4	-27.2
H87	-25.4	-25.4	-25.4	-22.6	-18.4	-14.5	-12.3	-11.9	-13.7	-17.7	-22.1	-26.9
H88	-15.4	-15.4	-15.4	-12.7	-8.6	-4.8	-2.7	-2.4	-2.3	-2.2	-5.6	-10.8
H89	-14.7	-14.7	-14.7	-11.9	-7.8	-4.0	-1.9	-1.6	-1.5	-1.4	-4.8	-10.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-22.2	-22.2	-22.2	-19.3	-15.0	-11.2	-9.1	-8.7	-8.7	-8.4	-12.0	-17.6

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H2	-22.2	-22.2	-22.2	-19.3	-15.0	-11.2	-9.1	-8.7	-8.7	-8.4	-12.0	-17.6
H3	-22.1	-22.1	-22.1	-19.2	-14.9	-11.1	-8.9	-8.6	-8.5	-8.2	-11.8	-17.5
H4	-22.1	-22.1	-22.1	-19.2	-14.8	-11.1	-8.9	-8.6	-8.5	-8.2	-11.8	-17.4
H5	-22.0	-22.0	-22.0	-19.1	-14.7	-10.9	-8.8	-8.4	-8.3	-8.1	-11.7	-17.3
H6	-22.3	-22.3	-22.3	-19.6	-15.5	-11.7	-9.6	-9.3	-9.2	-9.1	-12.5	-17.7
H7	-20.1	-20.1	-20.1	-17.0	-12.4	-8.6	-6.4	-6.0	-5.9	-5.6	-9.7	-14.3
H8	-25.9	-25.9	-25.9	-22.5	-17.1	-13.3	-11.0	-10.6	-10.6	-10.8	-14.4	-19.9
H9	-25.1	-25.1	-25.1	-21.8	-16.9	-13.1	-10.8	-10.4	-10.2	-9.8	-14.2	-19.2
H10	-18.6	-18.6	-18.6	-15.5	-10.8	-7.0	-4.7	-4.3	-4.1	-3.8	-8.1	-12.9
H11	-18.5	-18.5	-18.5	-15.4	-10.7	-6.9	-4.6	-4.2	-4.0	-3.7	-8.0	-12.8
H12	-19.4	-19.4	-19.4	-16.3	-11.5	-7.7	-5.4	-5.0	-4.8	-4.4	-8.8	-13.6
H13	-20.3	-20.3	-20.3	-17.5	-13.4	-9.6	-7.5	-7.2	-7.1	-7.0	-10.4	-15.7
H14	-24.9	-24.9	-24.9	-21.7	-16.8	-13.0	-10.7	-10.3	-10.1	-9.6	-14.1	-19.1
H15	-25.6	-25.6	-25.6	-22.5	-17.7	-13.9	-11.6	-11.2	-11.0	-10.6	-15.0	-19.8
H16	-20.1	-20.1	-20.1	-17.4	-13.4	-9.6	-7.5	-7.2	-7.1	-7.1	-10.3	-15.5
H17	-16.4	-16.4	-16.4	-13.7	-9.5	-5.8	-3.7	-3.3	-3.2	-3.2	-6.5	-11.8
H18	-15.5	-15.5	-15.5	-12.7	-8.6	-4.8	-2.7	-2.4	-2.3	-2.2	-5.6	-10.9
H19	-16.4	-16.4	-16.4	-13.7	-9.6	-5.8	-3.7	-3.4	-3.3	-3.2	-6.6	-11.8
H20	-15.2	-15.2	-15.2	-12.5	-8.3	-4.5	-2.4	-2.1	-2.0	-1.9	-5.3	-10.6
H21	-16.6	-16.6	-16.6	-13.9	-9.8	-6.0	-3.9	-3.6	-3.5	-3.4	-6.8	-12.0
H22	-16.1	-16.1	-16.1	-13.4	-9.3	-5.5	-3.4	-3.1	-3.0	-2.9	-6.3	-11.5
H23	-15.9	-15.9	-15.9	-13.2	-9.1	-5.3	-3.2	-2.9	-2.8	-2.7	-6.1	-11.3
H24	-18.9	-18.9	-18.9	-15.8	-11.1	-7.3	-5.0	-4.5	-4.2	-3.8	-8.3	-13.2
H25	-14.5	-14.5	-14.5	-11.7	-7.6	-3.8	-1.7	-1.3	-1.3	-1.2	-4.5	-9.9
H26	-16.3	-16.3	-16.3	-13.6	-9.5	-5.7	-3.6	-3.3	-3.2	-3.2	-6.5	-11.7
H27	-14.9	-14.9	-14.9	-12.1	-8.0	-4.2	-2.1	-1.8	-1.7	-1.6	-5.0	-10.3
H28	-15.3	-15.3	-15.3	-12.5	-8.4	-4.7	-2.6	-2.2	-2.1	-2.1	-5.4	-10.7
H29	-17.2	-17.2	-17.2	-14.5	-10.4	-6.7	-4.6	-4.2	-4.2	-4.1	-7.4	-12.6
H30	-16.2	-16.2	-16.2	-13.5	-9.4	-5.6	-3.5	-3.2	-3.1	-3.0	-6.4	-11.6
H31	-17.1	-17.1	-17.1	-14.3	-10.3	-6.5	-4.4	-4.0	-4.0	-3.9	-7.2	-12.5
H32	-16.9	-16.9	-16.9	-14.2	-10.1	-6.3	-4.2	-3.9	-3.8	-3.7	-7.0	-12.3
H33	-20.5	-20.5	-20.5	-17.8	-13.8	-10.0	-7.9	-7.5	-7.5	-7.4	-10.7	-15.9
H34	-19.0	-19.0	-19.0	-16.2	-12.2	-8.4	-6.3	-6.0	-6.0	-6.0	-5.9	-7.3
H35	-16.2	-16.2	-16.2	-13.5	-9.4	-5.7	-3.6	-3.2	-3.1	-3.1	-6.4	-11.6
H36	-18.1	-18.1	-18.1	-15.4	-11.4	-7.6	-5.5	-5.1	-5.1	-5.0	-8.3	-13.5
H37	-20.1	-20.1	-20.1	-17.4	-13.3	-9.5	-7.4	-7.1	-7.0	-7.0	-10.3	-15.5

Table 10.12.23: Margins in 300 Degree Sector - Night

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H38	-16.0	-16.0	-16.0	-13.3	-9.2	-5.4	-3.3	-3.0	-2.9	-2.8	-6.1	-11.4
H39	-18.2	-18.2	-18.2	-15.2	-10.6	-6.8	-4.5	-4.1	-3.7	-3.3	-7.8	-12.5
H40	-15.8	-15.8	-15.8	-13.1	-9.0	-5.2	-3.1	-2.7	-2.7	-2.6	-5.9	-11.2
H41	-19.2	-19.2	-19.2	-16.5	-12.4	-8.6	-6.5	-6.2	-6.1	-6.1	-9.4	-14.6
H42	-18.4	-18.4	-18.4	-15.7	-11.6	-7.9	-5.8	-5.4	-5.4	-5.3	-8.6	-13.8
H43	-20.0	-20.0	-20.0	-17.3	-13.2	-9.5	-7.4	-7.0	-7.0	-6.9	-10.2	-15.4
H44	-16.6	-16.6	-16.6	-13.9	-9.8	-6.0	-3.9	-3.6	-3.5	-3.4	-6.8	-12.0
H45	-18.7	-18.7	-18.7	-16.0	-12.0	-8.2	-6.1	-5.7	-5.7	-5.6	-8.9	-14.1
H46	-19.4	-19.4	-19.4	-16.7	-12.6	-8.8	-6.7	-6.4	-6.3	-6.3	-9.6	-14.8
H47	-19.5	-19.5	-19.5	-16.7	-12.7	-8.9	-6.8	-6.5	-6.4	-6.3	-9.6	-14.8
H48	-24.0	-24.0	-24.0	-21.0	-16.6	-12.7	-10.4	-10.0	-9.6	-9.3	-13.7	-18.4
H49	-27.4	-27.4	-27.4	-24.6	-20.2	-16.3	-14.1	-13.6	-13.2	-12.9	-17.4	-21.9
H50	-27.8	-27.8	-27.8	-25.0	-20.6	-16.8	-14.5	-14.0	-13.5	-13.3	-17.8	-22.3
H52	-27.4	-27.4	-27.4	-24.6	-20.2	-16.3	-14.0	-13.6	-13.1	-12.8	-17.4	-21.9
H53	-27.6	-27.6	-27.6	-24.8	-20.4	-16.5	-14.3	-13.8	-13.3	-13.0	-17.6	-22.1
H54	-28.3	-28.3	-28.3	-25.5	-21.2	-17.3	-15.0	-14.5	-14.0	-13.7	-18.3	-22.8
H55	-28.1	-28.1	-28.1	-25.3	-21.0	-17.1	-14.8	-14.3	-16.2	-20.4	-24.9	-29.8
H56	-27.4	-27.4	-27.4	-24.6	-20.4	-16.5	-14.2	-13.8	-15.6	-19.7	-24.3	-29.1
H57	-27.3	-27.3	-27.3	-24.5	-20.2	-16.3	-14.0	-13.6	-15.5	-19.6	-24.1	-28.9
H58	-27.6	-27.6	-27.6	-24.9	-20.6	-16.7	-14.4	-14.0	-15.8	-20.0	-24.5	-29.3
H59	-27.6	-27.6	-27.6	-24.9	-20.6	-16.7	-14.4	-14.0	-15.8	-20.0	-24.5	-29.3
H60	-27.6	-27.6	-27.6	-24.8	-20.6	-16.7	-14.4	-13.9	-15.8	-19.9	-24.4	-29.3
H61	-27.6	-27.6	-27.6	-24.8	-20.5	-16.6	-14.4	-13.9	-15.8	-19.9	-24.4	-29.2
H62	-27.4	-27.4	-27.4	-24.7	-20.4	-16.5	-14.2	-13.8	-15.6	-19.8	-24.3	-29.1
H63	-27.6	-27.6	-27.6	-24.9	-20.6	-16.7	-14.4	-14.0	-15.8	-20.0	-24.5	-29.3
H64	-27.6	-27.6	-27.6	-24.8	-20.6	-16.7	-14.4	-14.0	-15.8	-19.9	-24.5	-29.3
H65	-27.6	-27.6	-27.6	-24.8	-20.6	-16.7	-14.4	-14.0	-15.8	-19.9	-24.4	-29.3
H66	-27.6	-27.6	-27.6	-24.8	-20.5	-16.7	-14.4	-13.9	-15.8	-19.9	-24.4	-29.3
H67	-27.2	-27.2	-27.2	-24.5	-20.2	-16.3	-14.1	-13.6	-15.5	-19.6	-24.1	-28.9
H68	-20.9	-20.9	-20.9	-18.1	-13.8	-9.9	-7.6	-7.0	-8.8	-13.1	-17.7	-22.5
H69	-27.5	-27.5	-27.5	-24.8	-20.7	-16.9	-14.7	-14.3	-14.0	-13.9	-13.9	-16.0
H70	-23.9	-23.9	-23.9	-21.1	-16.9	-13.0	-10.7	-10.3	-12.1	-16.1	-20.6	-25.4
H71	-28.6	-28.6	-28.6	-25.9	-21.6	-17.7	-15.4	-15.0	-16.8	-21.0	-25.5	-30.3
H72	-21.5	-21.5	-21.5	-18.8	-14.8	-11.0	-8.9	-8.5	-10.2	-13.9	-18.1	-22.9
H73	-22.9	-22.9	-22.9	-20.1	-15.8	-11.8	-9.4	-8.5	-10.4	-15.0	-19.7	-24.6

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H74	-22.5	-22.5	-22.5	-19.8	-15.4	-11.4	-8.9	-7.9	-9.7	-14.5	-19.4	-24.3
H75	-15.3	-15.3	-15.3	-12.6	-8.4	-4.6	-2.4	-1.8	-3.6	-7.5	-12.0	-16.8
H76	-23.5	-23.5	-23.5	-20.8	-16.5	-12.6	-10.2	-9.5	-11.3	-15.7	-20.4	-25.3
H77	-23.4	-23.4	-23.4	-20.7	-16.4	-12.4	-10.1	-9.3	-11.2	-15.7	-20.3	-25.2
H78	-16.5	-16.5	-16.5	-13.8	-9.6	-5.7	-3.3	-2.7	-4.5	-8.6	-13.2	-18.0
H79	-18.1	-18.1	-18.1	-15.4	-11.2	-7.3	-4.9	-4.3	-6.0	-10.3	-14.8	-19.7
H80	-18.4	-18.4	-18.4	-15.7	-11.4	-7.4	-4.9	-3.9	-5.7	-10.3	-15.1	-20.0
H81	-22.3	-22.3	-22.3	-19.5	-15.3	-11.3	-8.8	-7.9	-9.8	-14.4	-19.1	-24.1
H82	-19.0	-19.0	-19.0	-16.2	-11.9	-7.8	-5.2	-4.0	-5.8	-10.7	-15.6	-20.6
H83	-19.0	-19.0	-19.0	-16.2	-11.9	-7.8	-5.2	-4.0	-5.8	-10.7	-15.6	-20.6
H84	-22.7	-22.7	-22.7	-20.0	-16.0	-12.2	-10.1	-9.8	-11.5	-15.1	-20.8	-26.5
H85	-28.3	-28.3	-28.3	-25.5	-21.4	-17.5	-15.3	-14.9	-16.7	-20.6	-25.0	-29.8
H86	-28.5	-28.5	-28.5	-25.8	-21.7	-17.8	-15.6	-15.2	-17.0	-20.9	-25.3	-30.1
H87	-28.3	-28.3	-28.3	-25.6	-21.4	-17.6	-15.4	-15.0	-16.8	-20.7	-25.1	-29.9
H88	-15.4	-15.4	-15.4	-12.7	-8.6	-4.8	-2.7	-2.4	-2.3	-2.2	-5.6	-10.8
H89	-14.7	-14.7	-14.7	-11.9	-7.8	-4.0	-1.9	-1.6	-1.5	-1.4	-4.8	-10.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-22.2	-22.2	-22.2	-19.4	-15.0	-11.2	-9.1	-8.8	-8.7	-8.4	-12.1	-17.6
H2	-22.2	-22.2	-22.2	-19.3	-15.0	-11.2	-9.1	-8.8	-8.7	-8.4	-12.1	-17.6
H3	-22.1	-22.1	-22.1	-19.2	-14.9	-11.1	-9.0	-8.6	-8.5	-8.3	-11.9	-17.5
H4	-22.1	-22.1	-22.1	-19.2	-14.9	-11.1	-8.9	-8.6	-8.5	-8.2	-11.9	-17.5
H5	-22.0	-22.0	-22.0	-19.1	-14.7	-10.9	-8.8	-8.4	-8.4	-8.1	-11.8	-17.4
H6	-22.3	-22.3	-22.3	-19.6	-15.5	-11.7	-9.6	-9.3	-9.2	-9.1	-12.5	-17.7
H7	-19.8	-19.8	-19.8	-16.7	-12.2	-8.4	-6.2	-5.8	-5.7	-5.5	-9.6	-14.1
H8	-21.9	-21.9	-21.9	-18.7	-13.8	-10.0	-7.7	-7.3	-7.1	-6.7	-11.3	-16.2
H9	-21.1	-21.1	-21.1	-18.0	-13.4	-9.6	-7.4	-7.0	-6.9	-6.7	-10.9	-15.4
H10	-18.4	-18.4	-18.4	-15.3	-10.8	-6.9	-4.7	-4.3	-4.1	-3.9	-8.1	-12.7
H11	-18.3	-18.3	-18.3	-15.2	-10.7	-6.8	-4.6	-4.2	-4.0	-3.8	-8.1	-12.6
H12	-17.4	-17.4	-17.4	-14.4	-9.8	-5.9	-3.7	-3.3	-3.1	-2.9	-7.2	-11.7
H13	-20.3	-20.3	-20.3	-17.5	-13.4	-9.6	-7.5	-7.2	-7.1	-7.1	-10.4	-15.7
H14	-20.4	-20.4	-20.4	-17.4	-12.8	-9.0	-6.8	-6.4	-6.3	-6.1	-10.2	-14.7
H15	-21.1	-21.1	-21.1	-18.2	-13.7	-9.9	-7.7	-7.3	-7.1	-7.0	-11.1	-15.5
H16	-20.1	-20.1	-20.1	-17.4	-13.4	-9.6	-7.5	-7.2	-7.1	-7.1	-10.4	-15.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H17	-16.4	-16.4	-16.4	-13.7	-9.6	-5.8	-3.7	-3.3	-3.3	-3.2	-6.6	-11.8
H18	-15.5	-15.5	-15.5	-12.8	-8.7	-4.9	-2.8	-2.4	-2.3	-2.3	-5.6	-10.9
H19	-16.5	-16.5	-16.5	-13.7	-9.6	-5.9	-3.8	-3.4	-3.4	-3.3	-6.6	-11.9
H20	-15.2	-15.2	-15.2	-12.5	-8.4	-4.6	-2.5	-2.1	-2.1	-2.0	-5.4	-10.6
H21	-16.6	-16.6	-16.6	-13.9	-9.8	-6.0	-4.0	-3.6	-3.6	-3.5	-6.8	-12.0
H22	-16.1	-16.1	-16.1	-13.4	-9.3	-5.5	-3.4	-3.1	-3.0	-3.0	-6.3	-11.5
H23	-15.9	-15.9	-15.9	-13.2	-9.1	-5.3	-3.2	-2.9	-2.8	-2.8	-6.1	-11.3
H24	-16.1	-16.1	-16.1	-13.2	-8.9	-5.0	-2.8	-2.4	-2.1	-2.0	-6.1	-10.5
H25	-14.5	-14.5	-14.5	-11.8	-7.6	-3.9	-1.7	-1.4	-1.3	-1.2	-4.6	-9.9
H26	-16.3	-16.3	-16.3	-13.6	-9.6	-5.8	-3.7	-3.3	-3.3	-3.2	-6.5	-11.7
H27	-14.9	-14.9	-14.9	-12.2	-8.1	-4.3	-2.2	-1.8	-1.8	-1.7	-5.0	-10.3
H28	-15.3	-15.3	-15.3	-12.6	-8.5	-4.7	-2.6	-2.2	-2.2	-2.1	-5.5	-10.7
H29	-17.3	-17.3	-17.3	-14.5	-10.5	-6.7	-4.6	-4.2	-4.2	-4.1	-7.4	-12.7
H30	-16.2	-16.2	-16.2	-13.5	-9.4	-5.6	-3.5	-3.2	-3.1	-3.1	-6.4	-11.6
H31	-17.1	-17.1	-17.1	-14.4	-10.3	-6.5	-4.4	-4.1	-4.0	-3.9	-7.3	-12.5
H32	-16.9	-16.9	-16.9	-14.2	-10.1	-6.3	-4.2	-3.9	-3.8	-3.8	-7.1	-12.3
H33	-20.5	-20.5	-20.5	-17.8	-13.8	-10.0	-7.9	-7.5	-7.5	-7.4	-10.7	-15.9
H34	-19.0	-19.0	-19.0	-16.3	-12.2	-8.4	-6.4	-6.0	-6.0	-6.0	-6.0	-7.3
H35	-16.3	-16.3	-16.3	-13.5	-9.5	-5.7	-3.6	-3.2	-3.2	-3.1	-6.4	-11.7
H36	-18.1	-18.1	-18.1	-15.4	-11.4	-7.6	-5.5	-5.2	-5.1	-5.0	-8.4	-13.5
H37	-20.1	-20.1	-20.1	-17.4	-13.3	-9.5	-7.4	-7.1	-7.1	-7.0	-10.3	-15.5
H38	-16.0	-16.0	-16.0	-13.3	-9.2	-5.4	-3.3	-3.0	-2.9	-2.9	-6.2	-11.4
H39	-16.3	-16.3	-16.3	-13.5	-9.2	-5.3	-3.1	-2.6	-2.4	-2.3	-6.4	-10.7
H40	-15.8	-15.8	-15.8	-13.1	-9.0	-5.2	-3.1	-2.8	-2.7	-2.6	-6.0	-11.2
H41	-19.2	-19.2	-19.2	-16.5	-12.4	-8.6	-6.5	-6.2	-6.1	-6.1	-9.4	-14.6
H42	-18.4	-18.4	-18.4	-15.7	-11.7	-7.9	-5.8	-5.4	-5.4	-5.3	-8.6	-13.8
H43	-20.0	-20.0	-20.0	-17.3	-13.3	-9.5	-7.4	-7.0	-7.0	-6.9	-10.2	-15.4
H44	-16.6	-16.6	-16.6	-13.9	-9.8	-6.1	-4.0	-3.6	-3.6	-3.5	-6.8	-12.0
H45	-18.7	-18.7	-18.7	-16.0	-12.0	-8.2	-6.1	-5.8	-5.7	-5.7	-9.0	-14.1
H46	-19.4	-19.4	-19.4	-16.7	-12.6	-8.8	-6.7	-6.4	-6.3	-6.3	-9.6	-14.8
H47	-19.5	-19.5	-19.5	-16.8	-12.7	-8.9	-6.8	-6.5	-6.4	-6.3	-9.7	-14.9
H48	-21.5	-21.5	-21.5	-18.7	-14.5	-10.5	-8.3	-7.9	-7.5	-7.4	-11.6	-15.9
H49	-25.7	-25.7	-25.7	-22.9	-18.8	-14.8	-12.5	-12.0	-11.6	-11.5	-15.8	-20.1
H50	-26.1	-26.1	-26.1	-23.4	-19.2	-15.2	-12.9	-12.5	-12.0	-11.9	-16.2	-20.5
H52	-25.6	-25.6	-25.6	-22.9	-18.7	-14.7	-12.4	-11.9	-11.4	-11.2	-15.7	-20.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H53	-25.8	-25.8	-25.8	-23.1	-18.9	-14.9	-12.6	-12.1	-11.6	-11.5	-15.9	-20.2
H54	-27.0	-27.0	-27.0	-24.3	-20.1	-16.1	-13.8	-13.3	-12.8	-12.6	-17.1	-21.4
H55	-27.0	-27.0	-27.0	-24.3	-20.1	-16.1	-13.8	-13.3	-15.1	-19.2	-23.8	-28.6
H56	-26.5	-26.5	-26.5	-23.8	-19.6	-15.6	-13.3	-12.9	-14.7	-18.7	-23.2	-28.1
H57	-26.3	-26.3	-26.3	-23.6	-19.4	-15.4	-13.2	-12.7	-14.5	-18.6	-23.1	-27.9
H58	-26.7	-26.7	-26.7	-24.0	-19.8	-15.8	-13.5	-13.1	-14.9	-19.0	-23.5	-28.3
H59	-26.7	-26.7	-26.7	-24.0	-19.8	-15.8	-13.5	-13.1	-14.9	-19.0	-23.5	-28.3
H60	-26.7	-26.7	-26.7	-24.0	-19.8	-15.8	-13.5	-13.0	-14.8	-18.9	-23.4	-28.3
H61	-26.6	-26.6	-26.6	-23.9	-19.7	-15.7	-13.4	-13.0	-14.8	-18.9	-23.4	-28.2
H62	-26.5	-26.5	-26.5	-23.8	-19.6	-15.6	-13.3	-12.9	-14.7	-18.8	-23.3	-28.1
H63	-27.0	-27.0	-27.0	-24.2	-20.1	-16.1	-13.8	-13.3	-15.1	-19.2	-23.7	-28.5
H64	-26.9	-26.9	-26.9	-24.2	-20.1	-16.1	-13.8	-13.3	-15.1	-19.2	-23.7	-28.5
H65	-26.9	-26.9	-26.9	-24.2	-20.1	-16.0	-13.7	-13.3	-15.1	-19.2	-23.7	-28.5
H66	-26.9	-26.9	-26.9	-24.2	-20.0	-16.0	-13.7	-13.3	-15.1	-19.1	-23.6	-28.5
H67	-26.6	-26.6	-26.6	-23.8	-19.7	-15.7	-13.4	-12.9	-14.7	-18.8	-23.3	-28.1
H68	-21.0	-21.0	-21.0	-18.3	-14.0	-9.9	-7.4	-6.8	-8.9	-13.2	-17.8	-22.6
H69	-27.6	-27.6	-27.6	-24.9	-20.8	-16.9	-14.7	-14.3	-14.2	-14.1	-14.1	-16.1
H70	-24.0	-24.0	-24.0	-21.3	-17.2	-13.2	-10.9	-10.4	-12.3	-16.3	-20.8	-25.6
H71	-28.3	-28.3	-28.3	-25.5	-21.4	-17.4	-15.1	-14.6	-16.4	-20.5	-25.0	-29.8
H72	-22.3	-22.3	-22.3	-19.6	-15.6	-11.8	-9.7	-9.3	-11.0	-14.7	-18.9	-23.7
H73	-23.5	-23.5	-23.5	-20.8	-16.6	-12.5	-10.1	-9.5	-11.6	-15.8	-20.4	-25.3
H74	-23.4	-23.4	-23.4	-20.7	-16.4	-12.3	-9.8	-9.2	-11.3	-15.7	-20.3	-25.1
H75	-18.1	-18.1	-18.1	-15.4	-11.3	-7.4	-5.2	-4.7	-6.5	-10.4	-14.8	-19.5
H76	-24.4	-24.4	-24.4	-21.7	-17.5	-13.5	-11.1	-10.6	-12.6	-16.7	-21.3	-26.1
H77	-24.3	-24.3	-24.3	-21.6	-17.4	-13.4	-11.1	-10.5	-12.5	-16.7	-21.2	-26.1
H78	-19.0	-19.0	-19.0	-16.3	-12.1	-8.2	-5.9	-5.2	-7.2	-11.3	-15.7	-20.5
H79	-20.1	-20.1	-20.1	-17.4	-13.2	-9.2	-6.8	-6.1	-8.1	-12.4	-16.9	-21.7
H80	-21.8	-21.8	-21.8	-19.0	-14.8	-10.6	-8.0	-6.8	-9.2	-13.9	-18.6	-23.4
H81	-24.6	-24.6	-24.6	-21.9	-17.8	-13.8	-11.6	-11.1	-13.0	-17.0	-21.4	-26.3
H82	-22.4	-22.4	-22.4	-19.7	-15.3	-11.0	-8.1	-7.3	-9.3	-14.5	-19.4	-24.3
H83	-22.4	-22.4	-22.4	-19.7	-15.3	-11.0	-8.1	-7.3	-9.3	-14.5	-19.4	-24.3
H84	-24.2	-24.2	-24.2	-21.5	-17.5	-13.7	-11.6	-11.3	-13.0	-16.6	-22.4	-28.0
H85	-29.1	-29.1	-29.1	-26.4	-22.3	-18.4	-16.2	-15.8	-17.6	-21.4	-25.8	-30.6
H86	-29.4	-29.4	-29.4	-26.7	-22.6	-18.7	-16.5	-16.1	-17.9	-21.7	-26.1	-30.9
H87	-29.3	-29.3	-29.3	-26.6	-22.5	-18.6	-16.4	-16.0	-17.8	-21.6	-26.0	-30.8
H88	-15.4	-15.4	-15.4	-12.7	-8.7	-4.9	-2.8	-2.4	-2.4	-2.3	-5.6	-10.8

Table 10.12.24: Cumulative Predicted Noise Levels in 330 Degree Sector - Night												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H89	-14.7	-14.7	-14.7	-12.0	-7.9	-4.1	-2.0	-1.6	-1.6	-1.5	-4.8	-10.1

Technical Appendix 10.13: Noise Management Strategy

Turbine ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
T1	M0	M0	M0	M0	M0	M2	M2	M3	M0	M0	M0	M0
T2	M0	M0	M0	M0	M0	M2	M3	M2	M0	M0	M0	M0
T3	M0	M0	M0	M0	M0	M1	M1	M2	M0	M0	M0	M0
T4	M0	M0	M0	M0	M0	M0	M1	M1	M0	M0	M0	M0
T5	M0	M0	M0	M0	M0	M1	M1	M1	M1	M0	M0	M0

Turbine ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
T1	M0	M0	M0	M0	M0	M2	M2	M3	M0	M0	M0	M0
T2	M0	M0	M0	M0	M0	M2	M2	M2	M0	M0	M0	M0
T3	M0	M0	M0	M0	M0	M1	M1	M1	M0	M0	M0	M0
T4	M0	M0	M0	M0	M0	M0	M1	M1	M0	M0	M0	M0
T5	M0	M0	M0	M0	M0	M1	M1	M1	M0	M0	M0	M0

Turbine ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
T1	M0	M0	M0	M0	M0	M2	M2	M3	M0	M0	M0	M0
T2	M0	M0	M0	M0	M0	M2	M2	M2	M0	M0	M0	M0
T3	M0	M0	M0	M0	M0	M3	M3	M1	M0	M0	M0	M0
T4	M0	M0	M0	M0	M0	M2	M2	M1	M0	M0	M0	M0
T5	M0	M0	M0	M0	M0	M1	M1	M1	M0	M0	M0	M0

Turbine ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
T1	M0	M0	M0	M0	M0	M2	M2	M3	M0	M0	M0	M0
T2	M0	M0	M0	M0	M0	M2	M2	M2	M0	M0	M0	M0
T3	M0	M0	M0	M0	M0	M3	M3	M1	M0	M0	M0	M0
T4	M0	M0	M0	M0	M0	M2	M2	M1	M0	M0	M0	M0
T5	M0	M0	M0	M0	M0	M1	M1	M0	M0	M0	M0	M0

Turbine ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
T1	M0	M0	M0	M0	M0	M3	M1	M3	M0	M0	M0	M0
T2	M0	M0	M0	M0	M0	M2	M3	M2	M0	M0	M0	M0
T3	M0	M0	M0	M0	M0	M3	M3	M1	M0	M0	M0	M0
T4	M0	M0	M0	M0	M0	M2	M2	M1	M0	M0	M0	M0
T5	M0	M0	M0	M0	M0	M2	M1	M0	M0	M0	M0	M0

Turbine ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
T1	M0	M0	M0	M0	M0	M3	M2	M3	M1	M0	M0	M0
T2	M0	M0	M0	M0	M0	M2	M3	M3	M0	M0	M0	M0
T3	M0	M0	M0	M0	M0	M3	M3	M2	M0	M0	M0	M0
T4	M0	M0	M0	M0	M0	M3	M2	M2	M0	M0	M0	M0
T5	M0	M0	M0	M0	M0	M2	M1	M0	M0	M0	M0	M0

Turbine ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
T1	M0	M0	M0	M0	M0	M3	M1	M3	M0	M0	M0	M0
T2	M0	M0	M0	M0	M0	M2	M2	M1	M0	M0	M0	M0
T3	M0	M0	M0	M0	M0	M3	M3	M0	M0	M0	M0	M0
T4	M0	M0	M0	M0	M0	M2	M2	M1	M0	M0	M0	M0
T5	M0	M0	M0	M0	M0	M1	M1	M0	M0	M0	M0	M0

Turbine ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
T1	M0	M0	M0	M0	M0	M3	M1	M1	M0	M0	M0	M0
T2	M0	M0	M0	M0	M0	M2	M2	M0	M0	M0	M0	M0
T3	M0	M0	M0	M0	M0	M2	M2	M0	M0	M0	M0	M0
T4	M0	M0	M0	M0	M0	M2	M2	M1	M0	M0	M0	M0
T5	M0	M0	M0	M0	M0	M1	M1	M2	M0	M0	M0	M0

Turbine ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
T1	M0	M0	M0	M0	M0	M3	M0	M0	M0	M0	M0	M0
T2	M0	M0	M0	M0	M0	M1	M1	M1	M0	M0	M0	M0
T3	M0	M0	M0	M0	M0	M1	M1	M1	M0	M0	M0	M0
T4	M0	M0	M0	M0	M0	M2	M2	M1	M0	M0	M0	M0
T5	M0	M0	M0	M0	M0	M2	M3	M2	M0	M0	M0	M0

Turbine ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
T1	M0	M0	M0	M0	M0	M1	M1	M1	M0	M0	M0	M0
T2	M0	M0	M0	M0	M0	M1	M1	M1	M1	M0	M0	M0
T3	M0	M0	M0	M0	M0	M1	M1	M1	M1	M0	M0	M0
T4	M0	M0	M0	M0	M0	M0	M2	M2	M0	M0	M0	M0
T5	M0	M0	M0	M0	M0	M2	M2	M2	M0	M0	M0	M0

Turbine ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
T1	M0	M0	M0	M0	M0	M1	M1	M1	M1	M0	M0	M0
T2	M0	M0	M0	M0	M0	M1	M1	M1	M1	M0	M0	M0
T3	M0	M0	M0	M0	M0	M1	M1	M1	M0	M0	M0	M0
T4	M0	M0	M0	M0	M0	M0	M3	M2	M0	M0	M0	M0
T5	M0	M0	M0	M0	M0	M1	M1	M2	M0	M0	M0	M0

Turbine ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
T1	M0	M0	M0	M0	M0	M2	M2	M2	M0	M0	M0	M0
T2	M0	M0	M0	M0	M0	M1	M1	M1	M0	M0	M0	M0
T3	M0	M0	M0	M0	M0	M1	M1	M1	M0	M0	M0	M0
T4	M0	M0	M0	M0	M0	M0	M2	M2	M1	M0	M0	M0
T5	M0	M0	M0	M0	M0	M1	M1	M1	M0	M0	M0	M0

Table 10.13.13: Strategy in 0 Degree Sector - Night

Turbine ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
T1	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T2	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T3	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T4	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T5	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0

Table 10.13.14: Strategy in 30 Degree Sector - Night

Turbine ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
T1	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T2	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T3	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T4	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T5	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0

Table 10.13.15: Strategy in 60 Degree Sector - Night

Turbine ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
T1	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T2	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T3	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T4	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T5	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0

Table 10.13.16: Strategy in 90 Degree Sector - Night

Turbine ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
T1	M0	M0	M0	M0	M0	M0	M1	M1	M1	M1	M0	M0
T2	M0	M0	M0	M0	M0	M0	M1	M1	M1	M0	M0	M0
T3	M0	M0	M0	M0	M0	M0	M1	M1	M0	M0	M0	M0
T4	M0	M0	M0	M0	M0	M0	M1	M1	M0	M0	M0	M0
T5	M0	M0	M0	M0	M0	M1	M1	M0	M0	M0	M0	M0

Table 10.13.17: Strategy in 120 Degree Sector - Night												
Turbine ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
T1	M0	M0	M0	M0	M0	M0	M1	M1	M1	M1	M0	M0
T2	M0	M0	M0	M0	M0	M0	M1	M1	M1	M0	M0	M0
T3	M0	M0	M0	M0	M0	M0	M1	M1	M0	M0	M0	M0
T4	M0	M0	M0	M0	M0	M0	M1	M1	M0	M0	M0	M0
T5	M0	M0	M0	M0	M0	M1	M1	M0	M0	M0	M0	M0

Table 10.13.18: Strategy in 150 Degree Sector - Night												
Turbine ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
T1	M0	M0	M0	M0	M0	M0	M1	M1	M1	M1	M0	M0
T2	M0	M0	M0	M0	M0	M0	M1	M1	M1	M0	M0	M0
T3	M0	M0	M0	M0	M0	M0	M1	M1	M0	M0	M0	M0
T4	M0	M0	M0	M0	M0	M0	M1	M1	M0	M0	M0	M0
T5	M0	M0	M0	M0	M0	M1	M1	M1	M0	M0	M0	M0

Table 10.13.19: Strategy in 180 Degree Sector - Night												
Turbine ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
T1	M0	M0	M0	M0	M0	M0	M1	M1	M1	M1	M0	M0
T2	M0	M0	M0	M0	M0	M0	M1	M1	M1	M0	M0	M0
T3	M0	M0	M0	M0	M0	M0	M1	M1	M0	M0	M0	M0
T4	M0	M0	M0	M0	M0	M0	M1	M1	M0	M0	M0	M0
T5	M0	M0	M0	M0	M0	M1	M1	M1	M0	M0	M0	M0

Table 10.13.20: Strategy in 210 Degree Sector - Night												
Turbine ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
T1	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T2	M0	M0	M0	M0	M0	M0	M1	M1	M1	M0	M0	M0
T3	M0	M0	M0	M0	M0	M0	M1	M1	M0	M0	M0	M0
T4	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T5	M0	M0	M0	M0	M0	M1	M1	M0	M0	M0	M0	M0

Table 10.13.21: Strategy in 240 Degree Sector - Night

Turbine ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
T1	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T2	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T3	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T4	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T5	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0

Table 10.13.22: Strategy in 270 Degree Sector - Night

Turbine ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
T1	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T2	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T3	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T4	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T5	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0

Table 10.13.23: Strategy in 300 Degree Sector - Night

Turbine ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
T1	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T2	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T3	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T4	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T5	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0

Table 10.13.24: Strategy in 330 Degree Sector - Night

Turbine ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
T1	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T2	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T3	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T4	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0
T5	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0	M0

Technical Appendix 10.14: Mitigated Directional Noise Levels for Proposed Development

Table 10.14.1: Mitigated Predicted Noise Levels in 0 Degree Sector - Day												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	15.6	15.6	15.6	18.3	22.3	24.8	25.5	25.2	28.4	28.5	28.5	28.5
H2	15.6	15.6	15.6	18.3	22.3	24.8	25.5	25.2	28.4	28.5	28.5	28.5
H3	15.7	15.7	15.7	18.4	22.4	25.0	25.6	25.3	28.5	28.6	28.6	28.6
H4	15.7	15.7	15.7	18.4	22.4	25.0	25.6	25.3	28.5	28.6	28.6	28.6
H5	15.8	15.8	15.8	18.5	22.6	25.1	25.7	25.4	28.6	28.7	28.7	28.7
H6	15.6	15.6	15.6	18.3	22.3	25.2	26.1	25.9	28.3	28.5	28.5	28.5
H7	17.9	17.9	17.9	20.6	24.6	27.2	27.9	27.5	30.7	30.8	30.8	30.8
H8	15.6	15.6	15.6	18.3	22.3	24.9	25.7	25.2	28.4	28.5	28.5	28.5
H9	16.6	16.6	16.6	19.2	23.3	25.9	26.6	26.1	29.4	29.5	29.5	29.5
H10	19.3	19.3	19.3	22.0	26.0	28.5	29.2	28.7	32.1	32.2	32.2	32.2
H11	19.3	19.3	19.3	22.0	26.1	28.6	29.3	28.8	32.2	32.2	32.2	32.2
H12	20.2	20.2	20.2	22.9	27.0	29.5	30.1	29.6	33.1	33.1	33.1	33.1
H13	17.6	17.6	17.6	20.3	24.4	27.3	28.3	28.1	30.4	30.5	30.5	30.5
H14	17.3	17.3	17.3	20.0	24.0	26.6	27.3	26.8	30.1	30.2	30.2	30.2
H15	17.5	17.5	17.5	20.2	24.2	26.8	27.4	26.9	30.4	30.4	30.4	30.4
H16	17.8	17.8	17.8	20.5	24.5	27.6	28.6	28.5	30.5	30.7	30.7	30.7
H17	21.5	21.5	21.5	24.2	28.2	31.3	32.3	32.2	34.2	34.4	34.4	34.4
H18	22.4	22.4	22.4	25.1	29.1	32.2	33.2	33.0	35.1	35.3	35.3	35.3
H19	21.5	21.5	21.5	24.2	28.2	31.3	32.3	32.2	34.2	34.4	34.4	34.4
H20	22.7	22.7	22.7	25.4	29.4	32.4	33.5	33.3	35.4	35.6	35.6	35.6
H21	21.3	21.3	21.3	24.0	28.0	31.1	32.1	32.0	34.0	34.2	34.2	34.2
H22	21.8	21.8	21.8	24.5	28.5	31.6	32.7	32.5	34.5	34.7	34.7	34.7
H23	22.0	22.0	22.0	24.7	28.7	31.8	32.9	32.7	34.7	34.9	34.9	34.9
H24	22.7	22.7	22.7	25.4	29.5	31.8	32.2	31.7	35.6	35.6	35.6	35.6
H25	23.4	23.4	23.4	26.1	30.2	33.2	34.3	34.1	36.1	36.3	36.3	36.3
H26	21.6	21.6	21.6	24.3	28.3	31.4	32.5	32.4	34.2	34.5	34.5	34.5
H27	23.1	23.1	23.1	25.7	29.8	32.9	34.0	33.9	35.7	36.0	36.0	36.0
H28	22.7	22.7	22.7	25.3	29.4	32.5	33.6	33.5	35.3	35.6	35.6	35.6
H29	20.5	20.5	20.5	23.2	27.2	30.4	31.5	31.5	33.1	33.4	33.4	33.4
H30	21.5	21.5	21.5	24.2	28.2	31.4	32.6	32.5	34.1	34.4	34.4	34.4
H31	20.7	20.7	20.7	23.4	27.4	30.6	31.7	31.7	33.3	33.6	33.6	33.6
H32	20.9	20.9	20.9	23.6	27.6	30.8	31.9	31.9	33.4	33.8	33.8	33.8

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H33	17.2	17.2	17.2	19.9	23.9	27.1	28.3	28.2	29.8	30.1	30.1	30.1
H34	25.8	25.8	25.8	28.5	32.6	35.7	36.8	36.8	38.5	38.7	38.7	38.7
H35	21.5	21.5	21.5	24.2	28.2	31.4	32.6	32.6	34.1	34.4	34.4	34.4
H36	19.6	19.6	19.6	22.3	26.3	29.5	30.7	30.7	32.2	32.5	32.5	32.5
H37	17.7	17.7	17.7	20.4	24.4	27.6	28.7	28.7	30.2	30.6	30.6	30.6
H38	21.8	21.8	21.8	24.5	28.5	31.7	32.9	32.9	34.3	34.7	34.7	34.7
H39	23.8	23.8	23.8	26.5	30.5	33.0	33.6	33.1	36.7	36.7	36.7	36.7
H40	22.0	22.0	22.0	24.7	28.7	31.9	33.1	33.1	34.6	34.9	34.9	34.9
H41	18.6	18.6	18.6	21.3	25.3	28.5	29.7	29.6	31.1	31.5	31.5	31.5
H42	19.3	19.3	19.3	22.0	26.1	29.3	30.5	30.4	31.9	32.2	32.2	32.2
H43	17.5	17.5	17.5	20.2	24.2	27.5	28.7	28.6	30.1	30.4	30.4	30.4
H44	21.2	21.2	21.2	23.9	27.9	31.1	32.3	32.3	33.7	34.1	34.1	34.1
H45	18.8	18.8	18.8	21.5	25.5	28.8	30.1	30.0	31.4	31.7	31.7	31.7
H46	18.2	18.2	18.2	20.9	24.9	28.1	29.4	29.3	30.7	31.1	31.1	31.1
H47	18.1	18.1	18.1	20.8	24.8	28.1	29.4	29.3	30.6	31.0	31.0	31.0
H48	20.5	20.5	20.5	23.2	27.2	30.0	30.9	30.4	33.3	33.4	33.4	33.4
H49	16.1	16.1	16.1	18.8	22.8	25.8	26.8	26.2	28.9	29.0	29.0	29.0
H50	15.6	15.6	15.6	18.3	22.4	25.3	26.4	25.8	28.4	28.5	28.5	28.5
H52	16.1	16.1	16.1	18.8	22.8	25.8	26.8	26.3	28.9	29.0	29.0	29.0
H53	16.0	16.0	16.0	18.6	22.7	25.7	26.7	26.1	28.7	28.9	28.9	28.9
H54	14.3	14.3	14.3	17.0	21.0	23.8	24.7	24.4	27.0	27.2	27.2	27.2
H55	13.9	13.9	13.9	16.6	20.7	23.7	24.8	24.3	26.6	26.8	26.8	26.8
H56	14.3	14.3	14.3	17.0	21.0	24.0	25.1	24.5	27.1	27.2	27.2	27.2
H57	14.5	14.5	14.5	17.2	21.2	24.2	25.3	24.7	27.3	27.4	27.4	27.4
H58	14.1	14.1	14.1	16.8	20.8	23.8	24.9	24.3	26.9	27.0	27.0	27.0
H59	14.1	14.1	14.1	16.8	20.8	23.8	24.9	24.3	26.9	27.0	27.0	27.0
H60	14.1	14.1	14.1	16.8	20.8	23.9	24.9	24.3	26.9	27.0	27.0	27.0
H61	14.2	14.2	14.2	16.9	20.9	23.9	25.0	24.4	27.0	27.1	27.1	27.1
H62	14.3	14.3	14.3	17.0	21.0	24.0	25.1	24.5	27.1	27.2	27.2	27.2
H63	13.5	13.5	13.5	16.2	20.2	23.2	24.1	23.8	26.3	26.4	26.4	26.4
H64	13.5	13.5	13.5	16.2	20.2	23.2	24.2	23.9	26.3	26.4	26.4	26.4
H65	13.5	13.5	13.5	16.2	20.3	23.2	24.2	23.9	26.3	26.4	26.4	26.4
H66	13.6	13.6	13.6	16.3	20.3	23.3	24.2	23.9	26.3	26.5	26.5	26.5
H67	13.9	13.9	13.9	16.6	20.6	23.6	24.6	24.3	26.7	26.8	26.8	26.8
H68	17.9	17.9	17.9	20.6	24.6	27.7	28.9	28.1	30.6	30.8	30.8	30.8

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H69	18.2	18.2	18.2	20.9	24.9	28.0	29.3	28.2	31.0	31.1	31.1	31.1
H70	15.4	15.4	15.4	18.1	22.1	25.2	26.4	25.9	28.1	28.3	28.3	28.3
H71	11.8	11.8	11.8	14.5	18.5	21.5	22.6	22.1	24.5	24.7	24.7	24.7
H72	11.0	11.0	11.0	13.7	17.7	20.9	22.2	22.1	23.4	23.9	23.9	23.9
H73	14.9	14.9	14.9	17.6	21.6	24.8	26.0	25.4	27.6	27.8	27.8	27.8
H74	15.0	15.0	15.0	17.7	21.7	24.9	26.1	25.5	27.7	27.9	27.9	27.9
H75	18.4	18.4	18.4	21.1	25.1	28.4	29.9	30.0	30.5	31.3	31.3	31.3
H76	14.1	14.1	14.1	16.8	20.8	24.0	25.2	24.7	26.8	27.0	27.0	27.0
H77	14.1	14.1	14.1	16.8	20.9	24.0	25.2	24.7	26.8	27.0	27.0	27.0
H78	17.9	17.9	17.9	20.6	24.6	27.9	29.3	29.4	30.1	30.8	30.8	30.8
H79	16.9	16.9	16.9	19.6	23.7	27.0	28.3	28.3	29.3	29.8	29.8	29.8
H80	14.4	14.4	14.4	17.1	21.1	24.3	25.7	25.7	26.7	27.3	27.3	27.3
H81	12.7	12.7	12.7	15.4	19.5	22.6	23.9	23.6	25.3	25.6	25.6	25.6
H82	13.4	13.4	13.4	16.0	20.1	23.3	24.6	24.5	25.8	26.3	26.3	26.3
H83	13.4	13.4	13.4	16.0	20.1	23.3	24.6	24.5	25.8	26.3	26.3	26.3
H84	11.2	11.2	11.2	13.9	17.9	21.0	22.2	21.9	23.8	24.1	24.1	24.1
H85	9.5	9.5	9.5	12.2	16.2	19.3	20.4	20.1	22.2	22.4	22.4	22.4
H86	9.2	9.2	9.2	11.9	16.0	19.0	20.2	19.8	21.9	22.1	22.1	22.1
H87	9.2	9.2	9.2	11.8	15.9	18.9	20.1	19.7	21.8	22.1	22.1	22.1
H88	22.2	22.2	22.2	24.8	28.9	32.2	33.4	33.4	34.7	35.1	35.1	35.1
H89	22.8	22.8	22.8	25.5	29.6	32.9	34.2	34.2	35.3	35.7	35.7	35.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	15.6	15.6	15.6	18.3	22.3	24.8	25.7	25.5	28.5	28.5	28.5	28.5
H2	15.6	15.6	15.6	18.3	22.3	24.8	25.7	25.5	28.5	28.5	28.5	28.5
H3	15.7	15.7	15.7	18.4	22.4	25.0	25.8	25.6	28.6	28.6	28.6	28.6
H4	15.7	15.7	15.7	18.4	22.4	25.0	25.8	25.7	28.6	28.6	28.6	28.6
H5	15.8	15.8	15.8	18.5	22.6	25.1	25.9	25.7	28.7	28.7	28.7	28.7
H6	15.6	15.6	15.6	18.3	22.3	25.2	26.3	26.3	28.5	28.5	28.5	28.5
H7	17.9	17.9	17.9	20.6	24.6	27.2	28.1	27.9	30.8	30.8	30.8	30.8
H8	15.6	15.6	15.6	18.3	22.3	24.9	25.9	25.7	28.5	28.5	28.5	28.5
H9	16.6	16.6	16.6	19.2	23.3	25.9	26.8	26.6	29.5	29.5	29.5	29.5
H10	19.3	19.3	19.3	22.0	26.0	28.5	29.4	29.2	32.2	32.2	32.2	32.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H11	19.3	19.3	19.3	22.0	26.1	28.6	29.5	29.2	32.2	32.2	32.2	32.2
H12	20.2	20.2	20.2	22.9	27.0	29.5	30.3	30.1	33.1	33.1	33.1	33.1
H13	17.3	17.3	17.3	20.0	24.0	27.0	28.2	28.3	30.2	30.2	30.2	30.2
H14	17.3	17.3	17.3	20.0	24.0	26.6	27.5	27.3	30.2	30.2	30.2	30.2
H15	17.5	17.5	17.5	20.2	24.2	26.8	27.7	27.5	30.4	30.4	30.4	30.4
H16	17.0	17.0	17.0	19.7	23.7	27.0	28.2	28.4	29.9	29.9	29.9	29.9
H17	20.7	20.7	20.7	23.4	27.4	30.6	31.9	32.1	33.6	33.6	33.6	33.6
H18	21.5	21.5	21.5	24.2	28.3	31.5	32.7	32.9	34.4	34.4	34.4	34.4
H19	20.7	20.7	20.7	23.4	27.4	30.7	31.9	32.1	33.6	33.6	33.6	33.6
H20	21.8	21.8	21.8	24.5	28.6	31.8	33.0	33.2	34.7	34.7	34.7	34.7
H21	20.5	20.5	20.5	23.2	27.3	30.5	31.8	32.0	33.4	33.4	33.4	33.4
H22	21.0	21.0	21.0	23.7	27.8	31.0	32.3	32.5	33.9	33.9	33.9	33.9
H23	21.2	21.2	21.2	23.9	28.0	31.2	32.5	32.7	34.1	34.1	34.1	34.1
H24	22.7	22.7	22.7	25.4	29.5	31.8	32.5	32.1	35.6	35.6	35.6	35.6
H25	22.6	22.6	22.6	25.3	29.4	32.6	33.9	34.1	35.5	35.5	35.5	35.5
H26	20.6	20.6	20.6	23.3	27.3	30.6	31.9	32.1	33.5	33.5	33.5	33.5
H27	22.1	22.1	22.1	24.8	28.8	32.1	33.3	33.5	35.0	35.0	35.0	35.0
H28	21.5	21.5	21.5	24.1	28.2	31.5	32.8	33.0	34.4	34.4	34.4	34.4
H29	18.8	18.8	18.8	21.5	25.5	28.9	30.2	30.4	31.7	31.7	31.7	31.7
H30	20.5	20.5	20.5	23.2	27.2	30.6	31.9	32.1	33.4	33.4	33.4	33.4
H31	19.0	19.0	19.0	21.7	25.8	29.1	30.4	30.7	31.9	31.9	31.9	31.9
H32	19.3	19.3	19.3	22.0	26.0	29.3	30.7	30.9	32.2	32.2	32.2	32.2
H33	13.7	13.7	13.7	16.4	20.4	23.6	24.9	25.2	26.6	26.6	26.6	26.6
H34	25.1	25.1	25.1	27.8	31.9	35.2	36.5	36.7	38.0	38.0	38.0	38.0
H35	19.9	19.9	19.9	22.6	26.7	30.0	31.4	31.6	32.8	32.8	32.8	32.8
H36	17.8	17.8	17.8	20.5	24.5	27.8	29.2	29.4	30.7	30.7	30.7	30.7
H37	14.2	14.2	14.2	16.8	20.9	24.1	25.4	25.6	27.1	27.1	27.1	27.1
H38	20.2	20.2	20.2	22.9	27.0	30.3	31.7	31.9	33.1	33.1	33.1	33.1
H39	24.2	24.2	24.2	26.8	30.9	33.3	34.2	33.9	37.1	37.1	37.1	37.1
H40	20.3	20.3	20.3	22.9	27.0	30.3	31.7	31.9	33.2	33.2	33.2	33.2
H41	15.1	15.1	15.1	17.8	21.8	25.0	26.4	26.6	28.0	28.0	28.0	28.0
H42	15.9	15.9	15.9	18.6	22.6	25.8	27.2	27.4	28.8	28.8	28.8	28.8
H43	14.1	14.1	14.1	16.8	20.8	24.1	25.4	25.7	27.0	27.0	27.0	27.0
H44	19.4	19.4	19.4	22.1	26.2	29.5	30.9	31.1	32.3	32.3	32.3	32.3
H45	15.4	15.4	15.4	18.1	22.2	25.4	26.8	27.0	28.3	28.3	28.3	28.3

Table 10.14.2: Mitigated Predicted Noise Levels in 30 Degree Sector - Day												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H46	14.8	14.8	14.8	17.5	21.5	24.8	26.1	26.4	27.7	27.7	27.7	27.7
H47	14.7	14.7	14.7	17.4	21.5	24.7	26.1	26.3	27.6	27.6	27.6	27.6
H48	22.1	22.1	22.1	24.8	28.8	31.4	32.3	32.2	35.0	35.0	35.0	35.0
H49	19.3	19.3	19.3	21.9	26.0	28.7	29.8	29.8	32.2	32.2	32.2	32.2
H50	18.8	18.8	18.8	21.5	25.5	28.3	29.3	29.4	31.7	31.7	31.7	31.7
H52	19.2	19.2	19.2	21.9	26.0	28.7	29.8	29.9	32.1	32.1	32.1	32.1
H53	19.1	19.1	19.1	21.8	25.8	28.6	29.6	29.7	32.0	32.0	32.0	32.0
H54	18.5	18.5	18.5	21.2	25.3	28.1	29.1	29.2	31.4	31.4	31.4	31.4
H55	18.0	18.0	18.0	20.7	24.7	27.7	29.0	29.1	30.9	30.9	30.9	30.9
H56	18.8	18.8	18.8	21.5	25.5	28.6	29.8	30.0	31.7	31.7	31.7	31.7
H57	19.0	19.0	19.0	21.7	25.7	28.8	30.0	30.1	31.9	31.9	31.9	31.9
H58	18.6	18.6	18.6	21.3	25.3	28.3	29.6	29.7	31.5	31.5	31.5	31.5
H59	18.6	18.6	18.6	21.3	25.3	28.3	29.6	29.7	31.5	31.5	31.5	31.5
H60	18.6	18.6	18.6	21.3	25.4	28.4	29.6	29.8	31.5	31.5	31.5	31.5
H61	18.7	18.7	18.7	21.4	25.4	28.4	29.7	29.8	31.6	31.6	31.6	31.6
H62	18.8	18.8	18.8	21.5	25.5	28.6	29.8	30.0	31.7	31.7	31.7	31.7
H63	18.0	18.0	18.0	20.7	24.8	27.7	28.9	29.0	30.9	30.9	30.9	30.9
H64	18.1	18.1	18.1	20.7	24.8	27.8	28.9	29.1	31.0	31.0	31.0	31.0
H65	18.1	18.1	18.1	20.8	24.8	27.8	28.9	29.1	31.0	31.0	31.0	31.0
H66	18.1	18.1	18.1	20.8	24.8	27.8	29.0	29.1	31.0	31.0	31.0	31.0
H67	18.5	18.5	18.5	21.2	25.2	28.2	29.3	29.5	31.4	31.4	31.4	31.4
H68	20.9	20.9	20.9	23.6	27.6	30.8	32.2	32.4	33.8	33.8	33.8	33.8
H69	20.7	20.7	20.7	23.4	27.4	30.6	31.9	32.2	33.6	33.6	33.6	33.6
H70	19.0	19.0	19.0	21.7	25.7	28.9	30.3	30.5	31.9	31.9	31.9	31.9
H71	16.2	16.2	16.2	18.9	22.9	25.9	27.2	27.3	29.1	29.1	29.1	29.1
H72	7.7	7.7	7.7	10.4	14.4	17.6	19.0	19.1	20.6	20.6	20.6	20.6
H73	17.9	17.9	17.9	20.6	24.6	27.8	29.2	29.4	30.8	30.8	30.8	30.8
H74	17.9	17.9	17.9	20.6	24.7	27.9	29.3	29.5	30.8	30.8	30.8	30.8
H75	18.1	18.1	18.1	20.8	24.9	28.2	29.7	29.9	31.0	31.0	31.0	31.0
H76	17.2	17.2	17.2	19.9	24.0	27.2	28.6	28.8	30.1	30.1	30.1	30.1
H77	17.3	17.3	17.3	20.0	24.0	27.2	28.6	28.8	30.2	30.2	30.2	30.2
H78	18.0	18.0	18.0	20.7	24.7	28.0	29.5	29.7	30.9	30.9	30.9	30.9
H79	17.5	17.5	17.5	20.2	24.2	27.6	29.0	29.2	30.4	30.4	30.4	30.4
H80	14.5	14.5	14.5	17.2	21.2	24.5	25.9	26.1	27.4	27.4	27.4	27.4
H81	14.3	14.3	14.3	17.0	21.0	24.2	25.6	25.8	27.2	27.2	27.2	27.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H82	13.4	13.4	13.4	16.1	20.2	23.4	24.8	25.0	26.3	26.3	26.3	26.3
H83	13.4	13.4	13.4	16.1	20.2	23.4	24.8	25.0	26.3	26.3	26.3	26.3
H84	13.5	13.5	13.5	16.2	20.3	23.5	24.8	25.0	26.4	26.4	26.4	26.4
H85	12.4	12.4	12.4	15.1	19.1	22.3	23.6	23.8	25.3	25.3	25.3	25.3
H86	12.1	12.1	12.1	14.8	18.9	22.1	23.3	23.5	25.0	25.0	25.0	25.0
H87	11.8	11.8	11.8	14.5	18.5	21.7	23.0	23.1	24.7	24.7	24.7	24.7
H88	20.6	20.6	20.6	23.3	27.4	30.7	32.1	32.3	33.5	33.5	33.5	33.5
H89	20.3	20.3	20.3	23.0	27.1	30.4	31.8	32.1	33.2	33.2	33.2	33.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	15.6	15.6	15.6	18.3	22.3	24.3	24.9	25.5	28.5	28.5	28.5	28.5
H2	15.6	15.6	15.6	18.3	22.3	24.3	24.9	25.5	28.5	28.5	28.5	28.5
H3	15.7	15.7	15.7	18.4	22.4	24.4	25.0	25.6	28.6	28.6	28.6	28.6
H4	15.7	15.7	15.7	18.4	22.4	24.4	25.0	25.7	28.6	28.6	28.6	28.6
H5	15.8	15.8	15.8	18.5	22.6	24.6	25.1	25.7	28.7	28.7	28.7	28.7
H6	14.1	14.1	14.1	16.8	20.8	23.0	23.9	25.3	27.0	27.0	27.0	27.0
H7	17.9	17.9	17.9	20.6	24.6	26.6	27.2	27.9	30.8	30.8	30.8	30.8
H8	15.6	15.6	15.6	18.3	22.3	24.3	24.9	25.7	28.5	28.5	28.5	28.5
H9	16.6	16.6	16.6	19.2	23.3	25.2	25.8	26.6	29.5	29.5	29.5	29.5
H10	19.3	19.3	19.3	22.0	26.0	28.0	28.5	29.2	32.2	32.2	32.2	32.2
H11	19.3	19.3	19.3	22.0	26.1	28.0	28.6	29.2	32.2	32.2	32.2	32.2
H12	20.2	20.2	20.2	22.9	27.0	28.9	29.5	30.1	33.1	33.1	33.1	33.1
H13	14.8	14.8	14.8	17.5	21.5	24.0	25.0	26.2	27.7	27.7	27.7	27.7
H14	17.3	17.3	17.3	20.0	24.0	25.9	26.5	27.3	30.2	30.2	30.2	30.2
H15	17.5	17.5	17.5	20.2	24.2	26.2	26.7	27.5	30.4	30.4	30.4	30.4
H16	13.4	13.4	13.4	16.1	20.1	22.6	23.7	24.9	26.3	26.3	26.3	26.3
H17	18.7	18.7	18.7	21.3	25.4	27.9	29.0	30.3	31.6	31.6	31.6	31.6
H18	19.5	19.5	19.5	22.2	26.2	28.7	29.8	31.1	32.4	32.4	32.4	32.4
H19	17.1	17.1	17.1	19.8	23.8	26.3	27.3	28.6	30.0	30.0	30.0	30.0
H20	19.8	19.8	19.8	22.5	26.5	29.1	30.1	31.4	32.7	32.7	32.7	32.7
H21	16.9	16.9	16.9	19.6	23.7	26.2	27.2	28.5	29.8	29.8	29.8	29.8
H22	17.4	17.4	17.4	20.1	24.2	26.7	27.7	29.0	30.3	30.3	30.3	30.3
H23	17.6	17.6	17.6	20.3	24.4	26.9	27.9	29.2	30.5	30.5	30.5	30.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H24	22.7	22.7	22.7	25.4	29.5	31.4	31.9	32.1	35.6	35.6	35.6	35.6
H25	20.8	20.8	20.8	23.5	27.5	30.0	31.1	32.4	33.7	33.7	33.7	33.7
H26	17.1	17.1	17.1	19.8	23.9	26.5	27.6	28.7	30.0	30.0	30.0	30.0
H27	18.9	18.9	18.9	21.6	25.6	28.2	29.3	30.4	31.8	31.8	31.8	31.8
H28	18.3	18.3	18.3	21.0	25.0	27.7	28.8	29.9	31.2	31.2	31.2	31.2
H29	14.4	14.4	14.4	17.1	21.1	23.6	24.7	25.9	27.3	27.3	27.3	27.3
H30	17.2	17.2	17.2	19.9	23.9	26.6	27.8	28.9	30.1	30.1	30.1	30.1
H31	14.6	14.6	14.6	17.3	21.3	23.8	24.9	26.1	27.5	27.5	27.5	27.5
H32	14.8	14.8	14.8	17.5	21.5	24.1	25.2	26.3	27.7	27.7	27.7	27.7
H33	9.6	9.6	9.6	12.3	16.3	18.8	19.9	21.0	22.5	22.5	22.5	22.5
H34	24.1	24.1	24.1	26.7	30.8	33.2	34.2	35.7	37.0	37.0	37.0	37.0
H35	15.6	15.6	15.6	18.3	22.3	24.9	26.0	27.1	28.5	28.5	28.5	28.5
H36	13.4	13.4	13.4	16.1	20.1	22.8	23.9	25.0	26.3	26.3	26.3	26.3
H37	10.1	10.1	10.1	12.8	16.8	19.3	20.4	21.5	23.0	23.0	23.0	23.0
H38	16.0	16.0	16.0	18.7	22.7	25.4	26.5	27.6	28.9	28.9	28.9	28.9
H39	24.2	24.2	24.2	26.8	30.9	32.8	33.3	33.9	37.1	37.1	37.1	37.1
H40	16.3	16.3	16.3	19.0	23.0	25.7	26.9	27.9	29.2	29.2	29.2	29.2
H41	11.0	11.0	11.0	13.7	17.7	20.2	21.3	22.4	23.9	23.9	23.9	23.9
H42	11.8	11.8	11.8	14.5	18.5	21.0	22.1	23.2	24.7	24.7	24.7	24.7
H43	10.1	10.1	10.1	12.7	16.8	19.3	20.4	21.5	23.0	23.0	23.0	23.0
H44	15.1	15.1	15.1	17.8	21.9	24.5	25.7	26.7	28.0	28.0	28.0	28.0
H45	11.4	11.4	11.4	14.1	18.1	20.7	21.8	22.9	24.3	24.3	24.3	24.3
H46	10.7	10.7	10.7	13.4	17.4	20.0	21.1	22.2	23.6	23.6	23.6	23.6
H47	10.7	10.7	10.7	13.4	17.4	20.0	21.1	22.2	23.6	23.6	23.6	23.6
H48	22.1	22.1	22.1	24.8	28.8	30.7	31.3	32.2	35.0	35.0	35.0	35.0
H49	19.8	19.8	19.8	22.5	26.5	28.4	29.0	30.1	32.7	32.7	32.7	32.7
H50	19.3	19.3	19.3	22.0	26.0	28.0	28.5	29.7	32.2	32.2	32.2	32.2
H52	19.7	19.7	19.7	22.4	26.4	28.3	28.9	30.1	32.6	32.6	32.6	32.6
H53	19.5	19.5	19.5	22.2	26.3	28.2	28.7	30.0	32.4	32.4	32.4	32.4
H54	19.0	19.0	19.0	21.7	25.7	27.6	28.2	29.4	31.9	31.9	31.9	31.9
H55	19.3	19.3	19.3	22.0	26.0	27.9	28.5	29.9	32.2	32.2	32.2	32.2
H56	20.0	20.0	20.0	22.7	26.8	28.7	29.3	30.7	32.9	32.9	32.9	32.9
H57	20.2	20.2	20.2	22.9	26.9	28.8	29.4	30.9	33.1	33.1	33.1	33.1
H58	19.8	19.8	19.8	22.5	26.5	28.4	29.0	30.4	32.7	32.7	32.7	32.7
H59	19.8	19.8	19.8	22.5	26.5	28.4	29.0	30.4	32.7	32.7	32.7	32.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H60	19.8	19.8	19.8	22.5	26.6	28.5	29.1	30.5	32.7	32.7	32.7	32.7
H61	19.9	19.9	19.9	22.6	26.6	28.5	29.1	30.5	32.8	32.8	32.8	32.8
H62	20.0	20.0	20.0	22.7	26.7	28.6	29.2	30.7	32.9	32.9	32.9	32.9
H63	19.8	19.8	19.8	22.5	26.6	28.5	29.1	30.5	32.7	32.7	32.7	32.7
H64	19.9	19.9	19.9	22.6	26.6	28.5	29.1	30.5	32.8	32.8	32.8	32.8
H65	19.9	19.9	19.9	22.6	26.6	28.5	29.1	30.5	32.8	32.8	32.8	32.8
H66	19.9	19.9	19.9	22.6	26.6	28.5	29.1	30.6	32.8	32.8	32.8	32.8
H67	20.3	20.3	20.3	23.0	27.0	28.9	29.5	30.9	33.2	33.2	33.2	33.2
H68	23.2	23.2	23.2	25.9	29.9	31.7	32.3	34.5	36.1	36.1	36.1	36.1
H69	23.6	23.6	23.6	26.3	30.3	32.2	32.8	35.0	36.5	36.5	36.5	36.5
H70	21.7	21.7	21.7	24.4	28.4	30.3	30.9	33.0	34.6	34.6	34.6	34.6
H71	18.8	18.8	18.8	21.5	25.5	27.5	28.1	29.5	31.7	31.7	31.7	31.7
H72	6.5	6.5	6.5	9.2	13.2	15.6	16.7	17.9	19.4	19.4	19.4	19.4
H73	21.3	21.3	21.3	24.0	28.0	30.1	30.8	32.8	34.2	34.2	34.2	34.2
H74	21.3	21.3	21.3	24.0	28.0	30.1	30.9	32.9	34.2	34.2	34.2	34.2
H75	18.7	18.7	18.7	21.4	25.4	28.5	29.9	30.5	31.6	31.6	31.6	31.6
H76	20.7	20.7	20.7	23.4	27.4	29.5	30.3	32.3	33.6	33.6	33.6	33.6
H77	20.7	20.7	20.7	23.4	27.4	29.5	30.4	32.3	33.6	33.6	33.6	33.6
H78	19.0	19.0	19.0	21.7	25.8	28.7	30.1	30.8	31.9	31.9	31.9	31.9
H79	19.4	19.4	19.4	22.1	26.1	28.9	30.1	31.1	32.3	32.3	32.3	32.3
H80	16.0	16.0	16.0	18.7	22.7	25.5	26.8	27.7	28.9	28.9	28.9	28.9
H81	17.9	17.9	17.9	20.6	24.7	27.2	28.4	29.6	30.8	30.8	30.8	30.8
H82	15.0	15.0	15.0	17.7	21.8	24.5	25.8	26.7	27.9	27.9	27.9	27.9
H83	15.0	15.0	15.0	17.7	21.8	24.5	25.8	26.7	27.9	27.9	27.9	27.9
H84	17.7	17.7	17.7	20.4	24.4	26.9	28.0	29.3	30.6	30.6	30.6	30.6
H85	16.9	16.9	16.9	19.6	23.6	25.8	26.6	28.3	29.8	29.8	29.8	29.8
H86	16.6	16.6	16.6	19.3	23.3	25.5	26.3	28.0	29.5	29.5	29.5	29.5
H87	16.3	16.3	16.3	19.0	23.0	25.2	26.1	27.7	29.2	29.2	29.2	29.2
H88	17.0	17.0	17.0	19.7	23.7	26.5	27.8	28.7	29.9	29.9	29.9	29.9
H89	17.5	17.5	17.5	20.2	24.3	27.1	28.3	29.2	30.4	30.4	30.4	30.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	13.0	13.0	13.0	15.7	19.7	21.8	22.5	23.6	25.9	25.9	25.9	25.9

Table 10.14.4: Mitigated Predicted Noise Levels in 90 Degree Sector - Day												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H2	13.0	13.0	13.0	15.7	19.7	21.8	22.5	23.7	25.9	25.9	25.9	25.9
H3	13.4	13.4	13.4	16.1	20.2	22.2	22.9	24.2	26.3	26.3	26.3	26.3
H4	13.4	13.4	13.4	16.1	20.2	22.3	22.9	24.2	26.3	26.3	26.3	26.3
H5	13.5	13.5	13.5	16.2	20.3	22.4	23.0	24.3	26.4	26.4	26.4	26.4
H6	9.6	9.6	9.6	12.3	16.3	18.5	19.4	21.0	22.5	22.5	22.5	22.5
H7	17.9	17.9	17.9	20.6	24.6	26.6	27.2	28.1	30.8	30.8	30.8	30.8
H8	15.6	15.6	15.6	18.3	22.3	24.3	24.9	25.9	28.5	28.5	28.5	28.5
H9	16.6	16.6	16.6	19.2	23.3	25.2	25.8	26.8	29.5	29.5	29.5	29.5
H10	19.3	19.3	19.3	22.0	26.0	28.0	28.5	29.3	32.2	32.2	32.2	32.2
H11	19.3	19.3	19.3	22.0	26.1	28.0	28.6	29.4	32.2	32.2	32.2	32.2
H12	20.2	20.2	20.2	22.9	27.0	28.9	29.5	30.2	33.1	33.1	33.1	33.1
H13	10.6	10.6	10.6	13.3	17.3	19.7	20.7	22.3	23.5	23.5	23.5	23.5
H14	17.3	17.3	17.3	20.0	24.0	25.9	26.5	27.4	30.2	30.2	30.2	30.2
H15	17.5	17.5	17.5	20.2	24.2	26.2	26.7	27.5	30.4	30.4	30.4	30.4
H16	9.6	9.6	9.6	12.3	16.4	18.7	19.7	21.4	22.5	22.5	22.5	22.5
H17	14.5	14.5	14.5	17.2	21.2	23.7	24.7	26.4	27.4	27.4	27.4	27.4
H18	15.4	15.4	15.4	18.1	22.1	24.6	25.6	27.2	28.3	28.3	28.3	28.3
H19	13.3	13.3	13.3	16.0	20.0	22.4	23.3	25.0	26.2	26.2	26.2	26.2
H20	15.8	15.8	15.8	18.5	22.5	24.9	25.9	27.6	28.7	28.7	28.7	28.7
H21	13.1	13.1	13.1	15.8	19.9	22.2	23.2	24.9	26.0	26.0	26.0	26.0
H22	13.6	13.6	13.6	16.3	20.4	22.8	23.7	25.4	26.5	26.5	26.5	26.5
H23	13.8	13.8	13.8	16.5	20.6	22.9	23.9	25.6	26.7	26.7	26.7	26.7
H24	22.7	22.7	22.7	25.4	29.5	31.4	31.9	32.1	35.6	35.6	35.6	35.6
H25	17.1	17.1	17.1	19.8	23.8	26.3	27.3	29.0	30.0	30.0	30.0	30.0
H26	13.4	13.4	13.4	16.1	20.1	22.6	23.6	25.2	26.3	26.3	26.3	26.3
H27	15.5	15.5	15.5	18.2	22.3	24.7	25.7	27.4	28.4	28.4	28.4	28.4
H28	14.9	14.9	14.9	17.5	21.6	24.1	25.1	26.8	27.8	27.8	27.8	27.8
H29	11.6	11.6	11.6	14.3	18.3	20.7	21.7	23.4	24.5	24.5	24.5	24.5
H30	13.5	13.5	13.5	16.2	20.2	22.7	23.8	25.5	26.4	26.4	26.4	26.4
H31	11.8	11.8	11.8	14.5	18.5	20.9	21.9	23.6	24.7	24.7	24.7	24.7
H32	12.0	12.0	12.0	14.7	18.7	21.1	22.1	23.8	24.9	24.9	24.9	24.9
H33	7.7	7.7	7.7	10.4	14.4	16.8	17.8	19.4	20.6	20.6	20.6	20.6
H34	22.1	22.1	22.1	24.8	28.9	31.3	32.3	34.2	35.0	35.0	35.0	35.0
H35	12.8	12.8	12.8	15.5	19.5	22.0	23.0	24.7	25.7	25.7	25.7	25.7
H36	10.7	10.7	10.7	13.3	17.4	19.9	20.9	22.5	23.6	23.6	23.6	23.6

Table 10.14.4: Mitigated Predicted Noise Levels in 90 Degree Sector - Day												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H37	8.2	8.2	8.2	10.8	14.9	17.3	18.3	19.9	21.1	21.1	21.1	21.1
H38	13.3	13.3	13.3	15.9	20.0	22.5	23.6	25.3	26.2	26.2	26.2	26.2
H39	24.2	24.2	24.2	26.8	30.9	32.8	33.3	34.0	37.1	37.1	37.1	37.1
H40	13.7	13.7	13.7	16.4	20.4	23.0	24.2	25.8	26.6	26.6	26.6	26.6
H41	9.1	9.1	9.1	11.7	15.8	18.2	19.2	20.9	22.0	22.0	22.0	22.0
H42	9.8	9.8	9.8	12.5	16.6	19.0	20.0	21.7	22.7	22.7	22.7	22.7
H43	8.2	8.2	8.2	10.9	14.9	17.4	18.4	20.0	21.1	21.1	21.1	21.1
H44	12.4	12.4	12.4	15.1	19.1	21.6	22.7	24.4	25.3	25.3	25.3	25.3
H45	9.5	9.5	9.5	12.2	16.2	18.7	19.7	21.4	22.4	22.4	22.4	22.4
H46	8.9	8.9	8.9	11.5	15.6	18.0	19.0	20.7	21.8	21.8	21.8	21.8
H47	8.8	8.8	8.8	11.5	15.5	18.0	19.0	20.7	21.7	21.7	21.7	21.7
H48	22.1	22.1	22.1	24.8	28.8	30.7	31.3	32.3	35.0	35.0	35.0	35.0
H49	19.8	19.8	19.8	22.5	26.5	28.4	29.0	30.2	32.7	32.7	32.7	32.7
H50	19.3	19.3	19.3	22.0	26.0	28.0	28.5	29.8	32.2	32.2	32.2	32.2
H52	19.7	19.7	19.7	22.4	26.4	28.3	28.9	30.3	32.6	32.6	32.6	32.6
H53	19.5	19.5	19.5	22.2	26.3	28.2	28.7	30.1	32.4	32.4	32.4	32.4
H54	19.0	19.0	19.0	21.7	25.7	27.6	28.2	29.6	31.9	31.9	31.9	31.9
H55	19.3	19.3	19.3	22.0	26.0	27.9	28.5	30.0	32.2	32.2	32.2	32.2
H56	20.0	20.0	20.0	22.7	26.8	28.7	29.3	30.8	32.9	32.9	32.9	32.9
H57	20.2	20.2	20.2	22.9	26.9	28.8	29.4	31.0	33.1	33.1	33.1	33.1
H58	19.8	19.8	19.8	22.5	26.5	28.4	29.0	30.6	32.7	32.7	32.7	32.7
H59	19.8	19.8	19.8	22.5	26.5	28.4	29.0	30.6	32.7	32.7	32.7	32.7
H60	19.8	19.8	19.8	22.5	26.6	28.5	29.1	30.6	32.7	32.7	32.7	32.7
H61	19.9	19.9	19.9	22.6	26.6	28.5	29.1	30.7	32.8	32.8	32.8	32.8
H62	20.0	20.0	20.0	22.7	26.7	28.6	29.2	30.8	32.9	32.9	32.9	32.9
H63	19.8	19.8	19.8	22.5	26.6	28.5	29.1	30.6	32.7	32.7	32.7	32.7
H64	19.9	19.9	19.9	22.6	26.6	28.5	29.1	30.7	32.8	32.8	32.8	32.8
H65	19.9	19.9	19.9	22.6	26.6	28.5	29.1	30.7	32.8	32.8	32.8	32.8
H66	19.9	19.9	19.9	22.6	26.6	28.5	29.1	30.7	32.8	32.8	32.8	32.8
H67	20.3	20.3	20.3	23.0	27.0	28.9	29.5	31.1	33.2	33.2	33.2	33.2
H68	24.0	24.0	24.0	26.7	30.7	32.6	33.1	35.1	36.9	36.9	36.9	36.9
H69	24.3	24.3	24.3	27.0	31.1	32.9	33.5	35.6	37.2	37.2	37.2	37.2
H70	22.6	22.6	22.6	25.3	29.3	31.2	31.8	33.7	35.5	35.5	35.5	35.5
H71	18.8	18.8	18.8	21.5	25.5	27.5	28.1	29.7	31.7	31.7	31.7	31.7
H72	6.8	6.8	6.8	9.5	13.5	15.9	16.9	18.6	19.7	19.7	19.7	19.7

Table 10.14.4: Mitigated Predicted Noise Levels in 90 Degree Sector - Day												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H73	22.9	22.9	22.9	25.6	29.6	31.5	32.2	34.2	35.8	35.8	35.8	35.8
H74	22.7	22.7	22.7	25.4	29.5	31.4	32.1	34.2	35.6	35.6	35.6	35.6
H75	20.2	20.2	20.2	22.9	26.9	30.0	31.4	32.8	33.1	33.1	33.1	33.1
H76	22.2	22.2	22.2	24.9	28.9	30.9	31.6	33.7	35.1	35.1	35.1	35.1
H77	22.2	22.2	22.2	24.9	28.9	30.9	31.6	33.7	35.1	35.1	35.1	35.1
H78	21.2	21.2	21.2	23.9	28.0	30.9	32.2	33.7	34.1	34.1	34.1	34.1
H79	22.3	22.3	22.3	25.0	29.1	31.7	32.9	34.6	35.2	35.2	35.2	35.2
H80	19.1	19.1	19.1	21.8	25.9	28.7	30.0	31.6	32.0	32.0	32.0	32.0
H81	21.4	21.4	21.4	24.1	28.1	30.4	31.4	33.4	34.3	34.3	34.3	34.3
H82	18.5	18.5	18.5	21.2	25.2	28.0	29.3	30.8	31.4	31.4	31.4	31.4
H83	18.5	18.5	18.5	21.2	25.2	28.0	29.3	30.8	31.4	31.4	31.4	31.4
H84	20.1	20.1	20.1	22.8	26.8	28.9	29.7	31.8	33.0	33.0	33.0	33.0
H85	18.6	18.6	18.6	21.3	25.3	27.3	28.0	29.9	31.5	31.5	31.5	31.5
H86	18.3	18.3	18.3	21.0	25.0	27.0	27.8	29.6	31.2	31.2	31.2	31.2
H87	18.4	18.4	18.4	21.1	25.1	27.2	27.9	29.8	31.3	31.3	31.3	31.3
H88	14.7	14.7	14.7	17.3	21.4	24.1	25.3	26.9	27.6	27.6	27.6	27.6
H89	16.2	16.2	16.2	18.9	22.9	25.7	26.9	28.5	29.1	29.1	29.1	29.1

Table 10.14.5: Mitigated Predicted Noise Levels in 120 Degree Sector - Day												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	8.6	8.6	8.6	11.3	15.3	16.9	18.7	19.1	21.5	21.5	21.5	21.5
H2	8.6	8.6	8.6	11.3	15.3	16.9	18.7	19.1	21.5	21.5	21.5	21.5
H3	9.0	9.0	9.0	11.7	15.7	17.3	19.1	19.7	21.9	21.9	21.9	21.9
H4	9.0	9.0	9.0	11.7	15.8	17.4	19.1	19.7	21.9	21.9	21.9	21.9
H5	9.1	9.1	9.1	11.8	15.9	17.5	19.2	19.8	22.0	22.0	22.0	22.0
H6	6.6	6.6	6.6	9.3	13.3	14.9	16.6	17.8	19.5	19.5	19.5	19.5
H7	14.0	14.0	14.0	16.7	20.7	22.3	24.3	24.6	26.9	26.9	26.9	26.9
H8	15.3	15.3	15.3	18.0	22.0	23.5	25.6	25.5	28.2	28.2	28.2	28.2
H9	16.3	16.3	16.3	19.0	23.0	24.5	26.6	26.4	29.2	29.2	29.2	29.2
H10	15.3	15.3	15.3	18.0	22.0	23.5	25.6	25.7	28.2	28.2	28.2	28.2
H11	15.4	15.4	15.4	18.1	22.1	23.6	25.7	25.8	28.3	28.3	28.3	28.3
H12	18.4	18.4	18.4	21.1	25.2	26.6	28.8	28.5	31.3	31.3	31.3	31.3
H13	8.2	8.2	8.2	10.9	15.0	16.6	18.4	19.6	21.1	21.1	21.1	21.1
H14	17.3	17.3	17.3	20.0	24.0	25.4	27.4	27.4	30.2	30.2	30.2	30.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H15	17.5	17.5	17.5	20.2	24.2	25.7	27.7	27.5	30.4	30.4	30.4	30.4
H16	8.1	8.1	8.1	10.8	14.8	16.5	18.2	19.5	21.0	21.0	21.0	21.0
H17	12.2	12.2	12.2	14.9	18.9	20.6	22.4	23.7	25.1	25.1	25.1	25.1
H18	13.1	13.1	13.1	15.8	19.8	21.5	23.3	24.6	26.0	26.0	26.0	26.0
H19	11.7	11.7	11.7	14.4	18.4	20.1	21.8	23.2	24.6	24.6	24.6	24.6
H20	13.5	13.5	13.5	16.2	20.2	22.0	23.6	25.0	26.4	26.4	26.4	26.4
H21	11.5	11.5	11.5	14.2	18.3	20.0	21.7	23.0	24.4	24.4	24.4	24.4
H22	12.1	12.1	12.1	14.7	18.8	20.5	22.2	23.5	25.0	25.0	25.0	25.0
H23	12.2	12.2	12.2	14.9	19.0	20.7	22.4	23.7	25.1	25.1	25.1	25.1
H24	22.7	22.7	22.7	25.4	29.5	30.8	33.2	32.1	35.6	35.6	35.6	35.6
H25	15.0	15.0	15.0	17.7	21.7	23.5	25.1	26.6	27.9	27.9	27.9	27.9
H26	11.8	11.8	11.8	14.5	18.6	20.3	22.0	23.4	24.7	24.7	24.7	24.7
H27	14.1	14.1	14.1	16.8	20.9	22.6	24.3	25.8	27.0	27.0	27.0	27.0
H28	13.5	13.5	13.5	16.1	20.2	22.0	23.6	25.1	26.4	26.4	26.4	26.4
H29	10.8	10.8	10.8	13.5	17.5	19.3	21.0	22.4	23.7	23.7	23.7	23.7
H30	12.1	12.1	12.1	14.8	18.8	20.5	22.3	23.7	25.0	25.0	25.0	25.0
H31	11.0	11.0	11.0	13.7	17.7	19.5	21.2	22.6	23.9	23.9	23.9	23.9
H32	11.2	11.2	11.2	13.9	17.9	19.6	21.4	22.8	24.1	24.1	24.1	24.1
H33	7.6	7.6	7.6	10.3	14.3	16.0	17.8	19.2	20.5	20.5	20.5	20.5
H34	21.1	21.1	21.1	23.8	27.8	29.7	31.1	33.0	34.0	34.0	34.0	34.0
H35	12.0	12.0	12.0	14.7	18.7	20.5	22.3	23.7	24.9	24.9	24.9	24.9
H36	9.9	9.9	9.9	12.6	16.7	18.4	20.2	21.6	22.8	22.8	22.8	22.8
H37	8.0	8.0	8.0	10.7	14.7	16.4	18.2	19.6	20.9	20.9	20.9	20.9
H38	12.5	12.5	12.5	15.1	19.2	21.0	22.8	24.3	25.4	25.4	25.4	25.4
H39	24.2	24.2	24.2	26.8	30.9	32.3	34.4	34.0	37.1	37.1	37.1	37.1
H40	13.0	13.0	13.0	15.7	19.7	21.5	23.4	24.9	25.9	25.9	25.9	25.9
H41	8.9	8.9	8.9	11.6	15.6	17.3	19.1	20.6	21.8	21.8	21.8	21.8
H42	9.7	9.7	9.7	12.4	16.4	18.1	19.9	21.4	22.6	22.6	22.6	22.6
H43	8.2	8.2	8.2	10.8	14.9	16.6	18.4	19.8	21.1	21.1	21.1	21.1
H44	11.6	11.6	11.6	14.3	18.3	20.1	21.9	23.4	24.5	24.5	24.5	24.5
H45	9.4	9.4	9.4	12.1	16.1	17.9	19.6	21.1	22.3	22.3	22.3	22.3
H46	8.8	8.8	8.8	11.5	15.5	17.2	19.0	20.4	21.7	21.7	21.7	21.7
H47	8.7	8.7	8.7	11.4	15.4	17.2	18.9	20.4	21.6	21.6	21.6	21.6
H48	22.1	22.1	22.1	24.8	28.8	30.3	32.0	32.3	35.0	35.0	35.0	35.0
H49	19.8	19.8	19.8	22.5	26.5	28.0	29.6	30.2	32.7	32.7	32.7	32.7

Table 10.14.5: Mitigated Predicted Noise Levels in 120 Degree Sector - Day												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H50	19.3	19.3	19.3	22.0	26.0	27.5	29.1	29.8	32.2	32.2	32.2	32.2
H52	19.7	19.7	19.7	22.4	26.4	27.9	29.5	30.3	32.6	32.6	32.6	32.6
H53	19.5	19.5	19.5	22.2	26.3	27.7	29.3	30.1	32.4	32.4	32.4	32.4
H54	19.0	19.0	19.0	21.7	25.7	27.2	28.7	29.6	31.9	31.9	31.9	31.9
H55	19.3	19.3	19.3	22.0	26.0	27.5	29.0	30.0	32.2	32.2	32.2	32.2
H56	20.0	20.0	20.0	22.7	26.8	28.3	29.7	30.8	32.9	32.9	32.9	32.9
H57	20.2	20.2	20.2	22.9	26.9	28.5	29.8	31.0	33.1	33.1	33.1	33.1
H58	19.8	19.8	19.8	22.5	26.5	28.0	29.4	30.6	32.7	32.7	32.7	32.7
H59	19.8	19.8	19.8	22.5	26.5	28.0	29.4	30.6	32.7	32.7	32.7	32.7
H60	19.8	19.8	19.8	22.5	26.6	28.1	29.5	30.6	32.7	32.7	32.7	32.7
H61	19.9	19.9	19.9	22.6	26.6	28.1	29.5	30.7	32.8	32.8	32.8	32.8
H62	20.0	20.0	20.0	22.7	26.7	28.3	29.6	30.8	32.9	32.9	32.9	32.9
H63	19.8	19.8	19.8	22.5	26.6	28.1	29.5	30.6	32.7	32.7	32.7	32.7
H64	19.9	19.9	19.9	22.6	26.6	28.1	29.5	30.7	32.8	32.8	32.8	32.8
H65	19.9	19.9	19.9	22.6	26.6	28.1	29.5	30.7	32.8	32.8	32.8	32.8
H66	19.9	19.9	19.9	22.6	26.6	28.1	29.5	30.7	32.8	32.8	32.8	32.8
H67	20.3	20.3	20.3	23.0	27.0	28.5	29.9	31.1	33.2	33.2	33.2	33.2
H68	24.0	24.0	24.0	26.7	30.7	32.2	33.4	35.1	36.9	36.9	36.9	36.9
H69	24.3	24.3	24.3	27.0	31.1	32.6	33.7	35.6	37.2	37.2	37.2	37.2
H70	22.6	22.6	22.6	25.3	29.3	30.9	32.1	33.7	35.5	35.5	35.5	35.5
H71	18.8	18.8	18.8	21.5	25.5	27.1	28.4	29.7	31.7	31.7	31.7	31.7
H72	8.9	8.9	8.9	11.6	15.6	17.4	19.1	20.6	21.8	21.8	21.8	21.8
H73	22.9	22.9	22.9	25.6	29.6	31.2	32.4	34.2	35.8	35.8	35.8	35.8
H74	22.9	22.9	22.9	25.6	29.6	31.2	32.4	34.3	35.8	35.8	35.8	35.8
H75	22.6	22.6	22.6	25.3	29.3	31.2	33.6	35.0	35.5	35.5	35.5	35.5
H76	22.4	22.4	22.4	25.1	29.1	30.7	31.9	33.8	35.3	35.3	35.3	35.3
H77	22.4	22.4	22.4	25.1	29.1	30.7	32.0	33.8	35.3	35.3	35.3	35.3
H78	23.4	23.4	23.4	26.1	30.1	32.0	33.9	35.6	36.3	36.3	36.3	36.3
H79	24.0	24.0	24.0	26.7	30.8	32.5	34.1	35.9	36.9	36.9	36.9	36.9
H80	21.9	21.9	21.9	24.6	28.7	30.5	32.4	34.1	34.8	34.8	34.8	34.8
H81	22.4	22.4	22.4	25.1	29.1	30.8	32.2	34.1	35.3	35.3	35.3	35.3
H82	21.4	21.4	21.4	24.1	28.1	30.0	31.8	33.5	34.3	34.3	34.3	34.3
H83	21.4	21.4	21.4	24.1	28.1	30.0	31.8	33.5	34.3	34.3	34.3	34.3
H84	20.6	20.6	20.6	23.3	27.3	28.9	30.3	32.1	33.5	33.5	33.5	33.5
H85	18.6	18.6	18.6	21.3	25.3	26.9	28.2	29.9	31.5	31.5	31.5	31.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H86	18.3	18.3	18.3	21.0	25.0	26.6	28.0	29.6	31.2	31.2	31.2	31.2
H87	18.4	18.4	18.4	21.1	25.1	26.7	28.1	29.8	31.3	31.3	31.3	31.3
H88	14.0	14.0	14.0	16.7	20.7	22.5	24.6	26.0	26.9	26.9	26.9	26.9
H89	16.1	16.1	16.1	18.8	22.8	24.7	26.8	28.3	29.0	29.0	29.0	29.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	6.1	6.1	6.1	8.8	12.9	14.2	15.3	15.4	18.7	19.0	19.0	19.0
H2	6.2	6.2	6.2	8.9	12.9	14.3	15.3	15.4	18.7	19.1	19.1	19.1
H3	6.4	6.4	6.4	9.1	13.1	14.5	15.5	15.6	19.0	19.3	19.3	19.3
H4	6.4	6.4	6.4	9.1	13.2	14.5	15.5	15.6	19.0	19.3	19.3	19.3
H5	6.5	6.5	6.5	9.2	13.3	14.6	15.6	15.7	19.1	19.4	19.4	19.4
H6	5.6	5.6	5.6	8.3	12.4	13.7	15.0	15.4	18.3	18.5	18.5	18.5
H7	10.0	10.0	10.0	12.7	16.7	18.0	19.2	19.3	22.6	22.9	22.9	22.9
H8	10.7	10.7	10.7	13.4	17.4	18.8	19.8	19.8	23.2	23.6	23.6	23.6
H9	11.7	11.7	11.7	14.4	18.4	19.7	20.7	20.7	24.2	24.6	24.6	24.6
H10	11.3	11.3	11.3	14.0	18.0	19.3	20.4	20.4	23.8	24.2	24.2	24.2
H11	11.4	11.4	11.4	14.1	18.1	19.4	20.5	20.5	23.9	24.3	24.3	24.3
H12	13.8	13.8	13.8	16.5	20.6	21.9	23.0	22.9	26.3	26.7	26.7	26.7
H13	7.9	7.9	7.9	10.5	14.6	16.0	17.3	17.7	20.5	20.8	20.8	20.8
H14	12.7	12.7	12.7	15.4	19.4	20.7	21.6	21.6	25.2	25.6	25.6	25.6
H15	14.5	14.5	14.5	17.2	21.2	22.4	23.5	23.1	26.9	27.4	27.4	27.4
H16	8.3	8.3	8.3	11.0	15.0	16.4	17.8	18.3	21.0	21.2	21.2	21.2
H17	12.0	12.0	12.0	14.7	18.7	20.1	21.5	22.0	24.7	24.9	24.9	24.9
H18	13.0	13.0	13.0	15.6	19.7	21.1	22.4	22.9	25.6	25.9	25.9	25.9
H19	12.0	12.0	12.0	14.6	18.7	20.1	21.5	22.0	24.7	24.9	24.9	24.9
H20	13.4	13.4	13.4	16.1	20.1	21.5	22.8	23.3	26.1	26.3	26.3	26.3
H21	11.8	11.8	11.8	14.5	18.5	19.9	21.3	21.8	24.5	24.7	24.7	24.7
H22	12.3	12.3	12.3	15.0	19.0	20.4	21.8	22.3	25.0	25.2	25.2	25.2
H23	12.5	12.5	12.5	15.1	19.2	20.6	22.0	22.5	25.2	25.4	25.4	25.4
H24	21.2	21.2	21.2	23.9	28.0	29.2	30.2	29.6	33.5	34.1	34.1	34.1
H25	14.7	14.7	14.7	17.4	21.5	22.8	24.3	24.8	27.5	27.6	27.6	27.6
H26	12.1	12.1	12.1	14.8	18.8	20.3	21.7	22.3	24.8	25.0	25.0	25.0
H27	14.3	14.3	14.3	17.0	21.1	22.5	24.0	24.6	27.1	27.2	27.2	27.2

Table 10.14.6: Predicted Noise Levels in 150 Degree Sector - Day												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H28	13.8	13.8	13.8	16.5	20.5	22.0	23.5	24.1	26.6	26.7	26.7	26.7
H29	11.8	11.8	11.8	14.5	18.5	19.9	21.4	22.0	24.5	24.7	24.7	24.7
H30	12.7	12.7	12.7	15.4	19.4	20.8	22.3	22.8	25.4	25.6	25.6	25.6
H31	12.0	12.0	12.0	14.7	18.7	20.1	21.6	22.2	24.7	24.9	24.9	24.9
H32	12.1	12.1	12.1	14.8	18.9	20.3	21.8	22.4	24.8	25.0	25.0	25.0
H33	9.1	9.1	9.1	11.8	15.8	17.2	18.7	19.3	21.8	22.0	22.0	22.0
H34	21.0	21.0	21.0	23.7	27.8	29.1	30.8	31.3	33.9	33.9	33.9	33.9
H35	12.9	12.9	12.9	15.5	19.6	21.0	22.6	23.3	25.6	25.8	25.8	25.8
H36	11.0	11.0	11.0	13.7	17.7	19.1	20.7	21.3	23.7	23.9	23.9	23.9
H37	9.5	9.5	9.5	12.2	16.2	17.6	19.2	19.8	22.2	22.4	22.4	22.4
H38	13.3	13.3	13.3	16.0	20.0	21.5	23.2	23.8	26.0	26.2	26.2	26.2
H39	23.8	23.8	23.8	26.5	30.5	31.9	32.7	32.3	36.2	36.7	36.7	36.7
H40	13.8	13.8	13.8	16.5	20.6	22.0	23.8	24.5	26.6	26.7	26.7	26.7
H41	10.3	10.3	10.3	13.0	17.1	18.5	20.1	20.7	23.1	23.2	23.2	23.2
H42	11.1	11.1	11.1	13.8	17.8	19.3	20.9	21.5	23.9	24.0	24.0	24.0
H43	9.8	9.8	9.8	12.5	16.5	18.0	19.4	20.1	22.5	22.7	22.7	22.7
H44	12.6	12.6	12.6	15.3	19.3	20.7	22.4	23.1	25.3	25.5	25.5	25.5
H45	11.0	11.0	11.0	13.7	17.8	19.2	20.7	21.4	23.8	23.9	23.9	23.9
H46	10.4	10.4	10.4	13.1	17.1	18.6	20.1	20.7	23.1	23.3	23.3	23.3
H47	10.3	10.3	10.3	13.0	17.0	18.5	20.0	20.7	23.1	23.2	23.2	23.2
H48	22.1	22.1	22.1	24.8	28.8	30.2	30.9	31.0	34.7	35.0	35.0	35.0
H49	19.8	19.8	19.8	22.5	26.5	27.8	28.6	28.9	32.4	32.7	32.7	32.7
H50	19.3	19.3	19.3	22.0	26.0	27.4	28.2	28.4	31.9	32.2	32.2	32.2
H52	19.7	19.7	19.7	22.4	26.4	27.8	28.6	28.9	32.3	32.6	32.6	32.6
H53	19.5	19.5	19.5	22.2	26.3	27.6	28.4	28.7	32.2	32.4	32.4	32.4
H54	19.0	19.0	19.0	21.7	25.7	27.1	27.9	28.2	31.6	31.9	31.9	31.9
H55	19.3	19.3	19.3	22.0	26.0	27.4	28.2	28.6	32.0	32.2	32.2	32.2
H56	20.0	20.0	20.0	22.7	26.8	28.1	29.0	29.4	32.7	32.9	32.9	32.9
H57	20.2	20.2	20.2	22.9	26.9	28.3	29.1	29.5	32.9	33.1	33.1	33.1
H58	19.8	19.8	19.8	22.5	26.5	27.9	28.7	29.1	32.5	32.7	32.7	32.7
H59	19.8	19.8	19.8	22.5	26.5	27.9	28.7	29.1	32.5	32.7	32.7	32.7
H60	19.8	19.8	19.8	22.5	26.6	27.9	28.8	29.2	32.5	32.7	32.7	32.7
H61	19.9	19.9	19.9	22.6	26.6	28.0	28.8	29.2	32.6	32.8	32.8	32.8
H62	20.0	20.0	20.0	22.7	26.7	28.1	28.9	29.3	32.7	32.9	32.9	32.9
H63	19.8	19.8	19.8	22.5	26.6	27.9	28.8	29.2	32.5	32.7	32.7	32.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H64	19.9	19.9	19.9	22.6	26.6	28.0	28.8	29.2	32.6	32.8	32.8	32.8
H65	19.9	19.9	19.9	22.6	26.6	28.0	28.8	29.2	32.6	32.8	32.8	32.8
H66	19.9	19.9	19.9	22.6	26.6	28.0	28.8	29.3	32.6	32.8	32.8	32.8
H67	20.3	20.3	20.3	23.0	27.0	28.4	29.2	29.6	33.0	33.2	33.2	33.2
H68	24.0	24.0	24.0	26.7	30.7	32.1	32.9	33.5	36.7	36.9	36.9	36.9
H69	24.3	24.3	24.3	27.0	31.1	32.4	33.3	34.0	37.1	37.2	37.2	37.2
H70	22.6	22.6	22.6	25.3	29.3	30.7	31.6	32.2	35.4	35.5	35.5	35.5
H71	18.8	18.8	18.8	21.5	25.5	26.9	27.8	28.2	31.5	31.7	31.7	31.7
H72	13.2	13.2	13.2	15.9	19.9	21.3	22.9	23.6	26.0	26.1	26.1	26.1
H73	22.9	22.9	22.9	25.6	29.6	31.0	32.0	32.7	35.7	35.8	35.8	35.8
H74	22.9	22.9	22.9	25.6	29.6	31.0	32.1	32.8	35.7	35.8	35.8	35.8
H75	23.8	23.8	23.8	26.5	30.5	32.1	34.2	35.2	36.6	36.7	36.7	36.7
H76	22.4	22.4	22.4	25.1	29.1	30.5	31.6	32.3	35.2	35.3	35.3	35.3
H77	22.4	22.4	22.4	25.1	29.1	30.5	31.6	32.3	35.2	35.3	35.3	35.3
H78	23.9	23.9	23.9	26.6	30.6	32.2	34.2	35.1	36.8	36.8	36.8	36.8
H79	24.0	24.0	24.0	26.7	30.8	32.3	34.0	34.9	36.9	36.9	36.9	36.9
H80	22.6	22.6	22.6	25.2	29.3	30.8	32.6	33.6	35.4	35.5	35.5	35.5
H81	22.4	22.4	22.4	25.1	29.1	30.5	32.0	32.9	35.2	35.3	35.3	35.3
H82	22.1	22.1	22.1	24.8	28.8	30.3	32.1	33.0	34.9	35.0	35.0	35.0
H83	22.1	22.1	22.1	24.8	28.8	30.3	32.1	33.0	34.9	35.0	35.0	35.0
H84	20.6	20.6	20.6	23.3	27.3	28.7	30.0	30.7	33.4	33.5	33.5	33.5
H85	18.6	18.6	18.6	21.3	25.3	26.7	27.8	28.5	31.4	31.5	31.5	31.5
H86	18.3	18.3	18.3	21.0	25.0	26.4	27.5	28.2	31.1	31.2	31.2	31.2
H87	18.4	18.4	18.4	21.1	25.1	26.5	27.7	28.4	31.2	31.3	31.3	31.3
H88	14.9	14.9	14.9	17.6	21.6	23.2	25.0	25.8	27.7	27.8	27.8	27.8
H89	17.2	17.2	17.2	19.9	23.9	25.5	27.6	28.5	30.0	30.1	30.1	30.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	5.6	5.6	5.6	8.3	12.3	14.0	16.1	16.6	18.5	18.5	18.5	18.5
H2	5.6	5.6	5.6	8.3	12.4	14.0	16.1	16.6	18.5	18.5	18.5	18.5
H3	5.8	5.8	5.8	8.5	12.5	14.1	16.2	16.7	18.7	18.7	18.7	18.7
H4	5.8	5.8	5.8	8.5	12.5	14.1	16.2	16.7	18.7	18.7	18.7	18.7
H5	5.9	5.9	5.9	8.6	12.6	14.2	16.4	16.8	18.8	18.8	18.8	18.8

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H6	6.3	6.3	6.3	9.0	13.1	14.8	16.6	17.8	19.2	19.2	19.2	19.2
H7	8.1	8.1	8.1	10.8	14.9	16.5	18.6	19.2	21.0	21.0	21.0	21.0
H8	7.1	7.1	7.1	9.8	13.9	15.5	17.6	18.2	20.0	20.0	20.0	20.0
H9	8.1	8.1	8.1	10.8	14.8	16.4	18.6	19.1	21.0	21.0	21.0	21.0
H10	9.5	9.5	9.5	12.2	16.2	17.8	20.0	20.4	22.4	22.4	22.4	22.4
H11	9.6	9.6	9.6	12.3	16.3	17.9	20.0	20.5	22.5	22.5	22.5	22.5
H12	11.2	11.2	11.2	13.9	17.9	19.5	21.8	21.9	24.1	24.1	24.1	24.1
H13	9.3	9.3	9.3	12.0	16.0	17.8	19.6	20.7	22.2	22.2	22.2	22.2
H14	9.0	9.0	9.0	11.7	15.7	17.3	19.4	20.0	21.9	21.9	21.9	21.9
H15	10.2	10.2	10.2	12.8	16.9	18.3	20.7	20.8	23.1	23.1	23.1	23.1
H16	10.5	10.5	10.5	13.2	17.2	19.0	20.9	21.8	23.4	23.4	23.4	23.4
H17	13.9	13.9	13.9	16.6	20.7	22.4	24.3	25.2	26.8	26.8	26.8	26.8
H18	14.9	14.9	14.9	17.6	21.6	23.4	25.3	26.1	27.8	27.8	27.8	27.8
H19	14.1	14.1	14.1	16.8	20.8	22.7	24.5	25.5	27.0	27.0	27.0	27.0
H20	15.3	15.3	15.3	18.0	22.0	23.8	25.6	26.5	28.2	28.2	28.2	28.2
H21	13.9	13.9	13.9	16.6	20.6	22.5	24.3	25.3	26.8	26.8	26.8	26.8
H22	14.4	14.4	14.4	17.1	21.1	23.0	24.8	25.8	27.3	27.3	27.3	27.3
H23	14.6	14.6	14.6	17.3	21.3	23.2	24.9	26.0	27.5	27.5	27.5	27.5
H24	18.4	18.4	18.4	21.1	25.1	26.4	29.5	27.8	31.3	31.3	31.3	31.3
H25	16.4	16.4	16.4	19.1	23.1	24.9	26.7	27.8	29.3	29.3	29.3	29.3
H26	14.3	14.3	14.3	17.0	21.0	22.9	24.6	25.9	27.2	27.2	27.2	27.2
H27	16.3	16.3	16.3	19.0	23.1	25.0	26.6	28.0	29.2	29.2	29.2	29.2
H28	16.1	16.1	16.1	18.8	22.8	24.8	26.3	27.8	29.0	29.0	29.0	29.0
H29	14.9	14.9	14.9	17.6	21.6	23.5	25.3	26.3	27.8	27.8	27.8	27.8
H30	15.5	15.5	15.5	18.2	22.2	24.0	25.9	26.8	28.4	28.4	28.4	28.4
H31	15.1	15.1	15.1	17.8	21.8	23.7	25.5	26.5	28.0	28.0	28.0	28.0
H32	15.2	15.2	15.2	17.9	21.9	23.8	25.6	26.7	28.1	28.1	28.1	28.1
H33	12.7	12.7	12.7	15.4	19.4	21.4	23.0	24.4	25.6	25.6	25.6	25.6
H34	22.3	22.3	22.3	25.0	29.0	31.0	32.5	33.9	35.2	35.2	35.2	35.2
H35	15.8	15.8	15.8	18.5	22.6	24.5	26.3	27.4	28.7	28.7	28.7	28.7
H36	14.2	14.2	14.2	16.9	20.9	22.8	24.5	25.8	27.1	27.1	27.1	27.1
H37	13.1	13.1	13.1	15.8	19.8	21.8	23.4	24.8	26.0	26.0	26.0	26.0
H38	16.2	16.2	16.2	18.9	22.9	24.9	26.6	27.8	29.1	29.1	29.1	29.1
H39	21.8	21.8	21.8	24.5	28.5	29.8	32.7	31.6	34.7	34.7	34.7	34.7
H40	16.8	16.8	16.8	19.4	23.5	25.5	27.1	28.5	29.7	29.7	29.7	29.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H41	14.0	14.0	14.0	16.6	20.7	22.7	24.2	25.7	26.9	26.9	26.9	26.9
H42	14.7	14.7	14.7	17.4	21.4	23.5	25.0	26.5	27.6	27.6	27.6	27.6
H43	13.6	13.6	13.6	16.3	20.3	22.3	23.8	25.4	26.5	26.5	26.5	26.5
H44	15.7	15.7	15.7	18.4	22.4	24.3	25.9	27.4	28.6	28.6	28.6	28.6
H45	14.8	14.8	14.8	17.5	21.5	23.6	25.0	26.6	27.7	27.7	27.7	27.7
H46	14.2	14.2	14.2	16.9	20.9	22.9	24.4	26.0	27.1	27.1	27.1	27.1
H47	14.1	14.1	14.1	16.8	20.8	22.8	24.3	25.9	27.0	27.0	27.0	27.0
H48	20.3	20.3	20.3	23.0	27.0	28.4	30.9	30.7	33.2	33.2	33.2	33.2
H49	19.0	19.0	19.0	21.7	25.7	27.3	29.2	30.2	31.9	31.9	31.9	31.9
H50	18.6	18.6	18.6	21.3	25.3	26.9	28.8	29.7	31.5	31.5	31.5	31.5
H52	18.9	18.9	18.9	21.6	25.6	27.3	29.1	30.2	31.8	31.8	31.8	31.8
H53	18.7	18.7	18.7	21.4	25.5	27.1	28.9	30.0	31.6	31.6	31.6	31.6
H54	18.8	18.8	18.8	21.5	25.6	27.1	28.8	30.3	31.7	31.7	31.7	31.7
H55	19.1	19.1	19.1	21.8	25.8	27.4	29.0	30.7	32.0	32.0	32.0	32.0
H56	20.0	20.0	20.0	22.7	26.8	28.5	29.9	31.7	32.9	32.9	32.9	32.9
H57	20.2	20.2	20.2	22.9	26.9	28.6	30.1	31.9	33.1	33.1	33.1	33.1
H58	19.8	19.8	19.8	22.5	26.5	28.2	29.7	31.5	32.7	32.7	32.7	32.7
H59	19.8	19.8	19.8	22.5	26.5	28.2	29.7	31.5	32.7	32.7	32.7	32.7
H60	19.8	19.8	19.8	22.5	26.6	28.3	29.7	31.6	32.7	32.7	32.7	32.7
H61	19.9	19.9	19.9	22.6	26.6	28.3	29.8	31.6	32.8	32.8	32.8	32.8
H62	20.0	20.0	20.0	22.7	26.7	28.4	29.9	31.7	32.9	32.9	32.9	32.9
H63	19.8	19.8	19.8	22.5	26.6	28.3	29.7	31.6	32.7	32.7	32.7	32.7
H64	19.9	19.9	19.9	22.6	26.6	28.3	29.7	31.6	32.8	32.8	32.8	32.8
H65	19.9	19.9	19.9	22.6	26.6	28.3	29.8	31.6	32.8	32.8	32.8	32.8
H66	19.9	19.9	19.9	22.6	26.6	28.3	29.8	31.6	32.8	32.8	32.8	32.8
H67	20.3	20.3	20.3	23.0	27.0	28.7	30.1	32.0	33.2	33.2	33.2	33.2
H68	24.0	24.0	24.0	26.7	30.7	32.4	33.6	36.0	36.9	36.9	36.9	36.9
H69	24.3	24.3	24.3	27.0	31.1	32.8	33.9	36.4	37.2	37.2	37.2	37.2
H70	22.6	22.6	22.6	25.3	29.3	31.1	32.3	34.6	35.5	35.5	35.5	35.5
H71	18.8	18.8	18.8	21.5	25.5	27.3	28.7	30.6	31.7	31.7	31.7	31.7
H72	16.4	16.4	16.4	19.1	23.1	25.5	26.8	28.7	29.3	29.3	29.3	29.3
H73	22.9	22.9	22.9	25.6	29.6	31.4	32.6	35.0	35.8	35.8	35.8	35.8
H74	22.9	22.9	22.9	25.6	29.6	31.5	32.6	35.1	35.8	35.8	35.8	35.8
H75	23.8	23.8	23.8	26.5	30.5	33.1	34.4	36.2	36.7	36.7	36.7	36.7
H76	22.4	22.4	22.4	25.1	29.1	31.0	32.1	34.5	35.3	35.3	35.3	35.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H77	22.4	22.4	22.4	25.1	29.1	31.0	32.2	34.5	35.3	35.3	35.3	35.3
H78	23.9	23.9	23.9	26.6	30.6	33.1	34.4	36.3	36.8	36.8	36.8	36.8
H79	24.0	24.0	24.0	26.7	30.8	33.0	34.2	36.4	36.9	36.9	36.9	36.9
H80	22.6	22.6	22.6	25.2	29.3	31.6	32.9	34.9	35.5	35.5	35.5	35.5
H81	22.4	22.4	22.4	25.1	29.1	31.2	32.4	34.6	35.3	35.3	35.3	35.3
H82	22.1	22.1	22.1	24.8	28.8	31.1	32.4	34.4	35.0	35.0	35.0	35.0
H83	22.1	22.1	22.1	24.8	28.8	31.1	32.4	34.4	35.0	35.0	35.0	35.0
H84	20.6	20.6	20.6	23.3	27.3	29.3	30.5	32.7	33.5	33.5	33.5	33.5
H85	18.6	18.6	18.6	21.3	25.3	27.2	28.4	30.6	31.5	31.5	31.5	31.5
H86	18.3	18.3	18.3	21.0	25.0	26.9	28.2	30.3	31.2	31.2	31.2	31.2
H87	18.4	18.4	18.4	21.1	25.1	27.0	28.3	30.5	31.3	31.3	31.3	31.3
H88	17.8	17.8	17.8	20.5	24.5	26.6	28.1	29.7	30.7	30.7	30.7	30.7
H89	20.1	20.1	20.1	22.8	26.8	29.1	30.6	32.0	33.0	33.0	33.0	33.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	6.7	6.7	6.7	9.3	13.4	15.0	17.3	18.8	19.6	19.6	19.6	19.6
H2	6.7	6.7	6.7	9.4	13.4	15.0	17.3	18.8	19.6	19.6	19.6	19.6
H3	6.7	6.7	6.7	9.4	13.4	15.1	17.4	18.9	19.6	19.6	19.6	19.6
H4	6.7	6.7	6.7	9.4	13.5	15.1	17.4	18.9	19.6	19.6	19.6	19.6
H5	6.9	6.9	6.9	9.6	13.6	15.2	17.5	19.0	19.8	19.8	19.8	19.8
H6	9.0	9.0	9.0	11.7	15.7	17.5	19.5	21.0	21.9	21.9	21.9	21.9
H7	8.0	8.0	8.0	10.7	14.7	16.4	18.5	20.1	20.9	20.9	20.9	20.9
H8	5.7	5.7	5.7	8.4	12.4	14.2	16.2	17.8	18.6	18.6	18.6	18.6
H9	6.6	6.6	6.6	9.3	13.4	15.1	17.2	18.8	19.5	19.5	19.5	19.5
H10	9.3	9.3	9.3	12.0	16.1	17.8	19.9	21.5	22.2	22.2	22.2	22.2
H11	9.4	9.4	9.4	12.1	16.1	17.8	20.0	21.6	22.3	22.3	22.3	22.3
H12	10.4	10.4	10.4	13.1	17.2	18.8	21.1	22.6	23.3	23.3	23.3	23.3
H13	12.9	12.9	12.9	15.6	19.6	21.4	23.4	25.0	25.8	25.8	25.8	25.8
H14	7.4	7.4	7.4	10.1	14.1	15.8	17.9	19.5	20.3	20.3	20.3	20.3
H15	8.0	8.0	8.0	10.6	14.7	16.3	18.5	20.2	20.9	20.9	20.9	20.9
H16	14.5	14.5	14.5	17.2	21.3	23.1	25.0	26.6	27.4	27.4	27.4	27.4
H17	17.8	17.8	17.8	20.5	24.5	26.3	28.3	30.0	30.7	30.7	30.7	30.7
H18	18.8	18.8	18.8	21.5	25.5	27.2	29.3	30.9	31.7	31.7	31.7	31.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H19	18.2	18.2	18.2	20.9	24.9	26.7	28.6	30.2	31.1	31.1	31.1	31.1
H20	19.1	19.1	19.1	21.8	25.8	27.6	29.6	31.3	32.0	32.0	32.0	32.0
H21	17.9	17.9	17.9	20.6	24.7	26.5	28.4	30.0	30.8	30.8	30.8	30.8
H22	18.4	18.4	18.4	21.1	25.2	27.0	28.9	30.5	31.3	31.3	31.3	31.3
H23	18.6	18.6	18.6	21.3	25.3	27.2	29.1	30.7	31.5	31.5	31.5	31.5
H24	16.9	16.9	16.9	19.6	23.6	24.9	28.2	29.0	29.8	29.8	29.8	29.8
H25	19.9	19.9	19.9	22.6	26.7	28.5	30.4	32.0	32.8	32.8	32.8	32.8
H26	18.5	18.5	18.5	21.2	25.2	27.1	28.8	30.6	31.4	31.4	31.4	31.4
H27	20.2	20.2	20.2	22.9	26.9	28.9	30.5	32.3	33.1	33.1	33.1	33.1
H28	20.1	20.1	20.1	22.8	26.8	28.8	30.3	32.3	33.0	33.0	33.0	33.0
H29	18.8	18.8	18.8	21.5	25.5	27.6	29.0	30.7	31.7	31.7	31.7	31.7
H30	18.9	18.9	18.9	21.6	25.6	27.6	29.1	31.1	31.8	31.8	31.8	31.8
H31	18.9	18.9	18.9	21.6	25.7	27.7	29.2	30.9	31.8	31.8	31.8	31.8
H32	19.1	19.1	19.1	21.8	25.8	27.9	29.3	31.0	32.0	32.0	32.0	32.0
H33	16.9	16.9	16.9	19.5	23.6	25.8	27.1	28.7	29.8	29.8	29.8	29.8
H34	24.1	24.1	24.1	26.8	30.8	32.8	34.3	36.1	37.0	37.0	37.0	37.0
H35	19.7	19.7	19.7	22.4	26.4	28.5	29.9	31.6	32.6	32.6	32.6	32.6
H36	18.1	18.1	18.1	20.8	24.8	26.9	28.3	30.1	31.0	31.0	31.0	31.0
H37	17.3	17.3	17.3	20.0	24.0	26.2	27.5	29.1	30.2	30.2	30.2	30.2
H38	20.0	20.0	20.0	22.7	26.7	28.9	30.2	31.9	32.9	32.9	32.9	32.9
H39	19.7	19.7	19.7	22.4	26.4	27.8	30.8	31.8	32.6	32.6	32.6	32.6
H40	20.5	20.5	20.5	23.2	27.3	29.4	30.8	32.5	33.4	33.4	33.4	33.4
H41	18.1	18.1	18.1	20.8	24.9	27.1	28.4	29.9	31.0	31.0	31.0	31.0
H42	18.9	18.9	18.9	21.6	25.6	27.9	29.2	30.7	31.8	31.8	31.8	31.8
H43	17.3	17.3	17.3	20.0	24.1	26.3	27.6	29.1	30.2	30.2	30.2	30.2
H44	19.6	19.6	19.6	22.3	26.3	28.4	29.8	31.5	32.5	32.5	32.5	32.5
H45	18.6	18.6	18.6	21.3	25.3	27.6	28.9	30.3	31.5	31.5	31.5	31.5
H46	17.9	17.9	17.9	20.6	24.7	26.9	28.2	29.7	30.8	30.8	30.8	30.8
H47	17.9	17.9	17.9	20.5	24.6	26.9	28.1	29.6	30.8	30.8	30.8	30.8
H48	16.2	16.2	16.2	18.9	23.0	24.5	27.0	28.4	29.1	29.1	29.1	29.1
H49	15.5	15.5	15.5	18.2	22.2	23.8	26.2	27.7	28.4	28.4	28.4	28.4
H50	15.1	15.1	15.1	17.7	21.8	23.4	25.7	27.3	28.0	28.0	28.0	28.0
H52	15.4	15.4	15.4	18.0	22.1	23.7	26.0	27.6	28.3	28.3	28.3	28.3
H53	15.2	15.2	15.2	17.9	21.9	23.5	25.8	27.4	28.1	28.1	28.1	28.1
H54	15.1	15.1	15.1	17.8	21.8	23.5	25.6	27.4	28.0	28.0	28.0	28.0

Table 10.14.8: Mitigated Predicted Noise Levels in 210 Degree Sector - Day												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H55	16.8	16.8	16.8	19.5	23.5	25.2	27.3	29.1	29.7	29.7	29.7	29.7
H56	17.6	17.6	17.6	20.3	24.3	26.0	28.1	29.9	30.5	30.5	30.5	30.5
H57	17.8	17.8	17.8	20.5	24.5	26.2	28.2	30.0	30.7	30.7	30.7	30.7
H58	17.4	17.4	17.4	20.0	24.1	25.8	27.8	29.6	30.3	30.3	30.3	30.3
H59	17.4	17.4	17.4	20.0	24.1	25.8	27.8	29.6	30.3	30.3	30.3	30.3
H60	17.4	17.4	17.4	20.1	24.1	25.8	27.9	29.6	30.3	30.3	30.3	30.3
H61	17.4	17.4	17.4	20.1	24.2	25.9	27.9	29.7	30.3	30.3	30.3	30.3
H62	17.5	17.5	17.5	20.2	24.3	26.0	28.0	29.8	30.4	30.4	30.4	30.4
H63	17.9	17.9	17.9	20.6	24.7	26.4	28.3	30.3	30.8	30.8	30.8	30.8
H64	17.9	17.9	17.9	20.6	24.7	26.4	28.3	30.3	30.8	30.8	30.8	30.8
H65	18.0	18.0	18.0	20.7	24.7	26.4	28.3	30.3	30.9	30.9	30.9	30.9
H66	18.0	18.0	18.0	20.7	24.7	26.5	28.3	30.3	30.9	30.9	30.9	30.9
H67	18.3	18.3	18.3	21.0	25.1	26.8	28.6	30.7	31.2	31.2	31.2	31.2
H68	23.4	23.4	23.4	26.0	30.1	32.0	33.2	35.9	36.3	36.3	36.3	36.3
H69	24.1	24.1	24.1	26.8	30.9	32.9	34.0	36.5	37.0	37.0	37.0	37.0
H70	22.0	22.0	22.0	24.7	28.7	30.6	31.9	34.5	34.9	34.9	34.9	34.9
H71	17.7	17.7	17.7	20.4	24.4	26.2	27.8	30.0	30.6	30.6	30.6	30.6
H72	16.4	16.4	16.4	19.1	23.1	25.6	27.0	27.8	29.3	29.3	29.3	29.3
H73	22.6	22.6	22.6	25.3	29.3	31.4	32.5	34.9	35.5	35.5	35.5	35.5
H74	22.6	22.6	22.6	25.3	29.4	31.4	32.5	34.9	35.5	35.5	35.5	35.5
H75	23.8	23.8	23.8	26.5	30.5	33.2	34.5	34.9	36.7	36.7	36.7	36.7
H76	22.1	22.1	22.1	24.8	28.8	30.9	32.0	34.4	35.0	35.0	35.0	35.0
H77	22.1	22.1	22.1	24.8	28.8	30.9	32.0	34.4	35.0	35.0	35.0	35.0
H78	23.9	23.9	23.9	26.6	30.6	33.2	34.5	35.2	36.8	36.8	36.8	36.8
H79	24.0	24.0	24.0	26.7	30.8	33.2	34.4	35.6	36.9	36.9	36.9	36.9
H80	22.6	22.6	22.6	25.2	29.3	31.8	33.0	34.0	35.5	35.5	35.5	35.5
H81	22.4	22.4	22.4	25.1	29.1	31.4	32.6	34.2	35.3	35.3	35.3	35.3
H82	22.1	22.1	22.1	24.8	28.8	31.3	32.5	33.5	35.0	35.0	35.0	35.0
H83	22.1	22.1	22.1	24.8	28.8	31.3	32.5	33.5	35.0	35.0	35.0	35.0
H84	20.6	20.6	20.6	23.3	27.3	29.5	30.7	32.5	33.5	33.5	33.5	33.5
H85	18.6	18.6	18.6	21.3	25.3	27.4	28.7	30.6	31.5	31.5	31.5	31.5
H86	18.3	18.3	18.3	21.0	25.0	27.2	28.4	30.4	31.2	31.2	31.2	31.2
H87	18.4	18.4	18.4	21.1	25.1	27.3	28.5	30.5	31.3	31.3	31.3	31.3
H88	20.9	20.9	20.9	23.6	27.7	29.9	31.2	32.8	33.8	33.8	33.8	33.8
H89	22.8	22.8	22.8	25.5	29.6	32.0	33.2	34.3	35.7	35.7	35.7	35.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	9.7	9.7	9.7	12.4	16.5	18.4	21.6	22.1	22.6	22.6	22.6	22.6
H2	9.7	9.7	9.7	12.4	16.5	18.5	21.6	22.1	22.6	22.6	22.6	22.6
H3	9.7	9.7	9.7	12.4	16.5	18.4	21.7	22.1	22.6	22.6	22.6	22.6
H4	9.8	9.8	9.8	12.5	16.5	18.5	21.7	22.1	22.7	22.7	22.7	22.7
H5	9.9	9.9	9.9	12.6	16.6	18.6	21.8	22.3	22.8	22.8	22.8	22.8
H6	13.4	13.4	13.4	16.1	20.1	22.3	24.9	25.5	26.3	26.3	26.3	26.3
H7	9.4	9.4	9.4	12.1	16.1	18.3	21.1	21.6	22.3	22.3	22.3	22.3
H8	5.8	5.8	5.8	8.5	12.5	14.8	17.3	17.9	18.7	18.7	18.7	18.7
H9	6.8	6.8	6.8	9.5	13.5	15.7	18.3	18.9	19.7	19.7	19.7	19.7
H10	10.8	10.8	10.8	13.5	17.5	19.7	22.5	23.0	23.7	23.7	23.7	23.7
H11	10.9	10.9	10.9	13.6	17.6	19.8	22.6	23.1	23.8	23.8	23.8	23.8
H12	11.1	11.1	11.1	13.8	17.8	19.9	22.9	23.4	24.0	24.0	24.0	24.0
H13	16.6	16.6	16.6	19.3	23.3	25.7	27.9	28.6	29.5	29.5	29.5	29.5
H14	7.4	7.4	7.4	10.1	14.1	16.3	19.0	19.5	20.3	20.3	20.3	20.3
H15	7.6	7.6	7.6	10.3	14.3	16.5	19.3	19.8	20.5	20.5	20.5	20.5
H16	17.4	17.4	17.4	20.1	24.1	26.5	28.2	29.1	30.3	30.3	30.3	30.3
H17	20.3	20.3	20.3	23.0	27.0	29.4	31.4	32.2	33.2	33.2	33.2	33.2
H18	21.2	21.2	21.2	23.9	27.9	30.4	32.4	33.1	34.1	34.1	34.1	34.1
H19	21.1	21.1	21.1	23.8	27.8	30.2	31.8	32.8	34.0	34.0	34.0	34.0
H20	21.5	21.5	21.5	24.2	28.2	30.7	32.6	33.4	34.4	34.4	34.4	34.4
H21	20.9	20.9	20.9	23.6	27.6	30.0	31.6	32.6	33.8	33.8	33.8	33.8
H22	21.4	21.4	21.4	24.1	28.1	30.5	32.1	33.1	34.3	34.3	34.3	34.3
H23	21.6	21.6	21.6	24.3	28.3	30.7	32.3	33.3	34.5	34.5	34.5	34.5
H24	16.6	16.6	16.6	19.2	23.3	24.8	28.9	29.2	29.5	29.5	29.5	29.5
H25	22.3	22.3	22.3	25.0	29.0	31.4	33.3	34.2	35.2	35.2	35.2	35.2
H26	21.1	21.1	21.1	23.8	27.9	30.2	31.7	32.8	34.0	34.0	34.0	34.0
H27	22.6	22.6	22.6	25.3	29.4	31.7	33.2	34.3	35.5	35.5	35.5	35.5
H28	22.2	22.2	22.2	24.9	28.9	31.3	32.8	33.9	35.1	35.1	35.1	35.1
H29	20.7	20.7	20.7	23.4	27.4	29.7	31.0	32.1	33.6	33.6	33.6	33.6
H30	21.2	21.2	21.2	23.9	27.9	30.3	31.7	32.8	34.1	34.1	34.1	34.1
H31	20.9	20.9	20.9	23.6	27.6	29.9	31.1	32.3	33.8	33.8	33.8	33.8
H32	21.1	21.1	21.1	23.7	27.8	30.1	31.3	32.4	34.0	34.0	34.0	34.0
H33	17.4	17.4	17.4	20.1	24.1	26.4	27.7	28.8	30.3	30.3	30.3	30.3
H34	25.3	25.3	25.3	28.0	32.1	34.5	36.0	37.1	38.2	38.2	38.2	38.2

Table 10.14.9: Directional Predicted Noise Levels in 240 Degree Sector - Day												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H35	21.7	21.7	21.7	24.4	28.4	30.7	31.8	33.0	34.6	34.6	34.6	34.6
H36	19.8	19.8	19.8	22.5	26.5	28.8	30.0	31.1	32.7	32.7	32.7	32.7
H37	17.9	17.9	17.9	20.5	24.6	26.9	28.1	29.2	30.8	30.8	30.8	30.8
H38	21.9	21.9	21.9	24.6	28.7	31.0	32.1	33.3	34.8	34.8	34.8	34.8
H39	18.7	18.7	18.7	21.4	25.4	27.1	31.0	31.3	31.6	31.6	31.6	31.6
H40	22.2	22.2	22.2	24.9	28.9	31.2	32.2	33.5	35.1	35.1	35.1	35.1
H41	18.7	18.7	18.7	21.4	25.5	27.8	28.9	30.0	31.6	31.6	31.6	31.6
H42	19.5	19.5	19.5	22.2	26.2	28.5	29.6	30.8	32.4	32.4	32.4	32.4
H43	17.9	17.9	17.9	20.6	24.7	27.0	28.1	29.2	30.8	30.8	30.8	30.8
H44	21.3	21.3	21.3	24.0	28.1	30.3	31.4	32.6	34.2	34.2	34.2	34.2
H45	19.2	19.2	19.2	21.9	25.9	28.2	29.3	30.5	32.1	32.1	32.1	32.1
H46	18.6	18.6	18.6	21.2	25.3	27.6	28.7	29.8	31.5	31.5	31.5	31.5
H47	18.5	18.5	18.5	21.2	25.2	27.5	28.6	29.7	31.4	31.4	31.4	31.4
H48	13.6	13.6	13.6	16.3	20.3	22.5	25.5	25.9	26.5	26.5	26.5	26.5
H49	11.7	11.7	11.7	14.4	18.4	20.7	23.4	23.9	24.6	24.6	24.6	24.6
H50	11.2	11.2	11.2	13.9	17.9	20.2	22.9	23.4	24.1	24.1	24.1	24.1
H52	11.6	11.6	11.6	14.2	18.3	20.6	23.2	23.7	24.5	24.5	24.5	24.5
H53	11.4	11.4	11.4	14.1	18.1	20.4	23.0	23.6	24.3	24.3	24.3	24.3
H54	11.1	11.1	11.1	13.8	17.8	20.2	22.7	23.2	24.0	24.0	24.0	24.0
H55	12.5	12.5	12.5	15.2	19.2	21.5	24.2	24.7	25.4	25.4	25.4	25.4
H56	13.3	13.3	13.3	16.0	20.0	22.3	24.9	25.4	26.2	26.2	26.2	26.2
H57	13.4	13.4	13.4	16.1	20.2	22.5	25.1	25.6	26.3	26.3	26.3	26.3
H58	13.0	13.0	13.0	15.7	19.8	22.1	24.7	25.2	25.9	25.9	25.9	25.9
H59	13.0	13.0	13.0	15.7	19.8	22.1	24.7	25.2	25.9	25.9	25.9	25.9
H60	13.1	13.1	13.1	15.8	19.8	22.1	24.7	25.2	26.0	26.0	26.0	26.0
H61	13.1	13.1	13.1	15.8	19.8	22.2	24.8	25.3	26.0	26.0	26.0	26.0
H62	13.2	13.2	13.2	15.9	20.0	22.3	24.9	25.4	26.1	26.1	26.1	26.1
H63	13.4	13.4	13.4	16.1	20.1	22.6	25.0	25.5	26.3	26.3	26.3	26.3
H64	13.4	13.4	13.4	16.1	20.2	22.6	25.1	25.6	26.3	26.3	26.3	26.3
H65	13.4	13.4	13.4	16.1	20.2	22.6	25.1	25.6	26.3	26.3	26.3	26.3
H66	13.5	13.5	13.5	16.2	20.2	22.6	25.1	25.6	26.4	26.4	26.4	26.4
H67	13.8	13.8	13.8	16.5	20.5	23.0	25.4	25.9	26.7	26.7	26.7	26.7
H68	21.4	21.4	21.4	24.1	28.1	30.8	33.1	33.5	34.3	34.3	34.3	34.3
H69	21.9	21.9	21.9	24.6	28.7	31.4	33.5	34.0	34.8	34.8	34.8	34.8
H70	19.6	19.6	19.6	22.3	26.3	28.9	31.3	31.8	32.5	32.5	32.5	32.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H71	13.1	13.1	13.1	15.8	19.8	22.4	24.6	25.1	26.0	26.0	26.0	26.0
H72	16.4	16.4	16.4	19.1	23.1	25.4	26.4	27.6	29.3	29.3	29.3	29.3
H73	21.0	21.0	21.0	23.7	27.7	30.5	32.5	33.0	33.9	33.9	33.9	33.9
H74	21.0	21.0	21.0	23.7	27.7	30.5	32.5	33.0	33.9	33.9	33.9	33.9
H75	23.8	23.8	23.8	26.5	30.5	32.8	33.3	34.6	36.7	36.7	36.7	36.7
H76	20.4	20.4	20.4	23.1	27.1	29.9	31.9	32.4	33.3	33.3	33.3	33.3
H77	20.4	20.4	20.4	23.1	27.1	29.9	31.9	32.4	33.3	33.3	33.3	33.3
H78	23.9	23.9	23.9	26.6	30.6	33.0	33.7	34.9	36.8	36.8	36.8	36.8
H79	24.0	24.0	24.0	26.7	30.8	33.2	34.1	35.3	36.9	36.9	36.9	36.9
H80	22.6	22.6	22.6	25.2	29.3	31.7	32.5	33.7	35.5	35.5	35.5	35.5
H81	21.9	21.9	21.9	24.6	28.7	31.2	32.6	33.5	34.8	34.8	34.8	34.8
H82	22.1	22.1	22.1	24.8	28.8	31.2	32.1	33.2	35.0	35.0	35.0	35.0
H83	22.1	22.1	22.1	24.8	28.8	31.2	32.1	33.2	35.0	35.0	35.0	35.0
H84	19.4	19.4	19.4	22.1	26.2	28.9	30.6	31.3	32.3	32.3	32.3	32.3
H85	16.7	16.7	16.7	19.4	23.4	26.1	28.1	28.6	29.6	29.6	29.6	29.6
H86	16.4	16.4	16.4	19.1	23.2	25.8	27.8	28.4	29.3	29.3	29.3	29.3
H87	16.9	16.9	16.9	19.6	23.6	26.2	28.1	28.8	29.8	29.8	29.8	29.8
H88	22.5	22.5	22.5	25.2	29.2	31.5	32.5	33.7	35.4	35.4	35.4	35.4
H89	23.3	23.3	23.3	26.0	30.0	32.3	33.1	34.4	36.2	36.2	36.2	36.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	14.3	14.3	14.3	17.0	21.1	24.4	25.7	25.9	26.9	27.2	27.2	27.2
H2	14.3	14.3	14.3	17.0	21.1	24.4	25.7	25.9	26.9	27.2	27.2	27.2
H3	14.3	14.3	14.3	17.0	21.0	24.3	25.7	26.0	26.9	27.2	27.2	27.2
H4	14.3	14.3	14.3	17.0	21.0	24.3	25.7	26.0	26.9	27.2	27.2	27.2
H5	14.4	14.4	14.4	17.1	21.1	24.4	25.8	26.1	27.0	27.3	27.3	27.3
H6	15.6	15.6	15.6	18.3	22.3	25.5	26.4	26.6	28.1	28.5	28.5	28.5
H7	12.9	12.9	12.9	15.6	19.6	22.9	24.2	24.5	25.4	25.8	25.8	25.8
H8	7.6	7.6	7.6	10.3	14.3	17.6	18.8	19.1	20.1	20.5	20.5	20.5
H9	8.6	8.6	8.6	11.2	15.3	18.6	19.8	20.0	21.0	21.5	21.5	21.5
H10	14.3	14.3	14.3	17.0	21.1	24.3	25.7	26.0	26.9	27.2	27.2	27.2
H11	14.4	14.4	14.4	17.1	21.1	24.4	25.8	26.1	26.9	27.3	27.3	27.3
H12	13.6	13.6	13.6	16.3	20.3	23.6	24.9	25.2	26.1	26.5	26.5	26.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H13	17.6	17.6	17.6	20.3	24.4	27.6	28.4	28.6	30.2	30.5	30.5	30.5
H14	9.0	9.0	9.0	11.7	15.7	19.0	20.2	20.4	21.5	21.9	21.9	21.9
H15	8.7	8.7	8.7	11.4	15.4	18.7	20.0	20.3	21.2	21.6	21.6	21.6
H16	17.8	17.8	17.8	20.5	24.5	27.7	28.4	28.6	30.4	30.7	30.7	30.7
H17	21.5	21.5	21.5	24.2	28.2	31.4	32.1	32.3	34.1	34.4	34.4	34.4
H18	22.4	22.4	22.4	25.1	29.1	32.3	33.0	33.2	35.0	35.3	35.3	35.3
H19	21.5	21.5	21.5	24.2	28.2	31.4	32.0	32.2	34.1	34.4	34.4	34.4
H20	22.7	22.7	22.7	25.4	29.4	32.6	33.3	33.5	35.3	35.6	35.6	35.6
H21	21.3	21.3	21.3	24.0	28.0	31.2	31.8	32.0	33.9	34.2	34.2	34.2
H22	21.8	21.8	21.8	24.5	28.5	31.7	32.3	32.5	34.4	34.7	34.7	34.7
H23	22.0	22.0	22.0	24.7	28.7	31.9	32.5	32.7	34.6	34.9	34.9	34.9
H24	17.0	17.0	17.0	19.7	23.7	27.0	28.5	28.8	29.7	29.9	29.9	29.9
H25	23.4	23.4	23.4	26.1	30.2	33.3	34.0	34.2	36.0	36.3	36.3	36.3
H26	21.6	21.6	21.6	24.3	28.3	31.4	32.0	32.3	34.2	34.5	34.5	34.5
H27	23.1	23.1	23.1	25.7	29.8	32.9	33.5	33.7	35.7	36.0	36.0	36.0
H28	22.7	22.7	22.7	25.3	29.4	32.5	33.1	33.3	35.3	35.6	35.6	35.6
H29	20.7	20.7	20.7	23.4	27.4	30.5	31.0	31.3	33.3	33.6	33.6	33.6
H30	21.7	21.7	21.7	24.4	28.4	31.5	32.1	32.3	34.3	34.6	34.6	34.6
H31	20.9	20.9	20.9	23.6	27.6	30.7	31.2	31.5	33.5	33.8	33.8	33.8
H32	21.1	21.1	21.1	23.7	27.8	30.9	31.4	31.6	33.7	34.0	34.0	34.0
H33	17.4	17.4	17.4	20.1	24.1	27.2	27.8	28.0	30.0	30.3	30.3	30.3
H34	26.0	26.0	26.0	28.7	32.8	35.9	36.4	36.7	38.6	38.9	38.9	38.9
H35	21.7	21.7	21.7	24.4	28.4	31.5	32.0	32.2	34.3	34.6	34.6	34.6
H36	19.8	19.8	19.8	22.5	26.5	29.6	30.1	30.3	32.4	32.7	32.7	32.7
H37	17.9	17.9	17.9	20.5	24.6	27.6	28.2	28.4	30.5	30.8	30.8	30.8
H38	21.9	21.9	21.9	24.6	28.7	31.7	32.2	32.4	34.6	34.8	34.8	34.8
H39	18.6	18.6	18.6	21.3	25.3	28.6	30.1	30.4	31.2	31.5	31.5	31.5
H40	22.2	22.2	22.2	24.9	28.9	31.9	32.4	32.6	34.8	35.1	35.1	35.1
H41	18.7	18.7	18.7	21.4	25.5	28.5	29.0	29.3	31.4	31.6	31.6	31.6
H42	19.5	19.5	19.5	22.2	26.2	29.3	29.8	30.0	32.2	32.4	32.4	32.4
H43	17.9	17.9	17.9	20.6	24.7	27.7	28.2	28.5	30.6	30.8	30.8	30.8
H44	21.3	21.3	21.3	24.0	28.1	31.1	31.6	31.8	34.0	34.2	34.2	34.2
H45	19.2	19.2	19.2	21.9	25.9	29.0	29.5	29.7	31.9	32.1	32.1	32.1
H46	18.6	18.6	18.6	21.2	25.3	28.3	28.8	29.1	31.2	31.5	31.5	31.5
H47	18.5	18.5	18.5	21.2	25.2	28.2	28.7	29.0	31.1	31.4	31.4	31.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H48	12.8	12.8	12.8	15.5	19.5	22.8	24.1	24.4	25.3	25.7	25.7	25.7
H49	10.0	10.0	10.0	12.7	16.7	20.0	21.3	21.5	22.5	22.9	22.9	22.9
H50	9.6	9.6	9.6	12.3	16.3	19.6	20.8	21.1	22.0	22.5	22.5	22.5
H52	9.9	9.9	9.9	12.6	16.7	19.9	21.2	21.4	22.4	22.8	22.8	22.8
H53	9.8	9.8	9.8	12.5	16.5	19.8	21.0	21.2	22.2	22.7	22.7	22.7
H54	9.2	9.2	9.2	11.9	16.0	19.2	20.4	20.7	21.7	22.1	22.1	22.1
H55	10.0	10.0	10.0	12.7	16.7	20.0	21.2	21.4	22.4	22.9	22.9	22.9
H56	10.7	10.7	10.7	13.4	17.4	20.7	21.9	22.2	23.1	23.6	23.6	23.6
H57	10.9	10.9	10.9	13.6	17.6	20.9	22.1	22.3	23.3	23.8	23.8	23.8
H58	10.5	10.5	10.5	13.2	17.2	20.5	21.7	21.9	22.9	23.4	23.4	23.4
H59	10.5	10.5	10.5	13.2	17.2	20.5	21.7	21.9	22.9	23.4	23.4	23.4
H60	10.5	10.5	10.5	13.2	17.2	20.5	21.7	22.0	22.9	23.4	23.4	23.4
H61	10.6	10.6	10.6	13.3	17.3	20.6	21.8	22.0	23.0	23.5	23.5	23.5
H62	10.7	10.7	10.7	13.4	17.4	20.7	21.9	22.1	23.1	23.6	23.6	23.6
H63	10.7	10.7	10.7	13.3	17.4	20.6	21.9	22.1	23.1	23.6	23.6	23.6
H64	10.7	10.7	10.7	13.4	17.4	20.7	21.9	22.1	23.1	23.6	23.6	23.6
H65	10.7	10.7	10.7	13.4	17.4	20.7	21.9	22.2	23.1	23.6	23.6	23.6
H66	10.7	10.7	10.7	13.4	17.4	20.7	21.9	22.2	23.1	23.6	23.6	23.6
H67	11.1	11.1	11.1	13.8	17.8	21.1	22.3	22.5	23.5	24.0	24.0	24.0
H68	18.2	18.2	18.2	20.9	24.9	28.2	29.6	29.9	30.4	31.1	31.1	31.1
H69	18.9	18.9	18.9	21.6	25.6	28.9	30.2	30.5	31.1	31.8	31.8	31.8
H70	15.8	15.8	15.8	18.4	22.5	25.8	27.1	27.3	28.1	28.7	28.7	28.7
H71	9.9	9.9	9.9	12.6	16.7	19.9	21.1	21.4	22.3	22.8	22.8	22.8
H72	16.4	16.4	16.4	19.1	23.1	26.1	26.6	26.9	29.1	29.3	29.3	29.3
H73	17.0	17.0	17.0	19.7	23.7	27.0	28.3	28.5	29.3	29.9	29.9	29.9
H74	17.6	17.6	17.6	20.3	24.3	27.6	28.9	29.1	29.9	30.5	30.5	30.5
H75	23.8	23.8	23.8	26.5	30.5	33.3	33.8	34.0	36.5	36.7	36.7	36.7
H76	16.8	16.8	16.8	19.5	23.5	26.8	28.1	28.3	29.2	29.7	29.7	29.7
H77	16.8	16.8	16.8	19.5	23.5	26.8	28.1	28.3	29.2	29.7	29.7	29.7
H78	23.5	23.5	23.5	26.2	30.3	33.2	33.7	33.9	36.2	36.4	36.4	36.4
H79	22.9	22.9	22.9	25.6	29.6	32.7	33.5	33.8	35.4	35.8	35.8	35.8
H80	22.1	22.1	22.1	24.7	28.8	31.8	32.4	32.6	34.6	35.0	35.0	35.0
H81	19.2	19.2	19.2	21.9	26.0	29.2	30.3	30.5	31.6	32.1	32.1	32.1
H82	21.5	21.5	21.5	24.2	28.2	31.3	31.9	32.1	34.1	34.4	34.4	34.4
H83	21.5	21.5	21.5	24.2	28.2	31.3	31.9	32.1	34.1	34.4	34.4	34.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H84	16.0	16.0	16.0	18.7	22.8	26.0	27.2	27.5	28.4	28.9	28.9	28.9
H85	12.3	12.3	12.3	15.0	19.0	22.2	23.4	23.7	24.6	25.2	25.2	25.2
H86	12.0	12.0	12.0	14.7	18.7	22.0	23.2	23.4	24.4	24.9	24.9	24.9
H87	12.3	12.3	12.3	15.0	19.0	22.3	23.4	23.6	24.7	25.2	25.2	25.2
H88	22.5	22.5	22.5	25.2	29.2	32.2	32.7	32.9	35.2	35.4	35.4	35.4
H89	23.3	23.3	23.3	26.0	30.0	33.0	33.4	33.6	35.9	36.2	36.2	36.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	15.6	15.6	15.6	18.3	22.3	25.7	26.9	27.0	27.8	28.5	28.5	28.5
H2	15.6	15.6	15.6	18.3	22.3	25.7	26.9	27.0	27.8	28.5	28.5	28.5
H3	15.7	15.7	15.7	18.4	22.4	25.8	27.0	27.2	27.9	28.6	28.6	28.6
H4	15.7	15.7	15.7	18.4	22.4	25.8	27.0	27.2	28.0	28.6	28.6	28.6
H5	15.8	15.8	15.8	18.5	22.6	25.9	27.1	27.3	28.1	28.7	28.7	28.7
H6	15.6	15.6	15.6	18.3	22.3	25.7	26.6	26.6	28.1	28.5	28.5	28.5
H7	17.5	17.5	17.5	20.2	24.3	27.6	28.9	29.1	29.8	30.4	30.4	30.4
H8	11.5	11.5	11.5	14.2	18.3	21.6	22.9	23.0	23.9	24.4	24.4	24.4
H9	12.5	12.5	12.5	15.2	19.2	22.6	23.8	24.0	24.9	25.4	25.4	25.4
H10	18.9	18.9	18.9	21.6	25.7	29.0	30.4	30.6	31.1	31.8	31.8	31.8
H11	19.0	19.0	19.0	21.7	25.8	29.1	30.5	30.7	31.2	31.9	31.9	31.9
H12	18.1	18.1	18.1	20.8	24.9	28.2	29.5	29.7	30.3	31.0	31.0	31.0
H13	17.6	17.6	17.6	20.3	24.4	27.8	28.6	28.6	30.2	30.5	30.5	30.5
H14	12.7	12.7	12.7	15.4	19.4	22.8	24.0	24.1	24.9	25.6	25.6	25.6
H15	11.9	11.9	11.9	14.6	18.6	22.0	23.3	23.5	24.2	24.8	24.8	24.8
H16	17.8	17.8	17.8	20.5	24.5	28.0	28.7	28.6	30.4	30.7	30.7	30.7
H17	21.5	21.5	21.5	24.2	28.2	31.7	32.4	32.3	34.1	34.4	34.4	34.4
H18	22.4	22.4	22.4	25.1	29.1	32.6	33.3	33.2	35.0	35.3	35.3	35.3
H19	21.5	21.5	21.5	24.2	28.2	31.6	32.4	32.2	34.1	34.4	34.4	34.4
H20	22.7	22.7	22.7	25.4	29.4	32.9	33.6	33.5	35.3	35.6	35.6	35.6
H21	21.3	21.3	21.3	24.0	28.0	31.5	32.2	32.0	33.9	34.2	34.2	34.2
H22	21.8	21.8	21.8	24.5	28.5	32.0	32.7	32.5	34.4	34.7	34.7	34.7
H23	22.0	22.0	22.0	24.7	28.7	32.2	32.9	32.7	34.6	34.9	34.9	34.9
H24	18.6	18.6	18.6	21.3	25.3	28.7	30.1	30.4	30.6	31.5	31.5	31.5
H25	23.4	23.4	23.4	26.1	30.2	33.6	34.3	34.2	36.0	36.3	36.3	36.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H26	21.6	21.6	21.6	24.3	28.3	31.8	32.4	32.3	34.2	34.5	34.5	34.5
H27	23.1	23.1	23.1	25.7	29.8	33.2	33.9	33.7	35.7	36.0	36.0	36.0
H28	22.7	22.7	22.7	25.3	29.4	32.8	33.5	33.3	35.3	35.6	35.6	35.6
H29	20.7	20.7	20.7	23.4	27.4	30.9	31.5	31.3	33.3	33.6	33.6	33.6
H30	21.7	21.7	21.7	24.4	28.4	31.9	32.6	32.3	34.4	34.6	34.6	34.6
H31	20.9	20.9	20.9	23.6	27.6	31.0	31.7	31.5	33.5	33.8	33.8	33.8
H32	21.1	21.1	21.1	23.7	27.8	31.2	31.9	31.6	33.7	34.0	34.0	34.0
H33	17.4	17.4	17.4	20.1	24.1	27.6	28.3	28.0	30.1	30.3	30.3	30.3
H34	26.0	26.0	26.0	28.7	32.8	36.2	36.7	36.7	38.7	38.9	38.9	38.9
H35	21.7	21.7	21.7	24.4	28.4	31.9	32.5	32.2	34.4	34.6	34.6	34.6
H36	19.8	19.8	19.8	22.5	26.5	30.0	30.7	30.3	32.5	32.7	32.7	32.7
H37	17.9	17.9	17.9	20.5	24.6	28.0	28.8	28.4	30.5	30.8	30.8	30.8
H38	21.9	21.9	21.9	24.6	28.7	32.1	32.8	32.4	34.6	34.8	34.8	34.8
H39	19.3	19.3	19.3	22.0	26.0	29.4	30.8	31.1	31.4	32.2	32.2	32.2
H40	22.2	22.2	22.2	24.9	28.9	32.3	33.0	32.6	34.8	35.1	35.1	35.1
H41	18.7	18.7	18.7	21.4	25.5	28.9	29.6	29.3	31.4	31.6	31.6	31.6
H42	19.5	19.5	19.5	22.2	26.2	29.7	30.4	30.0	32.2	32.4	32.4	32.4
H43	17.9	17.9	17.9	20.6	24.7	28.1	28.8	28.5	30.6	30.8	30.8	30.8
H44	21.3	21.3	21.3	24.0	28.1	31.5	32.2	31.8	34.0	34.2	34.2	34.2
H45	19.2	19.2	19.2	21.9	25.9	29.4	30.1	29.7	31.9	32.1	32.1	32.1
H46	18.6	18.6	18.6	21.2	25.3	28.7	29.5	29.1	31.2	31.5	31.5	31.5
H47	18.5	18.5	18.5	21.2	25.2	28.6	29.4	29.0	31.2	31.4	31.4	31.4
H48	13.5	13.5	13.5	16.2	20.3	23.6	24.9	25.1	25.9	26.4	26.4	26.4
H49	10.1	10.1	10.1	12.8	16.8	20.2	21.4	21.5	22.5	23.0	23.0	23.0
H50	9.7	9.7	9.7	12.4	16.4	19.8	20.9	21.1	22.1	22.6	22.6	22.6
H52	10.1	10.1	10.1	12.8	16.8	20.2	21.3	21.5	22.5	23.0	23.0	23.0
H53	9.9	9.9	9.9	12.6	16.6	20.0	21.2	21.3	22.3	22.8	22.8	22.8
H54	9.1	9.1	9.1	11.8	15.8	19.2	20.4	20.5	21.5	22.0	22.0	22.0
H55	9.4	9.4	9.4	12.1	16.1	19.5	20.7	20.8	21.9	22.3	22.3	22.3
H56	10.1	10.1	10.1	12.8	16.8	20.2	21.4	21.5	22.6	23.0	23.0	23.0
H57	10.3	10.3	10.3	13.0	17.0	20.4	21.5	21.7	22.7	23.2	23.2	23.2
H58	9.9	9.9	9.9	12.6	16.6	20.0	21.1	21.3	22.3	22.8	22.8	22.8
H59	9.9	9.9	9.9	12.6	16.6	20.0	21.1	21.3	22.3	22.8	22.8	22.8
H60	9.9	9.9	9.9	12.6	16.6	20.0	21.2	21.3	22.4	22.8	22.8	22.8
H61	10.0	10.0	10.0	12.7	16.7	20.1	21.2	21.4	22.4	22.9	22.9	22.9

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H62	10.1	10.1	10.1	12.8	16.8	20.2	21.3	21.5	22.5	23.0	23.0	23.0
H63	9.9	9.9	9.9	12.6	16.6	20.0	21.1	21.3	22.3	22.8	22.8	22.8
H64	9.9	9.9	9.9	12.6	16.6	20.0	21.2	21.3	22.4	22.8	22.8	22.8
H65	9.9	9.9	9.9	12.6	16.7	20.0	21.2	21.3	22.4	22.8	22.8	22.8
H66	10.0	10.0	10.0	12.7	16.7	20.1	21.2	21.3	22.4	22.9	22.9	22.9
H67	10.3	10.3	10.3	13.0	17.0	20.4	21.6	21.7	22.8	23.2	23.2	23.2
H68	16.7	16.7	16.7	19.4	23.4	26.7	28.1	28.3	29.2	29.6	29.6	29.6
H69	17.4	17.4	17.4	20.1	24.1	27.5	28.8	29.0	30.1	30.3	30.3	30.3
H70	13.8	13.8	13.8	16.5	20.5	23.9	25.1	25.2	26.3	26.7	26.7	26.7
H71	8.9	8.9	8.9	11.6	15.6	19.0	20.1	20.2	21.3	21.8	21.8	21.8
H72	16.4	16.4	16.4	19.1	23.1	26.6	27.4	26.9	29.1	29.3	29.3	29.3
H73	14.6	14.6	14.6	17.2	21.3	24.7	25.8	26.0	27.2	27.5	27.5	27.5
H74	14.8	14.8	14.8	17.5	21.6	24.9	26.1	26.2	27.4	27.7	27.7	27.7
H75	22.5	22.5	22.5	25.2	29.2	32.6	33.6	32.9	35.2	35.4	35.4	35.4
H76	13.9	13.9	13.9	16.6	20.6	24.0	25.2	25.3	26.5	26.8	26.8	26.8
H77	13.9	13.9	13.9	16.6	20.7	24.0	25.2	25.3	26.5	26.8	26.8	26.8
H78	21.2	21.2	21.2	23.9	27.9	31.3	32.3	31.7	33.9	34.1	34.1	34.1
H79	19.5	19.5	19.5	22.2	26.2	29.6	30.6	30.1	32.2	32.4	32.4	32.4
H80	19.1	19.1	19.1	21.8	25.8	29.2	30.2	29.9	31.8	32.0	32.0	32.0
H81	15.1	15.1	15.1	17.8	21.8	25.2	26.2	26.2	27.7	28.0	28.0	28.0
H82	18.5	18.5	18.5	21.2	25.2	28.6	29.6	29.4	31.1	31.4	31.4	31.4
H83	18.5	18.5	18.5	21.2	25.2	28.6	29.6	29.4	31.1	31.4	31.4	31.4
H84	12.3	12.3	12.3	15.0	19.0	22.4	23.5	23.5	24.8	25.2	25.2	25.2
H85	9.4	9.4	9.4	12.1	16.2	19.6	20.6	20.7	22.0	22.3	22.3	22.3
H86	9.2	9.2	9.2	11.9	15.9	19.3	20.4	20.4	21.7	22.1	22.1	22.1
H87	9.4	9.4	9.4	12.1	16.1	19.5	20.5	20.6	21.9	22.3	22.3	22.3
H88	22.5	22.5	22.5	25.2	29.2	32.7	33.3	32.9	35.2	35.4	35.4	35.4
H89	23.3	23.3	23.3	26.0	30.0	33.4	34.1	33.6	36.0	36.2	36.2	36.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	15.6	15.6	15.6	18.3	22.3	25.2	26.1	26.3	28.4	28.5	28.5	28.5
H2	15.6	15.6	15.6	18.3	22.3	25.2	26.1	26.3	28.4	28.5	28.5	28.5
H3	15.7	15.7	15.7	18.4	22.4	25.3	26.2	26.4	28.5	28.6	28.6	28.6

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H4	15.7	15.7	15.7	18.4	22.4	25.3	26.2	26.5	28.5	28.6	28.6	28.6
H5	15.8	15.8	15.8	18.5	22.6	25.4	26.3	26.6	28.6	28.7	28.7	28.7
H6	15.6	15.6	15.6	18.3	22.3	25.4	26.3	26.5	28.3	28.5	28.5	28.5
H7	17.9	17.9	17.9	20.6	24.6	27.5	28.4	28.6	30.7	30.8	30.8	30.8
H8	15.6	15.6	15.6	18.3	22.3	25.2	26.1	26.4	28.4	28.5	28.5	28.5
H9	16.6	16.6	16.6	19.2	23.3	26.2	27.1	27.3	29.3	29.5	29.5	29.5
H10	19.3	19.3	19.3	22.0	26.0	28.8	29.7	29.9	32.1	32.2	32.2	32.2
H11	19.3	19.3	19.3	22.0	26.1	28.9	29.8	30.0	32.1	32.2	32.2	32.2
H12	20.2	20.2	20.2	22.9	27.0	29.8	30.6	30.9	33.0	33.1	33.1	33.1
H13	17.6	17.6	17.6	20.3	24.4	27.5	28.3	28.6	30.3	30.5	30.5	30.5
H14	17.3	17.3	17.3	20.0	24.0	26.9	27.8	28.0	30.1	30.2	30.2	30.2
H15	16.6	16.6	16.6	19.3	23.3	26.3	27.3	27.6	29.4	29.5	29.5	29.5
H16	17.8	17.8	17.8	20.5	24.5	27.8	28.6	28.8	30.5	30.7	30.7	30.7
H17	21.5	21.5	21.5	24.2	28.2	31.5	32.2	32.5	34.2	34.4	34.4	34.4
H18	22.4	22.4	22.4	25.1	29.1	32.4	33.1	33.3	35.1	35.3	35.3	35.3
H19	21.5	21.5	21.5	24.2	28.2	31.5	32.2	32.4	34.1	34.4	34.4	34.4
H20	22.7	22.7	22.7	25.4	29.4	32.7	33.4	33.6	35.3	35.6	35.6	35.6
H21	21.3	21.3	21.3	24.0	28.0	31.3	32.0	32.3	33.9	34.2	34.2	34.2
H22	21.8	21.8	21.8	24.5	28.5	31.8	32.5	32.8	34.5	34.7	34.7	34.7
H23	22.0	22.0	22.0	24.7	28.7	32.0	32.7	33.0	34.6	34.9	34.9	34.9
H24	21.6	21.6	21.6	24.3	28.3	30.9	31.9	32.1	34.5	34.5	34.5	34.5
H25	23.4	23.4	23.4	26.1	30.2	33.4	34.1	34.4	36.1	36.3	36.3	36.3
H26	21.6	21.6	21.6	24.3	28.3	31.6	32.3	32.6	34.2	34.5	34.5	34.5
H27	23.1	23.1	23.1	25.7	29.8	33.1	33.8	34.0	35.7	36.0	36.0	36.0
H28	22.7	22.7	22.7	25.3	29.4	32.7	33.4	33.6	35.3	35.6	35.6	35.6
H29	20.7	20.7	20.7	23.4	27.4	30.7	31.5	31.7	33.3	33.6	33.6	33.6
H30	21.7	21.7	21.7	24.4	28.4	31.7	32.5	32.7	34.4	34.6	34.6	34.6
H31	20.9	20.9	20.9	23.6	27.6	30.9	31.7	31.9	33.5	33.8	33.8	33.8
H32	21.1	21.1	21.1	23.7	27.8	31.1	31.9	32.1	33.7	34.0	34.0	34.0
H33	17.4	17.4	17.4	20.1	24.1	27.4	28.2	28.5	30.1	30.3	30.3	30.3
H34	26.0	26.0	26.0	28.7	32.8	36.1	36.7	36.9	38.6	38.9	38.9	38.9
H35	21.7	21.7	21.7	24.4	28.4	31.7	32.5	32.7	34.3	34.6	34.6	34.6
H36	19.8	19.8	19.8	22.5	26.5	29.8	30.6	30.9	32.5	32.7	32.7	32.7
H37	17.9	17.9	17.9	20.5	24.6	27.9	28.7	28.9	30.5	30.8	30.8	30.8
H38	21.9	21.9	21.9	24.6	28.7	32.0	32.8	33.0	34.6	34.8	34.8	34.8

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H39	21.4	21.4	21.4	24.1	28.1	30.9	31.9	32.2	34.3	34.3	34.3	34.3
H40	22.2	22.2	22.2	24.9	28.9	32.2	33.0	33.2	34.8	35.1	35.1	35.1
H41	18.7	18.7	18.7	21.4	25.5	28.8	29.6	29.8	31.4	31.6	31.6	31.6
H42	19.5	19.5	19.5	22.2	26.2	29.6	30.4	30.6	32.2	32.4	32.4	32.4
H43	17.9	17.9	17.9	20.6	24.7	28.0	28.8	29.0	30.6	30.8	30.8	30.8
H44	21.3	21.3	21.3	24.0	28.1	31.4	32.2	32.4	34.0	34.2	34.2	34.2
H45	19.2	19.2	19.2	21.9	25.9	29.3	30.1	30.3	31.9	32.1	32.1	32.1
H46	18.6	18.6	18.6	21.2	25.3	28.6	29.4	29.7	31.2	31.5	31.5	31.5
H47	18.5	18.5	18.5	21.2	25.2	28.5	29.4	29.6	31.1	31.4	31.4	31.4
H48	16.2	16.2	16.2	18.9	22.9	26.0	27.0	27.2	29.0	29.1	29.1	29.1
H49	12.0	12.0	12.0	14.7	18.7	21.9	22.9	23.1	24.7	24.9	24.9	24.9
H50	11.6	11.6	11.6	14.2	18.3	21.4	22.4	22.7	24.3	24.5	24.5	24.5
H52	12.0	12.0	12.0	14.7	18.7	21.9	22.9	23.1	24.7	24.9	24.9	24.9
H53	11.8	11.8	11.8	14.5	18.5	21.7	22.7	23.0	24.6	24.7	24.7	24.7
H54	10.6	10.6	10.6	13.3	17.3	20.5	21.5	21.8	23.4	23.5	23.5	23.5
H55	10.6	10.6	10.6	13.3	17.3	20.5	21.6	21.8	23.4	23.5	23.5	23.5
H56	11.2	11.2	11.2	13.9	17.9	21.1	22.1	22.4	23.9	24.1	24.1	24.1
H57	11.4	11.4	11.4	14.0	18.1	21.3	22.3	22.5	24.1	24.3	24.3	24.3
H58	10.9	10.9	10.9	13.6	17.7	20.8	21.9	22.1	23.7	23.8	23.8	23.8
H59	10.9	10.9	10.9	13.6	17.7	20.8	21.9	22.1	23.7	23.8	23.8	23.8
H60	11.0	11.0	11.0	13.7	17.7	20.9	21.9	22.2	23.7	23.9	23.9	23.9
H61	11.0	11.0	11.0	13.7	17.8	20.9	22.0	22.2	23.8	23.9	23.9	23.9
H62	11.2	11.2	11.2	13.8	17.9	21.1	22.1	22.3	23.9	24.1	24.1	24.1
H63	10.7	10.7	10.7	13.4	17.4	20.6	21.6	21.8	23.4	23.6	23.6	23.6
H64	10.7	10.7	10.7	13.4	17.4	20.6	21.6	21.8	23.5	23.6	23.6	23.6
H65	10.7	10.7	10.7	13.4	17.5	20.6	21.6	21.9	23.5	23.6	23.6	23.6
H66	10.8	10.8	10.8	13.5	17.5	20.7	21.6	21.9	23.5	23.7	23.7	23.7
H67	11.1	11.1	11.1	13.8	17.8	21.0	22.0	22.3	23.9	24.0	24.0	24.0
H68	16.6	16.6	16.6	19.3	23.3	26.6	27.8	28.1	29.4	29.5	29.5	29.5
H69	17.2	17.2	17.2	19.9	24.0	27.2	28.6	28.8	30.1	30.1	30.1	30.1
H70	13.7	13.7	13.7	16.4	20.4	23.6	24.8	25.0	26.4	26.6	26.6	26.6
H71	9.4	9.4	9.4	12.1	16.1	19.3	20.3	20.6	22.1	22.3	22.3	22.3
H72	15.6	15.6	15.6	18.3	22.4	25.7	26.8	27.0	28.4	28.5	28.5	28.5
H73	13.9	13.9	13.9	16.6	20.7	23.9	25.1	25.3	26.7	26.8	26.8	26.8
H74	14.1	14.1	14.1	16.8	20.8	24.1	25.2	25.5	26.8	27.0	27.0	27.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H75	19.7	19.7	19.7	22.4	26.4	29.8	31.0	31.3	32.5	32.6	32.6	32.6
H76	13.1	13.1	13.1	15.8	19.8	23.1	24.2	24.4	25.9	26.0	26.0	26.0
H77	13.2	13.2	13.2	15.8	19.9	23.1	24.2	24.5	25.9	26.1	26.1	26.1
H78	18.7	18.7	18.7	21.4	25.4	28.8	30.0	30.2	31.5	31.6	31.6	31.6
H79	17.5	17.5	17.5	20.1	24.2	27.5	28.6	28.9	30.2	30.4	30.4	30.4
H80	15.7	15.7	15.7	18.4	22.4	25.8	26.9	27.1	28.5	28.6	28.6	28.6
H81	13.0	13.0	13.0	15.7	19.7	23.0	24.0	24.2	25.7	25.9	25.9	25.9
H82	14.9	14.9	14.9	17.5	21.6	24.9	26.0	26.2	27.6	27.8	27.8	27.8
H83	14.9	14.9	14.9	17.5	21.6	24.9	26.0	26.2	27.6	27.8	27.8	27.8
H84	10.8	10.8	10.8	13.5	17.5	20.8	21.8	22.0	23.5	23.7	23.7	23.7
H85	8.6	8.6	8.6	11.3	15.4	18.6	19.6	19.8	21.4	21.5	21.5	21.5
H86	8.4	8.4	8.4	11.1	15.1	18.3	19.3	19.6	21.1	21.3	21.3	21.3
H87	8.5	8.5	8.5	11.2	15.2	18.4	19.4	19.7	21.2	21.4	21.4	21.4
H88	22.5	22.5	22.5	25.2	29.2	32.6	33.4	33.6	35.1	35.4	35.4	35.4
H89	23.3	23.3	23.3	26.0	30.0	33.3	34.1	34.4	35.9	36.2	36.2	36.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H2	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H3	15.7	15.7	15.7	18.4	22.4	26.2	28.3	28.6	28.6	28.6	28.6	28.6
H4	15.7	15.7	15.7	18.4	22.4	26.2	28.3	28.6	28.6	28.6	28.6	28.6
H5	15.8	15.8	15.8	18.5	22.6	26.3	28.4	28.7	28.7	28.7	28.7	28.7
H6	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H7	17.9	17.9	17.9	20.6	24.6	28.4	30.5	30.8	30.8	30.8	30.8	30.8
H8	15.6	15.6	15.6	18.3	22.3	26.1	28.2	28.5	28.5	28.5	28.5	28.5
H9	16.6	16.6	16.6	19.2	23.3	27.0	29.1	29.4	29.5	29.5	29.5	29.5
H10	19.3	19.3	19.3	22.0	26.0	29.8	31.8	32.1	32.2	32.2	32.2	32.2
H11	19.3	19.3	19.3	22.0	26.1	29.8	31.9	32.2	32.2	32.2	32.2	32.2
H12	20.2	20.2	20.2	22.9	27.0	30.7	32.8	33.1	33.1	33.1	33.1	33.1
H13	17.6	17.6	17.6	20.3	24.4	28.1	30.2	30.5	30.5	30.5	30.5	30.5
H14	17.3	17.3	17.3	20.0	24.0	27.8	29.8	30.2	30.2	30.2	30.2	30.2
H15	17.5	17.5	17.5	20.2	24.2	28.0	30.1	30.4	30.4	30.4	30.4	30.4
H16	17.8	17.8	17.8	20.5	24.5	28.3	30.4	30.7	30.7	30.7	30.7	30.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H17	21.5	21.5	21.5	24.2	28.2	32.0	34.1	34.4	34.4	34.4	34.4	34.4
H18	22.4	22.4	22.4	25.1	29.1	32.9	35.0	35.3	35.3	35.3	35.3	35.3
H19	21.5	21.5	21.5	24.2	28.2	32.0	34.0	34.4	34.4	34.4	34.4	34.4
H20	22.7	22.7	22.7	25.4	29.4	33.2	35.3	35.6	35.6	35.6	35.6	35.6
H21	21.3	21.3	21.3	24.0	28.0	31.8	33.9	34.2	34.2	34.2	34.2	34.2
H22	21.8	21.8	21.8	24.5	28.5	32.3	34.4	34.7	34.7	34.7	34.7	34.7
H23	22.0	22.0	22.0	24.7	28.7	32.5	34.6	34.9	34.9	34.9	34.9	34.9
H24	22.7	22.7	22.7	25.4	29.5	33.2	35.3	35.6	35.6	35.6	35.6	35.6
H25	23.4	23.4	23.4	26.1	30.2	33.9	36.0	36.3	36.3	36.3	36.3	36.3
H26	21.6	21.6	21.6	24.3	28.3	32.1	34.2	34.5	34.5	34.5	34.5	34.5
H27	23.1	23.1	23.1	25.7	29.8	33.5	35.6	35.9	36.0	36.0	36.0	36.0
H28	22.7	22.7	22.7	25.3	29.4	33.1	35.2	35.5	35.6	35.6	35.6	35.6
H29	20.5	20.5	20.5	23.2	27.2	31.0	33.0	33.4	33.4	33.4	33.4	33.4
H30	21.5	21.5	21.5	24.2	28.2	32.0	34.1	34.4	34.4	34.4	34.4	34.4
H31	20.7	20.7	20.7	23.4	27.4	31.2	33.2	33.6	33.6	33.6	33.6	33.6
H32	20.9	20.9	20.9	23.6	27.6	31.4	33.4	33.7	33.8	33.8	33.8	33.8
H33	17.2	17.2	17.2	19.9	23.9	27.7	29.8	30.1	30.1	30.1	30.1	30.1
H34	25.8	25.8	25.8	28.5	32.6	36.3	38.4	38.7	38.7	38.7	38.7	38.7
H35	21.5	21.5	21.5	24.2	28.2	32.0	34.1	34.4	34.4	34.4	34.4	34.4
H36	19.6	19.6	19.6	22.3	26.3	30.1	32.2	32.5	32.5	32.5	32.5	32.5
H37	17.7	17.7	17.7	20.4	24.4	28.2	30.2	30.5	30.6	30.6	30.6	30.6
H38	21.8	21.8	21.8	24.5	28.5	32.3	34.3	34.7	34.7	34.7	34.7	34.7
H39	23.8	23.8	23.8	26.5	30.5	34.3	36.4	36.7	36.7	36.7	36.7	36.7
H40	22.0	22.0	22.0	24.7	28.7	32.5	34.6	34.9	34.9	34.9	34.9	34.9
H41	18.6	18.6	18.6	21.3	25.3	29.1	31.1	31.4	31.5	31.5	31.5	31.5
H42	19.3	19.3	19.3	22.0	26.1	29.8	31.9	32.2	32.2	32.2	32.2	32.2
H43	17.5	17.5	17.5	20.2	24.2	28.0	30.1	30.4	30.4	30.4	30.4	30.4
H44	21.2	21.2	21.2	23.9	27.9	31.7	33.7	34.0	34.1	34.1	34.1	34.1
H45	18.8	18.8	18.8	21.5	25.5	29.3	31.4	31.7	31.7	31.7	31.7	31.7
H46	18.2	18.2	18.2	20.9	24.9	28.7	30.7	31.0	31.1	31.1	31.1	31.1
H47	18.1	18.1	18.1	20.8	24.8	28.6	30.7	31.0	31.0	31.0	31.0	31.0
H48	20.5	20.5	20.5	23.2	27.2	31.0	33.0	33.4	33.4	33.4	33.4	33.4
H49	16.1	16.1	16.1	18.8	22.8	26.6	28.6	29.0	29.0	29.0	29.0	29.0
H50	15.6	15.6	15.6	18.3	22.4	26.1	28.2	28.5	28.5	28.5	28.5	28.5
H52	16.1	16.1	16.1	18.8	22.8	26.6	28.7	29.0	29.0	29.0	29.0	29.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H53	16.0	16.0	16.0	18.6	22.7	26.4	28.5	28.8	28.9	28.9	28.9	28.9
H54	14.3	14.3	14.3	17.0	21.0	24.8	26.8	27.2	27.2	27.2	27.2	27.2
H55	13.9	13.9	13.9	16.6	20.7	24.4	26.5	26.8	26.8	26.8	26.8	26.8
H56	14.3	14.3	14.3	17.0	21.0	24.8	26.9	27.2	27.2	27.2	27.2	27.2
H57	14.5	14.5	14.5	17.2	21.2	25.0	27.1	27.4	27.4	27.4	27.4	27.4
H58	14.1	14.1	14.1	16.8	20.8	24.6	26.6	27.0	27.0	27.0	27.0	27.0
H59	14.1	14.1	14.1	16.8	20.8	24.6	26.6	27.0	27.0	27.0	27.0	27.0
H60	14.1	14.1	14.1	16.8	20.8	24.6	26.7	27.0	27.0	27.0	27.0	27.0
H61	14.2	14.2	14.2	16.9	20.9	24.7	26.7	27.1	27.1	27.1	27.1	27.1
H62	14.3	14.3	14.3	17.0	21.0	24.8	26.9	27.2	27.2	27.2	27.2	27.2
H63	13.5	13.5	13.5	16.2	20.2	24.0	26.1	26.4	26.4	26.4	26.4	26.4
H64	13.5	13.5	13.5	16.2	20.2	24.0	26.1	26.4	26.4	26.4	26.4	26.4
H65	13.5	13.5	13.5	16.2	20.3	24.0	26.1	26.4	26.4	26.4	26.4	26.4
H66	13.6	13.6	13.6	16.3	20.3	24.1	26.1	26.5	26.5	26.5	26.5	26.5
H67	13.9	13.9	13.9	16.6	20.6	24.4	26.5	26.8	26.8	26.8	26.8	26.8
H68	17.9	17.9	17.9	20.6	24.6	28.4	30.5	30.8	30.8	30.8	30.8	30.8
H69	18.2	18.2	18.2	20.9	24.9	28.7	30.7	31.1	31.1	31.1	31.1	31.1
H70	15.4	15.4	15.4	18.1	22.1	25.9	27.9	28.3	28.3	28.3	28.3	28.3
H71	11.8	11.8	11.8	14.5	18.5	22.3	24.4	24.7	24.7	24.7	24.7	24.7
H72	11.0	11.0	11.0	13.7	17.7	21.5	23.6	23.9	23.9	23.9	23.9	23.9
H73	14.9	14.9	14.9	17.6	21.6	25.4	27.5	27.8	27.8	27.8	27.8	27.8
H74	15.0	15.0	15.0	17.7	21.7	25.5	27.6	27.9	27.9	27.9	27.9	27.9
H75	18.4	18.4	18.4	21.1	25.1	28.9	30.9	31.3	31.3	31.3	31.3	31.3
H76	14.1	14.1	14.1	16.8	20.8	24.6	26.7	27.0	27.0	27.0	27.0	27.0
H77	14.1	14.1	14.1	16.8	20.9	24.6	26.7	27.0	27.0	27.0	27.0	27.0
H78	17.9	17.9	17.9	20.6	24.6	28.4	30.4	30.7	30.8	30.8	30.8	30.8
H79	16.9	16.9	16.9	19.6	23.7	27.4	29.5	29.8	29.8	29.8	29.8	29.8
H80	14.4	14.4	14.4	17.1	21.1	24.9	26.9	27.3	27.3	27.3	27.3	27.3
H81	12.7	12.7	12.7	15.4	19.5	23.2	25.3	25.6	25.6	25.6	25.6	25.6
H82	13.4	13.4	13.4	16.0	20.1	23.8	25.9	26.2	26.3	26.3	26.3	26.3
H83	13.4	13.4	13.4	16.0	20.1	23.8	25.9	26.2	26.3	26.3	26.3	26.3
H84	11.2	11.2	11.2	13.9	17.9	21.7	23.7	24.1	24.1	24.1	24.1	24.1
H85	9.5	9.5	9.5	12.2	16.2	20.0	22.1	22.4	22.4	22.4	22.4	22.4
H86	9.2	9.2	9.2	11.9	16.0	19.7	21.8	22.1	22.1	22.1	22.1	22.1
H87	9.2	9.2	9.2	11.8	15.9	19.6	21.7	22.0	22.1	22.1	22.1	22.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H88	22.2	22.2	22.2	24.8	28.9	32.6	34.7	35.0	35.1	35.1	35.1	35.1
H89	22.8	22.8	22.8	25.5	29.6	33.3	35.4	35.7	35.7	35.7	35.7	35.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H2	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H3	15.7	15.7	15.7	18.4	22.4	26.2	28.3	28.6	28.6	28.6	28.6	28.6
H4	15.7	15.7	15.7	18.4	22.4	26.2	28.3	28.6	28.6	28.6	28.6	28.6
H5	15.8	15.8	15.8	18.5	22.6	26.3	28.4	28.7	28.7	28.7	28.7	28.7
H6	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H7	17.9	17.9	17.9	20.6	24.6	28.4	30.5	30.8	30.8	30.8	30.8	30.8
H8	15.6	15.6	15.6	18.3	22.3	26.1	28.2	28.5	28.5	28.5	28.5	28.5
H9	16.6	16.6	16.6	19.2	23.3	27.0	29.1	29.4	29.5	29.5	29.5	29.5
H10	19.3	19.3	19.3	22.0	26.0	29.8	31.8	32.1	32.2	32.2	32.2	32.2
H11	19.3	19.3	19.3	22.0	26.1	29.8	31.9	32.2	32.2	32.2	32.2	32.2
H12	20.2	20.2	20.2	22.9	27.0	30.7	32.8	33.1	33.1	33.1	33.1	33.1
H13	17.3	17.3	17.3	20.0	24.0	27.8	29.9	30.2	30.2	30.2	30.2	30.2
H14	17.3	17.3	17.3	20.0	24.0	27.8	29.8	30.2	30.2	30.2	30.2	30.2
H15	17.5	17.5	17.5	20.2	24.2	28.0	30.1	30.4	30.4	30.4	30.4	30.4
H16	17.0	17.0	17.0	19.7	23.7	27.5	29.6	29.9	29.9	29.9	29.9	29.9
H17	20.7	20.7	20.7	23.4	27.4	31.2	33.2	33.6	33.6	33.6	33.6	33.6
H18	21.5	21.5	21.5	24.2	28.3	32.0	34.1	34.4	34.4	34.4	34.4	34.4
H19	20.7	20.7	20.7	23.4	27.4	31.2	33.2	33.6	33.6	33.6	33.6	33.6
H20	21.8	21.8	21.8	24.5	28.6	32.3	34.4	34.7	34.7	34.7	34.7	34.7
H21	20.5	20.5	20.5	23.2	27.3	31.0	33.1	33.4	33.4	33.4	33.4	33.4
H22	21.0	21.0	21.0	23.7	27.8	31.5	33.6	33.9	33.9	33.9	33.9	33.9
H23	21.2	21.2	21.2	23.9	28.0	31.7	33.8	34.1	34.1	34.1	34.1	34.1
H24	22.7	22.7	22.7	25.4	29.5	33.2	35.3	35.6	35.6	35.6	35.6	35.6
H25	22.6	22.6	22.6	25.3	29.4	33.1	35.2	35.5	35.5	35.5	35.5	35.5
H26	20.6	20.6	20.6	23.3	27.3	31.1	33.2	33.5	33.5	33.5	33.5	33.5
H27	22.1	22.1	22.1	24.8	28.8	32.6	34.6	34.9	35.0	35.0	35.0	35.0
H28	21.5	21.5	21.5	24.1	28.2	31.9	34.0	34.3	34.4	34.4	34.4	34.4
H29	18.8	18.8	18.8	21.5	25.5	29.3	31.4	31.7	31.7	31.7	31.7	31.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H30	20.5	20.5	20.5	23.2	27.2	31.0	33.0	33.4	33.4	33.4	33.4	33.4
H31	19.0	19.0	19.0	21.7	25.8	29.5	31.6	31.9	31.9	31.9	31.9	31.9
H32	19.3	19.3	19.3	22.0	26.0	29.8	31.8	32.1	32.2	32.2	32.2	32.2
H33	13.7	13.7	13.7	16.4	20.4	24.2	26.2	26.6	26.6	26.6	26.6	26.6
H34	25.1	25.1	25.1	27.8	31.9	35.6	37.7	38.0	38.0	38.0	38.0	38.0
H35	19.9	19.9	19.9	22.6	26.7	30.4	32.5	32.8	32.8	32.8	32.8	32.8
H36	17.8	17.8	17.8	20.5	24.5	28.3	30.4	30.7	30.7	30.7	30.7	30.7
H37	14.2	14.2	14.2	16.8	20.9	24.6	26.7	27.0	27.1	27.1	27.1	27.1
H38	20.2	20.2	20.2	22.9	27.0	30.7	32.8	33.1	33.1	33.1	33.1	33.1
H39	24.2	24.2	24.2	26.8	30.9	34.6	36.7	37.0	37.1	37.1	37.1	37.1
H40	20.3	20.3	20.3	22.9	27.0	30.7	32.8	33.1	33.2	33.2	33.2	33.2
H41	15.1	15.1	15.1	17.8	21.8	25.6	27.7	28.0	28.0	28.0	28.0	28.0
H42	15.9	15.9	15.9	18.6	22.6	26.4	28.4	28.8	28.8	28.8	28.8	28.8
H43	14.1	14.1	14.1	16.8	20.8	24.6	26.6	27.0	27.0	27.0	27.0	27.0
H44	19.4	19.4	19.4	22.1	26.2	29.9	32.0	32.3	32.3	32.3	32.3	32.3
H45	15.4	15.4	15.4	18.1	22.2	25.9	28.0	28.3	28.3	28.3	28.3	28.3
H46	14.8	14.8	14.8	17.5	21.5	25.3	27.3	27.6	27.7	27.7	27.7	27.7
H47	14.7	14.7	14.7	17.4	21.5	25.2	27.3	27.6	27.6	27.6	27.6	27.6
H48	22.1	22.1	22.1	24.8	28.8	32.6	34.7	35.0	35.0	35.0	35.0	35.0
H49	19.3	19.3	19.3	21.9	26.0	29.7	31.8	32.1	32.2	32.2	32.2	32.2
H50	18.8	18.8	18.8	21.5	25.5	29.3	31.4	31.7	31.7	31.7	31.7	31.7
H52	19.2	19.2	19.2	21.9	26.0	29.7	31.8	32.1	32.1	32.1	32.1	32.1
H53	19.1	19.1	19.1	21.8	25.8	29.6	31.6	32.0	32.0	32.0	32.0	32.0
H54	18.5	18.5	18.5	21.2	25.3	29.0	31.1	31.4	31.4	31.4	31.4	31.4
H55	18.0	18.0	18.0	20.7	24.7	28.5	30.6	30.9	30.9	30.9	30.9	30.9
H56	18.8	18.8	18.8	21.5	25.5	29.3	31.4	31.7	31.7	31.7	31.7	31.7
H57	19.0	19.0	19.0	21.7	25.7	29.5	31.6	31.9	31.9	31.9	31.9	31.9
H58	18.6	18.6	18.6	21.3	25.3	29.1	31.2	31.5	31.5	31.5	31.5	31.5
H59	18.6	18.6	18.6	21.3	25.3	29.1	31.2	31.5	31.5	31.5	31.5	31.5
H60	18.6	18.6	18.6	21.3	25.4	29.1	31.2	31.5	31.5	31.5	31.5	31.5
H61	18.7	18.7	18.7	21.4	25.4	29.2	31.3	31.6	31.6	31.6	31.6	31.6
H62	18.8	18.8	18.8	21.5	25.5	29.3	31.4	31.7	31.7	31.7	31.7	31.7
H63	18.0	18.0	18.0	20.7	24.8	28.5	30.6	30.9	30.9	30.9	30.9	30.9
H64	18.1	18.1	18.1	20.7	24.8	28.5	30.6	30.9	31.0	31.0	31.0	31.0
H65	18.1	18.1	18.1	20.8	24.8	28.6	30.6	31.0	31.0	31.0	31.0	31.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H66	18.1	18.1	18.1	20.8	24.8	28.6	30.7	31.0	31.0	31.0	31.0	31.0
H67	18.5	18.5	18.5	21.2	25.2	29.0	31.0	31.3	31.4	31.4	31.4	31.4
H68	20.9	20.9	20.9	23.6	27.6	31.4	33.5	33.8	33.8	33.8	33.8	33.8
H69	20.7	20.7	20.7	23.4	27.4	31.2	33.3	33.6	33.6	33.6	33.6	33.6
H70	19.0	19.0	19.0	21.7	25.7	29.5	31.5	31.9	31.9	31.9	31.9	31.9
H71	16.2	16.2	16.2	18.9	22.9	26.7	28.7	29.1	29.1	29.1	29.1	29.1
H72	7.7	7.7	7.7	10.4	14.4	18.2	20.3	20.6	20.6	20.6	20.6	20.6
H73	17.9	17.9	17.9	20.6	24.6	28.4	30.4	30.8	30.8	30.8	30.8	30.8
H74	17.9	17.9	17.9	20.6	24.7	28.4	30.5	30.8	30.8	30.8	30.8	30.8
H75	18.1	18.1	18.1	20.8	24.9	28.6	30.7	31.0	31.0	31.0	31.0	31.0
H76	17.2	17.2	17.2	19.9	24.0	27.7	29.8	30.1	30.1	30.1	30.1	30.1
H77	17.3	17.3	17.3	20.0	24.0	27.8	29.8	30.1	30.2	30.2	30.2	30.2
H78	18.0	18.0	18.0	20.7	24.7	28.5	30.5	30.9	30.9	30.9	30.9	30.9
H79	17.5	17.5	17.5	20.2	24.2	28.0	30.1	30.4	30.4	30.4	30.4	30.4
H80	14.5	14.5	14.5	17.2	21.2	25.0	27.0	27.4	27.4	27.4	27.4	27.4
H81	14.3	14.3	14.3	17.0	21.0	24.8	26.8	27.2	27.2	27.2	27.2	27.2
H82	13.4	13.4	13.4	16.1	20.2	23.9	26.0	26.3	26.3	26.3	26.3	26.3
H83	13.4	13.4	13.4	16.1	20.2	23.9	26.0	26.3	26.3	26.3	26.3	26.3
H84	13.5	13.5	13.5	16.2	20.3	24.0	26.1	26.4	26.4	26.4	26.4	26.4
H85	12.4	12.4	12.4	15.1	19.1	22.9	25.0	25.3	25.3	25.3	25.3	25.3
H86	12.1	12.1	12.1	14.8	18.9	22.6	24.7	25.0	25.0	25.0	25.0	25.0
H87	11.8	11.8	11.8	14.5	18.5	22.3	24.4	24.7	24.7	24.7	24.7	24.7
H88	20.6	20.6	20.6	23.3	27.4	31.1	33.2	33.5	33.5	33.5	33.5	33.5
H89	20.3	20.3	20.3	23.0	27.1	30.8	32.9	33.2	33.2	33.2	33.2	33.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H2	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H3	15.7	15.7	15.7	18.4	22.4	26.2	28.3	28.6	28.6	28.6	28.6	28.6
H4	15.7	15.7	15.7	18.4	22.4	26.2	28.3	28.6	28.6	28.6	28.6	28.6
H5	15.8	15.8	15.8	18.5	22.6	26.3	28.4	28.7	28.7	28.7	28.7	28.7
H6	14.1	14.1	14.1	16.8	20.8	24.6	26.7	27.0	27.0	27.0	27.0	27.0
H7	17.9	17.9	17.9	20.6	24.6	28.4	30.5	30.8	30.8	30.8	30.8	30.8

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H8	15.6	15.6	15.6	18.3	22.3	26.1	28.2	28.5	28.5	28.5	28.5	28.5
H9	16.6	16.6	16.6	19.2	23.3	27.0	29.1	29.4	29.5	29.5	29.5	29.5
H10	19.3	19.3	19.3	22.0	26.0	29.8	31.8	32.1	32.2	32.2	32.2	32.2
H11	19.3	19.3	19.3	22.0	26.1	29.8	31.9	32.2	32.2	32.2	32.2	32.2
H12	20.2	20.2	20.2	22.9	27.0	30.7	32.8	33.1	33.1	33.1	33.1	33.1
H13	14.8	14.8	14.8	17.5	21.5	25.3	27.3	27.7	27.7	27.7	27.7	27.7
H14	17.3	17.3	17.3	20.0	24.0	27.8	29.8	30.2	30.2	30.2	30.2	30.2
H15	17.5	17.5	17.5	20.2	24.2	28.0	30.1	30.4	30.4	30.4	30.4	30.4
H16	13.4	13.4	13.4	16.1	20.1	23.9	26.0	26.3	26.3	26.3	26.3	26.3
H17	18.7	18.7	18.7	21.3	25.4	29.1	31.2	31.5	31.6	31.6	31.6	31.6
H18	19.5	19.5	19.5	22.2	26.2	30.0	32.1	32.4	32.4	32.4	32.4	32.4
H19	17.1	17.1	17.1	19.8	23.8	27.6	29.6	30.0	30.0	30.0	30.0	30.0
H20	19.8	19.8	19.8	22.5	26.5	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H21	16.9	16.9	16.9	19.6	23.7	27.4	29.5	29.8	29.8	29.8	29.8	29.8
H22	17.4	17.4	17.4	20.1	24.2	27.9	30.0	30.3	30.3	30.3	30.3	30.3
H23	17.6	17.6	17.6	20.3	24.4	28.1	30.2	30.5	30.5	30.5	30.5	30.5
H24	22.7	22.7	22.7	25.4	29.5	33.2	35.3	35.6	35.6	35.6	35.6	35.6
H25	20.8	20.8	20.8	23.5	27.5	31.3	33.3	33.7	33.7	33.7	33.7	33.7
H26	17.1	17.1	17.1	19.8	23.9	27.6	29.7	30.0	30.0	30.0	30.0	30.0
H27	18.9	18.9	18.9	21.6	25.6	29.4	31.4	31.8	31.8	31.8	31.8	31.8
H28	18.3	18.3	18.3	21.0	25.0	28.8	30.9	31.2	31.2	31.2	31.2	31.2
H29	14.4	14.4	14.4	17.1	21.1	24.9	26.9	27.2	27.3	27.3	27.3	27.3
H30	17.2	17.2	17.2	19.9	23.9	27.7	29.8	30.1	30.1	30.1	30.1	30.1
H31	14.6	14.6	14.6	17.3	21.3	25.1	27.1	27.5	27.5	27.5	27.5	27.5
H32	14.8	14.8	14.8	17.5	21.5	25.3	27.3	27.7	27.7	27.7	27.7	27.7
H33	9.6	9.6	9.6	12.3	16.3	20.1	22.2	22.5	22.5	22.5	22.5	22.5
H34	24.1	24.1	24.1	26.7	30.8	34.5	36.6	36.9	37.0	37.0	37.0	37.0
H35	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H36	13.4	13.4	13.4	16.1	20.1	23.9	26.0	26.3	26.3	26.3	26.3	26.3
H37	10.1	10.1	10.1	12.8	16.8	20.6	22.6	23.0	23.0	23.0	23.0	23.0
H38	16.0	16.0	16.0	18.7	22.7	26.5	28.6	28.9	28.9	28.9	28.9	28.9
H39	24.2	24.2	24.2	26.8	30.9	34.6	36.7	37.0	37.1	37.1	37.1	37.1
H40	16.3	16.3	16.3	19.0	23.0	26.8	28.8	29.2	29.2	29.2	29.2	29.2
H41	11.0	11.0	11.0	13.7	17.7	21.5	23.5	23.9	23.9	23.9	23.9	23.9
H42	11.8	11.8	11.8	14.5	18.5	22.3	24.3	24.7	24.7	24.7	24.7	24.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H43	10.1	10.1	10.1	12.7	16.8	20.5	22.6	22.9	23.0	23.0	23.0	23.0
H44	15.1	15.1	15.1	17.8	21.9	25.6	27.7	28.0	28.0	28.0	28.0	28.0
H45	11.4	11.4	11.4	14.1	18.1	21.9	23.9	24.3	24.3	24.3	24.3	24.3
H46	10.7	10.7	10.7	13.4	17.4	21.2	23.3	23.6	23.6	23.6	23.6	23.6
H47	10.7	10.7	10.7	13.4	17.4	21.2	23.2	23.6	23.6	23.6	23.6	23.6
H48	22.1	22.1	22.1	24.8	28.8	32.6	34.7	35.0	35.0	35.0	35.0	35.0
H49	19.8	19.8	19.8	22.5	26.5	30.3	32.3	32.7	32.7	32.7	32.7	32.7
H50	19.3	19.3	19.3	22.0	26.0	29.8	31.9	32.2	32.2	32.2	32.2	32.2
H52	19.7	19.7	19.7	22.4	26.4	30.2	32.3	32.6	32.6	32.6	32.6	32.6
H53	19.5	19.5	19.5	22.2	26.3	30.0	32.1	32.4	32.4	32.4	32.4	32.4
H54	19.0	19.0	19.0	21.7	25.7	29.5	31.5	31.9	31.9	31.9	31.9	31.9
H55	19.3	19.3	19.3	22.0	26.0	29.8	31.8	32.2	32.2	32.2	32.2	32.2
H56	20.0	20.0	20.0	22.7	26.8	30.5	32.6	32.9	32.9	32.9	32.9	32.9
H57	20.2	20.2	20.2	22.9	26.9	30.7	32.8	33.1	33.1	33.1	33.1	33.1
H58	19.8	19.8	19.8	22.5	26.5	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H59	19.8	19.8	19.8	22.5	26.5	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H60	19.8	19.8	19.8	22.5	26.6	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H61	19.9	19.9	19.9	22.6	26.6	30.4	32.5	32.8	32.8	32.8	32.8	32.8
H62	20.0	20.0	20.0	22.7	26.7	30.5	32.6	32.9	32.9	32.9	32.9	32.9
H63	19.8	19.8	19.8	22.5	26.6	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H64	19.9	19.9	19.9	22.6	26.6	30.4	32.4	32.8	32.8	32.8	32.8	32.8
H65	19.9	19.9	19.9	22.6	26.6	30.4	32.4	32.8	32.8	32.8	32.8	32.8
H66	19.9	19.9	19.9	22.6	26.6	30.4	32.5	32.8	32.8	32.8	32.8	32.8
H67	20.3	20.3	20.3	23.0	27.0	30.8	32.8	33.2	33.2	33.2	33.2	33.2
H68	23.2	23.2	23.2	25.9	29.9	33.7	35.7	36.0	36.1	36.1	36.1	36.1
H69	23.6	23.6	23.6	26.3	30.3	34.1	36.2	36.5	36.5	36.5	36.5	36.5
H70	21.7	21.7	21.7	24.4	28.4	32.2	34.3	34.6	34.6	34.6	34.6	34.6
H71	18.8	18.8	18.8	21.5	25.5	29.3	31.4	31.7	31.7	31.7	31.7	31.7
H72	6.5	6.5	6.5	9.2	13.2	17.0	19.0	19.4	19.4	19.4	19.4	19.4
H73	21.3	21.3	21.3	24.0	28.0	31.8	33.8	34.2	34.2	34.2	34.2	34.2
H74	21.3	21.3	21.3	24.0	28.0	31.8	33.8	34.2	34.2	34.2	34.2	34.2
H75	18.7	18.7	18.7	21.4	25.4	29.2	31.3	31.6	31.6	31.6	31.6	31.6
H76	20.7	20.7	20.7	23.4	27.4	31.2	33.2	33.6	33.6	33.6	33.6	33.6
H77	20.7	20.7	20.7	23.4	27.4	31.2	33.3	33.6	33.6	33.6	33.6	33.6
H78	19.0	19.0	19.0	21.7	25.8	29.5	31.6	31.9	31.9	31.9	31.9	31.9

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H79	19.4	19.4	19.4	22.1	26.1	29.9	32.0	32.3	32.3	32.3	32.3	32.3
H80	16.0	16.0	16.0	18.7	22.7	26.5	28.5	28.9	28.9	28.9	28.9	28.9
H81	17.9	17.9	17.9	20.6	24.7	28.4	30.5	30.8	30.8	30.8	30.8	30.8
H82	15.0	15.0	15.0	17.7	21.8	25.5	27.6	27.9	27.9	27.9	27.9	27.9
H83	15.0	15.0	15.0	17.7	21.8	25.5	27.6	27.9	27.9	27.9	27.9	27.9
H84	17.7	17.7	17.7	20.4	24.4	28.2	30.3	30.6	30.6	30.6	30.6	30.6
H85	16.9	16.9	16.9	19.6	23.6	27.4	29.4	29.8	29.8	29.8	29.8	29.8
H86	16.6	16.6	16.6	19.3	23.3	27.1	29.1	29.5	29.5	29.5	29.5	29.5
H87	16.3	16.3	16.3	19.0	23.0	26.7	28.8	29.1	29.2	29.2	29.2	29.2
H88	17.0	17.0	17.0	19.7	23.7	27.5	29.6	29.9	29.9	29.9	29.9	29.9
H89	17.5	17.5	17.5	20.2	24.3	28.0	30.1	30.4	30.4	30.4	30.4	30.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	13.0	13.0	13.0	15.7	19.7	23.4	24.6	25.0	25.3	25.6	25.9	25.9
H2	13.0	13.0	13.0	15.7	19.7	23.4	24.6	25.1	25.4	25.7	25.9	25.9
H3	13.4	13.4	13.4	16.1	20.2	23.9	25.0	25.5	25.8	26.1	26.3	26.3
H4	13.4	13.4	13.4	16.1	20.2	23.9	25.1	25.5	25.9	26.1	26.3	26.3
H5	13.5	13.5	13.5	16.2	20.3	24.0	25.2	25.6	25.9	26.2	26.4	26.4
H6	9.6	9.6	9.6	12.3	16.3	20.0	21.2	21.7	22.2	22.3	22.5	22.5
H7	17.9	17.9	17.9	20.6	24.6	28.3	29.5	29.9	30.2	30.4	30.8	30.8
H8	15.6	15.6	15.6	18.3	22.3	26.0	27.2	27.6	27.9	28.1	28.5	28.5
H9	16.6	16.6	16.6	19.2	23.3	27.0	28.2	28.5	28.8	29.1	29.5	29.5
H10	19.3	19.3	19.3	22.0	26.0	29.7	30.9	31.2	31.5	31.7	32.2	32.2
H11	19.3	19.3	19.3	22.0	26.1	29.8	31.0	31.3	31.6	31.8	32.2	32.2
H12	20.2	20.2	20.2	22.9	27.0	30.7	31.9	32.2	32.5	32.7	33.1	33.1
H13	10.6	10.6	10.6	13.3	17.3	20.9	22.2	22.9	23.2	23.4	23.5	23.5
H14	17.3	17.3	17.3	20.0	24.0	27.7	28.9	29.2	29.5	29.8	30.2	30.2
H15	17.5	17.5	17.5	20.2	24.2	28.0	29.1	29.5	29.8	30.0	30.4	30.4
H16	9.6	9.6	9.6	12.3	16.4	20.0	21.2	21.9	22.3	22.4	22.5	22.5
H17	14.5	14.5	14.5	17.2	21.2	24.8	26.1	26.8	27.2	27.3	27.4	27.4
H18	15.4	15.4	15.4	18.1	22.1	25.7	27.0	27.7	28.1	28.2	28.3	28.3
H19	13.3	13.3	13.3	16.0	20.0	23.6	24.9	25.5	26.0	26.1	26.2	26.2
H20	15.8	15.8	15.8	18.5	22.5	26.1	27.4	28.1	28.5	28.6	28.7	28.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H21	13.1	13.1	13.1	15.8	19.9	23.5	24.7	25.4	25.8	25.9	26.0	26.0
H22	13.6	13.6	13.6	16.3	20.4	24.0	25.3	25.9	26.3	26.4	26.5	26.5
H23	13.8	13.8	13.8	16.5	20.6	24.2	25.5	26.1	26.5	26.6	26.7	26.7
H24	22.7	22.7	22.7	25.4	29.5	33.2	34.4	34.6	34.8	35.1	35.6	35.6
H25	17.1	17.1	17.1	19.8	23.8	27.4	28.7	29.4	29.8	29.9	30.0	30.0
H26	13.4	13.4	13.4	16.1	20.1	23.7	25.0	25.7	26.1	26.2	26.3	26.3
H27	15.5	15.5	15.5	18.2	22.3	25.9	27.1	27.8	28.3	28.4	28.4	28.4
H28	14.9	14.9	14.9	17.5	21.6	25.2	26.5	27.2	27.6	27.7	27.8	27.8
H29	11.6	11.6	11.6	14.3	18.3	21.9	23.2	23.8	24.3	24.4	24.5	24.5
H30	13.5	13.5	13.5	16.2	20.2	23.8	25.1	25.8	26.2	26.3	26.4	26.4
H31	11.8	11.8	11.8	14.5	18.5	22.1	23.4	24.0	24.5	24.6	24.7	24.7
H32	12.0	12.0	12.0	14.7	18.7	22.3	23.6	24.3	24.7	24.8	24.9	24.9
H33	7.7	7.7	7.7	10.4	14.4	18.0	19.3	20.0	20.4	20.5	20.6	20.6
H34	22.1	22.1	22.1	24.8	28.9	32.5	33.8	34.4	34.9	35.0	35.0	35.0
H35	12.8	12.8	12.8	15.5	19.5	23.1	24.4	25.1	25.5	25.6	25.7	25.7
H36	10.7	10.7	10.7	13.3	17.4	21.0	22.3	23.0	23.4	23.5	23.6	23.6
H37	8.2	8.2	8.2	10.8	14.9	18.5	19.8	20.4	20.8	21.0	21.1	21.1
H38	13.3	13.3	13.3	15.9	20.0	23.5	24.9	25.6	26.0	26.1	26.2	26.2
H39	24.2	24.2	24.2	26.8	30.9	34.6	35.8	36.1	36.3	36.6	37.1	37.1
H40	13.7	13.7	13.7	16.4	20.4	24.0	25.3	26.1	26.4	26.5	26.6	26.6
H41	9.1	9.1	9.1	11.7	15.8	19.4	20.7	21.3	21.7	21.9	22.0	22.0
H42	9.8	9.8	9.8	12.5	16.6	20.2	21.5	22.1	22.5	22.6	22.7	22.7
H43	8.2	8.2	8.2	10.9	14.9	18.5	19.8	20.5	20.9	21.0	21.1	21.1
H44	12.4	12.4	12.4	15.1	19.1	22.7	24.0	24.7	25.1	25.2	25.3	25.3
H45	9.5	9.5	9.5	12.2	16.2	19.8	21.1	21.8	22.2	22.3	22.4	22.4
H46	8.9	8.9	8.9	11.5	15.6	19.2	20.5	21.2	21.6	21.7	21.8	21.8
H47	8.8	8.8	8.8	11.5	15.5	19.1	20.4	21.1	21.5	21.6	21.7	21.7
H48	22.1	22.1	22.1	24.8	28.8	32.6	33.7	34.0	34.4	34.7	35.0	35.0
H49	19.8	19.8	19.8	22.5	26.5	30.2	31.4	31.7	32.1	32.4	32.7	32.7
H50	19.3	19.3	19.3	22.0	26.0	29.8	30.9	31.3	31.7	31.9	32.2	32.2
H52	19.7	19.7	19.7	22.4	26.4	30.2	31.3	31.7	32.1	32.3	32.6	32.6
H53	19.5	19.5	19.5	22.2	26.3	30.0	31.2	31.5	31.9	32.2	32.4	32.4
H54	19.0	19.0	19.0	21.7	25.7	29.4	30.6	31.0	31.4	31.6	31.9	31.9
H55	19.3	19.3	19.3	22.0	26.0	29.7	30.9	31.3	31.7	32.0	32.2	32.2
H56	20.0	20.0	20.0	22.7	26.8	30.5	31.7	32.0	32.5	32.7	32.9	32.9

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H57	20.2	20.2	20.2	22.9	26.9	30.7	31.8	32.2	32.7	32.9	33.1	33.1
H58	19.8	19.8	19.8	22.5	26.5	30.3	31.4	31.8	32.2	32.5	32.7	32.7
H59	19.8	19.8	19.8	22.5	26.5	30.3	31.4	31.8	32.2	32.5	32.7	32.7
H60	19.8	19.8	19.8	22.5	26.6	30.3	31.5	31.8	32.3	32.5	32.7	32.7
H61	19.9	19.9	19.9	22.6	26.6	30.4	31.5	31.9	32.3	32.6	32.8	32.8
H62	20.0	20.0	20.0	22.7	26.7	30.5	31.6	32.0	32.5	32.7	32.9	32.9
H63	19.8	19.8	19.8	22.5	26.6	30.3	31.5	31.8	32.3	32.5	32.7	32.7
H64	19.9	19.9	19.9	22.6	26.6	30.3	31.5	31.9	32.3	32.6	32.8	32.8
H65	19.9	19.9	19.9	22.6	26.6	30.3	31.5	31.9	32.3	32.6	32.8	32.8
H66	19.9	19.9	19.9	22.6	26.6	30.4	31.5	31.9	32.4	32.6	32.8	32.8
H67	20.3	20.3	20.3	23.0	27.0	30.7	31.9	32.3	32.7	33.0	33.2	33.2
H68	24.0	24.0	24.0	26.7	30.7	34.4	35.6	36.0	36.5	36.7	36.9	36.9
H69	24.3	24.3	24.3	27.0	31.1	34.8	36.0	36.4	36.9	37.1	37.2	37.2
H70	22.6	22.6	22.6	25.3	29.3	33.1	34.2	34.6	35.1	35.4	35.5	35.5
H71	18.8	18.8	18.8	21.5	25.5	29.3	30.4	30.8	31.3	31.5	31.7	31.7
H72	6.8	6.8	6.8	9.5	13.5	17.1	18.4	19.1	19.5	19.6	19.7	19.7
H73	22.9	22.9	22.9	25.6	29.6	33.3	34.5	34.9	35.5	35.7	35.8	35.8
H74	22.7	22.7	22.7	25.4	29.5	33.1	34.4	34.8	35.4	35.6	35.6	35.6
H75	20.2	20.2	20.2	22.9	26.9	30.4	31.8	32.9	33.1	33.1	33.1	33.1
H76	22.2	22.2	22.2	24.9	28.9	32.6	33.8	34.3	34.8	35.0	35.1	35.1
H77	22.2	22.2	22.2	24.9	28.9	32.6	33.8	34.3	34.9	35.0	35.1	35.1
H78	21.2	21.2	21.2	23.9	28.0	31.4	32.9	33.8	34.1	34.1	34.1	34.1
H79	22.3	22.3	22.3	25.0	29.1	32.6	34.0	34.8	35.2	35.2	35.2	35.2
H80	19.1	19.1	19.1	21.8	25.9	29.3	30.8	31.7	32.0	32.0	32.0	32.0
H81	21.4	21.4	21.4	24.1	28.1	31.7	33.0	33.6	34.1	34.3	34.3	34.3
H82	18.5	18.5	18.5	21.2	25.2	28.7	30.1	31.0	31.3	31.3	31.4	31.4
H83	18.5	18.5	18.5	21.2	25.2	28.7	30.1	31.0	31.3	31.3	31.4	31.4
H84	20.1	20.1	20.1	22.8	26.8	30.5	31.7	32.2	32.8	32.9	33.0	33.0
H85	18.6	18.6	18.6	21.3	25.3	29.0	30.2	30.7	31.2	31.4	31.5	31.5
H86	18.3	18.3	18.3	21.0	25.0	28.7	29.9	30.4	30.9	31.1	31.2	31.2
H87	18.4	18.4	18.4	21.1	25.1	28.8	30.0	30.5	31.0	31.2	31.3	31.3
H88	14.7	14.7	14.7	17.3	21.4	24.9	26.3	27.1	27.4	27.5	27.6	27.6
H89	16.2	16.2	16.2	18.9	22.9	26.4	27.8	28.7	29.0	29.0	29.1	29.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	8.6	8.6	8.6	11.3	15.3	19.0	20.2	20.6	20.9	21.2	21.5	21.5
H2	8.6	8.6	8.6	11.3	15.3	19.0	20.2	20.6	20.9	21.2	21.5	21.5
H3	9.0	9.0	9.0	11.7	15.7	19.5	20.6	21.1	21.4	21.7	21.9	21.9
H4	9.0	9.0	9.0	11.7	15.8	19.5	20.7	21.1	21.4	21.7	21.9	21.9
H5	9.1	9.1	9.1	11.8	15.9	19.6	20.8	21.2	21.5	21.8	22.0	22.0
H6	6.6	6.6	6.6	9.3	13.3	17.0	18.2	18.7	19.1	19.3	19.5	19.5
H7	14.0	14.0	14.0	16.7	20.7	24.4	25.6	26.0	26.4	26.6	26.9	26.9
H8	15.3	15.3	15.3	18.0	22.0	25.8	26.9	27.3	27.6	27.8	28.2	28.2
H9	16.3	16.3	16.3	19.0	23.0	26.7	27.9	28.3	28.5	28.8	29.2	29.2
H10	15.3	15.3	15.3	18.0	22.0	25.7	26.9	27.3	27.6	27.8	28.2	28.2
H11	15.4	15.4	15.4	18.1	22.1	25.8	27.0	27.4	27.7	27.9	28.3	28.3
H12	18.4	18.4	18.4	21.1	25.2	28.9	30.1	30.4	30.7	30.9	31.3	31.3
H13	8.2	8.2	8.2	10.9	15.0	18.6	19.9	20.4	20.8	21.0	21.1	21.1
H14	17.3	17.3	17.3	20.0	24.0	27.7	28.9	29.2	29.5	29.8	30.2	30.2
H15	17.5	17.5	17.5	20.2	24.2	28.0	29.1	29.5	29.8	30.0	30.4	30.4
H16	8.1	8.1	8.1	10.8	14.8	18.4	19.7	20.2	20.7	20.8	21.0	21.0
H17	12.2	12.2	12.2	14.9	18.9	22.5	23.8	24.4	24.8	24.9	25.1	25.1
H18	13.1	13.1	13.1	15.8	19.8	23.5	24.7	25.3	25.7	25.9	26.0	26.0
H19	11.7	11.7	11.7	14.4	18.4	22.1	23.3	23.9	24.3	24.5	24.6	24.6
H20	13.5	13.5	13.5	16.2	20.2	23.9	25.1	25.7	26.2	26.3	26.4	26.4
H21	11.5	11.5	11.5	14.2	18.3	21.9	23.2	23.7	24.2	24.3	24.4	24.4
H22	12.1	12.1	12.1	14.7	18.8	22.4	23.7	24.2	24.7	24.8	25.0	25.0
H23	12.2	12.2	12.2	14.9	19.0	22.6	23.9	24.4	24.9	25.0	25.1	25.1
H24	22.7	22.7	22.7	25.4	29.5	33.2	34.4	34.6	34.8	35.1	35.6	35.6
H25	15.0	15.0	15.0	17.7	21.7	25.3	26.6	27.1	27.6	27.8	27.9	27.9
H26	11.8	11.8	11.8	14.5	18.6	22.2	23.5	24.1	24.5	24.6	24.7	24.7
H27	14.1	14.1	14.1	16.8	20.9	24.5	25.7	26.3	26.8	26.9	27.0	27.0
H28	13.5	13.5	13.5	16.1	20.2	23.8	25.1	25.7	26.1	26.2	26.4	26.4
H29	10.8	10.8	10.8	13.5	17.5	21.2	22.4	23.0	23.5	23.6	23.7	23.7
H30	12.1	12.1	12.1	14.8	18.8	22.4	23.7	24.3	24.7	24.8	25.0	25.0
H31	11.0	11.0	11.0	13.7	17.7	21.4	22.6	23.2	23.6	23.8	23.9	23.9
H32	11.2	11.2	11.2	13.9	17.9	21.5	22.8	23.4	23.8	24.0	24.1	24.1
H33	7.6	7.6	7.6	10.3	14.3	17.9	19.2	19.8	20.2	20.3	20.5	20.5
H34	21.1	21.1	21.1	23.8	27.8	31.4	32.7	33.3	33.8	33.9	34.0	34.0
H35	12.0	12.0	12.0	14.7	18.7	22.3	23.6	24.2	24.6	24.8	24.9	24.9

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H36	9.9	9.9	9.9	12.6	16.7	20.3	21.6	22.2	22.6	22.7	22.8	22.8
H37	8.0	8.0	8.0	10.7	14.7	18.3	19.6	20.2	20.6	20.8	20.9	20.9
H38	12.5	12.5	12.5	15.1	19.2	22.8	24.1	24.8	25.1	25.3	25.4	25.4
H39	24.2	24.2	24.2	26.8	30.9	34.6	35.8	36.1	36.3	36.6	37.1	37.1
H40	13.0	13.0	13.0	15.7	19.7	23.3	24.6	25.3	25.7	25.8	25.9	25.9
H41	8.9	8.9	8.9	11.6	15.6	19.2	20.5	21.1	21.5	21.7	21.8	21.8
H42	9.7	9.7	9.7	12.4	16.4	20.0	21.3	21.9	22.3	22.4	22.6	22.6
H43	8.2	8.2	8.2	10.8	14.9	18.5	19.8	20.4	20.8	20.9	21.1	21.1
H44	11.6	11.6	11.6	14.3	18.3	21.9	23.2	23.9	24.3	24.4	24.5	24.5
H45	9.4	9.4	9.4	12.1	16.1	19.8	21.0	21.7	22.1	22.2	22.3	22.3
H46	8.8	8.8	8.8	11.5	15.5	19.1	20.4	21.0	21.4	21.6	21.7	21.7
H47	8.7	8.7	8.7	11.4	15.4	19.0	20.3	21.0	21.4	21.5	21.6	21.6
H48	22.1	22.1	22.1	24.8	28.8	32.6	33.7	34.0	34.4	34.7	35.0	35.0
H49	19.8	19.8	19.8	22.5	26.5	30.2	31.4	31.7	32.1	32.4	32.7	32.7
H50	19.3	19.3	19.3	22.0	26.0	29.8	30.9	31.3	31.7	31.9	32.2	32.2
H52	19.7	19.7	19.7	22.4	26.4	30.2	31.3	31.7	32.1	32.3	32.6	32.6
H53	19.5	19.5	19.5	22.2	26.3	30.0	31.2	31.5	31.9	32.2	32.4	32.4
H54	19.0	19.0	19.0	21.7	25.7	29.4	30.6	31.0	31.4	31.6	31.9	31.9
H55	19.3	19.3	19.3	22.0	26.0	29.7	30.9	31.3	31.7	32.0	32.2	32.2
H56	20.0	20.0	20.0	22.7	26.8	30.5	31.7	32.0	32.5	32.7	32.9	32.9
H57	20.2	20.2	20.2	22.9	26.9	30.7	31.8	32.2	32.7	32.9	33.1	33.1
H58	19.8	19.8	19.8	22.5	26.5	30.3	31.4	31.8	32.2	32.5	32.7	32.7
H59	19.8	19.8	19.8	22.5	26.5	30.3	31.4	31.8	32.2	32.5	32.7	32.7
H60	19.8	19.8	19.8	22.5	26.6	30.3	31.5	31.8	32.3	32.5	32.7	32.7
H61	19.9	19.9	19.9	22.6	26.6	30.4	31.5	31.9	32.3	32.6	32.8	32.8
H62	20.0	20.0	20.0	22.7	26.7	30.5	31.6	32.0	32.5	32.7	32.9	32.9
H63	19.8	19.8	19.8	22.5	26.6	30.3	31.5	31.8	32.3	32.5	32.7	32.7
H64	19.9	19.9	19.9	22.6	26.6	30.3	31.5	31.9	32.3	32.6	32.8	32.8
H65	19.9	19.9	19.9	22.6	26.6	30.3	31.5	31.9	32.3	32.6	32.8	32.8
H66	19.9	19.9	19.9	22.6	26.6	30.4	31.5	31.9	32.4	32.6	32.8	32.8
H67	20.3	20.3	20.3	23.0	27.0	30.7	31.9	32.3	32.7	33.0	33.2	33.2
H68	24.0	24.0	24.0	26.7	30.7	34.4	35.6	36.0	36.5	36.7	36.9	36.9
H69	24.3	24.3	24.3	27.0	31.1	34.8	36.0	36.4	36.9	37.1	37.2	37.2
H70	22.6	22.6	22.6	25.3	29.3	33.1	34.2	34.6	35.1	35.4	35.5	35.5
H71	18.8	18.8	18.8	21.5	25.5	29.3	30.4	30.8	31.3	31.5	31.7	31.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H72	8.9	8.9	8.9	11.6	15.6	19.2	20.5	21.1	21.6	21.7	21.8	21.8
H73	22.9	22.9	22.9	25.6	29.6	33.3	34.5	34.9	35.5	35.7	35.8	35.8
H74	22.9	22.9	22.9	25.6	29.6	33.3	34.5	35.0	35.5	35.7	35.8	35.8
H75	22.6	22.6	22.6	25.3	29.3	32.8	34.2	35.2	35.4	35.5	35.5	35.5
H76	22.4	22.4	22.4	25.1	29.1	32.8	34.0	34.5	35.0	35.2	35.3	35.3
H77	22.4	22.4	22.4	25.1	29.1	32.8	34.0	34.5	35.0	35.2	35.3	35.3
H78	23.4	23.4	23.4	26.1	30.1	33.6	35.0	35.8	36.2	36.2	36.3	36.3
H79	24.0	24.0	24.0	26.7	30.8	34.4	35.7	36.3	36.8	36.9	36.9	36.9
H80	21.9	21.9	21.9	24.6	28.7	32.2	33.5	34.3	34.7	34.8	34.8	34.8
H81	22.4	22.4	22.4	25.1	29.1	32.8	34.0	34.6	35.1	35.2	35.3	35.3
H82	21.4	21.4	21.4	24.1	28.1	31.7	33.0	33.8	34.2	34.3	34.3	34.3
H83	21.4	21.4	21.4	24.1	28.1	31.7	33.0	33.8	34.2	34.3	34.3	34.3
H84	20.6	20.6	20.6	23.3	27.3	30.9	32.2	32.7	33.2	33.4	33.5	33.5
H85	18.6	18.6	18.6	21.3	25.3	29.0	30.2	30.7	31.2	31.4	31.5	31.5
H86	18.3	18.3	18.3	21.0	25.0	28.7	29.9	30.4	30.9	31.1	31.2	31.2
H87	18.4	18.4	18.4	21.1	25.1	28.8	30.0	30.5	31.0	31.2	31.3	31.3
H88	14.0	14.0	14.0	16.7	20.7	24.3	25.6	26.4	26.7	26.8	26.9	26.9
H89	16.1	16.1	16.1	18.8	22.8	26.3	27.7	28.5	28.8	28.9	29.0	29.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	6.1	6.1	6.1	8.8	12.9	16.6	17.8	18.0	18.4	18.7	19.0	19.0
H2	6.2	6.2	6.2	8.9	12.9	16.6	17.8	18.0	18.4	18.7	19.1	19.1
H3	6.4	6.4	6.4	9.1	13.1	16.9	18.0	18.3	18.7	19.0	19.3	19.3
H4	6.4	6.4	6.4	9.1	13.2	16.9	18.0	18.3	18.7	19.0	19.3	19.3
H5	6.5	6.5	6.5	9.2	13.3	17.0	18.1	18.4	18.8	19.1	19.4	19.4
H6	5.6	5.6	5.6	8.3	12.4	16.1	17.3	17.5	18.1	18.3	18.5	18.5
H7	10.0	10.0	10.0	12.7	16.7	20.4	21.6	21.9	22.3	22.6	22.9	22.9
H8	10.7	10.7	10.7	13.4	17.4	21.2	22.3	22.6	23.0	23.2	23.6	23.6
H9	11.7	11.7	11.7	14.4	18.4	22.1	23.3	23.6	23.9	24.2	24.6	24.6
H10	11.3	11.3	11.3	14.0	18.0	21.8	22.9	23.2	23.6	23.8	24.2	24.2
H11	11.4	11.4	11.4	14.1	18.1	21.8	23.0	23.3	23.7	23.9	24.3	24.3
H12	13.8	13.8	13.8	16.5	20.6	24.3	25.5	25.7	26.1	26.3	26.7	26.7
H13	7.9	7.9	7.9	10.5	14.6	18.3	19.5	19.7	20.4	20.5	20.8	20.8

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H14	12.7	12.7	12.7	15.4	19.4	23.1	24.3	24.5	24.9	25.2	25.6	25.6
H15	14.5	14.5	14.5	17.2	21.2	25.0	26.1	26.4	26.7	26.9	27.4	27.4
H16	8.3	8.3	8.3	11.0	15.0	18.7	19.9	20.2	20.8	21.0	21.2	21.2
H17	12.0	12.0	12.0	14.7	18.7	22.4	23.6	23.9	24.5	24.7	24.9	24.9
H18	13.0	13.0	13.0	15.6	19.7	23.4	24.6	24.8	25.5	25.6	25.9	25.9
H19	12.0	12.0	12.0	14.6	18.7	22.4	23.6	23.8	24.5	24.7	24.9	24.9
H20	13.4	13.4	13.4	16.1	20.1	23.8	25.0	25.2	25.9	26.1	26.3	26.3
H21	11.8	11.8	11.8	14.5	18.5	22.2	23.4	23.6	24.3	24.5	24.7	24.7
H22	12.3	12.3	12.3	15.0	19.0	22.7	23.9	24.2	24.8	25.0	25.2	25.2
H23	12.5	12.5	12.5	15.1	19.2	22.9	24.1	24.3	25.0	25.2	25.4	25.4
H24	21.2	21.2	21.2	23.9	28.0	31.7	32.8	33.1	33.3	33.5	34.1	34.1
H25	14.7	14.7	14.7	17.4	21.5	25.1	26.3	26.6	27.3	27.5	27.6	27.6
H26	12.1	12.1	12.1	14.8	18.8	22.5	23.7	24.0	24.7	24.8	25.0	25.0
H27	14.3	14.3	14.3	17.0	21.1	24.7	26.0	26.2	27.0	27.1	27.2	27.2
H28	13.8	13.8	13.8	16.5	20.5	24.2	25.4	25.7	26.4	26.6	26.7	26.7
H29	11.8	11.8	11.8	14.5	18.5	22.2	23.4	23.7	24.4	24.5	24.7	24.7
H30	12.7	12.7	12.7	15.4	19.4	23.1	24.3	24.5	25.2	25.4	25.6	25.6
H31	12.0	12.0	12.0	14.7	18.7	22.4	23.6	23.8	24.5	24.7	24.9	24.9
H32	12.1	12.1	12.1	14.8	18.9	22.5	23.7	24.0	24.7	24.8	25.0	25.0
H33	9.1	9.1	9.1	11.8	15.8	19.4	20.7	20.9	21.7	21.8	22.0	22.0
H34	21.0	21.0	21.0	23.7	27.8	31.4	32.7	32.9	33.7	33.9	33.9	33.9
H35	12.9	12.9	12.9	15.5	19.6	23.2	24.5	24.7	25.4	25.6	25.8	25.8
H36	11.0	11.0	11.0	13.7	17.7	21.4	22.6	22.9	23.6	23.7	23.9	23.9
H37	9.5	9.5	9.5	12.2	16.2	19.9	21.1	21.4	22.1	22.2	22.4	22.4
H38	13.3	13.3	13.3	16.0	20.0	23.6	24.9	25.2	25.9	26.0	26.2	26.2
H39	23.8	23.8	23.8	26.5	30.5	34.3	35.4	35.7	36.0	36.2	36.7	36.7
H40	13.8	13.8	13.8	16.5	20.6	24.2	25.5	25.7	26.5	26.6	26.7	26.7
H41	10.3	10.3	10.3	13.0	17.1	20.7	22.0	22.2	23.0	23.1	23.2	23.2
H42	11.1	11.1	11.1	13.8	17.8	21.5	22.7	23.0	23.7	23.9	24.0	24.0
H43	9.8	9.8	9.8	12.5	16.5	20.2	21.4	21.7	22.4	22.5	22.7	22.7
H44	12.6	12.6	12.6	15.3	19.3	22.9	24.2	24.4	25.2	25.3	25.5	25.5
H45	11.0	11.0	11.0	13.7	17.8	21.4	22.6	22.9	23.6	23.8	23.9	23.9
H46	10.4	10.4	10.4	13.1	17.1	20.8	22.0	22.3	23.0	23.1	23.3	23.3
H47	10.3	10.3	10.3	13.0	17.0	20.7	21.9	22.2	22.9	23.1	23.2	23.2
H48	22.1	22.1	22.1	24.8	28.8	32.6	33.7	34.0	34.4	34.7	35.0	35.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H49	19.8	19.8	19.8	22.5	26.5	30.2	31.4	31.6	32.1	32.4	32.7	32.7
H50	19.3	19.3	19.3	22.0	26.0	29.8	30.9	31.2	31.7	31.9	32.2	32.2
H52	19.7	19.7	19.7	22.4	26.4	30.2	31.3	31.6	32.1	32.3	32.6	32.6
H53	19.5	19.5	19.5	22.2	26.3	30.0	31.2	31.4	31.9	32.2	32.4	32.4
H54	19.0	19.0	19.0	21.7	25.7	29.4	30.6	30.9	31.4	31.6	31.9	31.9
H55	19.3	19.3	19.3	22.0	26.0	29.7	30.9	31.2	31.7	32.0	32.2	32.2
H56	20.0	20.0	20.0	22.7	26.8	30.5	31.7	31.9	32.5	32.7	32.9	32.9
H57	20.2	20.2	20.2	22.9	26.9	30.7	31.8	32.1	32.7	32.9	33.1	33.1
H58	19.8	19.8	19.8	22.5	26.5	30.3	31.4	31.7	32.2	32.5	32.7	32.7
H59	19.8	19.8	19.8	22.5	26.5	30.3	31.4	31.7	32.2	32.5	32.7	32.7
H60	19.8	19.8	19.8	22.5	26.6	30.3	31.5	31.7	32.3	32.5	32.7	32.7
H61	19.9	19.9	19.9	22.6	26.6	30.4	31.5	31.8	32.3	32.6	32.8	32.8
H62	20.0	20.0	20.0	22.7	26.7	30.5	31.6	31.9	32.5	32.7	32.9	32.9
H63	19.8	19.8	19.8	22.5	26.6	30.3	31.5	31.7	32.3	32.5	32.7	32.7
H64	19.9	19.9	19.9	22.6	26.6	30.3	31.5	31.7	32.3	32.6	32.8	32.8
H65	19.9	19.9	19.9	22.6	26.6	30.3	31.5	31.8	32.3	32.6	32.8	32.8
H66	19.9	19.9	19.9	22.6	26.6	30.4	31.5	31.8	32.4	32.6	32.8	32.8
H67	20.3	20.3	20.3	23.0	27.0	30.7	31.9	32.1	32.7	33.0	33.2	33.2
H68	24.0	24.0	24.0	26.7	30.7	34.4	35.6	35.8	36.5	36.7	36.9	36.9
H69	24.3	24.3	24.3	27.0	31.1	34.8	36.0	36.2	36.9	37.1	37.2	37.2
H70	22.6	22.6	22.6	25.3	29.3	33.1	34.2	34.5	35.1	35.4	35.5	35.5
H71	18.8	18.8	18.8	21.5	25.5	29.3	30.4	30.7	31.3	31.5	31.7	31.7
H72	13.2	13.2	13.2	15.9	19.9	23.5	24.8	25.0	25.8	26.0	26.1	26.1
H73	22.9	22.9	22.9	25.6	29.6	33.3	34.5	34.7	35.5	35.7	35.8	35.8
H74	22.9	22.9	22.9	25.6	29.6	33.3	34.5	34.8	35.5	35.7	35.8	35.8
H75	23.8	23.8	23.8	26.5	30.5	34.0	35.4	35.7	36.6	36.6	36.7	36.7
H76	22.4	22.4	22.4	25.1	29.1	32.8	34.0	34.3	35.0	35.2	35.3	35.3
H77	22.4	22.4	22.4	25.1	29.1	32.8	34.0	34.3	35.0	35.2	35.3	35.3
H78	23.9	23.9	23.9	26.6	30.6	34.2	35.5	35.8	36.7	36.8	36.8	36.8
H79	24.0	24.0	24.0	26.7	30.8	34.4	35.7	35.9	36.8	36.9	36.9	36.9
H80	22.6	22.6	22.6	25.2	29.3	32.9	34.2	34.4	35.3	35.4	35.5	35.5
H81	22.4	22.4	22.4	25.1	29.1	32.8	34.0	34.3	35.1	35.2	35.3	35.3
H82	22.1	22.1	22.1	24.8	28.8	32.4	33.7	33.9	34.8	34.9	35.0	35.0
H83	22.1	22.1	22.1	24.8	28.8	32.4	33.7	33.9	34.8	34.9	35.0	35.0
H84	20.6	20.6	20.6	23.3	27.3	30.9	32.2	32.4	33.2	33.4	33.5	33.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H85	18.6	18.6	18.6	21.3	25.3	29.0	30.2	30.5	31.2	31.4	31.5	31.5
H86	18.3	18.3	18.3	21.0	25.0	28.7	29.9	30.2	30.9	31.1	31.2	31.2
H87	18.4	18.4	18.4	21.1	25.1	28.8	30.0	30.3	31.0	31.2	31.3	31.3
H88	14.9	14.9	14.9	17.6	21.6	25.2	26.5	26.7	27.5	27.7	27.8	27.8
H89	17.2	17.2	17.2	19.9	23.9	27.5	28.8	29.1	29.9	30.0	30.1	30.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	5.6	5.6	5.6	8.3	12.3	16.1	17.2	17.5	17.9	18.1	18.5	18.5
H2	5.6	5.6	5.6	8.3	12.4	16.1	17.2	17.5	17.9	18.2	18.5	18.5
H3	5.8	5.8	5.8	8.5	12.5	16.2	17.4	17.6	18.0	18.3	18.7	18.7
H4	5.8	5.8	5.8	8.5	12.5	16.2	17.4	17.7	18.0	18.3	18.7	18.7
H5	5.9	5.9	5.9	8.6	12.6	16.3	17.5	17.8	18.1	18.4	18.8	18.8
H6	6.3	6.3	6.3	9.0	13.1	16.8	17.9	18.2	18.8	19.0	19.2	19.2
H7	8.1	8.1	8.1	10.8	14.9	18.6	19.7	20.0	20.4	20.7	21.0	21.0
H8	7.1	7.1	7.1	9.8	13.9	17.6	18.8	19.0	19.4	19.7	20.0	20.0
H9	8.1	8.1	8.1	10.8	14.8	18.6	19.7	20.0	20.4	20.6	21.0	21.0
H10	9.5	9.5	9.5	12.2	16.2	19.9	21.1	21.4	21.7	22.0	22.4	22.4
H11	9.6	9.6	9.6	12.3	16.3	20.0	21.2	21.4	21.8	22.1	22.5	22.5
H12	11.2	11.2	11.2	13.9	17.9	21.7	22.8	23.1	23.4	23.6	24.1	24.1
H13	9.3	9.3	9.3	12.0	16.0	19.7	20.9	21.1	21.7	21.9	22.2	22.2
H14	9.0	9.0	9.0	11.7	15.7	19.4	20.6	20.8	21.2	21.5	21.9	21.9
H15	10.2	10.2	10.2	12.8	16.9	20.6	21.8	22.0	22.4	22.6	23.1	23.1
H16	10.5	10.5	10.5	13.2	17.2	20.9	22.1	22.3	22.9	23.1	23.4	23.4
H17	13.9	13.9	13.9	16.6	20.7	24.4	25.6	25.8	26.3	26.5	26.8	26.8
H18	14.9	14.9	14.9	17.6	21.6	25.3	26.5	26.8	27.3	27.5	27.8	27.8
H19	14.1	14.1	14.1	16.8	20.8	24.5	25.7	26.0	26.5	26.7	27.0	27.0
H20	15.3	15.3	15.3	18.0	22.0	25.7	26.9	27.1	27.6	27.9	28.2	28.2
H21	13.9	13.9	13.9	16.6	20.6	24.3	25.5	25.8	26.3	26.5	26.8	26.8
H22	14.4	14.4	14.4	17.1	21.1	24.8	26.0	26.3	26.8	27.0	27.3	27.3
H23	14.6	14.6	14.6	17.3	21.3	25.0	26.2	26.5	27.0	27.2	27.5	27.5
H24	18.4	18.4	18.4	21.1	25.1	28.9	30.0	30.3	30.4	30.6	31.3	31.3
H25	16.4	16.4	16.4	19.1	23.1	26.8	28.0	28.2	28.8	29.0	29.3	29.3
H26	14.3	14.3	14.3	17.0	21.0	24.7	25.9	26.2	26.8	27.0	27.2	27.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H27	16.3	16.3	16.3	19.0	23.1	26.7	28.0	28.2	28.9	29.0	29.2	29.2
H28	16.1	16.1	16.1	18.8	22.8	26.5	27.7	28.0	28.6	28.8	29.0	29.0
H29	14.9	14.9	14.9	17.6	21.6	25.3	26.5	26.8	27.4	27.5	27.8	27.8
H30	15.5	15.5	15.5	18.2	22.2	25.9	27.1	27.4	27.9	28.1	28.4	28.4
H31	15.1	15.1	15.1	17.8	21.8	25.5	26.7	26.9	27.5	27.7	28.0	28.0
H32	15.2	15.2	15.2	17.9	21.9	25.6	26.8	27.1	27.7	27.8	28.1	28.1
H33	12.7	12.7	12.7	15.4	19.4	23.1	24.3	24.6	25.3	25.4	25.6	25.6
H34	22.3	22.3	22.3	25.0	29.0	32.7	33.9	34.2	34.8	35.0	35.2	35.2
H35	15.8	15.8	15.8	18.5	22.6	26.2	27.5	27.7	28.3	28.5	28.7	28.7
H36	14.2	14.2	14.2	16.9	20.9	24.6	25.8	26.1	26.7	26.9	27.1	27.1
H37	13.1	13.1	13.1	15.8	19.8	23.5	24.7	25.0	25.7	25.8	26.0	26.0
H38	16.2	16.2	16.2	18.9	22.9	26.6	27.8	28.0	28.7	28.8	29.1	29.1
H39	21.8	21.8	21.8	24.5	28.5	32.3	33.4	33.7	33.8	34.0	34.7	34.7
H40	16.8	16.8	16.8	19.4	23.5	27.1	28.4	28.6	29.3	29.5	29.7	29.7
H41	14.0	14.0	14.0	16.6	20.7	24.3	25.6	25.8	26.5	26.7	26.9	26.9
H42	14.7	14.7	14.7	17.4	21.4	25.1	26.3	26.6	27.3	27.4	27.6	27.6
H43	13.6	13.6	13.6	16.3	20.3	24.0	25.2	25.5	26.1	26.3	26.5	26.5
H44	15.7	15.7	15.7	18.4	22.4	26.1	27.3	27.5	28.2	28.3	28.6	28.6
H45	14.8	14.8	14.8	17.5	21.5	25.2	26.4	26.7	27.3	27.6	27.7	27.7
H46	14.2	14.2	14.2	16.9	20.9	24.6	25.8	26.1	26.7	26.9	27.1	27.1
H47	14.1	14.1	14.1	16.8	20.8	24.5	25.7	26.0	26.6	26.8	27.0	27.0
H48	20.3	20.3	20.3	23.0	27.0	30.7	31.9	32.1	32.4	32.7	33.2	33.2
H49	19.0	19.0	19.0	21.7	25.7	29.5	30.6	30.9	31.3	31.6	31.9	31.9
H50	18.6	18.6	18.6	21.3	25.3	29.0	30.2	30.4	30.8	31.1	31.5	31.5
H52	18.9	18.9	18.9	21.6	25.6	29.4	30.5	30.8	31.2	31.5	31.8	31.8
H53	18.7	18.7	18.7	21.4	25.5	29.2	30.4	30.6	31.0	31.3	31.6	31.6
H54	18.8	18.8	18.8	21.5	25.6	29.3	30.4	30.7	31.2	31.5	31.7	31.7
H55	19.1	19.1	19.1	21.8	25.8	29.6	30.7	31.0	31.5	31.8	32.0	32.0
H56	20.0	20.0	20.0	22.7	26.8	30.5	31.7	31.9	32.5	32.7	32.9	32.9
H57	20.2	20.2	20.2	22.9	26.9	30.7	31.8	32.1	32.7	32.9	33.1	33.1
H58	19.8	19.8	19.8	22.5	26.5	30.3	31.4	31.7	32.2	32.5	32.7	32.7
H59	19.8	19.8	19.8	22.5	26.5	30.3	31.4	31.7	32.2	32.5	32.7	32.7
H60	19.8	19.8	19.8	22.5	26.6	30.3	31.5	31.7	32.3	32.5	32.7	32.7
H61	19.9	19.9	19.9	22.6	26.6	30.4	31.5	31.8	32.3	32.6	32.8	32.8
H62	20.0	20.0	20.0	22.7	26.7	30.5	31.6	31.9	32.5	32.7	32.9	32.9

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H63	19.8	19.8	19.8	22.5	26.6	30.3	31.5	31.7	32.3	32.5	32.7	32.7
H64	19.9	19.9	19.9	22.6	26.6	30.3	31.5	31.7	32.3	32.6	32.8	32.8
H65	19.9	19.9	19.9	22.6	26.6	30.3	31.5	31.8	32.3	32.6	32.8	32.8
H66	19.9	19.9	19.9	22.6	26.6	30.4	31.5	31.8	32.4	32.6	32.8	32.8
H67	20.3	20.3	20.3	23.0	27.0	30.7	31.9	32.1	32.7	33.0	33.2	33.2
H68	24.0	24.0	24.0	26.7	30.7	34.4	35.6	35.8	36.5	36.7	36.9	36.9
H69	24.3	24.3	24.3	27.0	31.1	34.8	36.0	36.2	36.9	37.1	37.2	37.2
H70	22.6	22.6	22.6	25.3	29.3	33.1	34.2	34.5	35.1	35.4	35.5	35.5
H71	18.8	18.8	18.8	21.5	25.5	29.3	30.4	30.7	31.3	31.5	31.7	31.7
H72	16.4	16.4	16.4	19.1	23.1	26.7	28.0	28.3	29.1	29.2	29.3	29.3
H73	22.9	22.9	22.9	25.6	29.6	33.3	34.5	34.7	35.5	35.7	35.8	35.8
H74	22.9	22.9	22.9	25.6	29.6	33.3	34.5	34.8	35.5	35.7	35.8	35.8
H75	23.8	23.8	23.8	26.5	30.5	34.0	35.4	35.7	36.6	36.6	36.7	36.7
H76	22.4	22.4	22.4	25.1	29.1	32.8	34.0	34.3	35.0	35.2	35.3	35.3
H77	22.4	22.4	22.4	25.1	29.1	32.8	34.0	34.3	35.0	35.2	35.3	35.3
H78	23.9	23.9	23.9	26.6	30.6	34.2	35.5	35.8	36.7	36.8	36.8	36.8
H79	24.0	24.0	24.0	26.7	30.8	34.4	35.7	35.9	36.8	36.9	36.9	36.9
H80	22.6	22.6	22.6	25.2	29.3	32.9	34.2	34.4	35.3	35.4	35.5	35.5
H81	22.4	22.4	22.4	25.1	29.1	32.8	34.0	34.3	35.1	35.2	35.3	35.3
H82	22.1	22.1	22.1	24.8	28.8	32.4	33.7	33.9	34.8	34.9	35.0	35.0
H83	22.1	22.1	22.1	24.8	28.8	32.4	33.7	33.9	34.8	34.9	35.0	35.0
H84	20.6	20.6	20.6	23.3	27.3	30.9	32.2	32.4	33.2	33.4	33.5	33.5
H85	18.6	18.6	18.6	21.3	25.3	29.0	30.2	30.5	31.2	31.4	31.5	31.5
H86	18.3	18.3	18.3	21.0	25.0	28.7	29.9	30.2	30.9	31.1	31.2	31.2
H87	18.4	18.4	18.4	21.1	25.1	28.8	30.0	30.3	31.0	31.2	31.3	31.3
H88	17.8	17.8	17.8	20.5	24.5	28.2	29.4	29.7	30.3	30.5	30.7	30.7
H89	20.1	20.1	20.1	22.8	26.8	30.4	31.7	31.9	32.7	32.8	33.0	33.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	6.7	6.7	6.7	9.3	13.4	17.1	18.8	19.2	19.3	19.6	19.6	19.6
H2	6.7	6.7	6.7	9.4	13.4	17.1	18.8	19.2	19.3	19.6	19.6	19.6
H3	6.7	6.7	6.7	9.4	13.4	17.2	18.9	19.3	19.4	19.6	19.6	19.6
H4	6.7	6.7	6.7	9.4	13.5	17.2	18.9	19.3	19.4	19.6	19.6	19.6

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H5	6.9	6.9	6.9	9.6	13.6	17.3	19.0	19.4	19.5	19.8	19.8	19.8
H6	9.0	9.0	9.0	11.7	15.7	19.4	21.1	21.5	21.7	21.9	21.9	21.9
H7	8.0	8.0	8.0	10.7	14.7	18.4	20.1	20.5	20.7	20.9	20.9	20.9
H8	5.7	5.7	5.7	8.4	12.4	16.1	17.8	18.2	18.4	18.6	18.6	18.6
H9	6.6	6.6	6.6	9.3	13.4	17.1	18.8	19.2	19.3	19.5	19.5	19.5
H10	9.3	9.3	9.3	12.0	16.1	19.8	21.5	21.9	22.0	22.2	22.2	22.2
H11	9.4	9.4	9.4	12.1	16.1	19.9	21.6	22.0	22.1	22.3	22.3	22.3
H12	10.4	10.4	10.4	13.1	17.2	20.9	22.6	23.0	23.1	23.3	23.3	23.3
H13	12.9	12.9	12.9	15.6	19.6	23.3	25.1	25.4	25.6	25.8	25.8	25.8
H14	7.4	7.4	7.4	10.1	14.1	17.8	19.5	19.9	20.0	20.3	20.3	20.3
H15	8.0	8.0	8.0	10.6	14.7	18.4	20.1	20.5	20.6	20.9	20.9	20.9
H16	14.5	14.5	14.5	17.2	21.3	25.0	26.7	27.1	27.2	27.4	27.4	27.4
H17	17.8	17.8	17.8	20.5	24.5	28.3	30.0	30.3	30.5	30.7	30.7	30.7
H18	18.8	18.8	18.8	21.5	25.5	29.2	30.9	31.3	31.4	31.7	31.7	31.7
H19	18.2	18.2	18.2	20.9	24.9	28.6	30.3	30.7	30.9	31.1	31.1	31.1
H20	19.1	19.1	19.1	21.8	25.8	29.6	31.3	31.6	31.8	32.0	32.0	32.0
H21	17.9	17.9	17.9	20.6	24.7	28.4	30.1	30.5	30.6	30.8	30.8	30.8
H22	18.4	18.4	18.4	21.1	25.2	28.9	30.6	31.0	31.1	31.3	31.3	31.3
H23	18.6	18.6	18.6	21.3	25.3	29.1	30.8	31.2	31.3	31.5	31.5	31.5
H24	16.9	16.9	16.9	19.6	23.6	27.4	29.3	29.7	29.7	29.8	29.8	29.8
H25	19.9	19.9	19.9	22.6	26.7	30.4	32.1	32.5	32.6	32.8	32.8	32.8
H26	18.5	18.5	18.5	21.2	25.2	28.9	30.6	31.0	31.2	31.4	31.4	31.4
H27	20.2	20.2	20.2	22.9	26.9	30.7	32.3	32.8	32.9	33.1	33.1	33.1
H28	20.1	20.1	20.1	22.8	26.8	30.6	32.2	32.6	32.8	33.0	33.0	33.0
H29	18.8	18.8	18.8	21.5	25.5	29.2	30.9	31.3	31.5	31.7	31.7	31.7
H30	18.9	18.9	18.9	21.6	25.6	29.4	31.0	31.4	31.6	31.8	31.8	31.8
H31	18.9	18.9	18.9	21.6	25.7	29.3	31.0	31.5	31.6	31.8	31.8	31.8
H32	19.1	19.1	19.1	21.8	25.8	29.5	31.2	31.6	31.8	32.0	32.0	32.0
H33	16.9	16.9	16.9	19.5	23.6	27.2	28.9	29.4	29.6	29.8	29.8	29.8
H34	24.1	24.1	24.1	26.8	30.8	34.5	36.2	36.6	36.7	37.0	37.0	37.0
H35	19.7	19.7	19.7	22.4	26.4	30.1	31.8	32.3	32.4	32.6	32.6	32.6
H36	18.1	18.1	18.1	20.8	24.8	28.5	30.2	30.6	30.8	31.0	31.0	31.0
H37	17.3	17.3	17.3	20.0	24.0	27.7	29.3	29.9	30.0	30.2	30.2	30.2
H38	20.0	20.0	20.0	22.7	26.7	30.4	32.1	32.5	32.7	32.9	32.9	32.9
H39	19.7	19.7	19.7	22.4	26.4	30.2	32.1	32.4	32.4	32.6	32.6	32.6

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H40	20.5	20.5	20.5	23.2	27.3	30.9	32.6	33.1	33.3	33.4	33.4	33.4
H41	18.1	18.1	18.1	20.8	24.9	28.5	30.2	30.7	30.9	31.0	31.0	31.0
H42	18.9	18.9	18.9	21.6	25.6	29.3	31.0	31.5	31.7	31.8	31.8	31.8
H43	17.3	17.3	17.3	20.0	24.1	27.7	29.4	29.9	30.1	30.2	30.2	30.2
H44	19.6	19.6	19.6	22.3	26.3	30.0	31.6	32.1	32.3	32.5	32.5	32.5
H45	18.6	18.6	18.6	21.3	25.3	29.0	30.6	31.2	31.4	31.5	31.5	31.5
H46	17.9	17.9	17.9	20.6	24.7	28.3	30.0	30.5	30.7	30.8	30.8	30.8
H47	17.9	17.9	17.9	20.5	24.6	28.2	29.9	30.5	30.6	30.8	30.8	30.8
H48	16.2	16.2	16.2	18.9	23.0	26.7	28.5	28.8	28.9	29.1	29.1	29.1
H49	15.5	15.5	15.5	18.2	22.2	26.0	27.7	28.0	28.2	28.4	28.4	28.4
H50	15.1	15.1	15.1	17.7	21.8	25.5	27.2	27.6	27.7	28.0	28.0	28.0
H52	15.4	15.4	15.4	18.0	22.1	25.8	27.5	27.9	28.0	28.3	28.3	28.3
H53	15.2	15.2	15.2	17.9	21.9	25.6	27.3	27.7	27.8	28.1	28.1	28.1
H54	15.1	15.1	15.1	17.8	21.8	25.6	27.2	27.6	27.8	28.0	28.0	28.0
H55	16.8	16.8	16.8	19.5	23.5	27.3	28.9	29.3	29.4	29.7	29.7	29.7
H56	17.6	17.6	17.6	20.3	24.3	28.1	29.7	30.1	30.2	30.5	30.5	30.5
H57	17.8	17.8	17.8	20.5	24.5	28.2	29.9	30.2	30.4	30.7	30.7	30.7
H58	17.4	17.4	17.4	20.0	24.1	27.8	29.5	29.8	30.0	30.3	30.3	30.3
H59	17.4	17.4	17.4	20.0	24.1	27.8	29.5	29.8	30.0	30.3	30.3	30.3
H60	17.4	17.4	17.4	20.1	24.1	27.9	29.5	29.8	30.0	30.3	30.3	30.3
H61	17.4	17.4	17.4	20.1	24.2	27.9	29.5	29.9	30.1	30.3	30.3	30.3
H62	17.5	17.5	17.5	20.2	24.3	28.0	29.6	30.0	30.2	30.4	30.4	30.4
H63	17.9	17.9	17.9	20.6	24.7	28.4	30.0	30.3	30.6	30.8	30.8	30.8
H64	17.9	17.9	17.9	20.6	24.7	28.4	30.0	30.3	30.6	30.8	30.8	30.8
H65	18.0	18.0	18.0	20.7	24.7	28.4	30.0	30.4	30.6	30.9	30.9	30.9
H66	18.0	18.0	18.0	20.7	24.7	28.5	30.0	30.4	30.7	30.9	30.9	30.9
H67	18.3	18.3	18.3	21.0	25.1	28.8	30.4	30.7	31.0	31.2	31.2	31.2
H68	23.4	23.4	23.4	26.0	30.1	33.8	35.3	35.6	36.0	36.3	36.3	36.3
H69	24.1	24.1	24.1	26.8	30.9	34.6	36.1	36.4	36.8	37.0	37.0	37.0
H70	22.0	22.0	22.0	24.7	28.7	32.5	33.9	34.2	34.6	34.9	34.9	34.9
H71	17.7	17.7	17.7	20.4	24.4	28.1	29.7	30.0	30.3	30.6	30.6	30.6
H72	16.4	16.4	16.4	19.1	23.1	26.7	28.4	29.0	29.2	29.3	29.3	29.3
H73	22.6	22.6	22.6	25.3	29.3	33.0	34.5	34.9	35.3	35.5	35.5	35.5
H74	22.6	22.6	22.6	25.3	29.4	33.1	34.6	35.0	35.3	35.5	35.5	35.5
H75	23.8	23.8	23.8	26.5	30.5	34.0	35.7	36.5	36.6	36.7	36.7	36.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H76	22.1	22.1	22.1	24.8	28.8	32.5	34.1	34.5	34.8	35.0	35.0	35.0
H77	22.1	22.1	22.1	24.8	28.8	32.6	34.1	34.5	34.8	35.0	35.0	35.0
H78	23.9	23.9	23.9	26.6	30.6	34.2	35.8	36.6	36.7	36.8	36.8	36.8
H79	24.0	24.0	24.0	26.7	30.8	34.4	36.0	36.6	36.8	36.9	36.9	36.9
H80	22.6	22.6	22.6	25.2	29.3	32.9	34.5	35.2	35.4	35.5	35.5	35.5
H81	22.4	22.4	22.4	25.1	29.1	32.8	34.3	34.9	35.2	35.3	35.3	35.3
H82	22.1	22.1	22.1	24.8	28.8	32.4	34.0	34.7	34.9	35.0	35.0	35.0
H83	22.1	22.1	22.1	24.8	28.8	32.4	34.0	34.7	34.9	35.0	35.0	35.0
H84	20.6	20.6	20.6	23.3	27.3	30.9	32.5	33.0	33.3	33.5	33.5	33.5
H85	18.6	18.6	18.6	21.3	25.3	29.0	30.5	31.0	31.3	31.5	31.5	31.5
H86	18.3	18.3	18.3	21.0	25.0	28.7	30.3	30.7	31.0	31.2	31.2	31.2
H87	18.4	18.4	18.4	21.1	25.1	28.8	30.4	30.9	31.1	31.3	31.3	31.3
H88	20.9	20.9	20.9	23.6	27.7	31.3	33.0	33.5	33.7	33.8	33.8	33.8
H89	22.8	22.8	22.8	25.5	29.6	33.2	34.9	35.5	35.6	35.7	35.7	35.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	9.7	9.7	9.7	12.4	16.5	20.2	22.3	22.6	22.6	22.6	22.6	22.6
H2	9.7	9.7	9.7	12.4	16.5	20.2	22.3	22.6	22.6	22.6	22.6	22.6
H3	9.7	9.7	9.7	12.4	16.5	20.2	22.3	22.6	22.6	22.6	22.6	22.6
H4	9.8	9.8	9.8	12.5	16.5	20.3	22.3	22.7	22.7	22.7	22.7	22.7
H5	9.9	9.9	9.9	12.6	16.6	20.4	22.4	22.8	22.8	22.8	22.8	22.8
H6	13.4	13.4	13.4	16.1	20.1	23.9	26.0	26.3	26.3	26.3	26.3	26.3
H7	9.4	9.4	9.4	12.1	16.1	19.9	22.0	22.3	22.3	22.3	22.3	22.3
H8	5.8	5.8	5.8	8.5	12.5	16.3	18.4	18.7	18.7	18.7	18.7	18.7
H9	6.8	6.8	6.8	9.5	13.5	17.2	19.3	19.6	19.7	19.7	19.7	19.7
H10	10.8	10.8	10.8	13.5	17.5	21.3	23.3	23.7	23.7	23.7	23.7	23.7
H11	10.9	10.9	10.9	13.6	17.6	21.4	23.4	23.8	23.8	23.8	23.8	23.8
H12	11.1	11.1	11.1	13.8	17.8	21.6	23.7	24.0	24.0	24.0	24.0	24.0
H13	16.6	16.6	16.6	19.3	23.3	27.1	29.1	29.5	29.5	29.5	29.5	29.5
H14	7.4	7.4	7.4	10.1	14.1	17.9	19.9	20.3	20.3	20.3	20.3	20.3
H15	7.6	7.6	7.6	10.3	14.3	18.1	20.1	20.5	20.5	20.5	20.5	20.5
H16	17.4	17.4	17.4	20.1	24.1	27.9	30.0	30.3	30.3	30.3	30.3	30.3
H17	20.3	20.3	20.3	23.0	27.0	30.8	32.8	33.1	33.2	33.2	33.2	33.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H18	21.2	21.2	21.2	23.9	27.9	31.7	33.8	34.1	34.1	34.1	34.1	34.1
H19	21.1	21.1	21.1	23.8	27.8	31.6	33.6	34.0	34.0	34.0	34.0	34.0
H20	21.5	21.5	21.5	24.2	28.2	32.0	34.1	34.4	34.4	34.4	34.4	34.4
H21	20.9	20.9	20.9	23.6	27.6	31.4	33.4	33.8	33.8	33.8	33.8	33.8
H22	21.4	21.4	21.4	24.1	28.1	31.9	33.9	34.3	34.3	34.3	34.3	34.3
H23	21.6	21.6	21.6	24.3	28.3	32.1	34.1	34.5	34.5	34.5	34.5	34.5
H24	16.6	16.6	16.6	19.2	23.3	27.0	29.1	29.4	29.5	29.5	29.5	29.5
H25	22.3	22.3	22.3	25.0	29.0	32.8	34.9	35.2	35.2	35.2	35.2	35.2
H26	21.1	21.1	21.1	23.8	27.9	31.6	33.7	34.0	34.0	34.0	34.0	34.0
H27	22.6	22.6	22.6	25.3	29.4	33.1	35.2	35.5	35.5	35.5	35.5	35.5
H28	22.2	22.2	22.2	24.9	28.9	32.7	34.8	35.1	35.1	35.1	35.1	35.1
H29	20.7	20.7	20.7	23.4	27.4	31.2	33.2	33.6	33.6	33.6	33.6	33.6
H30	21.2	21.2	21.2	23.9	27.9	31.7	33.8	34.1	34.1	34.1	34.1	34.1
H31	20.9	20.9	20.9	23.6	27.6	31.4	33.4	33.8	33.8	33.8	33.8	33.8
H32	21.1	21.1	21.1	23.7	27.8	31.5	33.6	33.9	34.0	34.0	34.0	34.0
H33	17.4	17.4	17.4	20.1	24.1	27.9	30.0	30.3	30.3	30.3	30.3	30.3
H34	25.3	25.3	25.3	28.0	32.1	35.8	37.9	38.2	38.2	38.2	38.2	38.2
H35	21.7	21.7	21.7	24.4	28.4	32.2	34.3	34.6	34.6	34.6	34.6	34.6
H36	19.8	19.8	19.8	22.5	26.5	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H37	17.9	17.9	17.9	20.5	24.6	28.3	30.4	30.7	30.8	30.8	30.8	30.8
H38	21.9	21.9	21.9	24.6	28.7	32.4	34.5	34.8	34.8	34.8	34.8	34.8
H39	18.7	18.7	18.7	21.4	25.4	29.2	31.3	31.6	31.6	31.6	31.6	31.6
H40	22.2	22.2	22.2	24.9	28.9	32.7	34.7	35.0	35.1	35.1	35.1	35.1
H41	18.7	18.7	18.7	21.4	25.5	29.2	31.3	31.6	31.6	31.6	31.6	31.6
H42	19.5	19.5	19.5	22.2	26.2	30.0	32.1	32.4	32.4	32.4	32.4	32.4
H43	17.9	17.9	17.9	20.6	24.7	28.4	30.5	30.8	30.8	30.8	30.8	30.8
H44	21.3	21.3	21.3	24.0	28.1	31.8	33.9	34.2	34.2	34.2	34.2	34.2
H45	19.2	19.2	19.2	21.9	25.9	29.7	31.8	32.1	32.1	32.1	32.1	32.1
H46	18.6	18.6	18.6	21.2	25.3	29.0	31.1	31.4	31.5	31.5	31.5	31.5
H47	18.5	18.5	18.5	21.2	25.2	29.0	31.1	31.4	31.4	31.4	31.4	31.4
H48	13.6	13.6	13.6	16.3	20.3	24.1	26.2	26.5	26.5	26.5	26.5	26.5
H49	11.7	11.7	11.7	14.4	18.4	22.2	24.2	24.6	24.6	24.6	24.6	24.6
H50	11.2	11.2	11.2	13.9	17.9	21.7	23.8	24.1	24.1	24.1	24.1	24.1
H52	11.6	11.6	11.6	14.2	18.3	22.0	24.1	24.4	24.5	24.5	24.5	24.5
H53	11.4	11.4	11.4	14.1	18.1	21.9	23.9	24.3	24.3	24.3	24.3	24.3

Table 10.14.21: Mitigated Predicted Noise Levels in 240 Degree Sector - Night												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H54	11.1	11.1	11.1	13.8	17.8	21.6	23.7	24.0	24.0	24.0	24.0	24.0
H55	12.5	12.5	12.5	15.2	19.2	23.0	25.1	25.4	25.4	25.4	25.4	25.4
H56	13.3	13.3	13.3	16.0	20.0	23.8	25.8	26.2	26.2	26.2	26.2	26.2
H57	13.4	13.4	13.4	16.1	20.2	23.9	26.0	26.3	26.3	26.3	26.3	26.3
H58	13.0	13.0	13.0	15.7	19.8	23.5	25.6	25.9	25.9	25.9	25.9	25.9
H59	13.0	13.0	13.0	15.7	19.8	23.5	25.6	25.9	25.9	25.9	25.9	25.9
H60	13.1	13.1	13.1	15.8	19.8	23.6	25.6	26.0	26.0	26.0	26.0	26.0
H61	13.1	13.1	13.1	15.8	19.8	23.6	25.7	26.0	26.0	26.0	26.0	26.0
H62	13.2	13.2	13.2	15.9	20.0	23.7	25.8	26.1	26.1	26.1	26.1	26.1
H63	13.4	13.4	13.4	16.1	20.1	23.9	26.0	26.3	26.3	26.3	26.3	26.3
H64	13.4	13.4	13.4	16.1	20.2	23.9	26.0	26.3	26.3	26.3	26.3	26.3
H65	13.4	13.4	13.4	16.1	20.2	23.9	26.0	26.3	26.3	26.3	26.3	26.3
H66	13.5	13.5	13.5	16.2	20.2	24.0	26.0	26.4	26.4	26.4	26.4	26.4
H67	13.8	13.8	13.8	16.5	20.5	24.3	26.4	26.7	26.7	26.7	26.7	26.7
H68	21.4	21.4	21.4	24.1	28.1	31.9	33.9	34.3	34.3	34.3	34.3	34.3
H69	21.9	21.9	21.9	24.6	28.7	32.4	34.5	34.8	34.8	34.8	34.8	34.8
H70	19.6	19.6	19.6	22.3	26.3	30.1	32.2	32.5	32.5	32.5	32.5	32.5
H71	13.1	13.1	13.1	15.8	19.8	23.6	25.6	26.0	26.0	26.0	26.0	26.0
H72	16.4	16.4	16.4	19.1	23.1	26.9	29.0	29.3	29.3	29.3	29.3	29.3
H73	21.0	21.0	21.0	23.7	27.7	31.5	33.6	33.9	33.9	33.9	33.9	33.9
H74	21.0	21.0	21.0	23.7	27.7	31.5	33.6	33.9	33.9	33.9	33.9	33.9
H75	23.8	23.8	23.8	26.5	30.5	34.3	36.3	36.7	36.7	36.7	36.7	36.7
H76	20.4	20.4	20.4	23.1	27.1	30.9	33.0	33.3	33.3	33.3	33.3	33.3
H77	20.4	20.4	20.4	23.1	27.1	30.9	33.0	33.3	33.3	33.3	33.3	33.3
H78	23.9	23.9	23.9	26.6	30.6	34.4	36.5	36.8	36.8	36.8	36.8	36.8
H79	24.0	24.0	24.0	26.7	30.8	34.5	36.6	36.9	36.9	36.9	36.9	36.9
H80	22.6	22.6	22.6	25.2	29.3	33.0	35.1	35.4	35.5	35.5	35.5	35.5
H81	21.9	21.9	21.9	24.6	28.7	32.4	34.5	34.8	34.8	34.8	34.8	34.8
H82	22.1	22.1	22.1	24.8	28.8	32.6	34.6	35.0	35.0	35.0	35.0	35.0
H83	22.1	22.1	22.1	24.8	28.8	32.6	34.6	35.0	35.0	35.0	35.0	35.0
H84	19.4	19.4	19.4	22.1	26.2	29.9	32.0	32.3	32.3	32.3	32.3	32.3
H85	16.7	16.7	16.7	19.4	23.4	27.2	29.3	29.6	29.6	29.6	29.6	29.6
H86	16.4	16.4	16.4	19.1	23.2	26.9	29.0	29.3	29.3	29.3	29.3	29.3
H87	16.9	16.9	16.9	19.6	23.6	27.4	29.4	29.7	29.8	29.8	29.8	29.8
H88	22.5	22.5	22.5	25.2	29.2	33.0	35.1	35.4	35.4	35.4	35.4	35.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H89	23.3	23.3	23.3	26.0	30.0	33.8	35.8	36.1	36.2	36.2	36.2	36.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	14.3	14.3	14.3	17.0	21.1	24.8	26.9	27.2	27.2	27.2	27.2	27.2
H2	14.3	14.3	14.3	17.0	21.1	24.8	26.9	27.2	27.2	27.2	27.2	27.2
H3	14.3	14.3	14.3	17.0	21.0	24.8	26.8	27.2	27.2	27.2	27.2	27.2
H4	14.3	14.3	14.3	17.0	21.0	24.8	26.9	27.2	27.2	27.2	27.2	27.2
H5	14.4	14.4	14.4	17.1	21.1	24.9	27.0	27.3	27.3	27.3	27.3	27.3
H6	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H7	12.9	12.9	12.9	15.6	19.6	23.4	25.5	25.8	25.8	25.8	25.8	25.8
H8	7.6	7.6	7.6	10.3	14.3	18.1	20.2	20.5	20.5	20.5	20.5	20.5
H9	8.6	8.6	8.6	11.2	15.3	19.0	21.1	21.4	21.5	21.5	21.5	21.5
H10	14.3	14.3	14.3	17.0	21.1	24.8	26.9	27.2	27.2	27.2	27.2	27.2
H11	14.4	14.4	14.4	17.1	21.1	24.9	27.0	27.3	27.3	27.3	27.3	27.3
H12	13.6	13.6	13.6	16.3	20.3	24.1	26.1	26.5	26.5	26.5	26.5	26.5
H13	17.6	17.6	17.6	20.3	24.4	28.1	30.2	30.5	30.5	30.5	30.5	30.5
H14	9.0	9.0	9.0	11.7	15.7	19.5	21.5	21.9	21.9	21.9	21.9	21.9
H15	8.7	8.7	8.7	11.4	15.4	19.2	21.3	21.6	21.6	21.6	21.6	21.6
H16	17.8	17.8	17.8	20.5	24.5	28.3	30.4	30.7	30.7	30.7	30.7	30.7
H17	21.5	21.5	21.5	24.2	28.2	32.0	34.1	34.4	34.4	34.4	34.4	34.4
H18	22.4	22.4	22.4	25.1	29.1	32.9	35.0	35.3	35.3	35.3	35.3	35.3
H19	21.5	21.5	21.5	24.2	28.2	32.0	34.0	34.4	34.4	34.4	34.4	34.4
H20	22.7	22.7	22.7	25.4	29.4	33.2	35.3	35.6	35.6	35.6	35.6	35.6
H21	21.3	21.3	21.3	24.0	28.0	31.8	33.9	34.2	34.2	34.2	34.2	34.2
H22	21.8	21.8	21.8	24.5	28.5	32.3	34.4	34.7	34.7	34.7	34.7	34.7
H23	22.0	22.0	22.0	24.7	28.7	32.5	34.6	34.9	34.9	34.9	34.9	34.9
H24	17.0	17.0	17.0	19.7	23.7	27.5	29.6	29.9	29.9	29.9	29.9	29.9
H25	23.4	23.4	23.4	26.1	30.2	33.9	36.0	36.3	36.3	36.3	36.3	36.3
H26	21.6	21.6	21.6	24.3	28.3	32.1	34.2	34.5	34.5	34.5	34.5	34.5
H27	23.1	23.1	23.1	25.7	29.8	33.5	35.6	35.9	36.0	36.0	36.0	36.0
H28	22.7	22.7	22.7	25.3	29.4	33.1	35.2	35.5	35.6	35.6	35.6	35.6
H29	20.7	20.7	20.7	23.4	27.4	31.2	33.2	33.6	33.6	33.6	33.6	33.6
H30	21.7	21.7	21.7	24.4	28.4	32.2	34.3	34.6	34.6	34.6	34.6	34.6

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H31	20.9	20.9	20.9	23.6	27.6	31.4	33.4	33.8	33.8	33.8	33.8	33.8
H32	21.1	21.1	21.1	23.7	27.8	31.5	33.6	33.9	34.0	34.0	34.0	34.0
H33	17.4	17.4	17.4	20.1	24.1	27.9	30.0	30.3	30.3	30.3	30.3	30.3
H34	26.0	26.0	26.0	28.7	32.8	36.5	38.6	38.9	38.9	38.9	38.9	38.9
H35	21.7	21.7	21.7	24.4	28.4	32.2	34.3	34.6	34.6	34.6	34.6	34.6
H36	19.8	19.8	19.8	22.5	26.5	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H37	17.9	17.9	17.9	20.5	24.6	28.3	30.4	30.7	30.8	30.8	30.8	30.8
H38	21.9	21.9	21.9	24.6	28.7	32.4	34.5	34.8	34.8	34.8	34.8	34.8
H39	18.6	18.6	18.6	21.3	25.3	29.1	31.1	31.5	31.5	31.5	31.5	31.5
H40	22.2	22.2	22.2	24.9	28.9	32.7	34.7	35.0	35.1	35.1	35.1	35.1
H41	18.7	18.7	18.7	21.4	25.5	29.2	31.3	31.6	31.6	31.6	31.6	31.6
H42	19.5	19.5	19.5	22.2	26.2	30.0	32.1	32.4	32.4	32.4	32.4	32.4
H43	17.9	17.9	17.9	20.6	24.7	28.4	30.5	30.8	30.8	30.8	30.8	30.8
H44	21.3	21.3	21.3	24.0	28.1	31.8	33.9	34.2	34.2	34.2	34.2	34.2
H45	19.2	19.2	19.2	21.9	25.9	29.7	31.8	32.1	32.1	32.1	32.1	32.1
H46	18.6	18.6	18.6	21.2	25.3	29.0	31.1	31.4	31.5	31.5	31.5	31.5
H47	18.5	18.5	18.5	21.2	25.2	29.0	31.1	31.4	31.4	31.4	31.4	31.4
H48	12.8	12.8	12.8	15.5	19.5	23.3	25.4	25.7	25.7	25.7	25.7	25.7
H49	10.0	10.0	10.0	12.7	16.7	20.5	22.6	22.9	22.9	22.9	22.9	22.9
H50	9.6	9.6	9.6	12.3	16.3	20.1	22.1	22.5	22.5	22.5	22.5	22.5
H52	9.9	9.9	9.9	12.6	16.7	20.4	22.5	22.8	22.8	22.8	22.8	22.8
H53	9.8	9.8	9.8	12.5	16.5	20.3	22.3	22.7	22.7	22.7	22.7	22.7
H54	9.2	9.2	9.2	11.9	16.0	19.7	21.8	22.1	22.1	22.1	22.1	22.1
H55	10.0	10.0	10.0	12.7	16.7	20.5	22.5	22.9	22.9	22.9	22.9	22.9
H56	10.7	10.7	10.7	13.4	17.4	21.2	23.3	23.6	23.6	23.6	23.6	23.6
H57	10.9	10.9	10.9	13.6	17.6	21.4	23.5	23.8	23.8	23.8	23.8	23.8
H58	10.5	10.5	10.5	13.2	17.2	21.0	23.0	23.4	23.4	23.4	23.4	23.4
H59	10.5	10.5	10.5	13.2	17.2	21.0	23.0	23.4	23.4	23.4	23.4	23.4
H60	10.5	10.5	10.5	13.2	17.2	21.0	23.1	23.4	23.4	23.4	23.4	23.4
H61	10.6	10.6	10.6	13.3	17.3	21.1	23.1	23.5	23.5	23.5	23.5	23.5
H62	10.7	10.7	10.7	13.4	17.4	21.2	23.2	23.6	23.6	23.6	23.6	23.6
H63	10.7	10.7	10.7	13.3	17.4	21.1	23.2	23.5	23.6	23.6	23.6	23.6
H64	10.7	10.7	10.7	13.4	17.4	21.2	23.2	23.6	23.6	23.6	23.6	23.6
H65	10.7	10.7	10.7	13.4	17.4	21.2	23.3	23.6	23.6	23.6	23.6	23.6
H66	10.7	10.7	10.7	13.4	17.4	21.2	23.3	23.6	23.6	23.6	23.6	23.6

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H67	11.1	11.1	11.1	13.8	17.8	21.6	23.6	24.0	24.0	24.0	24.0	24.0
H68	18.2	18.2	18.2	20.9	24.9	28.7	30.8	31.1	31.1	31.1	31.1	31.1
H69	18.9	18.9	18.9	21.6	25.6	29.4	31.5	31.8	31.8	31.8	31.8	31.8
H70	15.8	15.8	15.8	18.4	22.5	26.2	28.3	28.6	28.7	28.7	28.7	28.7
H71	9.9	9.9	9.9	12.6	16.7	20.4	22.5	22.8	22.8	22.8	22.8	22.8
H72	16.4	16.4	16.4	19.1	23.1	26.9	29.0	29.3	29.3	29.3	29.3	29.3
H73	17.0	17.0	17.0	19.7	23.7	27.5	29.6	29.9	29.9	29.9	29.9	29.9
H74	17.6	17.6	17.6	20.3	24.3	28.1	30.1	30.5	30.5	30.5	30.5	30.5
H75	23.8	23.8	23.8	26.5	30.5	34.3	36.3	36.7	36.7	36.7	36.7	36.7
H76	16.8	16.8	16.8	19.5	23.5	27.3	29.4	29.7	29.7	29.7	29.7	29.7
H77	16.8	16.8	16.8	19.5	23.5	27.3	29.4	29.7	29.7	29.7	29.7	29.7
H78	23.5	23.5	23.5	26.2	30.3	34.0	36.1	36.4	36.4	36.4	36.4	36.4
H79	22.9	22.9	22.9	25.6	29.6	33.4	35.5	35.8	35.8	35.8	35.8	35.8
H80	22.1	22.1	22.1	24.7	28.8	32.5	34.6	34.9	35.0	35.0	35.0	35.0
H81	19.2	19.2	19.2	21.9	26.0	29.7	31.8	32.1	32.1	32.1	32.1	32.1
H82	21.5	21.5	21.5	24.2	28.2	32.0	34.1	34.4	34.4	34.4	34.4	34.4
H83	21.5	21.5	21.5	24.2	28.2	32.0	34.1	34.4	34.4	34.4	34.4	34.4
H84	16.0	16.0	16.0	18.7	22.8	26.5	28.6	28.9	28.9	28.9	28.9	28.9
H85	12.3	12.3	12.3	15.0	19.0	22.8	24.8	25.2	25.2	25.2	25.2	25.2
H86	12.0	12.0	12.0	14.7	18.7	22.5	24.6	24.9	24.9	24.9	24.9	24.9
H87	12.3	12.3	12.3	15.0	19.0	22.8	24.9	25.2	25.2	25.2	25.2	25.2
H88	22.5	22.5	22.5	25.2	29.2	33.0	35.1	35.4	35.4	35.4	35.4	35.4
H89	23.3	23.3	23.3	26.0	30.0	33.8	35.8	36.1	36.2	36.2	36.2	36.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H2	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H3	15.7	15.7	15.7	18.4	22.4	26.2	28.3	28.6	28.6	28.6	28.6	28.6
H4	15.7	15.7	15.7	18.4	22.4	26.2	28.3	28.6	28.6	28.6	28.6	28.6
H5	15.8	15.8	15.8	18.5	22.6	26.3	28.4	28.7	28.7	28.7	28.7	28.7
H6	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H7	17.5	17.5	17.5	20.2	24.3	28.0	30.1	30.4	30.4	30.4	30.4	30.4
H8	11.5	11.5	11.5	14.2	18.3	22.0	24.1	24.4	24.4	24.4	24.4	24.4

Table 10.14.23: Mitigated Predicted Noise Levels in 300 Degree Sector - Night												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H9	12.5	12.5	12.5	15.2	19.2	23.0	25.1	25.4	25.4	25.4	25.4	25.4
H10	18.9	18.9	18.9	21.6	25.7	29.4	31.5	31.8	31.8	31.8	31.8	31.8
H11	19.0	19.0	19.0	21.7	25.8	29.5	31.6	31.9	31.9	31.9	31.9	31.9
H12	18.1	18.1	18.1	20.8	24.9	28.6	30.7	31.0	31.0	31.0	31.0	31.0
H13	17.6	17.6	17.6	20.3	24.4	28.1	30.2	30.5	30.5	30.5	30.5	30.5
H14	12.7	12.7	12.7	15.4	19.4	23.2	25.2	25.6	25.6	25.6	25.6	25.6
H15	11.9	11.9	11.9	14.6	18.6	22.4	24.5	24.8	24.8	24.8	24.8	24.8
H16	17.8	17.8	17.8	20.5	24.5	28.3	30.4	30.7	30.7	30.7	30.7	30.7
H17	21.5	21.5	21.5	24.2	28.2	32.0	34.1	34.4	34.4	34.4	34.4	34.4
H18	22.4	22.4	22.4	25.1	29.1	32.9	35.0	35.3	35.3	35.3	35.3	35.3
H19	21.5	21.5	21.5	24.2	28.2	32.0	34.0	34.4	34.4	34.4	34.4	34.4
H20	22.7	22.7	22.7	25.4	29.4	33.2	35.3	35.6	35.6	35.6	35.6	35.6
H21	21.3	21.3	21.3	24.0	28.0	31.8	33.9	34.2	34.2	34.2	34.2	34.2
H22	21.8	21.8	21.8	24.5	28.5	32.3	34.4	34.7	34.7	34.7	34.7	34.7
H23	22.0	22.0	22.0	24.7	28.7	32.5	34.6	34.9	34.9	34.9	34.9	34.9
H24	18.6	18.6	18.6	21.3	25.3	29.1	31.2	31.5	31.5	31.5	31.5	31.5
H25	23.4	23.4	23.4	26.1	30.2	33.9	36.0	36.3	36.3	36.3	36.3	36.3
H26	21.6	21.6	21.6	24.3	28.3	32.1	34.2	34.5	34.5	34.5	34.5	34.5
H27	23.1	23.1	23.1	25.7	29.8	33.5	35.6	35.9	36.0	36.0	36.0	36.0
H28	22.7	22.7	22.7	25.3	29.4	33.1	35.2	35.5	35.6	35.6	35.6	35.6
H29	20.7	20.7	20.7	23.4	27.4	31.2	33.2	33.6	33.6	33.6	33.6	33.6
H30	21.7	21.7	21.7	24.4	28.4	32.2	34.3	34.6	34.6	34.6	34.6	34.6
H31	20.9	20.9	20.9	23.6	27.6	31.4	33.4	33.8	33.8	33.8	33.8	33.8
H32	21.1	21.1	21.1	23.7	27.8	31.5	33.6	33.9	34.0	34.0	34.0	34.0
H33	17.4	17.4	17.4	20.1	24.1	27.9	30.0	30.3	30.3	30.3	30.3	30.3
H34	26.0	26.0	26.0	28.7	32.8	36.5	38.6	38.9	38.9	38.9	38.9	38.9
H35	21.7	21.7	21.7	24.4	28.4	32.2	34.3	34.6	34.6	34.6	34.6	34.6
H36	19.8	19.8	19.8	22.5	26.5	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H37	17.9	17.9	17.9	20.5	24.6	28.3	30.4	30.7	30.8	30.8	30.8	30.8
H38	21.9	21.9	21.9	24.6	28.7	32.4	34.5	34.8	34.8	34.8	34.8	34.8
H39	19.3	19.3	19.3	22.0	26.0	29.8	31.9	32.2	32.2	32.2	32.2	32.2
H40	22.2	22.2	22.2	24.9	28.9	32.7	34.7	35.0	35.1	35.1	35.1	35.1
H41	18.7	18.7	18.7	21.4	25.5	29.2	31.3	31.6	31.6	31.6	31.6	31.6
H42	19.5	19.5	19.5	22.2	26.2	30.0	32.1	32.4	32.4	32.4	32.4	32.4
H43	17.9	17.9	17.9	20.6	24.7	28.4	30.5	30.8	30.8	30.8	30.8	30.8

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H44	21.3	21.3	21.3	24.0	28.1	31.8	33.9	34.2	34.2	34.2	34.2	34.2
H45	19.2	19.2	19.2	21.9	25.9	29.7	31.8	32.1	32.1	32.1	32.1	32.1
H46	18.6	18.6	18.6	21.2	25.3	29.0	31.1	31.4	31.5	31.5	31.5	31.5
H47	18.5	18.5	18.5	21.2	25.2	29.0	31.1	31.4	31.4	31.4	31.4	31.4
H48	13.5	13.5	13.5	16.2	20.3	24.0	26.1	26.4	26.4	26.4	26.4	26.4
H49	10.1	10.1	10.1	12.8	16.8	20.6	22.7	23.0	23.0	23.0	23.0	23.0
H50	9.7	9.7	9.7	12.4	16.4	20.2	22.2	22.5	22.6	22.6	22.6	22.6
H52	10.1	10.1	10.1	12.8	16.8	20.6	22.6	22.9	23.0	23.0	23.0	23.0
H53	9.9	9.9	9.9	12.6	16.6	20.4	22.5	22.8	22.8	22.8	22.8	22.8
H54	9.1	9.1	9.1	11.8	15.8	19.6	21.7	22.0	22.0	22.0	22.0	22.0
H55	9.4	9.4	9.4	12.1	16.1	19.9	22.0	22.3	22.3	22.3	22.3	22.3
H56	10.1	10.1	10.1	12.8	16.8	20.6	22.7	23.0	23.0	23.0	23.0	23.0
H57	10.3	10.3	10.3	13.0	17.0	20.8	22.9	23.2	23.2	23.2	23.2	23.2
H58	9.9	9.9	9.9	12.6	16.6	20.4	22.4	22.8	22.8	22.8	22.8	22.8
H59	9.9	9.9	9.9	12.6	16.6	20.4	22.4	22.8	22.8	22.8	22.8	22.8
H60	9.9	9.9	9.9	12.6	16.6	20.4	22.5	22.8	22.8	22.8	22.8	22.8
H61	10.0	10.0	10.0	12.7	16.7	20.5	22.5	22.9	22.9	22.9	22.9	22.9
H62	10.1	10.1	10.1	12.8	16.8	20.6	22.7	23.0	23.0	23.0	23.0	23.0
H63	9.9	9.9	9.9	12.6	16.6	20.4	22.5	22.8	22.8	22.8	22.8	22.8
H64	9.9	9.9	9.9	12.6	16.6	20.4	22.5	22.8	22.8	22.8	22.8	22.8
H65	9.9	9.9	9.9	12.6	16.7	20.4	22.5	22.8	22.8	22.8	22.8	22.8
H66	10.0	10.0	10.0	12.7	16.7	20.4	22.5	22.8	22.9	22.9	22.9	22.9
H67	10.3	10.3	10.3	13.0	17.0	20.8	22.9	23.2	23.2	23.2	23.2	23.2
H68	16.7	16.7	16.7	19.4	23.4	27.2	29.2	29.5	29.6	29.6	29.6	29.6
H69	17.4	17.4	17.4	20.1	24.1	27.9	30.0	30.3	30.3	30.3	30.3	30.3
H70	13.8	13.8	13.8	16.5	20.5	24.3	26.3	26.7	26.7	26.7	26.7	26.7
H71	8.9	8.9	8.9	11.6	15.6	19.4	21.4	21.8	21.8	21.8	21.8	21.8
H72	16.4	16.4	16.4	19.1	23.1	26.9	29.0	29.3	29.3	29.3	29.3	29.3
H73	14.6	14.6	14.6	17.2	21.3	25.0	27.1	27.4	27.5	27.5	27.5	27.5
H74	14.8	14.8	14.8	17.5	21.6	25.3	27.4	27.7	27.7	27.7	27.7	27.7
H75	22.5	22.5	22.5	25.2	29.2	33.0	35.0	35.4	35.4	35.4	35.4	35.4
H76	13.9	13.9	13.9	16.6	20.6	24.4	26.5	26.8	26.8	26.8	26.8	26.8
H77	13.9	13.9	13.9	16.6	20.7	24.4	26.5	26.8	26.8	26.8	26.8	26.8
H78	21.2	21.2	21.2	23.9	27.9	31.7	33.7	34.1	34.1	34.1	34.1	34.1
H79	19.5	19.5	19.5	22.2	26.2	30.0	32.1	32.4	32.4	32.4	32.4	32.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H80	19.1	19.1	19.1	21.8	25.8	29.6	31.7	32.0	32.0	32.0	32.0	32.0
H81	15.1	15.1	15.1	17.8	21.8	25.6	27.6	28.0	28.0	28.0	28.0	28.0
H82	18.5	18.5	18.5	21.2	25.2	29.0	31.0	31.3	31.4	31.4	31.4	31.4
H83	18.5	18.5	18.5	21.2	25.2	29.0	31.0	31.3	31.4	31.4	31.4	31.4
H84	12.3	12.3	12.3	15.0	19.0	22.8	24.9	25.2	25.2	25.2	25.2	25.2
H85	9.4	9.4	9.4	12.1	16.2	19.9	22.0	22.3	22.3	22.3	22.3	22.3
H86	9.2	9.2	9.2	11.9	15.9	19.7	21.7	22.1	22.1	22.1	22.1	22.1
H87	9.4	9.4	9.4	12.1	16.1	19.9	21.9	22.3	22.3	22.3	22.3	22.3
H88	22.5	22.5	22.5	25.2	29.2	33.0	35.1	35.4	35.4	35.4	35.4	35.4
H89	23.3	23.3	23.3	26.0	30.0	33.8	35.8	36.1	36.2	36.2	36.2	36.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H2	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H3	15.7	15.7	15.7	18.4	22.4	26.2	28.3	28.6	28.6	28.6	28.6	28.6
H4	15.7	15.7	15.7	18.4	22.4	26.2	28.3	28.6	28.6	28.6	28.6	28.6
H5	15.8	15.8	15.8	18.5	22.6	26.3	28.4	28.7	28.7	28.7	28.7	28.7
H6	15.6	15.6	15.6	18.3	22.3	26.1	28.1	28.5	28.5	28.5	28.5	28.5
H7	17.9	17.9	17.9	20.6	24.6	28.4	30.5	30.8	30.8	30.8	30.8	30.8
H8	15.6	15.6	15.6	18.3	22.3	26.1	28.2	28.5	28.5	28.5	28.5	28.5
H9	16.6	16.6	16.6	19.2	23.3	27.0	29.1	29.4	29.5	29.5	29.5	29.5
H10	19.3	19.3	19.3	22.0	26.0	29.8	31.8	32.1	32.2	32.2	32.2	32.2
H11	19.3	19.3	19.3	22.0	26.1	29.8	31.9	32.2	32.2	32.2	32.2	32.2
H12	20.2	20.2	20.2	22.9	27.0	30.7	32.8	33.1	33.1	33.1	33.1	33.1
H13	17.6	17.6	17.6	20.3	24.4	28.1	30.2	30.5	30.5	30.5	30.5	30.5
H14	17.3	17.3	17.3	20.0	24.0	27.8	29.8	30.2	30.2	30.2	30.2	30.2
H15	16.6	16.6	16.6	19.3	23.3	27.1	29.1	29.5	29.5	29.5	29.5	29.5
H16	17.8	17.8	17.8	20.5	24.5	28.3	30.4	30.7	30.7	30.7	30.7	30.7
H17	21.5	21.5	21.5	24.2	28.2	32.0	34.1	34.4	34.4	34.4	34.4	34.4
H18	22.4	22.4	22.4	25.1	29.1	32.9	35.0	35.3	35.3	35.3	35.3	35.3
H19	21.5	21.5	21.5	24.2	28.2	32.0	34.0	34.4	34.4	34.4	34.4	34.4
H20	22.7	22.7	22.7	25.4	29.4	33.2	35.3	35.6	35.6	35.6	35.6	35.6
H21	21.3	21.3	21.3	24.0	28.0	31.8	33.9	34.2	34.2	34.2	34.2	34.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H22	21.8	21.8	21.8	24.5	28.5	32.3	34.4	34.7	34.7	34.7	34.7	34.7
H23	22.0	22.0	22.0	24.7	28.7	32.5	34.6	34.9	34.9	34.9	34.9	34.9
H24	21.6	21.6	21.6	24.3	28.3	32.1	34.2	34.5	34.5	34.5	34.5	34.5
H25	23.4	23.4	23.4	26.1	30.2	33.9	36.0	36.3	36.3	36.3	36.3	36.3
H26	21.6	21.6	21.6	24.3	28.3	32.1	34.2	34.5	34.5	34.5	34.5	34.5
H27	23.1	23.1	23.1	25.7	29.8	33.5	35.6	35.9	36.0	36.0	36.0	36.0
H28	22.7	22.7	22.7	25.3	29.4	33.1	35.2	35.5	35.6	35.6	35.6	35.6
H29	20.7	20.7	20.7	23.4	27.4	31.2	33.2	33.6	33.6	33.6	33.6	33.6
H30	21.7	21.7	21.7	24.4	28.4	32.2	34.3	34.6	34.6	34.6	34.6	34.6
H31	20.9	20.9	20.9	23.6	27.6	31.4	33.4	33.8	33.8	33.8	33.8	33.8
H32	21.1	21.1	21.1	23.7	27.8	31.5	33.6	33.9	34.0	34.0	34.0	34.0
H33	17.4	17.4	17.4	20.1	24.1	27.9	30.0	30.3	30.3	30.3	30.3	30.3
H34	26.0	26.0	26.0	28.7	32.8	36.5	38.6	38.9	38.9	38.9	38.9	38.9
H35	21.7	21.7	21.7	24.4	28.4	32.2	34.3	34.6	34.6	34.6	34.6	34.6
H36	19.8	19.8	19.8	22.5	26.5	30.3	32.4	32.7	32.7	32.7	32.7	32.7
H37	17.9	17.9	17.9	20.5	24.6	28.3	30.4	30.7	30.8	30.8	30.8	30.8
H38	21.9	21.9	21.9	24.6	28.7	32.4	34.5	34.8	34.8	34.8	34.8	34.8
H39	21.4	21.4	21.4	24.1	28.1	31.9	34.0	34.3	34.3	34.3	34.3	34.3
H40	22.2	22.2	22.2	24.9	28.9	32.7	34.7	35.0	35.1	35.1	35.1	35.1
H41	18.7	18.7	18.7	21.4	25.5	29.2	31.3	31.6	31.6	31.6	31.6	31.6
H42	19.5	19.5	19.5	22.2	26.2	30.0	32.1	32.4	32.4	32.4	32.4	32.4
H43	17.9	17.9	17.9	20.6	24.7	28.4	30.5	30.8	30.8	30.8	30.8	30.8
H44	21.3	21.3	21.3	24.0	28.1	31.8	33.9	34.2	34.2	34.2	34.2	34.2
H45	19.2	19.2	19.2	21.9	25.9	29.7	31.8	32.1	32.1	32.1	32.1	32.1
H46	18.6	18.6	18.6	21.2	25.3	29.0	31.1	31.4	31.5	31.5	31.5	31.5
H47	18.5	18.5	18.5	21.2	25.2	29.0	31.1	31.4	31.4	31.4	31.4	31.4
H48	16.2	16.2	16.2	18.9	22.9	26.7	28.8	29.1	29.1	29.1	29.1	29.1
H49	12.0	12.0	12.0	14.7	18.7	22.5	24.5	24.9	24.9	24.9	24.9	24.9
H50	11.6	11.6	11.6	14.2	18.3	22.0	24.1	24.4	24.5	24.5	24.5	24.5
H52	12.0	12.0	12.0	14.7	18.7	22.5	24.5	24.9	24.9	24.9	24.9	24.9
H53	11.8	11.8	11.8	14.5	18.5	22.3	24.4	24.7	24.7	24.7	24.7	24.7
H54	10.6	10.6	10.6	13.3	17.3	21.1	23.2	23.5	23.5	23.5	23.5	23.5
H55	10.6	10.6	10.6	13.3	17.3	21.1	23.2	23.5	23.5	23.5	23.5	23.5
H56	11.2	11.2	11.2	13.9	17.9	21.7	23.7	24.1	24.1	24.1	24.1	24.1
H57	11.4	11.4	11.4	14.0	18.1	21.8	23.9	24.2	24.3	24.3	24.3	24.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H58	10.9	10.9	10.9	13.6	17.7	21.4	23.5	23.8	23.8	23.8	23.8	23.8
H59	10.9	10.9	10.9	13.6	17.7	21.4	23.5	23.8	23.8	23.8	23.8	23.8
H60	11.0	11.0	11.0	13.7	17.7	21.5	23.5	23.9	23.9	23.9	23.9	23.9
H61	11.0	11.0	11.0	13.7	17.8	21.5	23.6	23.9	23.9	23.9	23.9	23.9
H62	11.2	11.2	11.2	13.8	17.9	21.6	23.7	24.0	24.1	24.1	24.1	24.1
H63	10.7	10.7	10.7	13.4	17.4	21.2	23.3	23.6	23.6	23.6	23.6	23.6
H64	10.7	10.7	10.7	13.4	17.4	21.2	23.3	23.6	23.6	23.6	23.6	23.6
H65	10.7	10.7	10.7	13.4	17.5	21.2	23.3	23.6	23.6	23.6	23.6	23.6
H66	10.8	10.8	10.8	13.5	17.5	21.3	23.3	23.6	23.7	23.7	23.7	23.7
H67	11.1	11.1	11.1	13.8	17.8	21.6	23.7	24.0	24.0	24.0	24.0	24.0
H68	16.6	16.6	16.6	19.3	23.3	27.1	29.1	29.5	29.5	29.5	29.5	29.5
H69	17.2	17.2	17.2	19.9	24.0	27.7	29.8	30.1	30.1	30.1	30.1	30.1
H70	13.7	13.7	13.7	16.4	20.4	24.2	26.2	26.6	26.6	26.6	26.6	26.6
H71	9.4	9.4	9.4	12.1	16.1	19.9	22.0	22.3	22.3	22.3	22.3	22.3
H72	15.6	15.6	15.6	18.3	22.4	26.1	28.2	28.5	28.5	28.5	28.5	28.5
H73	13.9	13.9	13.9	16.6	20.7	24.4	26.5	26.8	26.8	26.8	26.8	26.8
H74	14.1	14.1	14.1	16.8	20.8	24.6	26.6	27.0	27.0	27.0	27.0	27.0
H75	19.7	19.7	19.7	22.4	26.4	30.2	32.3	32.6	32.6	32.6	32.6	32.6
H76	13.1	13.1	13.1	15.8	19.8	23.6	25.7	26.0	26.0	26.0	26.0	26.0
H77	13.2	13.2	13.2	15.8	19.9	23.6	25.7	26.0	26.1	26.1	26.1	26.1
H78	18.7	18.7	18.7	21.4	25.4	29.2	31.3	31.6	31.6	31.6	31.6	31.6
H79	17.5	17.5	17.5	20.1	24.2	27.9	30.0	30.3	30.4	30.4	30.4	30.4
H80	15.7	15.7	15.7	18.4	22.4	26.2	28.3	28.6	28.6	28.6	28.6	28.6
H81	13.0	13.0	13.0	15.7	19.7	23.5	25.5	25.9	25.9	25.9	25.9	25.9
H82	14.9	14.9	14.9	17.5	21.6	25.3	27.4	27.7	27.8	27.8	27.8	27.8
H83	14.9	14.9	14.9	17.5	21.6	25.3	27.4	27.7	27.8	27.8	27.8	27.8
H84	10.8	10.8	10.8	13.5	17.5	21.3	23.4	23.7	23.7	23.7	23.7	23.7
H85	8.6	8.6	8.6	11.3	15.4	19.1	21.2	21.5	21.5	21.5	21.5	21.5
H86	8.4	8.4	8.4	11.1	15.1	18.9	20.9	21.3	21.3	21.3	21.3	21.3
H87	8.5	8.5	8.5	11.2	15.2	19.0	21.0	21.4	21.4	21.4	21.4	21.4
H88	22.5	22.5	22.5	25.2	29.2	33.0	35.1	35.4	35.4	35.4	35.4	35.4
H89	23.3	23.3	23.3	26.0	30.0	33.8	35.8	36.1	36.2	36.2	36.2	36.2

Technical Appendix 10.15: Directional Margins for Proposed Development with Mitigation

Table 10.15.1: Margins in 0 Degree Sector - Day												
House ID	Reference Wind Speed, Standardised v_{10} (ms ⁻¹)											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-19.2	-19.2	-19.2	-16.5	-12.4	-9.7	-8.9	-8.8	-7.4	-11.1	-15.0	-19.6
H2	-19.2	-19.2	-19.2	-16.5	-12.4	-9.7	-8.9	-8.8	-7.4	-11.1	-15.0	-19.6
H3	-19.1	-19.1	-19.1	-16.3	-12.2	-9.6	-8.7	-8.7	-7.3	-10.9	-14.9	-19.5
H4	-19.1	-19.1	-19.0	-16.3	-12.2	-9.6	-8.7	-8.7	-7.3	-10.9	-14.9	-19.5
H5	-18.9	-18.9	-18.9	-16.2	-12.1	-9.5	-8.6	-8.5	-7.1	-10.8	-14.8	-19.4
H6	-19.3	-19.3	-19.3	-16.6	-12.5	-9.6	-8.6	-8.8	-8.0	-11.3	-15.1	-19.7
H7	-16.8	-16.8	-16.8	-14.0	-9.9	-7.1	-6.1	-6.0	-6.3	-9.5	-12.2	-14.4
H8	-18.9	-18.9	-18.9	-16.2	-12.0	-9.1	-7.9	-7.3	-8.1	-11.6	-14.3	-16.6
H9	-18.1	-18.1	-18.1	-15.4	-11.2	-8.5	-7.5	-7.4	-7.6	-10.8	-13.5	-15.7
H10	-15.4	-15.4	-15.4	-12.6	-8.4	-5.7	-4.8	-4.7	-4.8	-8.1	-10.8	-13.0
H11	-15.3	-15.3	-15.3	-12.5	-8.3	-5.7	-4.7	-4.6	-4.7	-8.0	-10.7	-12.9
H12	-14.4	-14.4	-14.4	-11.6	-7.4	-4.8	-3.8	-3.8	-3.8	-7.1	-9.8	-12.0
H13	-17.3	-17.3	-17.3	-14.6	-10.5	-7.5	-6.5	-6.6	-6.0	-9.2	-13.1	-17.6
H14	-17.5	-17.4	-17.4	-14.7	-10.5	-7.8	-6.9	-6.9	-7.0	-10.1	-12.8	-15.0
H15	-17.2	-17.2	-17.2	-14.4	-10.2	-7.6	-6.7	-6.8	-6.7	-9.9	-12.6	-14.8
H16	-17.1	-17.1	-17.1	-14.4	-10.4	-7.3	-6.2	-6.3	-6.0	-9.1	-12.9	-17.5
H17	-13.4	-13.4	-13.4	-10.7	-6.6	-3.6	-2.5	-2.5	-2.1	-5.3	-9.2	-13.8
H18	-12.5	-12.5	-12.5	-9.8	-5.7	-2.6	-1.6	-1.6	-1.2	-4.4	-8.3	-12.9
H19	-13.5	-13.5	-13.4	-10.7	-6.6	-3.6	-2.5	-2.5	-2.2	-5.4	-9.3	-13.8
H20	-12.2	-12.2	-12.2	-9.5	-5.4	-2.4	-1.3	-1.3	-0.9	-4.1	-8.0	-12.6
H21	-13.6	-13.6	-13.6	-10.9	-6.8	-3.7	-2.6	-2.7	-2.4	-5.6	-9.4	-14.0
H22	-13.1	-13.1	-13.1	-10.4	-6.3	-3.2	-2.1	-2.2	-1.9	-5.0	-8.9	-13.5
H23	-12.9	-12.9	-12.9	-10.2	-6.1	-3.0	-1.9	-2.0	-1.7	-4.9	-8.7	-13.3
H24	-12.0	-11.9	-11.9	-9.0	-4.8	-2.4	-1.6	-1.7	-1.2	-4.5	-7.3	-9.5
H25	-11.5	-11.5	-11.5	-8.8	-4.7	-1.6	-0.5	-0.5	-0.2	-3.4	-7.3	-11.8
H26	-13.3	-13.3	-13.3	-10.6	-6.5	-3.4	-2.3	-2.3	-2.1	-5.3	-9.1	-13.7
H27	-11.9	-11.9	-11.9	-9.1	-5.1	-1.9	-0.8	-0.8	-0.6	-3.8	-7.7	-12.2
H28	-12.3	-12.3	-12.3	-9.5	-5.5	-2.3	-1.2	-1.2	-1.0	-4.2	-8.1	-12.6
H29	-14.5	-14.5	-14.4	-11.7	-7.7	-4.5	-3.3	-3.2	-3.3	-6.4	-10.3	-14.8
H30	-13.4	-13.4	-13.4	-10.7	-6.6	-3.4	-2.2	-2.2	-2.2	-5.4	-9.2	-13.8
H31	-14.3	-14.3	-14.3	-11.5	-7.5	-4.3	-3.1	-3.0	-3.1	-6.2	-10.1	-14.6
H32	-14.1	-14.1	-14.1	-11.3	-7.3	-4.1	-2.9	-2.8	-2.9	-6.0	-9.9	-14.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H33	-17.7	-17.7	-17.7	-15.0	-10.9	-7.8	-6.6	-6.6	-6.6	-9.7	-13.5	-18.1
H34	-19.2	-19.2	-19.2	-16.5	-12.4	-9.2	-8.1	-8.2	-6.5	-6.2	-6.2	-9.4
H35	-13.4	-13.4	-13.4	-10.7	-6.6	-3.4	-2.2	-2.1	-2.3	-5.4	-9.2	-13.8
H36	-15.3	-15.3	-15.3	-12.6	-8.5	-5.3	-4.1	-4.1	-4.2	-7.3	-11.1	-15.7
H37	-17.3	-17.3	-17.3	-14.6	-10.5	-7.3	-6.1	-6.1	-6.2	-9.2	-13.1	-17.6
H38	-13.2	-13.2	-13.1	-10.4	-6.4	-3.1	-1.9	-1.8	-2.0	-5.1	-9.0	-13.5
H39	-10.9	-10.8	-10.7	-7.9	-3.6	-1.0	-0.1	-0.2	-0.1	-3.4	-6.2	-8.4
H40	-12.9	-12.9	-12.9	-10.2	-6.1	-2.9	-1.6	-1.6	-1.8	-4.9	-8.7	-13.3
H41	-16.4	-16.4	-16.4	-13.7	-9.6	-6.4	-5.1	-5.1	-5.2	-8.3	-12.2	-16.7
H42	-15.6	-15.6	-15.6	-12.9	-8.8	-5.6	-4.3	-4.3	-4.5	-7.5	-11.4	-15.9
H43	-17.4	-17.4	-17.4	-14.7	-10.6	-7.4	-6.1	-6.1	-6.3	-9.4	-13.2	-17.8
H44	-13.8	-13.8	-13.8	-11.0	-7.0	-3.7	-2.5	-2.4	-2.6	-5.7	-9.6	-14.1
H45	-16.1	-16.1	-16.1	-13.4	-9.3	-6.0	-4.8	-4.8	-5.0	-8.1	-11.9	-16.5
H46	-16.8	-16.8	-16.8	-14.1	-10.0	-6.7	-5.4	-5.4	-5.7	-8.7	-12.6	-17.1
H47	-16.8	-16.8	-16.8	-14.1	-10.0	-6.7	-5.4	-5.5	-5.7	-8.7	-12.6	-17.2
H48	-14.2	-14.2	-14.0	-11.1	-6.8	-3.8	-2.6	-2.6	-3.2	-6.6	-9.5	-11.7
H49	-18.5	-18.5	-18.4	-15.4	-11.0	-7.9	-6.4	-6.3	-7.3	-10.8	-13.8	-16.1
H50	-19.0	-18.9	-18.8	-15.8	-11.3	-8.3	-6.8	-6.7	-7.7	-11.2	-14.2	-16.5
H52	-18.4	-18.4	-18.2	-15.3	-10.7	-7.6	-6.0	-5.8	-7.1	-10.7	-13.7	-16.0
H53	-18.6	-18.6	-18.4	-15.5	-11.0	-7.8	-6.3	-6.1	-7.3	-10.8	-13.9	-16.2
H54	-20.3	-20.3	-20.1	-17.1	-12.5	-9.5	-8.0	-7.6	-8.8	-12.4	-15.5	-17.8
H55	-20.6	-20.5	-20.3	-17.3	-12.7	-9.6	-9.0	-12.7	-13.9	-17.4	-21.4	-25.6
H56	-20.2	-20.2	-20.0	-17.0	-12.5	-9.4	-8.9	-12.7	-13.5	-17.1	-21.0	-25.2
H57	-20.0	-20.0	-19.8	-16.9	-12.3	-9.2	-8.7	-12.5	-13.3	-16.9	-20.8	-25.0
H58	-20.4	-20.4	-20.2	-17.3	-12.7	-9.5	-9.0	-12.9	-13.7	-17.3	-21.2	-25.5
H59	-20.4	-20.4	-20.2	-17.3	-12.7	-9.5	-9.0	-12.9	-13.7	-17.3	-21.2	-25.4
H60	-20.4	-20.4	-20.2	-17.2	-12.7	-9.5	-9.0	-12.8	-13.7	-17.3	-21.2	-25.4
H61	-20.3	-20.3	-20.1	-17.2	-12.6	-9.5	-9.0	-12.8	-13.6	-17.2	-21.1	-25.4
H62	-20.2	-20.2	-20.0	-17.1	-12.5	-9.4	-8.8	-12.7	-13.5	-17.1	-21.0	-25.2
H63	-21.0	-21.0	-20.8	-17.8	-13.3	-10.2	-9.8	-13.3	-14.3	-17.9	-21.8	-26.0
H64	-21.0	-21.0	-20.8	-17.8	-13.3	-10.2	-9.7	-13.3	-14.3	-17.9	-21.8	-26.0
H65	-21.0	-20.9	-20.8	-17.8	-13.2	-10.1	-9.7	-13.3	-14.3	-17.9	-21.8	-26.0
H66	-20.9	-20.9	-20.7	-17.8	-13.2	-10.1	-9.7	-13.3	-14.3	-17.8	-21.8	-26.0
H67	-20.6	-20.5	-20.4	-17.4	-12.9	-9.8	-9.4	-12.9	-13.9	-17.5	-21.4	-25.6
H68	-15.6	-15.5	-15.4	-12.5	-7.4	-4.3	-3.8	-8.5	-9.7	-13.4	-17.4	-21.6

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H69	-26.5	-26.5	-26.5	-23.8	-19.5	-16.4	-15.1	-16.1	-13.3	-13.1	-13.0	-15.2
H70	-18.9	-18.9	-18.8	-16.0	-11.4	-8.2	-7.7	-11.5	-12.7	-16.1	-20.0	-24.2
H71	-22.8	-22.8	-22.6	-19.7	-15.2	-12.1	-11.6	-15.3	-16.2	-19.7	-23.6	-27.7
H72	-24.0	-24.0	-23.9	-21.2	-17.2	-14.0	-13.3	-16.1	-17.8	-20.8	-24.5	-28.6
H73	-19.0	-19.0	-18.9	-16.1	-11.4	-7.9	-7.3	-11.5	-12.9	-16.5	-20.4	-24.6
H74	-18.8	-18.8	-18.7	-15.9	-11.2	-7.7	-7.0	-11.3	-12.7	-16.3	-20.3	-24.5
H75	-16.3	-16.3	-16.3	-13.6	-9.4	-6.0	-5.1	-7.8	-10.4	-13.3	-17.0	-21.2
H76	-20.0	-20.0	-19.9	-17.1	-12.6	-9.3	-8.7	-12.5	-13.9	-17.4	-21.2	-25.4
H77	-19.9	-19.9	-19.9	-17.0	-12.6	-9.2	-8.7	-12.5	-13.9	-17.3	-21.2	-25.4
H78	-16.7	-16.7	-16.7	-13.9	-9.7	-6.1	-5.2	-8.0	-10.8	-13.7	-17.5	-21.7
H79	-17.5	-17.5	-17.5	-14.7	-10.4	-6.8	-6.0	-9.0	-11.4	-14.6	-18.4	-22.6
H80	-19.7	-19.7	-19.7	-16.9	-12.3	-8.3	-7.1	-10.6	-13.5	-17.0	-20.9	-25.1
H81	-21.5	-21.5	-21.5	-18.7	-14.4	-11.1	-10.5	-13.8	-15.5	-18.8	-22.6	-26.8
H82	-20.3	-20.3	-20.3	-17.5	-12.6	-8.7	-8.1	-10.8	-14.0	-17.8	-21.9	-26.1
H83	-20.3	-20.3	-20.3	-17.5	-12.6	-8.7	-8.1	-10.8	-14.0	-17.8	-21.9	-26.1
H84	-20.8	-20.8	-20.8	-18.1	-14.1	-11.0	-10.5	-13.4	-14.5	-17.7	-23.3	-28.0
H85	-25.1	-25.1	-25.0	-22.3	-18.1	-14.9	-14.5	-17.7	-18.8	-22.1	-25.9	-30.1
H86	-25.4	-25.4	-25.4	-22.6	-18.5	-15.3	-14.9	-18.1	-19.1	-22.4	-26.2	-30.3
H87	-25.5	-25.5	-25.5	-22.7	-18.5	-15.4	-15.0	-18.2	-19.2	-22.5	-26.3	-30.4
H88	-12.8	-12.8	-12.8	-10.0	-6.0	-2.7	-1.3	-1.3	-1.7	-4.7	-8.6	-13.1
H89	-12.1	-12.1	-12.1	-9.3	-5.3	-1.9	-0.5	-0.5	-1.0	-4.0	-7.9	-12.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-19.3	-19.3	-19.3	-16.6	-12.5	-9.9	-9.0	-9.0	-7.7	-11.2	-15.1	-19.7
H2	-19.3	-19.3	-19.3	-16.6	-12.5	-9.9	-9.0	-9.0	-7.7	-11.2	-15.1	-19.7
H3	-19.2	-19.2	-19.2	-16.5	-12.4	-9.8	-8.9	-8.9	-7.6	-11.1	-15.0	-19.6
H4	-19.2	-19.2	-19.2	-16.5	-12.4	-9.8	-8.8	-8.9	-7.6	-11.1	-15.0	-19.5
H5	-19.1	-19.1	-19.0	-16.3	-12.3	-9.7	-8.7	-8.8	-7.5	-11.0	-14.9	-19.4
H6	-19.4	-19.4	-19.4	-16.7	-12.6	-9.7	-8.6	-8.5	-8.0	-11.3	-15.2	-19.7
H7	-16.9	-16.9	-16.9	-14.2	-10.1	-7.4	-6.4	-6.3	-6.5	-9.6	-12.3	-14.5
H8	-19.2	-19.2	-19.1	-16.4	-12.3	-9.6	-8.4	-8.2	-8.7	-11.9	-14.6	-16.7
H9	-18.3	-18.3	-18.2	-15.5	-11.4	-8.8	-7.7	-7.6	-7.9	-11.0	-13.7	-15.8
H10	-15.6	-15.5	-15.5	-12.7	-8.6	-6.0	-4.9	-4.9	-5.1	-8.2	-10.9	-13.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H11	-15.5	-15.5	-15.4	-12.7	-8.5	-5.9	-4.9	-4.9	-5.0	-8.1	-10.9	-13.0
H12	-14.6	-14.6	-14.5	-11.7	-7.6	-5.0	-4.0	-4.0	-4.0	-7.2	-9.9	-12.1
H13	-17.7	-17.7	-17.7	-15.0	-10.9	-7.9	-6.7	-6.5	-6.3	-9.6	-13.5	-18.0
H14	-17.5	-17.5	-17.5	-14.8	-10.6	-8.0	-6.9	-6.9	-7.1	-10.2	-12.9	-15.1
H15	-17.3	-17.3	-17.2	-14.5	-10.4	-7.8	-6.7	-6.7	-6.8	-10.0	-12.7	-14.8
H16	-18.0	-18.0	-18.0	-15.3	-11.2	-8.0	-6.7	-6.5	-6.6	-9.9	-13.8	-18.3
H17	-14.3	-14.3	-14.3	-11.6	-7.5	-4.3	-3.0	-2.7	-2.8	-6.2	-10.1	-14.6
H18	-13.4	-13.4	-13.4	-10.7	-6.6	-3.4	-2.1	-1.8	-2.0	-5.3	-9.2	-13.7
H19	-14.3	-14.3	-14.3	-11.6	-7.5	-4.2	-2.9	-2.7	-2.8	-6.2	-10.1	-14.6
H20	-13.1	-13.1	-13.1	-10.4	-6.3	-3.1	-1.8	-1.5	-1.7	-5.1	-8.9	-13.4
H21	-14.4	-14.4	-14.4	-11.7	-7.7	-4.4	-3.1	-2.8	-3.0	-6.4	-10.2	-14.8
H22	-13.9	-13.9	-13.9	-11.2	-7.1	-3.9	-2.6	-2.3	-2.5	-5.9	-9.7	-14.2
H23	-13.7	-13.7	-13.7	-11.0	-6.9	-3.7	-2.4	-2.1	-2.3	-5.7	-9.5	-14.0
H24	-12.0	-12.0	-11.9	-9.1	-4.8	-2.5	-1.5	-1.6	-1.3	-4.6	-7.4	-9.6
H25	-12.3	-12.3	-12.3	-9.6	-5.5	-2.3	-1.0	-0.7	-0.9	-4.3	-8.1	-12.6
H26	-14.3	-14.3	-14.3	-11.6	-7.6	-4.3	-3.0	-2.8	-2.9	-6.3	-10.1	-14.7
H27	-12.9	-12.9	-12.9	-10.2	-6.1	-2.8	-1.5	-1.3	-1.5	-4.8	-8.7	-13.2
H28	-13.5	-13.5	-13.5	-10.8	-6.7	-3.4	-2.0	-1.8	-2.1	-5.4	-9.3	-13.8
H29	-16.1	-16.1	-16.1	-13.4	-9.4	-6.1	-4.7	-4.4	-4.7	-8.1	-11.9	-16.5
H30	-14.5	-14.5	-14.5	-11.8	-7.7	-4.3	-3.0	-2.7	-3.1	-6.4	-10.3	-14.8
H31	-15.9	-15.9	-15.9	-13.2	-9.2	-5.8	-4.5	-4.2	-4.5	-7.9	-11.7	-16.2
H32	-15.7	-15.7	-15.7	-13.0	-8.9	-5.6	-4.2	-3.9	-4.3	-7.7	-11.5	-16.0
H33	-21.3	-21.3	-21.3	-18.6	-14.5	-11.3	-9.9	-9.7	-9.9	-13.2	-17.1	-21.6
H34	-19.9	-19.9	-19.9	-17.2	-13.1	-9.8	-8.5	-8.2	-6.9	-6.9	-6.9	-10.1
H35	-15.0	-15.0	-15.0	-12.3	-8.2	-4.9	-3.5	-3.2	-3.6	-7.0	-10.8	-15.3
H36	-17.2	-17.2	-17.2	-14.5	-10.4	-7.1	-5.7	-5.4	-5.8	-9.1	-13.0	-17.5
H37	-20.8	-20.8	-20.8	-18.1	-14.1	-10.8	-9.4	-9.2	-9.4	-12.8	-16.6	-21.1
H38	-14.7	-14.7	-14.7	-12.0	-8.0	-4.6	-3.2	-2.9	-3.3	-6.7	-10.5	-15.0
H39	-10.6	-10.6	-10.5	-7.7	-3.5	-1.0	0.0	0.0	0.0	-3.2	-6.0	-8.2
H40	-14.7	-14.7	-14.7	-12.0	-7.9	-4.6	-3.2	-2.9	-3.3	-6.7	-10.5	-15.0
H41	-19.9	-19.9	-19.9	-17.2	-13.1	-9.9	-8.5	-8.2	-8.5	-11.8	-15.7	-20.2
H42	-19.1	-19.1	-19.1	-16.4	-12.3	-9.1	-7.7	-7.4	-7.7	-11.0	-14.9	-19.4
H43	-20.9	-20.9	-20.9	-18.2	-14.1	-10.8	-9.4	-9.2	-9.5	-12.8	-16.7	-21.2
H44	-15.5	-15.5	-15.5	-12.8	-8.8	-5.4	-4.0	-3.7	-4.1	-7.5	-11.3	-15.8
H45	-19.5	-19.5	-19.5	-16.8	-12.8	-9.5	-8.1	-7.8	-8.2	-11.5	-15.3	-19.9

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H46	-20.2	-20.2	-20.2	-17.5	-13.4	-10.1	-8.7	-8.5	-8.8	-12.1	-16.0	-20.5
H47	-20.2	-20.2	-20.2	-17.5	-13.5	-10.2	-8.7	-8.5	-8.8	-12.2	-16.0	-20.5
H48	-12.6	-12.6	-12.5	-9.7	-5.4	-2.8	-1.6	-1.4	-1.9	-5.2	-8.0	-10.2
H49	-15.5	-15.5	-15.4	-12.5	-8.2	-5.4	-4.1	-3.6	-4.6	-7.9	-10.8	-13.0
H50	-15.9	-15.9	-15.8	-13.0	-8.7	-5.8	-4.5	-4.1	-5.1	-8.4	-11.3	-13.5
H52	-15.5	-15.5	-15.4	-12.5	-8.2	-5.4	-4.0	-3.5	-4.6	-7.9	-10.8	-13.0
H53	-15.6	-15.6	-15.6	-12.7	-8.4	-5.6	-4.2	-3.7	-4.8	-8.1	-11.0	-13.2
H54	-16.2	-16.2	-16.1	-13.2	-9.0	-6.1	-4.7	-4.1	-5.3	-8.6	-11.5	-13.7
H55	-16.7	-16.7	-16.6	-13.8	-9.6	-6.5	-5.9	-8.6	-10.0	-13.6	-17.4	-21.5
H56	-15.9	-15.9	-15.8	-13.0	-8.8	-5.7	-5.1	-7.8	-9.2	-12.8	-16.6	-20.7
H57	-15.7	-15.7	-15.6	-12.9	-8.6	-5.5	-4.9	-7.6	-9.1	-12.6	-16.4	-20.5
H58	-16.1	-16.1	-16.1	-13.3	-9.0	-5.9	-5.3	-8.0	-9.5	-13.0	-16.8	-21.0
H59	-16.1	-16.1	-16.0	-13.3	-9.0	-5.9	-5.3	-8.0	-9.5	-13.0	-16.8	-21.0
H60	-16.1	-16.1	-16.0	-13.2	-9.0	-5.9	-5.3	-8.0	-9.4	-13.0	-16.8	-20.9
H61	-16.0	-16.0	-15.9	-13.2	-8.9	-5.8	-5.2	-7.9	-9.4	-12.9	-16.7	-20.9
H62	-15.9	-15.9	-15.8	-13.0	-8.8	-5.7	-5.1	-7.8	-9.2	-12.8	-16.6	-20.7
H63	-16.7	-16.7	-16.6	-13.8	-9.6	-6.5	-6.0	-8.7	-10.0	-13.6	-17.4	-21.5
H64	-16.6	-16.6	-16.6	-13.8	-9.6	-6.5	-6.0	-8.7	-10.0	-13.6	-17.4	-21.5
H65	-16.6	-16.6	-16.6	-13.8	-9.5	-6.5	-6.0	-8.7	-10.0	-13.5	-17.3	-21.5
H66	-16.6	-16.6	-16.5	-13.8	-9.5	-6.4	-5.9	-8.6	-10.0	-13.5	-17.3	-21.5
H67	-16.2	-16.2	-16.2	-13.4	-9.1	-6.1	-5.5	-8.3	-9.6	-13.2	-16.9	-21.1
H68	-12.7	-12.7	-12.7	-9.9	-4.9	-1.5	-1.2	-4.6	-6.8	-10.6	-14.5	-18.6
H69	-24.0	-24.0	-24.0	-21.3	-17.1	-13.9	-12.5	-12.2	-10.7	-10.7	-10.6	-12.7
H70	-15.2	-15.2	-15.2	-12.5	-7.9	-4.6	-4.1	-7.0	-9.0	-12.6	-16.4	-20.6
H71	-18.5	-18.5	-18.5	-15.7	-11.5	-8.4	-7.8	-10.5	-11.9	-15.5	-19.3	-23.4
H72	-27.3	-27.3	-27.3	-24.6	-20.5	-17.3	-16.7	-19.1	-20.7	-24.1	-27.8	-31.9
H73	-14.9	-14.9	-14.9	-12.1	-7.4	-4.2	-3.5	-6.1	-9.0	-13.1	-17.2	-21.5
H74	-14.9	-14.9	-14.9	-12.1	-7.3	-4.1	-3.4	-5.8	-8.7	-12.9	-17.1	-21.4
H75	-16.6	-16.6	-16.6	-13.9	-9.7	-6.3	-5.4	-7.9	-10.0	-13.5	-17.3	-21.4
H76	-16.4	-16.4	-16.4	-13.7	-9.0	-5.3	-4.5	-7.9	-10.2	-14.1	-18.0	-22.2
H77	-16.4	-16.4	-16.3	-13.6	-9.0	-5.2	-4.4	-7.8	-10.2	-14.0	-18.0	-22.2
H78	-16.7	-16.7	-16.7	-13.9	-9.7	-6.2	-5.2	-7.8	-10.0	-13.6	-17.4	-21.6
H79	-17.0	-17.0	-17.0	-14.3	-10.1	-6.5	-5.6	-8.3	-10.4	-14.1	-17.9	-22.0
H80	-19.7	-19.7	-19.7	-16.9	-12.4	-8.5	-7.2	-10.3	-12.9	-16.9	-20.8	-25.0
H81	-20.2	-20.2	-20.2	-17.5	-13.3	-9.9	-9.2	-11.9	-13.8	-17.4	-21.2	-25.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H82	-20.4	-20.4	-20.4	-17.6	-12.8	-8.6	-7.9	-10.3	-13.6	-17.8	-21.8	-26.0
H83	-20.4	-20.4	-20.4	-17.6	-12.8	-8.6	-7.9	-10.3	-13.6	-17.8	-21.8	-26.0
H84	-18.5	-18.5	-18.5	-15.8	-11.7	-8.5	-7.9	-10.3	-11.9	-15.3	-20.9	-25.6
H85	-22.1	-22.1	-22.1	-19.3	-15.2	-11.9	-11.3	-14.0	-15.7	-19.2	-23.0	-27.2
H86	-22.5	-22.5	-22.4	-19.7	-15.6	-12.3	-11.7	-14.4	-16.0	-19.5	-23.3	-27.4
H87	-22.6	-22.6	-22.6	-19.9	-15.7	-12.5	-11.9	-14.6	-16.3	-19.9	-23.6	-27.8
H88	-14.3	-14.3	-14.3	-11.6	-7.6	-4.2	-2.8	-2.5	-2.9	-6.3	-10.1	-14.7
H89	-14.6	-14.6	-14.6	-11.9	-7.9	-4.5	-3.0	-2.7	-3.2	-6.6	-10.4	-14.9

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-19.4	-19.4	-19.4	-16.7	-12.6	-10.6	-10.0	-9.3	-7.9	-11.3	-15.2	-19.7
H2	-19.4	-19.4	-19.4	-16.7	-12.6	-10.6	-9.9	-9.2	-7.9	-11.3	-15.2	-19.7
H3	-19.2	-19.2	-19.2	-16.5	-12.5	-10.5	-9.8	-9.1	-7.8	-11.2	-15.1	-19.6
H4	-19.2	-19.2	-19.2	-16.5	-12.5	-10.4	-9.8	-9.1	-7.8	-11.2	-15.0	-19.6
H5	-19.1	-19.1	-19.1	-16.4	-12.4	-10.3	-9.7	-9.0	-7.7	-11.1	-14.9	-19.5
H6	-20.9	-20.9	-20.9	-18.2	-14.1	-11.9	-11.1	-9.6	-9.5	-12.9	-16.7	-21.2
H7	-17.0	-17.0	-17.0	-14.3	-10.2	-8.2	-7.6	-6.7	-6.8	-9.8	-12.4	-14.5
H8	-19.3	-19.3	-19.2	-16.5	-12.4	-10.4	-9.7	-8.6	-8.9	-12.0	-14.7	-16.8
H9	-18.3	-18.3	-18.3	-15.6	-11.5	-9.5	-8.8	-7.9	-8.0	-11.1	-13.7	-15.9
H10	-15.6	-15.6	-15.6	-12.9	-8.8	-6.8	-6.2	-5.4	-5.4	-8.4	-11.0	-13.2
H11	-15.6	-15.6	-15.5	-12.8	-8.7	-6.7	-6.1	-5.3	-5.3	-8.3	-11.0	-13.1
H12	-14.7	-14.7	-14.6	-11.9	-7.8	-5.8	-5.2	-4.5	-4.4	-7.4	-10.0	-12.2
H13	-20.2	-20.2	-20.2	-17.5	-13.4	-11.0	-9.9	-8.7	-8.8	-12.2	-16.0	-20.5
H14	-17.6	-17.6	-17.6	-14.9	-10.8	-8.8	-8.1	-7.2	-7.3	-10.3	-13.0	-15.1
H15	-17.4	-17.4	-17.3	-14.6	-10.5	-8.6	-8.0	-7.0	-7.0	-10.1	-12.8	-14.9
H16	-21.6	-21.6	-21.6	-18.9	-14.8	-12.3	-11.2	-10.0	-10.2	-13.5	-17.4	-21.9
H17	-16.3	-16.3	-16.3	-13.6	-9.6	-7.0	-5.9	-4.6	-4.9	-8.3	-12.1	-16.6
H18	-15.5	-15.5	-15.5	-12.8	-8.7	-6.2	-5.1	-3.8	-4.1	-7.4	-11.3	-15.8
H19	-17.9	-17.9	-17.9	-15.2	-11.2	-8.7	-7.6	-6.3	-6.5	-9.9	-13.7	-18.2
H20	-15.1	-15.1	-15.1	-12.4	-8.4	-5.9	-4.8	-3.4	-3.8	-7.1	-10.9	-15.5
H21	-18.0	-18.0	-18.0	-15.3	-11.3	-8.8	-7.7	-6.4	-6.7	-10.0	-13.8	-18.4
H22	-17.5	-17.5	-17.5	-14.8	-10.8	-8.3	-7.2	-5.9	-6.2	-9.5	-13.3	-17.8
H23	-17.3	-17.3	-17.3	-14.6	-10.6	-8.1	-7.0	-5.7	-6.0	-9.3	-13.1	-17.6

House ID	Reference Wind Speed, Standardised v_{10} (ms ⁻¹)											
	1	2	3	4	5	6	7	8	9	10	11	12
H24	-12.1	-12.1	-12.1	-9.4	-5.2	-3.2	-2.6	-2.3	-1.8	-4.8	-7.5	-9.7
H25	-14.2	-14.2	-14.2	-11.5	-7.4	-4.9	-3.8	-2.4	-2.8	-6.1	-10.0	-14.5
H26	-17.8	-17.8	-17.8	-15.1	-11.1	-8.5	-7.3	-6.2	-6.5	-9.8	-13.6	-18.2
H27	-16.1	-16.1	-16.1	-13.4	-9.3	-6.8	-5.6	-4.4	-4.7	-8.1	-11.9	-16.4
H28	-16.7	-16.7	-16.7	-14.0	-9.9	-7.3	-6.1	-5.0	-5.3	-8.6	-12.5	-17.0
H29	-20.6	-20.6	-20.6	-17.9	-13.9	-11.3	-10.2	-9.0	-9.2	-12.6	-16.4	-20.9
H30	-17.8	-17.8	-17.8	-15.1	-11.0	-8.3	-7.1	-6.0	-6.4	-9.7	-13.6	-18.1
H31	-20.4	-20.4	-20.4	-17.7	-13.7	-11.1	-10.0	-8.8	-9.0	-12.4	-16.2	-20.7
H32	-20.2	-20.2	-20.2	-17.5	-13.4	-10.9	-9.7	-8.6	-8.8	-12.2	-16.0	-20.5
H33	-25.4	-25.4	-25.4	-22.7	-18.6	-16.1	-15.1	-13.9	-14.0	-17.3	-21.2	-25.7
H34	-20.9	-20.9	-20.9	-18.3	-14.2	-11.7	-10.7	-9.2	-8.0	-8.0	-8.0	-11.2
H35	-19.4	-19.4	-19.4	-16.7	-12.7	-10.0	-8.9	-7.7	-8.0	-11.4	-15.2	-19.7
H36	-21.6	-21.6	-21.6	-18.9	-14.8	-12.2	-11.0	-9.9	-10.2	-13.5	-17.4	-21.9
H37	-24.9	-24.9	-24.9	-22.2	-18.2	-15.6	-14.6	-13.4	-13.5	-16.9	-20.7	-25.2
H38	-19.0	-19.0	-19.0	-16.3	-12.2	-9.6	-8.4	-7.3	-7.6	-10.9	-14.8	-19.3
H39	-10.7	-10.7	-10.7	-8.0	-3.8	-1.9	-1.3	-0.6	-0.4	-3.4	-6.1	-8.3
H40	-18.7	-18.7	-18.7	-16.0	-12.0	-9.2	-8.0	-7.0	-7.3	-10.7	-14.5	-19.0
H41	-24.0	-24.0	-24.0	-21.3	-17.2	-14.7	-13.6	-12.5	-12.6	-15.9	-19.8	-24.3
H42	-23.2	-23.2	-23.2	-20.5	-16.5	-13.9	-12.8	-11.7	-11.8	-15.2	-19.0	-23.5
H43	-24.9	-24.9	-24.9	-22.2	-18.2	-15.6	-14.5	-13.4	-13.5	-16.9	-20.7	-25.2
H44	-19.8	-19.8	-19.8	-17.1	-13.1	-10.4	-9.2	-8.2	-8.5	-11.8	-15.6	-20.2
H45	-23.6	-23.6	-23.6	-20.9	-16.9	-14.3	-13.2	-12.0	-12.2	-15.6	-19.4	-23.9
H46	-24.3	-24.3	-24.3	-21.6	-17.5	-14.9	-13.8	-12.7	-12.9	-16.2	-20.0	-24.6
H47	-24.3	-24.3	-24.3	-21.6	-17.6	-15.0	-13.8	-12.7	-12.9	-16.3	-20.1	-24.6
H48	-12.8	-12.7	-12.7	-10.0	-5.9	-3.9	-3.3	-2.1	-2.4	-5.4	-8.1	-10.3
H49	-15.1	-15.1	-15.0	-12.3	-8.1	-6.2	-5.5	-4.1	-4.6	-7.7	-10.4	-12.6
H50	-15.5	-15.5	-15.5	-12.7	-8.6	-6.6	-6.0	-4.6	-5.1	-8.2	-10.9	-13.1
H52	-15.1	-15.1	-15.1	-12.3	-8.2	-6.2	-5.5	-4.1	-4.7	-7.8	-10.5	-12.6
H53	-15.3	-15.3	-15.2	-12.5	-8.4	-6.4	-5.7	-4.2	-4.8	-7.9	-10.7	-12.8
H54	-15.8	-15.8	-15.8	-13.1	-8.9	-6.9	-6.2	-4.7	-5.4	-8.5	-11.2	-13.4
H55	-15.5	-15.5	-15.5	-12.7	-8.6	-6.6	-6.7	-8.1	-8.9	-12.4	-16.2	-20.3
H56	-14.7	-14.7	-14.7	-12.0	-7.8	-5.8	-5.9	-7.3	-8.1	-11.6	-15.4	-19.5
H57	-14.5	-14.5	-14.5	-11.8	-7.6	-5.6	-5.7	-7.1	-7.9	-11.4	-15.2	-19.3
H58	-15.0	-14.9	-14.9	-12.2	-8.0	-6.1	-6.1	-7.5	-8.4	-11.9	-15.6	-19.8
H59	-15.0	-14.9	-14.9	-12.2	-8.0	-6.1	-6.1	-7.5	-8.4	-11.9	-15.6	-19.8

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H60	-14.9	-14.9	-14.9	-12.2	-8.0	-6.0	-6.1	-7.4	-8.3	-11.8	-15.6	-19.7
H61	-14.9	-14.8	-14.8	-12.1	-7.9	-6.0	-6.0	-7.4	-8.3	-11.8	-15.5	-19.7
H62	-14.7	-14.7	-14.7	-12.0	-7.8	-5.8	-5.9	-7.3	-8.1	-11.7	-15.4	-19.6
H63	-14.9	-14.9	-14.9	-12.2	-8.0	-6.0	-6.1	-7.4	-8.3	-11.8	-15.6	-19.7
H64	-14.9	-14.9	-14.9	-12.1	-8.0	-6.0	-6.1	-7.4	-8.3	-11.8	-15.6	-19.7
H65	-14.9	-14.9	-14.8	-12.1	-7.9	-6.0	-6.1	-7.4	-8.3	-11.8	-15.5	-19.7
H66	-14.8	-14.8	-14.8	-12.1	-7.9	-5.9	-6.0	-7.4	-8.3	-11.8	-15.5	-19.7
H67	-14.5	-14.5	-14.4	-11.7	-7.5	-5.6	-5.7	-7.0	-7.9	-11.4	-15.2	-19.3
H68	-10.5	-10.5	-10.5	-7.8	-2.8	-0.8	-1.2	-2.7	-4.6	-8.3	-12.2	-16.4
H69	-21.1	-21.1	-21.1	-18.4	-14.1	-12.3	-11.6	-9.4	-7.8	-7.8	-7.7	-9.8
H70	-12.6	-12.6	-12.5	-9.8	-5.3	-3.4	-3.5	-4.6	-6.3	-9.9	-13.7	-17.9
H71	-15.9	-15.9	-15.9	-13.2	-9.0	-7.0	-7.1	-8.4	-9.4	-12.9	-16.6	-20.8
H72	-28.5	-28.5	-28.5	-25.8	-21.8	-19.3	-19.0	-20.4	-21.9	-25.3	-29.0	-33.1
H73	-10.7	-10.7	-10.7	-8.0	-4.0	-1.9	-1.9	-2.5	-4.8	-9.4	-13.7	-18.1
H74	-10.7	-10.7	-10.7	-8.0	-4.0	-1.9	-1.8	-2.4	-4.9	-9.4	-13.6	-18.0
H75	-16.1	-16.1	-16.1	-13.4	-9.3	-6.2	-5.4	-7.5	-9.5	-13.0	-16.8	-20.9
H76	-11.6	-11.6	-11.6	-8.9	-4.6	-2.5	-2.4	-3.0	-6.1	-10.3	-14.4	-18.7
H77	-11.5	-11.5	-11.5	-8.8	-4.6	-2.5	-2.3	-3.0	-6.1	-10.2	-14.3	-18.7
H78	-15.6	-15.6	-15.6	-12.9	-8.7	-5.5	-4.6	-6.8	-9.0	-12.6	-16.4	-20.5
H79	-15.2	-15.2	-15.2	-12.5	-8.3	-5.3	-4.6	-6.4	-8.6	-12.2	-16.0	-20.1
H80	-18.2	-18.2	-18.2	-15.4	-11.0	-7.5	-6.3	-8.8	-11.5	-15.4	-19.3	-23.5
H81	-16.7	-16.7	-16.7	-14.0	-9.8	-7.1	-6.6	-8.2	-10.1	-13.7	-17.5	-21.6
H82	-18.8	-18.8	-18.8	-16.0	-11.3	-7.5	-6.9	-8.7	-12.0	-16.2	-20.2	-24.4
H83	-18.8	-18.8	-18.8	-16.0	-11.3	-7.5	-6.9	-8.7	-12.0	-16.2	-20.2	-24.4
H84	-14.3	-14.3	-14.3	-11.6	-7.6	-5.1	-4.7	-6.0	-7.7	-11.6	-16.8	-21.5
H85	-17.5	-17.5	-17.5	-14.7	-10.5	-8.2	-8.0	-9.3	-11.1	-14.7	-18.5	-22.7
H86	-17.9	-17.9	-17.9	-15.1	-10.9	-8.7	-8.5	-9.7	-11.5	-15.0	-18.8	-23.0
H87	-18.0	-18.0	-18.0	-15.3	-11.1	-8.7	-8.5	-9.9	-11.7	-15.3	-19.1	-23.3
H88	-18.0	-18.0	-18.0	-15.3	-11.2	-8.4	-7.1	-6.2	-6.6	-9.9	-13.8	-18.3
H89	-17.4	-17.4	-17.4	-14.7	-10.7	-7.9	-6.6	-5.6	-6.0	-9.4	-13.2	-17.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-22.0	-22.0	-22.0	-19.3	-15.2	-13.1	-12.4	-11.2	-10.6	-14.0	-17.8	-22.3

Table 10.15.4: Margins in 90 Degree Sector - Day

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H2	-22.0	-22.0	-22.0	-19.3	-15.2	-13.1	-12.4	-11.2	-10.6	-13.9	-17.8	-22.3
H3	-21.5	-21.5	-21.5	-18.8	-14.8	-12.7	-12.0	-10.6	-10.1	-13.5	-17.3	-21.9
H4	-21.5	-21.5	-21.5	-18.8	-14.8	-12.7	-11.9	-10.6	-10.1	-13.5	-17.3	-21.8
H5	-21.4	-21.4	-21.4	-18.7	-14.7	-12.6	-11.9	-10.5	-10.0	-13.4	-17.2	-21.7
H6	-25.4	-25.4	-25.4	-22.7	-18.7	-16.4	-15.6	-13.9	-14.1	-17.4	-21.2	-25.7
H7	-17.0	-17.0	-17.0	-14.3	-10.3	-8.3	-7.6	-6.6	-6.8	-9.8	-12.4	-14.6
H8	-19.3	-19.3	-19.3	-16.6	-12.5	-10.5	-9.8	-8.6	-9.0	-12.0	-14.7	-16.8
H9	-18.3	-18.3	-18.3	-15.6	-11.6	-9.6	-8.9	-7.8	-8.1	-11.1	-13.7	-15.9
H10	-15.7	-15.7	-15.6	-12.9	-8.9	-6.9	-6.2	-5.3	-5.4	-8.4	-11.1	-13.2
H11	-15.6	-15.6	-15.6	-12.9	-8.8	-6.8	-6.2	-5.3	-5.3	-8.3	-11.0	-13.1
H12	-14.7	-14.7	-14.7	-12.0	-7.9	-5.9	-5.3	-4.4	-4.4	-7.4	-10.1	-12.2
H13	-24.4	-24.4	-24.4	-21.7	-17.7	-15.2	-14.3	-12.7	-13.0	-16.4	-20.2	-24.7
H14	-17.6	-17.6	-17.6	-14.9	-10.8	-8.8	-8.2	-7.1	-7.3	-10.4	-13.0	-15.2
H15	-17.4	-17.4	-17.3	-14.7	-10.6	-8.6	-8.0	-7.0	-7.1	-10.1	-12.8	-14.9
H16	-25.4	-25.4	-25.4	-22.7	-18.6	-16.2	-15.3	-13.6	-14.0	-17.3	-21.2	-25.7
H17	-20.5	-20.5	-20.5	-17.8	-13.7	-11.2	-10.2	-8.5	-9.1	-12.5	-16.3	-20.8
H18	-19.6	-19.6	-19.6	-16.9	-12.9	-10.4	-9.4	-7.7	-8.2	-11.6	-15.4	-19.9
H19	-21.7	-21.7	-21.7	-19.0	-15.0	-12.6	-11.6	-9.9	-10.3	-13.7	-17.5	-22.0
H20	-19.2	-19.2	-19.2	-16.5	-12.5	-10.0	-9.0	-7.3	-7.8	-11.2	-15.0	-19.5
H21	-21.9	-21.9	-21.8	-19.2	-15.1	-12.7	-11.7	-10.0	-10.5	-13.8	-17.6	-22.2
H22	-21.3	-21.3	-21.3	-18.6	-14.6	-12.2	-11.2	-9.5	-10.0	-13.3	-17.1	-21.7
H23	-21.1	-21.1	-21.1	-18.4	-14.4	-12.0	-11.0	-9.3	-9.8	-13.1	-16.9	-21.5
H24	-12.1	-12.1	-12.1	-9.4	-5.3	-3.3	-2.7	-2.4	-1.8	-4.9	-7.5	-9.7
H25	-17.9	-17.9	-17.9	-15.2	-11.2	-8.7	-7.7	-5.9	-6.5	-9.9	-13.7	-18.2
H26	-21.6	-21.6	-21.6	-18.9	-14.9	-12.4	-11.4	-9.7	-10.3	-13.6	-17.4	-21.9
H27	-19.5	-19.5	-19.4	-16.8	-12.7	-10.2	-9.2	-7.5	-8.1	-11.4	-15.2	-19.8
H28	-20.1	-20.1	-20.1	-17.4	-13.4	-10.9	-9.8	-8.1	-8.8	-12.1	-15.9	-20.4
H29	-23.4	-23.4	-23.4	-20.7	-16.7	-14.3	-13.3	-11.6	-12.1	-15.4	-19.2	-23.7
H30	-21.5	-21.5	-21.5	-18.8	-14.8	-12.2	-11.2	-9.5	-10.1	-13.5	-17.3	-21.8
H31	-23.2	-23.2	-23.2	-20.5	-16.5	-14.1	-13.1	-11.4	-11.9	-15.2	-19.0	-23.5
H32	-23.0	-23.0	-23.0	-20.3	-16.3	-13.8	-12.8	-11.1	-11.7	-15.0	-18.8	-23.3
H33	-27.3	-27.3	-27.3	-24.6	-20.5	-18.2	-17.2	-15.5	-15.9	-19.3	-23.1	-27.6
H34	-22.9	-22.9	-22.9	-20.2	-16.1	-13.7	-12.7	-10.8	-9.9	-9.9	-9.9	-13.1
H35	-22.2	-22.2	-22.2	-19.5	-15.5	-13.0	-11.9	-10.2	-10.9	-14.2	-18.0	-22.5
H36	-24.3	-24.3	-24.3	-21.6	-17.6	-15.1	-14.1	-12.4	-13.0	-16.3	-20.1	-24.6

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H37	-26.8	-26.8	-26.8	-24.1	-20.1	-17.7	-16.7	-15.0	-15.5	-18.8	-22.6	-27.1
H38	-21.7	-21.7	-21.7	-19.0	-15.0	-12.4	-11.3	-9.7	-10.4	-13.7	-17.5	-22.0
H39	-10.7	-10.7	-10.7	-8.0	-3.9	-1.9	-1.3	-0.5	-0.4	-3.5	-6.1	-8.3
H40	-21.3	-21.3	-21.3	-18.6	-14.6	-11.9	-10.8	-9.2	-9.9	-13.3	-17.1	-21.6
H41	-25.9	-25.9	-25.9	-23.2	-19.2	-16.8	-15.8	-14.1	-14.6	-17.9	-21.7	-26.2
H42	-25.2	-25.2	-25.2	-22.5	-18.4	-16.0	-15.0	-13.3	-13.8	-17.1	-21.0	-25.5
H43	-26.8	-26.8	-26.8	-24.1	-20.0	-17.6	-16.6	-14.9	-15.4	-18.8	-22.6	-27.1
H44	-22.6	-22.6	-22.6	-19.9	-15.9	-13.3	-12.2	-10.6	-11.3	-14.6	-18.4	-22.9
H45	-25.5	-25.5	-25.5	-22.8	-18.7	-16.3	-15.3	-13.6	-14.1	-17.5	-21.3	-25.8
H46	-26.1	-26.1	-26.1	-23.4	-19.4	-16.9	-15.9	-14.3	-14.8	-18.1	-21.9	-26.4
H47	-26.2	-26.2	-26.2	-23.5	-19.5	-17.0	-16.0	-14.3	-14.8	-18.2	-22.0	-26.5
H48	-12.7	-12.7	-12.7	-10.0	-5.9	-4.0	-3.3	-2.1	-2.4	-5.5	-8.2	-10.3
H49	-15.0	-15.0	-15.0	-12.3	-8.2	-6.2	-5.5	-4.0	-4.6	-7.7	-10.4	-12.6
H50	-15.5	-15.5	-15.5	-12.8	-8.7	-6.7	-6.0	-4.5	-5.1	-8.2	-10.9	-13.1
H52	-15.1	-15.1	-15.1	-12.3	-8.2	-6.2	-5.5	-3.9	-4.6	-7.8	-10.5	-12.6
H53	-15.3	-15.2	-15.2	-12.5	-8.4	-6.4	-5.7	-4.1	-4.8	-8.0	-10.7	-12.8
H54	-15.8	-15.8	-15.8	-13.1	-8.9	-7.0	-6.2	-4.6	-5.4	-8.5	-11.2	-13.4
H55	-15.5	-15.5	-15.5	-12.7	-8.6	-6.6	-6.7	-7.9	-8.9	-12.4	-16.2	-20.3
H56	-14.7	-14.7	-14.7	-12.0	-7.8	-5.8	-5.9	-7.1	-8.1	-11.6	-15.4	-19.5
H57	-14.5	-14.5	-14.5	-11.8	-7.6	-5.6	-5.7	-6.9	-7.9	-11.4	-15.2	-19.3
H58	-14.9	-14.9	-14.9	-12.2	-8.0	-6.1	-6.1	-7.3	-8.4	-11.9	-15.6	-19.8
H59	-14.9	-14.9	-14.9	-12.2	-8.0	-6.1	-6.1	-7.3	-8.3	-11.9	-15.6	-19.8
H60	-14.9	-14.9	-14.9	-12.2	-8.0	-6.0	-6.1	-7.3	-8.3	-11.8	-15.6	-19.7
H61	-14.8	-14.8	-14.8	-12.1	-7.9	-6.0	-6.0	-7.2	-8.3	-11.8	-15.5	-19.7
H62	-14.7	-14.7	-14.7	-12.0	-7.8	-5.9	-5.9	-7.1	-8.1	-11.7	-15.4	-19.6
H63	-14.9	-14.9	-14.9	-12.2	-8.0	-6.0	-6.1	-7.3	-8.3	-11.8	-15.6	-19.7
H64	-14.9	-14.9	-14.9	-12.1	-8.0	-6.0	-6.1	-7.2	-8.3	-11.8	-15.6	-19.7
H65	-14.8	-14.8	-14.8	-12.1	-8.0	-6.0	-6.0	-7.2	-8.3	-11.8	-15.5	-19.7
H66	-14.8	-14.8	-14.8	-12.1	-7.9	-6.0	-6.0	-7.2	-8.2	-11.8	-15.5	-19.7
H67	-14.5	-14.5	-14.4	-11.7	-7.6	-5.6	-5.7	-6.8	-7.9	-11.4	-15.2	-19.3
H68	-9.7	-9.7	-9.7	-7.0	-2.0	0.0	-0.4	-2.0	-3.8	-7.5	-11.4	-15.6
H69	-20.3	-20.3	-20.3	-17.6	-13.4	-11.5	-10.9	-8.8	-7.1	-7.1	-7.0	-9.1
H70	-11.6	-11.6	-11.6	-8.9	-4.4	-2.4	-2.6	-3.9	-5.4	-9.0	-12.8	-16.9
H71	-15.9	-15.9	-15.9	-13.2	-9.0	-7.0	-7.1	-8.2	-9.3	-12.9	-16.6	-20.8
H72	-28.2	-28.2	-28.2	-25.5	-21.5	-19.1	-18.8	-19.7	-21.6	-25.0	-28.7	-32.8

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H73	-9.1	-9.1	-9.1	-6.4	-2.4	-0.5	-0.5	-1.1	-3.2	-7.8	-12.1	-16.5
H74	-9.3	-9.3	-9.3	-6.6	-2.5	-0.6	-0.6	-1.1	-2.8	-7.7	-12.1	-16.6
H75	-14.7	-14.7	-14.7	-12.0	-7.9	-4.8	-4.1	-5.3	-8.1	-11.5	-15.2	-19.4
H76	-9.8	-9.8	-9.8	-7.1	-3.1	-1.1	-1.1	-1.6	-4.3	-8.6	-12.8	-17.2
H77	-9.8	-9.8	-9.8	-7.1	-3.1	-1.1	-1.1	-1.6	-4.2	-8.6	-12.8	-17.1
H78	-13.5	-13.5	-13.5	-10.8	-6.7	-3.6	-2.9	-4.1	-6.9	-10.4	-14.2	-18.3
H79	-12.3	-12.3	-12.3	-9.6	-5.4	-2.5	-1.8	-2.9	-5.6	-9.3	-13.1	-17.2
H80	-15.0	-15.0	-15.0	-12.3	-7.8	-4.3	-3.2	-4.9	-8.3	-12.2	-16.2	-20.4
H81	-13.3	-13.3	-13.3	-10.5	-6.4	-3.8	-3.5	-4.3	-6.7	-10.2	-14.0	-18.2
H82	-15.4	-15.4	-15.3	-12.6	-7.9	-4.0	-3.4	-4.6	-8.5	-12.7	-16.8	-21.0
H83	-15.4	-15.4	-15.3	-12.6	-7.9	-4.0	-3.4	-4.6	-8.5	-12.7	-16.8	-21.0
H84	-11.9	-11.9	-11.9	-9.2	-5.2	-3.1	-3.0	-3.5	-5.3	-9.8	-14.6	-19.2
H85	-15.7	-15.7	-15.7	-12.9	-8.7	-6.5	-6.5	-7.7	-9.4	-13.0	-16.8	-21.0
H86	-16.1	-16.1	-16.1	-13.3	-9.1	-7.0	-6.9	-8.0	-9.7	-13.3	-17.1	-21.2
H87	-15.8	-15.8	-15.8	-13.1	-8.8	-6.6	-6.6	-7.8	-9.5	-13.1	-17.0	-21.1
H88	-20.3	-20.3	-20.3	-17.6	-13.6	-10.9	-9.7	-8.1	-9.0	-12.3	-16.1	-20.6
H89	-18.8	-18.8	-18.8	-16.1	-12.1	-9.3	-8.0	-6.4	-7.4	-10.8	-14.6	-19.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-26.4	-26.4	-26.4	-23.7	-19.7	-18.1	-16.2	-15.7	-15.0	-18.4	-22.2	-26.7
H2	-26.4	-26.4	-26.4	-23.7	-19.6	-18.1	-16.2	-15.7	-15.0	-18.3	-22.2	-26.7
H3	-25.9	-25.9	-25.9	-23.2	-19.2	-17.6	-15.8	-15.2	-14.5	-17.9	-21.7	-26.3
H4	-25.9	-25.9	-25.9	-23.2	-19.2	-17.6	-15.8	-15.1	-14.5	-17.9	-21.7	-26.2
H5	-25.8	-25.8	-25.8	-23.1	-19.1	-17.5	-15.7	-15.1	-14.4	-17.8	-21.6	-26.1
H6	-28.4	-28.4	-28.4	-25.7	-21.7	-20.0	-18.4	-17.1	-17.1	-20.4	-24.2	-28.7
H7	-20.9	-20.9	-20.9	-18.2	-14.2	-12.6	-10.5	-10.0	-10.6	-13.7	-16.3	-18.4
H8	-19.5	-19.5	-19.5	-16.8	-12.7	-11.2	-9.0	-8.7	-9.1	-12.2	-14.9	-17.1
H9	-18.5	-18.5	-18.5	-15.9	-11.8	-10.2	-8.0	-7.9	-8.2	-11.3	-13.9	-16.1
H10	-19.6	-19.6	-19.6	-16.9	-12.8	-11.3	-9.1	-8.8	-9.3	-12.4	-15.0	-17.1
H11	-19.5	-19.5	-19.5	-16.8	-12.8	-11.2	-9.1	-8.8	-9.2	-12.3	-14.9	-17.1
H12	-16.4	-16.4	-16.4	-13.7	-9.7	-8.2	-5.8	-5.9	-6.1	-9.2	-11.8	-14.0
H13	-26.7	-26.7	-26.7	-24.0	-20.0	-18.3	-16.6	-15.4	-15.4	-18.7	-22.5	-27.1
H14	-17.5	-17.5	-17.5	-14.8	-10.8	-9.2	-7.0	-6.7	-7.1	-10.2	-12.9	-15.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H15	-17.3	-17.3	-17.3	-14.6	-10.5	-9.0	-6.8	-6.6	-6.8	-10.0	-12.7	-14.8
H16	-26.9	-26.9	-26.9	-24.2	-20.2	-18.5	-16.8	-15.5	-15.6	-18.9	-22.7	-27.2
H17	-22.8	-22.8	-22.8	-20.1	-16.1	-14.3	-12.6	-11.2	-11.4	-14.8	-18.6	-23.1
H18	-21.9	-21.9	-21.9	-19.2	-15.1	-13.4	-11.7	-10.3	-10.5	-13.9	-17.7	-22.2
H19	-23.3	-23.3	-23.3	-20.6	-16.5	-14.8	-13.1	-11.8	-11.9	-15.2	-19.1	-23.6
H20	-21.5	-21.5	-21.4	-18.8	-14.7	-13.0	-11.3	-9.9	-10.1	-13.4	-17.3	-21.8
H21	-23.4	-23.4	-23.4	-20.7	-16.7	-15.0	-13.3	-11.9	-12.1	-15.4	-19.2	-23.8
H22	-22.9	-22.9	-22.9	-20.2	-16.2	-14.5	-12.8	-11.4	-11.6	-14.9	-18.7	-23.2
H23	-22.7	-22.7	-22.7	-20.0	-16.0	-14.3	-12.6	-11.2	-11.4	-14.7	-18.5	-23.1
H24	-12.0	-12.0	-12.0	-9.3	-5.3	-3.8	-1.2	-2.0	-1.6	-4.8	-7.5	-9.6
H25	-20.0	-20.0	-20.0	-17.3	-13.3	-11.5	-9.9	-8.3	-8.7	-12.0	-15.8	-20.3
H26	-23.1	-23.1	-23.1	-20.4	-16.4	-14.7	-12.9	-11.5	-11.8	-15.1	-18.9	-23.5
H27	-20.8	-20.8	-20.8	-18.2	-14.1	-12.3	-10.7	-9.1	-9.5	-12.8	-16.7	-21.2
H28	-21.5	-21.5	-21.5	-18.8	-14.8	-13.0	-11.3	-9.8	-10.2	-13.5	-17.3	-21.8
H29	-24.2	-24.2	-24.2	-21.5	-17.4	-15.7	-13.9	-12.5	-12.8	-16.1	-20.0	-24.5
H30	-22.9	-22.9	-22.9	-20.2	-16.2	-14.4	-12.6	-11.2	-11.6	-14.9	-18.7	-23.2
H31	-24.0	-24.0	-24.0	-21.3	-17.2	-15.5	-13.7	-12.3	-12.6	-16.0	-19.8	-24.3
H32	-23.8	-23.8	-23.8	-21.1	-17.1	-15.3	-13.6	-12.1	-12.5	-15.8	-19.6	-24.1
H33	-27.4	-27.4	-27.4	-24.7	-20.7	-19.0	-17.2	-15.8	-16.1	-19.4	-23.2	-27.7
H34	-23.9	-23.9	-23.9	-21.2	-17.2	-15.3	-13.9	-12.0	-11.0	-11.0	-11.0	-14.2
H35	-23.0	-23.0	-23.0	-20.3	-16.3	-14.5	-12.7	-11.3	-11.7	-15.0	-18.8	-23.3
H36	-25.0	-25.0	-25.0	-22.3	-18.3	-16.6	-14.8	-13.3	-13.7	-17.0	-20.8	-25.3
H37	-27.0	-27.0	-27.0	-24.3	-20.3	-18.5	-16.7	-15.3	-15.7	-19.0	-22.8	-27.3
H38	-22.5	-22.5	-22.5	-19.8	-15.8	-14.0	-12.1	-10.7	-11.2	-14.5	-18.3	-22.8
H39	-10.6	-10.6	-10.6	-7.9	-3.8	-2.3	0.0	-0.1	-0.1	-3.3	-6.0	-8.2
H40	-22.0	-22.0	-22.0	-19.3	-15.3	-13.5	-11.5	-10.1	-10.7	-14.0	-17.8	-22.3
H41	-26.1	-26.1	-26.1	-23.4	-19.4	-17.6	-15.8	-14.4	-14.8	-18.1	-21.9	-26.4
H42	-25.3	-25.3	-25.3	-22.6	-18.6	-16.9	-15.1	-13.6	-14.0	-17.3	-21.1	-25.6
H43	-26.8	-26.8	-26.8	-24.1	-20.1	-18.4	-16.6	-15.2	-15.5	-18.8	-22.6	-27.1
H44	-23.4	-23.4	-23.4	-20.7	-16.6	-14.9	-13.0	-11.5	-12.0	-15.4	-19.2	-23.7
H45	-25.6	-25.6	-25.6	-22.9	-18.8	-17.1	-15.3	-13.8	-14.2	-17.6	-21.4	-25.9
H46	-26.2	-26.2	-26.2	-23.5	-19.5	-17.7	-16.0	-14.5	-14.9	-18.2	-22.0	-26.5
H47	-26.3	-26.3	-26.3	-23.6	-19.6	-17.8	-16.0	-14.6	-15.0	-18.3	-22.1	-26.6
H48	-12.6	-12.6	-12.6	-9.9	-5.8	-4.2	-2.2	-1.5	-2.0	-5.3	-8.0	-10.2
H49	-14.9	-14.9	-14.8	-12.1	-8.0	-6.4	-4.5	-3.3	-4.2	-7.5	-10.3	-12.5

Table 10.15.5: Margins in 120 Degree Sector - Day

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H50	-15.3	-15.3	-15.3	-12.6	-8.5	-6.9	-5.0	-3.8	-4.7	-8.0	-10.8	-13.0
H52	-14.9	-14.9	-14.9	-12.2	-8.0	-6.4	-4.5	-3.2	-4.2	-7.5	-10.3	-12.5
H53	-15.1	-15.1	-15.0	-12.3	-8.2	-6.6	-4.7	-3.3	-4.4	-7.7	-10.5	-12.7
H54	-15.6	-15.6	-15.6	-12.9	-8.8	-7.1	-5.3	-3.9	-4.9	-8.3	-11.1	-13.3
H55	-15.3	-15.3	-15.3	-12.6	-8.5	-6.8	-6.0	-7.7	-8.7	-12.3	-16.1	-20.3
H56	-14.6	-14.6	-14.5	-11.8	-7.7	-6.0	-5.2	-6.9	-8.0	-11.6	-15.4	-19.5
H57	-14.4	-14.4	-14.4	-11.6	-7.5	-5.8	-5.1	-6.7	-7.8	-11.4	-15.2	-19.3
H58	-14.8	-14.8	-14.8	-12.1	-7.9	-6.3	-5.5	-7.1	-8.2	-11.8	-15.6	-19.7
H59	-14.8	-14.8	-14.8	-12.1	-7.9	-6.3	-5.5	-7.1	-8.2	-11.8	-15.6	-19.7
H60	-14.8	-14.8	-14.7	-12.0	-7.9	-6.2	-5.4	-7.1	-8.2	-11.8	-15.6	-19.7
H61	-14.7	-14.7	-14.7	-12.0	-7.8	-6.2	-5.4	-7.0	-8.1	-11.7	-15.5	-19.7
H62	-14.6	-14.6	-14.6	-11.9	-7.7	-6.1	-5.3	-6.9	-8.0	-11.6	-15.4	-19.5
H63	-14.8	-14.8	-14.7	-12.0	-7.9	-6.2	-5.4	-7.1	-8.2	-11.8	-15.6	-19.7
H64	-14.7	-14.7	-14.7	-12.0	-7.8	-6.2	-5.4	-7.0	-8.2	-11.7	-15.5	-19.7
H65	-14.7	-14.7	-14.7	-12.0	-7.8	-6.2	-5.4	-7.0	-8.1	-11.7	-15.5	-19.7
H66	-14.7	-14.7	-14.7	-12.0	-7.8	-6.2	-5.4	-7.0	-8.1	-11.7	-15.5	-19.6
H67	-14.3	-14.3	-14.3	-11.6	-7.4	-5.8	-5.0	-6.6	-7.8	-11.3	-15.1	-19.3
H68	-9.6	-9.6	-9.6	-6.9	-1.9	-0.2	0.0	-1.9	-3.7	-7.5	-11.4	-15.6
H69	-20.3	-20.3	-20.3	-17.6	-13.4	-11.9	-10.7	-8.8	-7.1	-7.0	-7.0	-9.1
H70	-11.5	-11.5	-11.5	-8.8	-4.3	-2.7	-2.2	-3.7	-5.3	-8.9	-12.8	-16.9
H71	-15.8	-15.8	-15.8	-13.0	-8.9	-7.2	-6.5	-8.0	-9.2	-12.8	-16.6	-20.7
H72	-26.1	-26.1	-26.1	-23.4	-19.4	-17.6	-16.6	-17.7	-19.5	-22.9	-26.6	-30.7
H73	-9.1	-9.1	-9.1	-6.4	-2.4	-0.8	-0.3	-1.1	-3.2	-7.8	-12.1	-16.5
H74	-9.1	-9.1	-9.1	-6.4	-2.4	-0.8	-0.3	-1.0	-2.6	-7.5	-11.9	-16.4
H75	-12.3	-12.3	-12.3	-9.6	-5.5	-3.6	-1.9	-3.1	-5.7	-9.1	-12.9	-17.0
H76	-9.6	-9.6	-9.6	-6.9	-2.9	-1.3	-0.8	-1.5	-4.1	-8.4	-12.6	-17.0
H77	-9.6	-9.6	-9.6	-6.9	-2.9	-1.3	-0.7	-1.5	-4.0	-8.4	-12.6	-17.0
H78	-11.5	-11.5	-11.5	-8.8	-4.7	-2.8	-1.4	-2.4	-4.9	-8.3	-12.1	-16.2
H79	-10.6	-10.6	-10.6	-7.8	-3.6	-1.6	-0.5	-1.6	-3.9	-7.6	-11.4	-15.5
H80	-12.4	-12.4	-12.4	-9.7	-5.4	-3.1	-1.5	-2.9	-5.7	-9.5	-13.4	-17.6
H81	-12.0	-12.0	-12.0	-9.3	-5.0	-3.0	-2.0	-3.2	-5.4	-9.1	-12.9	-17.1
H82	-12.4	-12.4	-12.4	-9.6	-4.9	-2.0	-0.9	-1.8	-5.5	-9.8	-13.8	-18.0
H83	-12.4	-12.4	-12.4	-9.6	-4.9	-2.0	-0.9	-1.8	-5.5	-9.8	-13.8	-18.0
H84	-11.4	-11.4	-11.4	-8.7	-4.7	-3.1	-2.4	-3.2	-4.8	-9.6	-14.3	-18.8
H85	-15.6	-15.6	-15.6	-12.9	-8.6	-6.8	-6.1	-7.5	-9.3	-13.0	-16.8	-21.0

Table 10.15.5: Margins in 120 Degree Sector - Day

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H86	-16.0	-16.0	-16.0	-13.3	-9.0	-7.3	-6.6	-7.9	-9.6	-13.3	-17.1	-21.2
H87	-15.7	-15.7	-15.7	-13.0	-8.7	-6.9	-6.2	-7.7	-9.5	-13.1	-16.9	-21.1
H88	-21.0	-21.0	-21.0	-18.3	-14.3	-12.4	-10.4	-8.9	-9.7	-13.0	-16.8	-21.3
H89	-18.9	-18.9	-18.9	-16.2	-12.2	-10.3	-8.1	-6.6	-7.6	-10.9	-14.7	-19.2

Table 10.15.6: Margins in 150 Degree Sector - Day

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-28.8	-28.8	-28.8	-26.1	-22.0	-20.6	-19.5	-19.3	-17.6	-20.7	-24.6	-29.1
H2	-28.8	-28.8	-28.8	-26.1	-22.0	-20.6	-19.5	-19.3	-17.6	-20.7	-24.6	-29.1
H3	-28.5	-28.5	-28.5	-25.8	-21.8	-20.4	-19.3	-19.1	-17.3	-20.5	-24.3	-28.9
H4	-28.5	-28.5	-28.5	-25.8	-21.7	-20.3	-19.3	-19.0	-17.3	-20.4	-24.3	-28.8
H5	-28.4	-28.4	-28.4	-25.7	-21.6	-20.2	-19.2	-18.9	-17.2	-20.3	-24.2	-28.7
H6	-29.3	-29.3	-29.3	-26.6	-22.6	-21.2	-19.9	-19.5	-18.2	-21.3	-25.1	-29.6
H7	-24.8	-24.8	-24.8	-22.1	-18.0	-16.6	-15.3	-14.8	-14.7	-17.5	-20.2	-22.4
H8	-23.8	-23.8	-23.8	-21.1	-17.0	-15.4	-13.9	-12.8	-13.1	-16.4	-19.2	-21.5
H9	-22.9	-22.9	-22.9	-20.2	-16.1	-14.5	-13.0	-12.1	-12.3	-15.5	-18.3	-20.5
H10	-23.4	-23.4	-23.4	-20.7	-16.6	-15.2	-13.8	-13.3	-13.2	-16.1	-18.8	-21.0
H11	-23.3	-23.3	-23.3	-20.6	-16.5	-15.1	-13.7	-13.2	-13.1	-16.0	-18.7	-20.9
H12	-20.8	-20.8	-20.8	-18.1	-14.0	-12.5	-11.1	-10.6	-10.5	-13.5	-16.2	-18.4
H13	-27.1	-27.1	-27.1	-24.4	-20.4	-19.0	-17.6	-17.1	-15.9	-19.1	-22.9	-27.4
H14	-21.8	-21.8	-21.8	-19.2	-15.0	-13.4	-12.0	-10.9	-11.1	-14.4	-17.2	-19.5
H15	-20.0	-20.0	-20.0	-17.3	-13.1	-11.7	-10.1	-9.3	-9.3	-12.6	-15.4	-17.7
H16	-26.7	-26.7	-26.7	-24.0	-19.9	-18.5	-17.1	-16.6	-15.5	-18.7	-22.5	-27.0
H17	-22.9	-22.9	-22.9	-20.2	-16.2	-14.8	-13.4	-12.8	-11.7	-14.9	-18.7	-23.3
H18	-22.0	-22.0	-22.0	-19.3	-15.3	-13.8	-12.4	-11.9	-10.8	-14.0	-17.8	-22.3
H19	-23.0	-23.0	-23.0	-20.3	-16.3	-14.8	-13.4	-12.9	-11.8	-15.0	-18.8	-23.3
H20	-21.6	-21.6	-21.6	-18.9	-14.8	-13.4	-12.0	-11.5	-10.3	-13.5	-17.4	-21.9
H21	-23.2	-23.2	-23.2	-20.5	-16.5	-15.0	-13.6	-13.0	-12.0	-15.2	-19.0	-23.5
H22	-22.7	-22.7	-22.7	-20.0	-16.0	-14.5	-13.1	-12.5	-11.5	-14.7	-18.5	-23.0
H23	-22.5	-22.5	-22.5	-19.8	-15.8	-14.3	-12.9	-12.3	-11.3	-14.5	-18.3	-22.8
H24	-13.2	-13.2	-13.2	-10.5	-6.4	-4.8	-3.3	-2.8	-2.7	-5.8	-8.7	-10.9
H25	-20.2	-20.2	-20.2	-17.5	-13.5	-12.1	-10.6	-10.0	-8.9	-12.2	-16.0	-20.6
H26	-22.9	-22.9	-22.9	-20.2	-16.1	-14.7	-13.2	-12.6	-11.7	-14.8	-18.7	-23.2
H27	-20.6	-20.6	-20.6	-17.9	-13.9	-12.5	-10.9	-10.2	-9.3	-12.6	-16.4	-20.9

Table 10.15.6: Margins in 150 Degree Sector - Day

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H28	-21.1	-21.1	-21.1	-18.5	-14.4	-13.0	-11.4	-10.8	-9.9	-13.1	-17.0	-21.5
H29	-23.2	-23.2	-23.2	-20.5	-16.4	-15.0	-13.5	-12.9	-12.0	-15.1	-19.0	-23.5
H30	-22.3	-22.3	-22.3	-19.6	-15.6	-14.1	-12.7	-12.1	-11.1	-14.3	-18.1	-22.6
H31	-23.0	-23.0	-23.0	-20.3	-16.3	-14.8	-13.3	-12.7	-11.8	-15.0	-18.8	-23.3
H32	-22.8	-22.8	-22.8	-20.1	-16.1	-14.7	-13.1	-12.5	-11.7	-14.8	-18.6	-23.2
H33	-25.9	-25.9	-25.9	-23.2	-19.2	-17.8	-16.2	-15.6	-14.7	-17.9	-21.7	-26.2
H34	-23.9	-23.9	-23.9	-21.3	-17.2	-15.8	-14.2	-13.6	-11.1	-11.0	-11.0	-14.2
H35	-22.1	-22.1	-22.1	-19.4	-15.4	-13.9	-12.3	-11.6	-10.9	-14.1	-17.9	-22.4
H36	-24.0	-24.0	-24.0	-21.3	-17.2	-15.8	-14.3	-13.6	-12.8	-16.0	-19.8	-24.3
H37	-25.5	-25.5	-25.5	-22.8	-18.8	-17.4	-15.8	-15.1	-14.3	-17.5	-21.3	-25.8
H38	-21.7	-21.7	-21.7	-19.0	-15.0	-13.5	-11.8	-11.0	-10.5	-13.7	-17.5	-22.0
H39	-10.7	-10.6	-10.6	-8.0	-3.8	-2.2	-0.9	-0.2	0.0	-3.2	-6.1	-8.4
H40	-21.1	-21.1	-21.1	-18.4	-14.4	-12.9	-11.1	-10.3	-9.9	-13.1	-16.9	-21.5
H41	-24.6	-24.6	-24.6	-21.9	-17.9	-16.5	-14.9	-14.2	-13.4	-16.6	-20.4	-24.9
H42	-23.9	-23.9	-23.9	-21.2	-17.1	-15.7	-14.1	-13.4	-12.6	-15.8	-19.7	-24.2
H43	-25.2	-25.2	-25.2	-22.5	-18.5	-17.0	-15.5	-14.9	-14.0	-17.2	-21.0	-25.5
H44	-22.4	-22.4	-22.4	-19.7	-15.7	-14.2	-12.6	-11.8	-11.2	-14.4	-18.2	-22.7
H45	-23.9	-23.9	-23.9	-21.3	-17.2	-15.7	-14.2	-13.5	-12.7	-15.9	-19.8	-24.3
H46	-24.6	-24.6	-24.6	-21.9	-17.9	-16.4	-14.9	-14.2	-13.4	-16.6	-20.4	-24.9
H47	-24.7	-24.7	-24.7	-22.0	-17.9	-16.5	-14.9	-14.2	-13.5	-16.7	-20.5	-25.0
H48	-12.3	-12.3	-12.3	-9.6	-5.5	-3.9	-2.6	-1.5	-1.6	-5.0	-7.8	-10.1
H49	-14.7	-14.7	-14.7	-12.0	-7.8	-6.2	-5.0	-3.8	-4.0	-7.3	-10.2	-12.4
H50	-15.1	-15.1	-15.1	-12.4	-8.3	-6.7	-5.4	-4.3	-4.5	-7.8	-10.6	-12.9
H52	-14.7	-14.7	-14.7	-12.0	-7.9	-6.3	-5.0	-3.8	-4.0	-7.4	-10.2	-12.5
H53	-14.9	-14.9	-14.9	-12.2	-8.0	-6.5	-5.2	-4.0	-4.2	-7.6	-10.4	-12.6
H54	-15.4	-15.4	-15.4	-12.7	-8.6	-7.0	-5.7	-4.5	-4.7	-8.1	-10.9	-13.2
H55	-15.2	-15.2	-15.1	-12.4	-8.3	-6.7	-6.4	-8.9	-8.8	-12.3	-16.1	-20.3
H56	-14.4	-14.4	-14.4	-11.7	-7.5	-6.0	-5.7	-8.1	-8.1	-11.5	-15.3	-19.5
H57	-14.2	-14.2	-14.2	-11.5	-7.3	-5.8	-5.5	-7.9	-7.9	-11.3	-15.1	-19.3
H58	-14.7	-14.6	-14.6	-11.9	-7.7	-6.2	-5.9	-8.4	-8.3	-11.7	-15.6	-19.7
H59	-14.6	-14.6	-14.6	-11.9	-7.7	-6.2	-5.9	-8.3	-8.3	-11.7	-15.6	-19.7
H60	-14.6	-14.6	-14.6	-11.9	-7.7	-6.2	-5.9	-8.3	-8.3	-11.7	-15.5	-19.7
H61	-14.6	-14.5	-14.5	-11.8	-7.6	-6.1	-5.8	-8.3	-8.2	-11.6	-15.5	-19.6
H62	-14.4	-14.4	-14.4	-11.7	-7.5	-6.0	-5.7	-8.1	-8.1	-11.5	-15.4	-19.5
H63	-14.6	-14.6	-14.6	-11.9	-7.7	-6.1	-5.9	-8.3	-8.3	-11.7	-15.5	-19.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H64	-14.6	-14.6	-14.6	-11.9	-7.7	-6.1	-5.8	-8.3	-8.2	-11.7	-15.5	-19.7
H65	-14.6	-14.6	-14.5	-11.8	-7.7	-6.1	-5.8	-8.3	-8.2	-11.7	-15.5	-19.7
H66	-14.5	-14.5	-14.5	-11.8	-7.6	-6.1	-5.8	-8.2	-8.2	-11.6	-15.5	-19.6
H67	-14.2	-14.2	-14.2	-11.5	-7.3	-5.7	-5.4	-7.9	-7.8	-11.3	-15.1	-19.3
H68	-9.4	-9.4	-9.4	-6.7	-1.7	0.0	-0.1	-3.2	-3.7	-7.4	-11.3	-15.5
H69	-20.3	-20.3	-20.3	-17.6	-13.4	-12.0	-11.1	-10.4	-7.2	-7.0	-6.9	-9.0
H70	-11.4	-11.4	-11.4	-8.7	-4.2	-2.6	-2.4	-5.1	-5.3	-8.9	-12.7	-16.9
H71	-15.6	-15.6	-15.6	-12.9	-8.7	-7.2	-6.8	-9.3	-9.3	-12.7	-16.6	-20.7
H72	-21.8	-21.8	-21.8	-19.1	-15.1	-13.6	-12.7	-14.6	-15.3	-18.6	-22.3	-26.4
H73	-9.1	-9.1	-9.1	-6.4	-2.4	-1.0	-0.7	-2.6	-3.1	-7.8	-12.1	-16.5
H74	-9.1	-9.1	-9.1	-6.4	-2.4	-1.0	-0.6	-2.5	-2.6	-7.5	-11.9	-16.4
H75	-11.1	-11.1	-11.1	-8.4	-4.3	-2.6	-1.2	-2.9	-4.5	-7.9	-11.7	-15.8
H76	-9.6	-9.6	-9.6	-6.9	-2.9	-1.5	-1.1	-3.0	-4.1	-8.4	-12.6	-17.0
H77	-9.6	-9.6	-9.6	-6.9	-2.9	-1.5	-1.1	-3.0	-4.0	-8.4	-12.6	-16.9
H78	-10.9	-10.9	-10.9	-8.2	-4.1	-2.5	-1.2	-2.9	-4.4	-7.8	-11.5	-15.7
H79	-10.6	-10.6	-10.6	-7.9	-3.7	-2.1	-1.0	-2.9	-4.1	-7.6	-11.4	-15.5
H80	-12.0	-12.0	-12.0	-9.3	-5.1	-3.3	-2.0	-3.9	-5.4	-9.0	-12.8	-17.0
H81	-11.6	-11.6	-11.6	-8.9	-4.4	-2.4	-1.3	-3.8	-5.1	-8.9	-12.8	-17.1
H82	-12.0	-12.0	-12.0	-9.3	-4.8	-2.6	-0.9	-3.3	-5.4	-9.3	-13.2	-17.4
H83	-12.0	-12.0	-12.0	-9.3	-4.8	-2.6	-0.9	-3.3	-5.4	-9.3	-13.2	-17.4
H84	-11.4	-11.4	-11.4	-8.7	-4.7	-3.3	-2.7	-4.6	-4.9	-9.7	-14.3	-18.8
H85	-15.4	-15.4	-15.4	-12.7	-8.4	-6.8	-6.3	-8.8	-9.3	-12.9	-16.8	-20.9
H86	-15.8	-15.8	-15.8	-13.1	-8.9	-7.3	-6.8	-9.2	-9.7	-13.2	-17.1	-21.2
H87	-15.5	-15.5	-15.5	-12.8	-8.5	-6.9	-6.4	-8.9	-9.5	-13.1	-16.9	-21.1
H88	-20.1	-20.1	-20.1	-17.4	-13.4	-11.8	-9.9	-9.1	-8.8	-12.1	-15.9	-20.4
H89	-17.7	-17.7	-17.7	-15.0	-11.0	-9.4	-7.3	-6.4	-6.4	-9.7	-13.5	-18.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-29.2	-29.2	-29.2	-26.4	-22.3	-20.6	-18.2	-17.2	-17.2	-21.0	-24.9	-29.6
H2	-29.1	-29.1	-29.1	-26.4	-22.3	-20.6	-18.2	-17.3	-17.2	-21.0	-24.9	-29.6
H3	-29.0	-29.0	-29.0	-26.3	-22.2	-20.4	-18.1	-17.1	-17.0	-20.8	-24.8	-29.4
H4	-29.0	-29.0	-29.0	-26.3	-22.2	-20.4	-18.1	-17.1	-17.0	-20.8	-24.8	-29.4
H5	-28.9	-28.9	-28.9	-26.1	-22.1	-20.3	-17.9	-16.9	-16.9	-20.7	-24.7	-29.3

Table 10.15.7: Margins in 180 Degree Sector - Day												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H6	-28.6	-28.6	-28.6	-25.9	-21.8	-20.0	-18.2	-16.9	-17.1	-20.5	-24.4	-28.9
H7	-26.4	-26.4	-26.3	-23.6	-19.4	-17.5	-14.7	-12.8	-15.1	-18.9	-21.7	-24.0
H8	-27.0	-27.0	-27.0	-24.2	-19.8	-17.6	-14.4	-13.8	-14.8	-19.3	-22.2	-24.7
H9	-26.1	-26.1	-26.1	-23.3	-19.1	-16.9	-13.6	-12.9	-14.1	-18.5	-21.4	-23.8
H10	-24.9	-24.9	-24.9	-22.1	-17.9	-15.9	-12.9	-11.6	-13.4	-17.4	-20.2	-22.5
H11	-24.8	-24.8	-24.8	-22.0	-17.8	-15.8	-12.8	-11.5	-13.3	-17.3	-20.1	-22.5
H12	-23.1	-23.1	-23.1	-20.4	-16.1	-14.2	-11.0	-10.1	-11.6	-15.6	-18.5	-20.8
H13	-25.6	-25.6	-25.6	-22.9	-18.9	-17.1	-15.1	-13.9	-14.1	-17.6	-21.4	-26.0
H14	-25.2	-25.2	-25.2	-22.4	-18.1	-16.0	-12.7	-12.0	-13.1	-17.6	-20.5	-22.9
H15	-24.1	-24.1	-24.1	-21.3	-17.0	-15.1	-11.6	-11.2	-12.2	-16.5	-19.4	-21.8
H16	-24.5	-24.5	-24.5	-21.8	-17.7	-15.9	-14.0	-13.0	-13.1	-16.5	-20.3	-24.8
H17	-21.0	-21.0	-21.0	-18.3	-14.2	-12.4	-10.4	-9.4	-9.4	-12.9	-16.8	-21.3
H18	-20.0	-20.0	-20.0	-17.3	-13.2	-11.4	-9.4	-8.3	-8.4	-11.9	-15.8	-20.4
H19	-20.8	-20.8	-20.8	-18.1	-14.0	-12.2	-10.3	-9.2	-9.3	-12.7	-16.6	-21.2
H20	-19.6	-19.6	-19.6	-16.9	-12.8	-11.0	-9.0	-7.9	-8.0	-11.5	-15.4	-20.0
H21	-21.0	-21.0	-21.0	-18.3	-14.3	-12.4	-10.5	-9.4	-9.6	-13.0	-16.8	-21.4
H22	-20.5	-20.5	-20.5	-17.8	-13.8	-11.9	-10.0	-8.9	-9.0	-12.5	-16.3	-20.9
H23	-20.3	-20.3	-20.3	-17.6	-13.6	-11.7	-9.9	-8.7	-8.9	-12.3	-16.1	-20.7
H24	-15.9	-15.9	-15.9	-13.1	-8.9	-7.2	-3.2	-4.2	-4.4	-8.4	-11.3	-13.6
H25	-18.5	-18.5	-18.5	-15.8	-11.8	-9.8	-8.0	-6.7	-6.9	-10.4	-14.3	-18.9
H26	-20.6	-20.6	-20.6	-17.9	-13.9	-12.0	-10.2	-8.8	-9.2	-12.6	-16.4	-21.0
H27	-18.6	-18.6	-18.6	-15.9	-11.8	-9.8	-8.2	-6.6	-7.1	-10.5	-14.4	-18.9
H28	-18.8	-18.8	-18.8	-16.1	-12.1	-10.1	-8.5	-6.9	-7.3	-10.8	-14.6	-19.2
H29	-20.0	-20.0	-20.0	-17.3	-13.3	-11.4	-9.5	-8.4	-8.6	-12.0	-15.8	-20.4
H30	-19.4	-19.4	-19.4	-16.7	-12.7	-10.9	-8.9	-8.0	-8.0	-11.4	-15.3	-19.8
H31	-19.9	-19.9	-19.9	-17.2	-13.1	-11.2	-9.4	-8.2	-8.4	-11.8	-15.7	-20.2
H32	-19.7	-19.7	-19.7	-17.0	-13.0	-11.1	-9.2	-8.1	-8.3	-11.7	-15.5	-20.1
H33	-22.2	-22.2	-22.2	-19.5	-15.5	-13.5	-11.9	-10.4	-10.8	-14.2	-18.1	-22.6
H34	-22.7	-22.7	-22.7	-20.0	-16.0	-14.0	-12.5	-11.1	-9.8	-9.8	-9.7	-13.0
H35	-19.1	-19.1	-19.1	-16.4	-12.3	-10.4	-8.6	-7.4	-7.6	-11.1	-14.9	-19.4
H36	-20.7	-20.7	-20.7	-18.0	-14.0	-12.1	-10.4	-9.0	-9.3	-12.7	-16.6	-21.1
H37	-21.8	-21.8	-21.8	-19.1	-15.1	-13.1	-11.5	-10.0	-10.4	-13.8	-17.6	-22.2
H38	-18.8	-18.8	-18.8	-16.1	-12.0	-10.0	-8.2	-7.0	-7.3	-10.7	-14.6	-19.1
H39	-12.6	-12.6	-12.5	-9.8	-5.6	-3.9	-0.3	-0.4	-1.3	-5.2	-8.0	-10.3
H40	-18.2	-18.2	-18.2	-15.5	-11.4	-9.4	-7.7	-6.2	-6.7	-10.1	-14.0	-18.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H41	-21.0	-21.0	-21.0	-18.3	-14.3	-12.2	-10.6	-9.1	-9.6	-13.0	-16.8	-21.3
H42	-20.2	-20.2	-20.2	-17.5	-13.5	-11.5	-9.9	-8.3	-8.8	-12.2	-16.0	-20.6
H43	-21.3	-21.3	-21.3	-18.6	-14.6	-12.6	-11.1	-9.4	-9.9	-13.3	-17.1	-21.7
H44	-19.3	-19.3	-19.3	-16.6	-12.5	-10.6	-8.9	-7.4	-7.8	-11.2	-15.1	-19.6
H45	-20.1	-20.1	-20.1	-17.4	-13.4	-11.3	-9.9	-8.2	-8.7	-12.1	-15.9	-20.5
H46	-20.8	-20.8	-20.8	-18.1	-14.0	-12.0	-10.5	-8.9	-9.4	-12.7	-16.6	-21.1
H47	-20.9	-20.9	-20.9	-18.2	-14.1	-12.1	-10.6	-8.9	-9.5	-12.8	-16.7	-21.2
H48	-14.1	-14.1	-14.1	-11.3	-7.2	-5.4	-2.3	-1.3	-3.0	-6.7	-9.6	-11.8
H49	-15.4	-15.4	-15.3	-12.6	-8.4	-6.6	-4.1	-2.1	-4.4	-8.0	-10.9	-13.1
H50	-15.8	-15.8	-15.8	-13.0	-8.9	-7.0	-4.6	-2.5	-4.9	-8.5	-11.3	-13.6
H52	-15.4	-15.4	-15.4	-12.6	-8.5	-6.6	-4.2	-2.0	-4.4	-8.1	-10.9	-13.2
H53	-15.6	-15.6	-15.6	-12.8	-8.7	-6.8	-4.4	-2.2	-4.6	-8.3	-11.1	-13.4
H54	-15.5	-15.5	-15.4	-12.7	-8.6	-6.7	-4.5	-1.9	-4.6	-8.2	-11.0	-13.3
H55	-15.3	-15.2	-15.1	-12.4	-8.3	-6.4	-5.4	-6.6	-8.7	-12.4	-16.2	-20.4
H56	-14.4	-14.4	-14.3	-11.6	-7.4	-5.5	-4.6	-5.6	-7.8	-11.5	-15.3	-19.5
H57	-14.2	-14.2	-14.1	-11.4	-7.2	-5.3	-4.4	-5.5	-7.7	-11.3	-15.1	-19.3
H58	-14.6	-14.6	-14.5	-11.8	-7.6	-5.7	-4.8	-5.9	-8.1	-11.7	-15.6	-19.7
H59	-14.6	-14.6	-14.5	-11.8	-7.6	-5.7	-4.8	-5.9	-8.1	-11.7	-15.6	-19.7
H60	-14.6	-14.5	-14.5	-11.7	-7.6	-5.7	-4.7	-5.8	-8.0	-11.7	-15.5	-19.7
H61	-14.5	-14.5	-14.4	-11.7	-7.5	-5.7	-4.7	-5.8	-8.0	-11.6	-15.5	-19.6
H62	-14.4	-14.4	-14.3	-11.6	-7.4	-5.5	-4.6	-5.7	-7.9	-11.5	-15.3	-19.5
H63	-14.6	-14.5	-14.5	-11.7	-7.6	-5.7	-4.8	-5.8	-8.0	-11.7	-15.5	-19.7
H64	-14.5	-14.5	-14.5	-11.7	-7.6	-5.7	-4.7	-5.8	-8.0	-11.7	-15.5	-19.7
H65	-14.5	-14.5	-14.4	-11.7	-7.6	-5.7	-4.7	-5.8	-8.0	-11.7	-15.5	-19.7
H66	-14.5	-14.5	-14.4	-11.7	-7.5	-5.6	-4.7	-5.8	-8.0	-11.6	-15.5	-19.6
H67	-14.2	-14.2	-14.1	-11.4	-7.2	-5.3	-4.4	-5.4	-7.6	-11.3	-15.1	-19.3
H68	-10.2	-10.2	-10.1	-7.4	-3.0	-1.1	-0.5	-1.3	-3.9	-7.5	-11.4	-15.6
H69	-20.5	-20.5	-20.5	-17.8	-13.7	-11.9	-10.8	-8.2	-7.4	-7.4	-7.3	-9.3
H70	-11.5	-11.5	-11.5	-8.7	-4.4	-2.4	-1.8	-2.7	-5.2	-8.9	-12.7	-16.9
H71	-15.4	-15.4	-15.3	-12.6	-8.4	-6.4	-5.5	-6.7	-8.9	-12.7	-16.5	-20.7
H72	-18.5	-18.5	-18.5	-15.8	-11.8	-9.4	-8.7	-9.5	-11.9	-15.3	-19.1	-23.2
H73	-9.1	-9.1	-9.1	-6.4	-2.4	-0.6	-0.1	-0.3	-2.7	-7.7	-12.0	-16.4
H74	-9.1	-9.1	-9.1	-6.4	-2.4	-0.5	-0.1	-0.2	-2.5	-7.3	-11.8	-16.3
H75	-11.0	-10.9	-10.9	-8.2	-4.1	-1.5	-0.8	-1.7	-4.4	-7.9	-11.7	-15.8
H76	-9.6	-9.6	-9.6	-6.9	-2.9	-1.0	-0.6	-0.8	-3.8	-8.3	-12.6	-17.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H77	-9.6	-9.6	-9.6	-6.9	-2.9	-1.0	-0.5	-0.8	-3.7	-8.3	-12.5	-16.9
H78	-10.8	-10.8	-10.7	-8.0	-3.9	-1.3	-0.7	-1.5	-4.2	-7.7	-11.5	-15.7
H79	-10.4	-10.4	-10.4	-7.6	-3.4	-1.0	-0.4	-1.2	-3.9	-7.5	-11.3	-15.5
H80	-11.9	-11.9	-11.9	-9.2	-5.0	-2.4	-1.7	-2.6	-5.4	-9.0	-12.8	-17.0
H81	-11.5	-11.5	-11.4	-8.7	-4.3	-1.6	-0.9	-2.0	-5.0	-8.9	-12.8	-17.1
H82	-12.1	-12.1	-12.0	-9.3	-4.9	-2.0	-1.1	-2.3	-5.5	-9.3	-13.3	-17.4
H83	-12.1	-12.1	-12.0	-9.3	-4.9	-2.0	-1.1	-2.3	-5.5	-9.3	-13.3	-17.4
H84	-11.4	-11.4	-11.4	-8.7	-4.7	-2.7	-2.2	-2.6	-4.8	-9.5	-14.2	-18.7
H85	-15.3	-15.3	-15.2	-12.4	-8.1	-6.0	-5.3	-6.4	-9.1	-12.8	-16.7	-20.9
H86	-15.7	-15.7	-15.6	-12.8	-8.6	-6.4	-5.7	-6.8	-9.4	-13.1	-17.0	-21.2
H87	-15.3	-15.3	-15.1	-12.4	-8.1	-5.9	-5.3	-6.5	-9.2	-13.0	-16.9	-21.1
H88	-17.1	-17.1	-17.1	-14.4	-10.4	-8.2	-6.7	-5.1	-5.7	-9.1	-13.0	-17.5
H89	-14.9	-14.9	-14.8	-12.1	-8.1	-5.8	-4.2	-2.7	-3.4	-6.8	-10.7	-15.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-28.0	-28.0	-28.0	-25.2	-21.1	-19.2	-16.5	-14.3	-15.7	-19.8	-23.8	-28.5
H2	-28.0	-28.0	-28.0	-25.2	-21.1	-19.2	-16.5	-14.4	-15.7	-19.8	-23.8	-28.5
H3	-27.9	-27.9	-27.9	-25.2	-21.0	-19.1	-16.4	-14.2	-15.6	-19.7	-23.7	-28.4
H4	-27.9	-27.9	-27.9	-25.1	-21.0	-19.1	-16.3	-14.2	-15.6	-19.7	-23.7	-28.4
H5	-27.8	-27.8	-27.8	-25.0	-20.8	-19.0	-16.2	-14.0	-15.4	-19.5	-23.5	-28.3
H6	-25.9	-25.9	-25.9	-23.2	-19.1	-17.2	-15.1	-13.4	-14.3	-17.8	-21.7	-26.3
H7	-26.4	-26.4	-26.4	-23.6	-19.3	-17.1	-14.0	-11.9	-15.0	-18.9	-21.6	-24.0
H8	-28.3	-28.3	-28.2	-25.3	-20.7	-17.9	-15.8	-14.2	-16.2	-20.5	-23.3	-25.9
H9	-27.5	-27.5	-27.5	-24.6	-20.2	-17.8	-14.8	-13.2	-15.4	-19.9	-22.7	-25.1
H10	-25.0	-24.9	-24.9	-22.1	-17.7	-15.5	-12.2	-10.5	-13.3	-17.4	-20.2	-22.6
H11	-24.9	-24.9	-24.8	-22.0	-17.7	-15.4	-12.1	-10.4	-13.2	-17.4	-20.1	-22.5
H12	-23.8	-23.8	-23.8	-20.9	-16.6	-14.4	-10.9	-9.4	-12.1	-16.3	-19.0	-21.4
H13	-22.0	-22.0	-22.0	-19.3	-15.2	-13.4	-11.2	-9.4	-10.4	-13.9	-17.8	-22.4
H14	-26.8	-26.8	-26.8	-23.9	-19.5	-17.1	-14.1	-12.5	-14.8	-19.2	-22.0	-24.4
H15	-26.3	-26.3	-26.2	-23.4	-19.0	-16.7	-13.5	-11.8	-14.4	-18.7	-21.4	-23.9
H16	-20.4	-20.4	-20.4	-17.7	-13.6	-11.8	-9.8	-8.2	-9.0	-12.4	-16.2	-20.7
H17	-17.1	-17.1	-17.0	-14.3	-10.3	-8.5	-6.3	-4.5	-5.5	-9.0	-12.9	-17.4
H18	-16.1	-16.1	-16.1	-13.3	-9.3	-7.5	-5.3	-3.4	-4.4	-8.0	-11.9	-16.5

Table 10.15.8: Margins in 210 Degree Sector - Day

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H19	-16.7	-16.7	-16.7	-14.0	-9.9	-8.0	-6.1	-4.4	-5.2	-8.7	-12.5	-17.1
H20	-15.8	-15.8	-15.7	-13.0	-8.9	-7.1	-5.0	-3.1	-4.1	-7.7	-11.6	-16.1
H21	-17.0	-17.0	-16.9	-14.2	-10.2	-8.3	-6.3	-4.6	-5.5	-8.9	-12.8	-17.3
H22	-16.4	-16.4	-16.4	-13.7	-9.7	-7.8	-5.8	-4.1	-4.9	-8.4	-12.3	-16.8
H23	-16.3	-16.3	-16.3	-13.5	-9.5	-7.6	-5.6	-3.9	-4.8	-8.2	-12.1	-16.6
H24	-17.3	-17.3	-17.2	-14.4	-10.0	-8.3	-3.8	-3.0	-5.7	-9.8	-12.6	-15.0
H25	-14.9	-14.9	-14.9	-12.2	-8.1	-6.2	-4.2	-2.4	-3.3	-6.8	-10.7	-15.3
H26	-16.4	-16.4	-16.4	-13.7	-9.6	-7.7	-5.9	-4.1	-4.9	-8.4	-12.2	-16.8
H27	-14.7	-14.7	-14.6	-11.9	-7.9	-5.9	-4.1	-2.3	-3.1	-6.6	-10.5	-15.0
H28	-14.8	-14.8	-14.7	-12.0	-8.0	-6.0	-4.3	-2.3	-3.2	-6.7	-10.6	-15.1
H29	-16.1	-16.1	-16.1	-13.4	-9.3	-7.2	-5.7	-3.9	-4.6	-8.1	-11.9	-16.5
H30	-16.0	-16.0	-15.9	-13.2	-9.2	-7.2	-5.6	-3.6	-4.5	-7.9	-11.8	-16.3
H31	-16.0	-16.0	-15.9	-13.2	-9.2	-7.1	-5.6	-3.7	-4.5	-7.9	-11.8	-16.3
H32	-15.8	-15.8	-15.8	-13.1	-9.0	-6.9	-5.4	-3.6	-4.3	-7.8	-11.6	-16.2
H33	-18.1	-18.1	-18.0	-15.3	-11.3	-9.1	-7.7	-6.1	-6.6	-10.0	-13.9	-18.4
H34	-20.9	-20.9	-20.9	-18.2	-14.2	-12.2	-10.7	-8.9	-8.0	-8.0	-7.9	-11.2
H35	-15.2	-15.2	-15.2	-12.5	-8.4	-6.3	-4.8	-3.0	-3.7	-7.2	-11.0	-15.6
H36	-16.8	-16.8	-16.8	-14.1	-10.0	-7.9	-6.5	-4.6	-5.3	-8.8	-12.6	-17.2
H37	-17.6	-17.6	-17.6	-14.9	-10.9	-8.6	-7.3	-5.7	-6.2	-9.6	-13.5	-18.0
H38	-14.9	-14.9	-14.9	-12.2	-8.1	-5.9	-4.5	-2.8	-3.4	-6.9	-10.7	-15.3
H39	-14.5	-14.5	-14.3	-11.5	-7.2	-5.5	-1.4	-0.2	-3.0	-7.0	-9.9	-12.2
H40	-14.4	-14.3	-14.3	-11.6	-7.6	-5.4	-4.0	-2.2	-2.9	-6.3	-10.2	-14.7
H41	-16.8	-16.8	-16.7	-14.0	-10.0	-7.7	-6.4	-4.8	-5.3	-8.7	-12.6	-17.1
H42	-16.0	-16.0	-16.0	-13.3	-9.2	-6.9	-5.6	-4.0	-4.5	-8.0	-11.8	-16.4
H43	-17.6	-17.6	-17.6	-14.9	-10.8	-8.6	-7.2	-5.6	-6.1	-9.5	-13.4	-17.9
H44	-15.3	-15.3	-15.3	-12.6	-8.5	-6.4	-5.0	-3.1	-3.8	-7.3	-11.1	-15.7
H45	-16.3	-16.3	-16.3	-13.6	-9.6	-7.3	-5.9	-4.4	-4.9	-8.3	-12.1	-16.7
H46	-17.0	-17.0	-17.0	-14.3	-10.2	-7.9	-6.6	-5.1	-5.6	-8.9	-12.8	-17.3
H47	-17.1	-17.1	-17.0	-14.3	-10.3	-8.0	-6.7	-5.2	-5.6	-9.0	-12.9	-17.4
H48	-18.0	-18.0	-17.8	-15.0	-10.7	-8.8	-5.3	-3.6	-6.6	-10.6	-13.4	-15.8
H49	-18.7	-18.6	-18.4	-15.6	-11.4	-9.4	-6.1	-4.3	-7.3	-11.3	-14.1	-16.5
H50	-19.1	-19.1	-18.8	-16.0	-11.8	-9.8	-6.5	-4.7	-7.8	-11.7	-14.6	-17.0
H52	-18.7	-18.7	-18.4	-15.5	-11.3	-9.3	-6.0	-4.4	-7.3	-11.3	-14.2	-16.6
H53	-18.9	-18.9	-18.6	-15.8	-11.5	-9.5	-6.2	-4.6	-7.5	-11.5	-14.4	-16.8
H54	-18.9	-18.9	-18.5	-15.7	-11.5	-9.4	-6.4	-4.6	-7.4	-11.5	-14.5	-16.9

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H55	-17.2	-17.1	-16.7	-13.8	-9.6	-7.6	-5.8	-7.6	-10.7	-14.5	-18.5	-22.7
H56	-16.5	-16.4	-16.1	-13.3	-9.1	-7.0	-5.4	-7.0	-10.0	-13.8	-17.7	-21.9
H57	-16.3	-16.3	-15.9	-13.1	-8.9	-6.9	-5.2	-6.9	-9.8	-13.6	-17.5	-21.7
H58	-16.7	-16.6	-16.2	-13.4	-9.2	-7.2	-5.5	-7.2	-10.2	-14.0	-17.9	-22.2
H59	-16.7	-16.6	-16.2	-13.4	-9.2	-7.2	-5.5	-7.2	-10.2	-14.0	-17.9	-22.2
H60	-16.7	-16.6	-16.2	-13.4	-9.2	-7.1	-5.5	-7.2	-10.1	-14.0	-17.9	-22.1
H61	-16.6	-16.6	-16.2	-13.3	-9.1	-7.1	-5.5	-7.2	-10.1	-13.9	-17.8	-22.1
H62	-16.5	-16.5	-16.1	-13.3	-9.1	-7.0	-5.4	-7.1	-10.0	-13.8	-17.7	-22.0
H63	-16.1	-16.1	-15.7	-12.9	-8.7	-6.6	-5.1	-6.6	-9.6	-13.4	-17.4	-21.6
H64	-16.1	-16.1	-15.6	-12.8	-8.6	-6.6	-5.1	-6.6	-9.6	-13.4	-17.3	-21.6
H65	-16.1	-16.0	-15.6	-12.8	-8.6	-6.6	-5.1	-6.6	-9.6	-13.4	-17.3	-21.5
H66	-16.1	-16.0	-15.6	-12.8	-8.6	-6.6	-5.1	-6.5	-9.6	-13.4	-17.3	-21.5
H67	-15.8	-15.7	-15.4	-12.6	-8.4	-6.3	-4.9	-6.3	-9.3	-13.1	-17.0	-21.2
H68	-10.8	-10.8	-10.5	-7.7	-3.5	-1.3	-0.7	-1.3	-4.4	-8.1	-12.0	-16.2
H69	-20.8	-20.8	-20.7	-18.0	-14.0	-12.0	-10.8	-8.2	-7.7	-7.6	-7.6	-9.6
H70	-12.3	-12.2	-12.0	-9.2	-5.0	-2.9	-2.2	-2.8	-5.8	-9.5	-13.4	-17.6
H71	-16.3	-16.3	-15.8	-13.0	-8.8	-6.7	-5.5	-6.8	-9.8	-13.7	-17.6	-21.8
H72	-18.5	-18.5	-18.5	-15.8	-11.7	-9.2	-8.5	-10.3	-11.9	-15.3	-19.1	-23.2
H73	-9.4	-9.4	-9.4	-6.7	-2.7	-0.6	-0.2	-0.4	-3.7	-8.3	-12.5	-16.8
H74	-9.4	-9.4	-9.4	-6.7	-2.6	-0.6	-0.2	-0.4	-3.4	-8.1	-12.4	-16.8
H75	-10.9	-10.9	-10.8	-8.1	-4.0	-1.2	-0.6	-3.0	-4.3	-7.9	-11.6	-15.8
H76	-9.9	-9.9	-9.9	-7.2	-3.2	-1.1	-0.7	-0.9	-4.4	-8.8	-12.9	-17.3
H77	-9.9	-9.9	-9.9	-7.2	-3.2	-1.1	-0.7	-0.9	-4.3	-8.7	-12.9	-17.3
H78	-10.7	-10.7	-10.6	-7.9	-3.8	-1.0	-0.4	-2.6	-4.2	-7.7	-11.5	-15.7
H79	-10.3	-10.3	-10.2	-7.5	-3.3	-0.6	0.0	-1.9	-3.9	-7.5	-11.3	-15.5
H80	-11.9	-11.9	-11.8	-9.0	-4.8	-2.1	-1.4	-3.5	-5.4	-9.0	-12.8	-17.0
H81	-11.3	-11.3	-11.1	-8.4	-3.9	-1.0	-0.2	-2.3	-5.0	-8.8	-12.8	-17.1
H82	-12.1	-12.1	-11.9	-9.2	-4.8	-1.8	-0.9	-3.2	-5.5	-9.3	-13.3	-17.4
H83	-12.1	-12.1	-11.9	-9.2	-4.8	-1.8	-0.9	-3.2	-5.5	-9.3	-13.3	-17.4
H84	-11.4	-11.4	-11.4	-8.7	-4.7	-2.5	-2.0	-2.8	-4.8	-9.2	-14.1	-18.7
H85	-15.5	-15.5	-15.2	-12.5	-8.2	-5.7	-5.0	-6.4	-9.1	-12.8	-16.7	-20.9
H86	-15.8	-15.8	-15.6	-12.8	-8.6	-6.2	-5.5	-6.8	-9.4	-13.1	-17.0	-21.2
H87	-15.6	-15.6	-15.3	-12.6	-8.3	-5.9	-5.2	-6.6	-9.3	-13.0	-16.9	-21.1
H88	-13.9	-13.9	-13.9	-11.2	-7.2	-4.9	-3.5	-1.9	-2.4	-5.9	-9.8	-14.3
H89	-12.0	-12.0	-12.0	-9.3	-5.2	-2.8	-1.4	-0.2	-0.5	-4.0	-7.9	-12.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-24.9	-24.9	-24.9	-22.1	-17.9	-15.6	-12.0	-10.9	-12.6	-16.6	-20.6	-25.4
H2	-24.9	-24.9	-24.9	-22.1	-17.9	-15.7	-12.0	-10.9	-12.6	-16.7	-20.6	-25.4
H3	-24.9	-24.9	-24.9	-22.1	-17.9	-15.6	-11.9	-10.8	-12.5	-16.6	-20.6	-25.4
H4	-24.9	-24.9	-24.8	-22.1	-17.8	-15.6	-11.8	-10.8	-12.5	-16.6	-20.6	-25.4
H5	-24.7	-24.7	-24.7	-21.9	-17.7	-15.5	-11.7	-10.6	-12.3	-16.5	-20.5	-25.2
H6	-21.5	-21.5	-21.5	-18.7	-14.6	-12.4	-9.6	-8.9	-9.9	-13.4	-17.3	-21.8
H7	-24.9	-24.9	-24.9	-22.0	-17.6	-14.9	-10.9	-10.4	-13.5	-17.4	-20.1	-22.5
H8	-28.1	-28.1	-28.1	-25.1	-20.3	-17.2	-14.7	-14.1	-16.1	-20.4	-23.1	-25.7
H9	-27.4	-27.4	-27.4	-24.5	-19.9	-16.8	-13.7	-13.1	-15.3	-19.8	-22.5	-24.9
H10	-23.4	-23.4	-23.4	-20.4	-16.0	-13.1	-9.5	-9.0	-11.7	-15.9	-18.6	-21.0
H11	-23.4	-23.3	-23.3	-20.3	-15.9	-13.1	-9.4	-8.9	-11.6	-15.8	-18.5	-20.9
H12	-23.1	-23.1	-23.0	-20.1	-15.6	-12.8	-9.1	-8.6	-11.2	-15.5	-18.3	-20.7
H13	-18.3	-18.3	-18.3	-15.6	-11.5	-9.0	-6.7	-5.8	-6.7	-10.2	-14.1	-18.7
H14	-26.7	-26.7	-26.7	-23.8	-19.2	-16.2	-13.0	-12.5	-14.7	-19.2	-21.9	-24.3
H15	-26.6	-26.6	-26.5	-23.6	-19.1	-16.1	-12.7	-12.2	-14.7	-19.0	-21.7	-24.2
H16	-17.5	-17.5	-17.5	-14.8	-10.8	-8.4	-6.6	-5.6	-6.1	-9.5	-13.3	-17.9
H17	-14.6	-14.6	-14.6	-11.9	-7.8	-5.3	-3.1	-2.2	-3.0	-6.5	-10.4	-15.0
H18	-13.7	-13.6	-13.6	-10.9	-6.8	-4.3	-2.1	-1.1	-2.0	-5.5	-9.4	-14.0
H19	-13.8	-13.8	-13.8	-11.1	-7.0	-4.6	-2.8	-1.7	-2.2	-5.7	-9.6	-14.2
H20	-13.4	-13.3	-13.3	-10.6	-6.5	-4.0	-1.8	-0.8	-1.7	-5.2	-9.1	-13.7
H21	-14.0	-14.0	-14.0	-11.3	-7.2	-4.8	-3.1	-1.9	-2.5	-5.9	-9.8	-14.4
H22	-13.5	-13.5	-13.5	-10.8	-6.7	-4.3	-2.6	-1.4	-2.0	-5.4	-9.3	-13.9
H23	-13.3	-13.3	-13.3	-10.6	-6.5	-4.1	-2.4	-1.2	-1.8	-5.2	-9.1	-13.7
H24	-17.5	-17.5	-17.4	-14.3	-9.8	-7.6	-3.1	-2.8	-5.5	-9.9	-12.8	-15.2
H25	-12.6	-12.6	-12.5	-9.8	-5.7	-3.2	-1.1	-0.1	-0.9	-4.4	-8.3	-12.9
H26	-13.8	-13.8	-13.8	-11.0	-7.0	-4.6	-2.9	-1.8	-2.2	-5.7	-9.6	-14.1
H27	-12.2	-12.2	-12.2	-9.5	-5.4	-3.0	-1.3	-0.1	-0.6	-4.1	-8.0	-12.6
H28	-12.7	-12.7	-12.6	-9.9	-5.8	-3.4	-1.8	-0.6	-1.1	-4.6	-8.5	-13.0
H29	-14.2	-14.2	-14.2	-11.5	-7.4	-5.0	-3.7	-2.5	-2.7	-6.1	-10.0	-14.6
H30	-13.7	-13.7	-13.7	-10.9	-6.9	-4.5	-3.0	-1.7	-2.2	-5.6	-9.5	-14.1
H31	-14.0	-14.0	-14.0	-11.3	-7.2	-4.9	-3.6	-2.3	-2.5	-6.0	-9.8	-14.4
H32	-13.9	-13.9	-13.8	-11.1	-7.0	-4.7	-3.4	-2.2	-2.3	-5.8	-9.7	-14.2
H33	-17.5	-17.5	-17.5	-14.8	-10.7	-8.4	-7.1	-5.9	-6.0	-9.5	-13.3	-17.9
H34	-19.6	-19.6	-19.6	-16.9	-12.9	-10.5	-8.9	-7.8	-6.7	-6.7	-6.6	-9.9

Table 10.15.9: Margins in 240 Degree Sector - Day

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H35	-13.2	-13.2	-13.2	-10.5	-6.4	-4.1	-2.8	-1.6	-1.7	-5.1	-9.0	-13.6
H36	-15.1	-15.1	-15.1	-12.4	-8.3	-6.0	-4.8	-3.5	-3.6	-7.1	-10.9	-15.5
H37	-17.1	-17.1	-17.1	-14.3	-10.3	-8.0	-6.7	-5.5	-5.6	-9.0	-12.9	-17.4
H38	-13.0	-13.0	-12.9	-10.2	-6.1	-3.8	-2.6	-1.3	-1.4	-4.9	-8.8	-13.3
H39	-15.5	-15.4	-15.3	-12.2	-7.8	-5.5	-1.0	-0.7	-3.7	-7.9	-10.7	-13.1
H40	-12.7	-12.7	-12.7	-10.0	-5.9	-3.6	-2.5	-1.1	-1.2	-4.7	-8.5	-13.1
H41	-16.2	-16.2	-16.2	-13.4	-9.4	-7.0	-5.9	-4.6	-4.7	-8.1	-12.0	-16.5
H42	-15.4	-15.4	-15.4	-12.7	-8.6	-6.3	-5.1	-3.9	-3.9	-7.3	-11.2	-15.7
H43	-17.0	-17.0	-17.0	-14.3	-10.2	-7.9	-6.7	-5.5	-5.5	-8.9	-12.8	-17.3
H44	-13.6	-13.6	-13.6	-10.8	-6.8	-4.4	-3.3	-2.0	-2.1	-5.5	-9.4	-13.9
H45	-15.7	-15.7	-15.7	-13.0	-8.9	-6.6	-5.5	-4.2	-4.2	-7.7	-11.5	-16.1
H46	-16.4	-16.4	-16.4	-13.6	-9.6	-7.3	-6.1	-4.9	-4.9	-8.3	-12.2	-16.7
H47	-16.4	-16.4	-16.4	-13.7	-9.6	-7.3	-6.2	-5.0	-5.0	-8.4	-12.2	-16.8
H48	-20.6	-20.5	-20.3	-17.2	-12.8	-10.2	-6.5	-6.1	-8.8	-12.9	-15.9	-18.3
H49	-22.5	-22.5	-22.2	-19.1	-14.7	-11.9	-8.6	-8.1	-10.7	-14.8	-17.8	-20.2
H50	-22.9	-22.9	-22.6	-19.4	-15.1	-12.3	-9.1	-8.6	-11.0	-15.2	-18.3	-20.7
H52	-22.6	-22.6	-22.3	-19.0	-14.7	-11.8	-8.8	-8.3	-10.6	-14.9	-17.9	-20.3
H53	-22.8	-22.8	-22.5	-19.3	-14.9	-12.1	-9.0	-8.4	-10.9	-15.1	-18.1	-20.5
H54	-23.0	-23.0	-22.7	-19.4	-15.1	-12.2	-9.3	-8.8	-11.0	-15.3	-18.4	-20.8
H55	-21.7	-21.7	-21.4	-18.1	-13.8	-11.1	-8.7	-11.9	-15.0	-18.8	-22.8	-27.0
H56	-21.0	-21.0	-20.7	-17.6	-13.3	-10.6	-8.4	-11.4	-14.3	-18.1	-22.0	-26.2
H57	-20.9	-20.8	-20.6	-17.5	-13.2	-10.5	-8.3	-11.3	-14.1	-17.9	-21.8	-26.1
H58	-21.3	-21.2	-21.0	-17.8	-13.5	-10.8	-8.6	-11.7	-14.5	-18.3	-22.2	-26.5
H59	-21.3	-21.2	-21.0	-17.8	-13.5	-10.8	-8.6	-11.7	-14.5	-18.3	-22.2	-26.5
H60	-21.2	-21.2	-20.9	-17.8	-13.5	-10.8	-8.6	-11.6	-14.5	-18.3	-22.2	-26.4
H61	-21.2	-21.1	-20.9	-17.7	-13.4	-10.8	-8.5	-11.6	-14.4	-18.3	-22.2	-26.4
H62	-21.1	-21.1	-20.8	-17.6	-13.4	-10.7	-8.5	-11.5	-14.4	-18.2	-22.1	-26.3
H63	-20.9	-20.9	-20.6	-17.4	-13.2	-10.4	-8.3	-11.3	-14.2	-18.0	-21.9	-26.1
H64	-20.9	-20.8	-20.6	-17.4	-13.1	-10.4	-8.3	-11.3	-14.1	-18.0	-21.9	-26.1
H65	-20.9	-20.8	-20.6	-17.4	-13.1	-10.4	-8.3	-11.3	-14.1	-17.9	-21.8	-26.1
H66	-20.8	-20.8	-20.6	-17.4	-13.1	-10.4	-8.2	-11.3	-14.1	-17.9	-21.8	-26.0
H67	-20.5	-20.5	-20.3	-17.1	-12.9	-10.1	-8.0	-11.0	-13.8	-17.6	-21.5	-25.7
H68	-13.0	-13.0	-12.8	-9.8	-5.5	-2.5	-0.7	-3.7	-6.4	-10.1	-14.0	-18.1
H69	-23.0	-23.0	-23.0	-20.3	-16.2	-13.4	-11.3	-10.8	-9.9	-9.8	-9.7	-11.8
H70	-14.9	-14.9	-14.7	-11.7	-7.5	-4.7	-2.7	-5.5	-8.2	-11.9	-15.8	-19.9

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H71	-21.2	-21.2	-20.9	-17.7	-13.4	-10.5	-8.6	-11.7	-14.5	-18.3	-22.2	-26.4
H72	-18.5	-18.5	-18.5	-15.8	-11.7	-9.4	-9.1	-10.6	-11.9	-15.3	-19.1	-23.2
H73	-12.4	-12.4	-12.2	-9.2	-4.3	-1.5	-0.2	-2.8	-6.2	-10.2	-14.2	-18.5
H74	-11.1	-11.0	-11.0	-8.3	-4.3	-1.5	-0.2	-2.3	-5.4	-9.9	-14.1	-18.4
H75	-10.9	-10.9	-10.8	-8.1	-3.9	-1.5	-1.5	-3.1	-4.3	-7.8	-11.6	-15.8
H76	-12.7	-12.7	-12.5	-9.4	-4.9	-2.1	-0.8	-2.9	-6.6	-10.7	-14.8	-19.1
H77	-12.7	-12.6	-12.4	-9.4	-4.9	-2.1	-0.8	-2.9	-6.5	-10.7	-14.8	-19.0
H78	-10.7	-10.7	-10.7	-7.9	-3.7	-1.2	-1.2	-2.8	-4.1	-7.7	-11.5	-15.6
H79	-10.4	-10.4	-10.3	-7.4	-3.2	-0.5	-0.1	-2.1	-3.8	-7.5	-11.3	-15.5
H80	-11.9	-11.9	-11.9	-9.0	-4.8	-2.1	-1.8	-3.7	-5.3	-9.0	-12.8	-17.0
H81	-11.7	-11.7	-11.6	-8.7	-4.1	-0.8	-0.1	-2.8	-5.3	-9.3	-13.2	-17.5
H82	-12.1	-12.1	-12.1	-9.2	-4.8	-1.9	-1.3	-3.5	-5.5	-9.3	-13.3	-17.4
H83	-12.1	-12.1	-12.1	-9.2	-4.8	-1.9	-1.3	-3.5	-5.5	-9.3	-13.3	-17.4
H84	-12.6	-12.6	-12.6	-9.9	-5.8	-3.1	-2.1	-4.0	-6.0	-9.4	-14.9	-19.7
H85	-17.7	-17.7	-17.6	-14.6	-10.4	-7.4	-6.0	-8.7	-11.1	-14.8	-18.7	-22.8
H86	-18.0	-18.0	-17.9	-14.9	-10.7	-7.8	-6.3	-9.0	-11.4	-15.1	-18.9	-23.1
H87	-17.6	-17.5	-17.4	-14.4	-10.2	-7.3	-6.0	-8.6	-11.0	-14.6	-18.5	-22.7
H88	-12.4	-12.4	-12.4	-9.6	-5.6	-3.2	-2.2	-0.8	-0.9	-4.3	-8.2	-12.8
H89	-11.6	-11.6	-11.6	-8.9	-4.8	-2.5	-1.5	-0.1	0.0	-3.5	-7.4	-12.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-20.3	-20.3	-20.3	-17.5	-13.3	-9.7	-7.9	-7.2	-8.3	-12.1	-16.1	-20.8
H2	-20.3	-20.3	-20.3	-17.5	-13.3	-9.7	-7.9	-7.2	-8.4	-12.1	-16.1	-20.8
H3	-20.4	-20.4	-20.3	-17.6	-13.3	-9.8	-7.8	-7.1	-8.4	-12.1	-16.1	-20.8
H4	-20.3	-20.3	-20.3	-17.5	-13.3	-9.8	-7.8	-7.0	-8.4	-12.1	-16.1	-20.8
H5	-20.2	-20.2	-20.2	-17.4	-13.2	-9.6	-7.6	-6.9	-8.2	-12.0	-16.0	-20.7
H6	-19.3	-19.3	-19.3	-16.5	-12.5	-9.2	-8.2	-7.8	-8.0	-11.2	-15.1	-19.7
H7	-21.4	-21.4	-21.4	-18.5	-14.1	-10.3	-7.8	-7.5	-10.5	-14.0	-16.7	-19.0
H8	-26.3	-26.2	-26.2	-23.2	-18.4	-14.4	-13.2	-12.9	-14.7	-18.6	-21.3	-23.8
H9	-25.6	-25.6	-25.5	-22.6	-18.0	-13.9	-12.2	-12.0	-14.1	-18.0	-20.7	-23.1
H10	-19.9	-19.9	-19.8	-16.9	-12.4	-8.5	-6.3	-6.0	-8.7	-12.4	-15.1	-17.5
H11	-19.8	-19.8	-19.7	-16.8	-12.3	-8.4	-6.2	-5.9	-8.6	-12.3	-15.0	-17.4
H12	-20.6	-20.6	-20.5	-17.6	-13.1	-9.1	-7.1	-6.8	-9.2	-13.1	-15.8	-18.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H13	-17.2	-17.2	-17.2	-14.5	-10.4	-7.1	-6.2	-5.8	-5.9	-9.1	-13.0	-17.6
H14	-25.1	-25.1	-25.1	-22.1	-17.5	-13.4	-11.8	-11.6	-13.6	-17.6	-20.3	-22.7
H15	-25.4	-25.4	-25.4	-22.4	-17.9	-13.8	-12.0	-11.7	-14.1	-17.9	-20.6	-23.0
H16	-17.1	-17.1	-17.1	-14.4	-10.3	-7.2	-6.4	-6.1	-6.0	-9.1	-12.9	-17.5
H17	-13.4	-13.3	-13.3	-10.6	-6.5	-3.3	-2.4	-2.1	-2.0	-5.3	-9.1	-13.7
H18	-12.4	-12.4	-12.4	-9.7	-5.6	-2.3	-1.4	-1.0	-1.0	-4.3	-8.2	-12.8
H19	-13.4	-13.4	-13.4	-10.6	-6.6	-3.3	-2.6	-2.2	-2.1	-5.3	-9.2	-13.8
H20	-12.2	-12.2	-12.1	-9.4	-5.3	-2.0	-1.2	-0.8	-0.8	-4.0	-7.9	-12.5
H21	-13.6	-13.6	-13.6	-10.8	-6.8	-3.6	-2.8	-2.5	-2.3	-5.5	-9.4	-14.0
H22	-13.1	-13.1	-13.1	-10.3	-6.2	-3.0	-2.3	-2.0	-1.8	-5.0	-8.9	-13.4
H23	-12.9	-12.9	-12.9	-10.1	-6.1	-2.8	-2.1	-1.8	-1.6	-4.8	-8.7	-13.3
H24	-17.1	-17.1	-17.0	-13.9	-9.4	-5.4	-3.5	-3.2	-5.4	-9.5	-12.4	-14.8
H25	-11.4	-11.4	-11.4	-8.6	-4.5	-1.3	-0.5	-0.1	0.0	-3.3	-7.2	-11.8
H26	-13.3	-13.3	-13.3	-10.6	-6.5	-3.3	-2.6	-2.3	-2.0	-5.2	-9.1	-13.7
H27	-11.8	-11.8	-11.8	-9.1	-5.0	-1.8	-1.1	-0.7	-0.5	-3.7	-7.6	-12.2
H28	-12.2	-12.2	-12.2	-9.5	-5.4	-2.2	-1.5	-1.2	-0.9	-4.1	-8.0	-12.6
H29	-14.2	-14.2	-14.2	-11.5	-7.4	-4.3	-3.6	-3.3	-2.9	-6.1	-10.0	-14.6
H30	-13.2	-13.2	-13.2	-10.4	-6.4	-3.2	-2.6	-2.2	-1.9	-5.1	-9.0	-13.5
H31	-14.0	-14.0	-14.0	-11.3	-7.2	-4.1	-3.4	-3.1	-2.7	-5.9	-9.8	-14.4
H32	-13.8	-13.8	-13.8	-11.1	-7.0	-3.9	-3.3	-3.0	-2.6	-5.8	-9.6	-14.2
H33	-17.5	-17.5	-17.5	-14.8	-10.7	-7.6	-7.0	-6.6	-6.3	-9.4	-13.3	-17.8
H34	-19.0	-19.0	-19.0	-16.3	-12.2	-9.0	-8.5	-8.2	-6.3	-6.0	-5.9	-9.2
H35	-13.2	-13.2	-13.2	-10.5	-6.4	-3.3	-2.7	-2.4	-1.9	-5.1	-9.0	-13.6
H36	-15.1	-15.1	-15.1	-12.4	-8.3	-5.2	-4.6	-4.3	-3.9	-7.0	-10.9	-15.5
H37	-17.1	-17.1	-17.0	-14.3	-10.3	-7.2	-6.6	-6.2	-5.8	-9.0	-12.9	-17.4
H38	-13.0	-13.0	-12.9	-10.2	-6.1	-3.0	-2.5	-2.1	-1.6	-4.9	-8.7	-13.3
H39	-15.6	-15.6	-15.4	-12.4	-7.9	-4.0	-1.9	-1.6	-4.1	-8.0	-10.9	-13.3
H40	-12.7	-12.7	-12.7	-10.0	-5.9	-2.8	-2.3	-1.9	-1.4	-4.7	-8.5	-13.1
H41	-16.2	-16.2	-16.1	-13.4	-9.4	-6.3	-5.7	-5.4	-4.9	-8.1	-12.0	-16.5
H42	-15.4	-15.4	-15.4	-12.7	-8.6	-5.5	-4.9	-4.6	-4.1	-7.3	-11.2	-15.7
H43	-17.0	-17.0	-17.0	-14.3	-10.2	-7.1	-6.5	-6.2	-5.7	-8.9	-12.8	-17.3
H44	-13.6	-13.6	-13.6	-10.8	-6.8	-3.7	-3.1	-2.8	-2.3	-5.5	-9.4	-13.9
H45	-15.7	-15.7	-15.7	-13.0	-8.9	-5.9	-5.3	-5.0	-4.5	-7.6	-11.5	-16.1
H46	-16.4	-16.4	-16.3	-13.6	-9.6	-6.5	-5.9	-5.6	-5.1	-8.3	-12.2	-16.7
H47	-16.4	-16.4	-16.4	-13.7	-9.6	-6.6	-6.0	-5.7	-5.1	-8.3	-12.2	-16.8

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H48	-21.4	-21.4	-21.2	-18.1	-13.6	-9.8	-7.9	-7.6	-10.0	-13.8	-16.7	-19.1
H49	-24.2	-24.1	-23.9	-20.8	-16.3	-12.6	-10.7	-10.5	-12.8	-16.5	-19.5	-21.9
H50	-24.6	-24.6	-24.3	-21.1	-16.7	-12.9	-11.2	-10.9	-13.2	-16.9	-19.9	-22.3
H52	-24.2	-24.2	-23.9	-20.7	-16.3	-12.5	-10.8	-10.6	-12.7	-16.5	-19.5	-21.9
H53	-24.4	-24.4	-24.1	-20.9	-16.5	-12.7	-11.0	-10.8	-13.0	-16.7	-19.7	-22.1
H54	-24.9	-24.9	-24.6	-21.4	-16.9	-13.2	-11.6	-11.3	-13.4	-17.2	-20.2	-22.6
H55	-24.3	-24.2	-24.0	-20.7	-16.3	-12.7	-11.7	-15.3	-18.0	-21.4	-25.3	-29.5
H56	-23.6	-23.6	-23.3	-20.2	-15.9	-12.2	-11.4	-14.7	-17.3	-20.7	-24.6	-28.8
H57	-23.4	-23.4	-23.2	-20.1	-15.7	-12.1	-11.3	-14.6	-17.2	-20.5	-24.4	-28.6
H58	-23.8	-23.8	-23.6	-20.4	-16.1	-12.4	-11.6	-14.9	-17.6	-20.9	-24.8	-29.0
H59	-23.8	-23.8	-23.6	-20.4	-16.1	-12.5	-11.6	-14.9	-17.6	-20.9	-24.8	-29.0
H60	-23.8	-23.8	-23.5	-20.4	-16.0	-12.4	-11.6	-14.9	-17.5	-20.9	-24.8	-29.0
H61	-23.8	-23.7	-23.5	-20.3	-16.0	-12.4	-11.5	-14.9	-17.5	-20.8	-24.7	-28.9
H62	-23.7	-23.6	-23.4	-20.2	-15.9	-12.3	-11.5	-14.8	-17.4	-20.7	-24.6	-28.8
H63	-23.7	-23.6	-23.4	-20.2	-15.9	-12.3	-11.4	-14.8	-17.4	-20.7	-24.6	-28.9
H64	-23.6	-23.6	-23.4	-20.2	-15.9	-12.3	-11.4	-14.8	-17.4	-20.7	-24.6	-28.8
H65	-23.6	-23.6	-23.4	-20.2	-15.9	-12.3	-11.4	-14.7	-17.4	-20.7	-24.6	-28.8
H66	-23.6	-23.6	-23.3	-20.2	-15.9	-12.3	-11.4	-14.7	-17.4	-20.7	-24.6	-28.8
H67	-23.3	-23.3	-23.0	-19.9	-15.6	-12.0	-11.2	-14.4	-17.0	-20.3	-24.2	-28.4
H68	-16.2	-16.2	-16.0	-13.0	-8.7	-5.1	-4.1	-7.1	-10.1	-13.2	-17.1	-21.3
H69	-26.0	-26.0	-26.0	-23.3	-19.2	-15.9	-14.5	-14.1	-13.4	-12.7	-12.6	-14.7
H70	-18.7	-18.7	-18.6	-15.6	-11.3	-7.8	-6.9	-9.9	-12.6	-15.7	-19.6	-23.8
H71	-24.4	-24.3	-24.1	-20.9	-16.5	-12.9	-12.1	-15.5	-18.1	-21.4	-25.3	-29.6
H72	-18.5	-18.5	-18.5	-15.8	-11.7	-8.7	-8.8	-11.3	-12.1	-15.3	-19.1	-23.2
H73	-17.0	-17.0	-16.9	-13.9	-9.3	-5.3	-4.4	-7.4	-10.7	-14.2	-18.2	-22.5
H74	-16.2	-16.2	-16.0	-13.0	-8.2	-4.4	-3.8	-6.2	-9.5	-13.4	-17.6	-21.9
H75	-10.9	-10.8	-10.8	-8.0	-3.8	-0.8	-0.9	-3.6	-4.4	-7.8	-11.6	-15.8
H76	-17.3	-17.3	-17.1	-14.1	-9.6	-5.6	-4.6	-7.7	-10.8	-14.4	-18.4	-22.7
H77	-17.2	-17.2	-17.0	-14.0	-9.5	-5.5	-4.6	-7.6	-10.7	-14.3	-18.4	-22.7
H78	-11.0	-11.0	-10.9	-8.1	-3.9	-0.7	-0.7	-3.4	-4.6	-8.0	-11.8	-16.0
H79	-11.5	-11.5	-11.4	-8.6	-4.3	-0.9	-0.5	-3.4	-5.2	-8.5	-12.4	-16.6
H80	-12.3	-12.3	-12.3	-9.4	-5.2	-1.7	-1.6	-4.5	-6.0	-9.4	-13.3	-17.5
H81	-14.4	-14.4	-14.3	-11.4	-6.8	-2.8	-2.4	-5.4	-8.2	-11.8	-15.9	-20.2
H82	-12.6	-12.6	-12.5	-9.7	-5.2	-1.5	-1.1	-4.3	-6.2	-9.8	-13.8	-18.0
H83	-12.6	-12.6	-12.5	-9.7	-5.2	-1.5	-1.1	-4.3	-6.2	-9.8	-13.8	-18.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H84	-16.0	-16.0	-16.0	-13.3	-9.2	-6.0	-5.5	-7.8	-9.9	-12.8	-18.3	-23.1
H85	-22.3	-22.3	-22.1	-19.2	-15.0	-11.6	-10.9	-13.8	-16.1	-19.3	-23.1	-27.3
H86	-22.6	-22.6	-22.4	-19.5	-15.3	-11.9	-11.2	-14.1	-16.4	-19.5	-23.4	-27.5
H87	-22.2	-22.2	-22.1	-19.2	-15.0	-11.5	-11.0	-13.8	-16.1	-19.2	-23.1	-27.2
H88	-12.4	-12.4	-12.4	-9.6	-5.6	-2.5	-2.0	-1.6	-1.0	-4.3	-8.2	-12.7
H89	-11.6	-11.6	-11.6	-8.9	-4.8	-1.7	-1.2	-0.9	-0.2	-3.5	-7.4	-12.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-19.1	-19.1	-19.0	-16.3	-12.1	-8.5	-6.8	-6.2	-7.5	-10.9	-14.8	-19.6
H2	-19.1	-19.1	-19.0	-16.3	-12.1	-8.5	-6.8	-6.2	-7.5	-10.9	-14.8	-19.6
H3	-18.9	-18.9	-18.9	-16.1	-11.9	-8.3	-6.6	-6.0	-7.4	-10.7	-14.7	-19.4
H4	-18.9	-18.9	-18.9	-16.1	-11.9	-8.3	-6.6	-6.0	-7.3	-10.7	-14.7	-19.4
H5	-18.8	-18.8	-18.8	-16.0	-11.8	-8.2	-6.4	-5.8	-7.2	-10.6	-14.6	-19.3
H6	-19.3	-19.3	-19.3	-16.5	-12.5	-9.0	-7.9	-7.8	-8.1	-11.2	-15.1	-19.7
H7	-16.8	-16.8	-16.8	-13.9	-9.5	-5.7	-3.3	-2.9	-6.2	-9.4	-12.1	-14.4
H8	-22.3	-22.3	-22.3	-19.2	-14.6	-10.4	-9.1	-9.0	-10.9	-14.8	-17.5	-20.0
H9	-21.6	-21.6	-21.6	-18.7	-14.2	-10.1	-8.2	-8.0	-10.4	-14.2	-16.9	-19.2
H10	-15.3	-15.3	-15.2	-12.3	-7.9	-3.9	-1.6	-1.4	-4.5	-7.8	-10.6	-12.9
H11	-15.2	-15.2	-15.1	-12.2	-7.8	-3.8	-1.5	-1.3	-4.4	-7.7	-10.5	-12.8
H12	-16.0	-16.0	-16.0	-13.0	-8.6	-4.6	-2.5	-2.3	-5.2	-8.6	-11.3	-13.7
H13	-17.2	-17.2	-17.2	-14.5	-10.4	-6.9	-5.9	-5.8	-6.0	-9.1	-13.0	-17.6
H14	-21.5	-21.5	-21.4	-18.4	-14.0	-9.9	-8.0	-7.9	-10.4	-14.0	-16.7	-19.1
H15	-22.3	-22.3	-22.2	-19.2	-14.8	-10.9	-8.7	-8.5	-11.3	-14.8	-17.5	-19.9
H16	-17.1	-17.1	-17.1	-14.4	-10.3	-6.9	-6.0	-6.1	-6.0	-9.1	-12.9	-17.5
H17	-13.3	-13.3	-13.3	-10.6	-6.5	-3.0	-2.1	-2.1	-2.0	-5.2	-9.1	-13.7
H18	-12.4	-12.4	-12.4	-9.7	-5.6	-2.0	-1.2	-1.0	-1.1	-4.3	-8.2	-12.8
H19	-13.4	-13.4	-13.4	-10.6	-6.6	-3.1	-2.2	-2.2	-2.1	-5.3	-9.2	-13.8
H20	-12.2	-12.1	-12.1	-9.4	-5.3	-1.8	-0.9	-0.8	-0.8	-4.0	-7.9	-12.5
H21	-13.6	-13.6	-13.6	-10.8	-6.8	-3.3	-2.5	-2.5	-2.3	-5.5	-9.4	-14.0
H22	-13.1	-13.1	-13.1	-10.3	-6.2	-2.7	-1.9	-2.0	-1.8	-5.0	-8.9	-13.4
H23	-12.9	-12.9	-12.9	-10.1	-6.1	-2.6	-1.8	-1.8	-1.6	-4.8	-8.7	-13.3
H24	-15.5	-15.5	-15.4	-12.3	-7.9	-4.0	-1.9	-1.6	-4.7	-8.0	-10.9	-13.2
H25	-11.4	-11.4	-11.4	-8.6	-4.5	-1.0	-0.2	-0.1	0.0	-3.3	-7.2	-11.8

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H26	-13.3	-13.3	-13.3	-10.5	-6.5	-3.0	-2.2	-2.3	-2.0	-5.2	-9.1	-13.7
H27	-11.8	-11.8	-11.8	-9.1	-5.0	-1.5	-0.7	-0.7	-0.5	-3.7	-7.6	-12.2
H28	-12.2	-12.2	-12.2	-9.5	-5.4	-1.9	-1.1	-1.2	-0.9	-4.1	-8.0	-12.6
H29	-14.2	-14.2	-14.2	-11.5	-7.4	-3.9	-3.1	-3.3	-2.9	-6.1	-10.0	-14.6
H30	-13.2	-13.2	-13.2	-10.4	-6.4	-2.9	-2.1	-2.2	-1.9	-5.1	-9.0	-13.5
H31	-14.0	-14.0	-14.0	-11.3	-7.2	-3.7	-2.9	-3.1	-2.7	-5.9	-9.8	-14.4
H32	-13.8	-13.8	-13.8	-11.1	-7.0	-3.5	-2.8	-3.0	-2.5	-5.8	-9.6	-14.2
H33	-17.5	-17.5	-17.5	-14.8	-10.7	-7.2	-6.4	-6.7	-6.2	-9.4	-13.3	-17.8
H34	-19.0	-19.0	-19.0	-16.3	-12.2	-8.7	-8.2	-8.2	-6.3	-6.0	-5.9	-9.2
H35	-13.2	-13.2	-13.2	-10.5	-6.4	-2.9	-2.1	-2.4	-1.9	-5.1	-9.0	-13.6
H36	-15.1	-15.1	-15.1	-12.4	-8.3	-4.8	-4.0	-4.3	-3.8	-7.0	-10.9	-15.5
H37	-17.1	-17.1	-17.0	-14.3	-10.3	-6.8	-6.0	-6.2	-5.8	-9.0	-12.9	-17.4
H38	-12.9	-12.9	-12.9	-10.2	-6.1	-2.6	-1.9	-2.1	-1.6	-4.9	-8.7	-13.3
H39	-14.9	-14.9	-14.7	-11.7	-7.3	-3.5	-1.2	-0.9	-4.2	-7.4	-10.3	-12.6
H40	-12.7	-12.7	-12.7	-10.0	-5.9	-2.4	-1.7	-1.9	-1.4	-4.6	-8.5	-13.1
H41	-16.2	-16.2	-16.2	-13.4	-9.4	-5.9	-5.1	-5.4	-4.9	-8.1	-12.0	-16.5
H42	-15.4	-15.4	-15.4	-12.7	-8.6	-5.1	-4.3	-4.6	-4.1	-7.3	-11.2	-15.7
H43	-17.0	-17.0	-17.0	-14.3	-10.2	-6.7	-5.9	-6.2	-5.7	-8.9	-12.8	-17.3
H44	-13.6	-13.6	-13.6	-10.8	-6.8	-3.3	-2.5	-2.8	-2.2	-5.5	-9.4	-13.9
H45	-15.7	-15.7	-15.7	-13.0	-8.9	-5.4	-4.6	-5.0	-4.4	-7.6	-11.5	-16.1
H46	-16.4	-16.4	-16.3	-13.6	-9.6	-6.1	-5.3	-5.6	-5.1	-8.3	-12.2	-16.7
H47	-16.4	-16.4	-16.4	-13.7	-9.6	-6.2	-5.3	-5.7	-5.1	-8.3	-12.2	-16.8
H48	-20.7	-20.7	-20.5	-17.4	-13.1	-9.3	-7.1	-6.9	-9.8	-13.2	-16.1	-18.4
H49	-24.2	-24.2	-24.0	-20.9	-16.6	-12.9	-10.9	-10.5	-13.4	-16.6	-19.6	-21.9
H50	-24.7	-24.6	-24.4	-21.3	-17.0	-13.3	-11.3	-10.9	-13.7	-17.1	-20.0	-22.4
H52	-24.3	-24.2	-24.0	-20.8	-16.5	-12.8	-10.8	-10.5	-13.2	-16.6	-19.6	-22.0
H53	-24.5	-24.4	-24.2	-21.1	-16.8	-13.1	-11.1	-10.7	-13.5	-16.8	-19.8	-22.2
H54	-25.2	-25.2	-24.9	-21.7	-17.4	-13.7	-11.7	-11.5	-14.2	-17.5	-20.6	-22.9
H55	-24.9	-24.9	-24.6	-21.5	-17.2	-13.5	-12.8	-16.2	-18.7	-22.0	-25.9	-30.1
H56	-24.3	-24.3	-24.1	-20.9	-16.7	-13.1	-12.4	-15.6	-18.0	-21.3	-25.2	-29.4
H57	-24.1	-24.1	-23.9	-20.8	-16.5	-12.9	-12.3	-15.5	-17.9	-21.1	-25.0	-29.2
H58	-24.5	-24.5	-24.3	-21.2	-16.9	-13.3	-12.6	-15.9	-18.3	-21.5	-25.4	-29.6
H59	-24.5	-24.5	-24.3	-21.2	-16.9	-13.3	-12.6	-15.9	-18.3	-21.5	-25.4	-29.6
H60	-24.5	-24.5	-24.2	-21.1	-16.9	-13.3	-12.6	-15.8	-18.2	-21.5	-25.4	-29.6
H61	-24.5	-24.4	-24.2	-21.1	-16.8	-13.2	-12.6	-15.8	-18.2	-21.5	-25.3	-29.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H62	-24.3	-24.3	-24.1	-21.0	-16.7	-13.1	-12.5	-15.7	-18.1	-21.3	-25.2	-29.4
H63	-24.5	-24.5	-24.3	-21.2	-16.9	-13.3	-12.6	-15.9	-18.3	-21.5	-25.4	-29.6
H64	-24.5	-24.5	-24.3	-21.1	-16.9	-13.3	-12.6	-15.9	-18.2	-21.5	-25.4	-29.6
H65	-24.5	-24.5	-24.2	-21.1	-16.9	-13.3	-12.6	-15.9	-18.2	-21.5	-25.4	-29.6
H66	-24.5	-24.5	-24.2	-21.1	-16.9	-13.3	-12.6	-15.8	-18.2	-21.5	-25.4	-29.6
H67	-24.1	-24.1	-23.9	-20.8	-16.6	-13.0	-12.3	-15.5	-17.9	-21.1	-25.0	-29.2
H68	-17.7	-17.7	-17.5	-14.5	-10.2	-6.5	-5.5	-8.7	-11.2	-14.7	-18.6	-22.8
H69	-27.5	-27.5	-27.5	-24.8	-20.7	-17.3	-15.9	-15.6	-14.3	-13.9	-13.9	-16.1
H70	-20.7	-20.7	-20.6	-17.6	-13.4	-9.8	-9.1	-12.1	-14.4	-17.7	-21.6	-25.7
H71	-25.5	-25.5	-25.3	-22.1	-17.8	-14.3	-13.6	-16.9	-19.2	-22.5	-26.4	-30.7
H72	-18.5	-18.5	-18.5	-15.8	-11.7	-8.2	-8.1	-11.3	-12.1	-15.3	-19.1	-23.2
H73	-19.5	-19.5	-19.3	-16.3	-11.9	-8.0	-7.0	-10.5	-12.9	-16.6	-20.7	-24.9
H74	-19.1	-19.0	-18.9	-15.9	-11.4	-7.3	-6.6	-9.8	-12.5	-16.3	-20.4	-24.6
H75	-12.2	-12.1	-12.1	-9.3	-5.1	-1.5	-1.1	-4.7	-5.6	-9.1	-12.9	-17.1
H76	-20.2	-20.2	-20.0	-17.1	-12.7	-8.9	-8.1	-11.4	-13.8	-17.4	-21.3	-25.6
H77	-20.0	-20.0	-19.9	-16.9	-12.5	-8.6	-7.8	-11.3	-13.7	-17.3	-21.3	-25.6
H78	-13.3	-13.2	-13.2	-10.4	-6.1	-2.3	-1.7	-5.5	-6.7	-10.3	-14.2	-18.3
H79	-14.9	-14.8	-14.8	-11.9	-7.6	-3.9	-3.3	-6.9	-8.3	-11.9	-15.8	-20.0
H80	-15.0	-15.0	-14.9	-12.1	-7.6	-3.5	-2.6	-6.4	-8.4	-12.2	-16.2	-20.4
H81	-18.8	-18.7	-18.6	-15.7	-11.3	-7.3	-6.5	-10.1	-12.4	-16.1	-20.1	-24.4
H82	-15.4	-15.4	-15.4	-12.5	-7.9	-3.6	-3.1	-6.5	-8.9	-12.8	-16.8	-21.0
H83	-15.4	-15.4	-15.4	-12.5	-7.9	-3.6	-3.1	-6.5	-8.9	-12.8	-16.8	-21.0
H84	-19.7	-19.7	-19.7	-17.0	-13.0	-9.6	-9.2	-11.8	-13.5	-16.5	-22.1	-26.9
H85	-25.2	-25.2	-25.0	-22.1	-17.9	-14.4	-13.9	-16.9	-18.9	-22.1	-25.9	-30.1
H86	-25.5	-25.5	-25.3	-22.4	-18.3	-14.8	-14.3	-17.2	-19.2	-22.4	-26.2	-30.4
H87	-25.3	-25.2	-25.1	-22.2	-18.0	-14.5	-14.1	-17.1	-19.0	-22.2	-26.0	-30.2
H88	-12.4	-12.4	-12.4	-9.6	-5.6	-2.1	-1.3	-1.6	-1.0	-4.3	-8.2	-12.7
H89	-11.6	-11.6	-11.6	-8.9	-4.8	-1.3	-0.5	-0.9	-0.2	-3.5	-7.4	-12.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-19.1	-19.1	-19.1	-16.3	-12.2	-9.1	-7.8	-6.9	-7.0	-10.9	-14.9	-19.6
H2	-19.1	-19.1	-19.1	-16.3	-12.2	-9.1	-7.8	-7.0	-7.0	-10.9	-14.9	-19.6
H3	-18.9	-18.9	-18.9	-16.2	-12.0	-8.9	-7.6	-6.8	-6.9	-10.7	-14.7	-19.5

Table 10.15.12: Margins in 330 Degree Sector - Day

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H4	-18.9	-18.9	-18.9	-16.2	-12.0	-8.9	-7.6	-6.7	-6.8	-10.7	-14.7	-19.4
H5	-18.8	-18.8	-18.8	-16.0	-11.9	-8.8	-7.4	-6.6	-6.7	-10.6	-14.6	-19.3
H6	-19.3	-19.3	-19.3	-16.6	-12.5	-9.3	-8.4	-8.0	-7.9	-11.2	-15.1	-19.7
H7	-16.5	-16.5	-16.5	-13.7	-9.4	-6.1	-4.4	-3.4	-5.5	-9.1	-11.8	-14.1
H8	-18.5	-18.5	-18.5	-15.6	-11.2	-7.7	-5.9	-5.6	-6.9	-11.0	-13.8	-16.2
H9	-17.8	-17.8	-17.8	-15.0	-10.7	-7.4	-5.6	-4.7	-6.7	-10.4	-13.1	-15.4
H10	-15.1	-15.1	-15.0	-12.2	-7.9	-4.6	-2.8	-2.1	-3.9	-7.7	-10.4	-12.7
H11	-15.0	-15.0	-14.9	-12.1	-7.8	-4.5	-2.8	-2.0	-3.8	-7.6	-10.3	-12.7
H12	-14.1	-14.1	-14.0	-11.2	-6.9	-3.7	-1.9	-1.1	-2.9	-6.7	-9.4	-11.8
H13	-17.2	-17.2	-17.2	-14.5	-10.4	-7.2	-6.3	-5.8	-5.8	-9.1	-13.0	-17.6
H14	-17.1	-17.1	-17.1	-14.3	-10.0	-6.7	-5.0	-4.0	-6.1	-9.7	-12.4	-14.8
H15	-17.9	-17.9	-17.8	-15.0	-10.8	-7.5	-5.7	-4.4	-7.0	-10.5	-13.2	-15.5
H16	-17.1	-17.1	-17.1	-14.4	-10.3	-7.1	-6.2	-5.9	-5.9	-9.1	-12.9	-17.5
H17	-13.4	-13.4	-13.4	-10.6	-6.5	-3.2	-2.4	-2.0	-2.0	-5.3	-9.2	-13.7
H18	-12.5	-12.5	-12.4	-9.7	-5.6	-2.3	-1.4	-1.0	-1.1	-4.3	-8.2	-12.8
H19	-13.4	-13.4	-13.4	-10.7	-6.6	-3.3	-2.5	-2.1	-2.1	-5.3	-9.2	-13.8
H20	-12.2	-12.2	-12.2	-9.4	-5.3	-2.0	-1.2	-0.8	-0.8	-4.1	-8.0	-12.6
H21	-13.6	-13.6	-13.6	-10.9	-6.8	-3.5	-2.6	-2.3	-2.3	-5.5	-9.4	-14.0
H22	-13.1	-13.1	-13.1	-10.4	-6.3	-3.0	-2.1	-1.8	-1.8	-5.0	-8.9	-13.4
H23	-12.9	-12.9	-12.9	-10.2	-6.1	-2.8	-1.9	-1.6	-1.6	-4.8	-8.7	-13.3
H24	-12.9	-12.9	-12.8	-9.9	-5.6	-2.7	-1.2	-0.2	-1.9	-5.4	-8.2	-10.5
H25	-11.4	-11.4	-11.4	-8.7	-4.6	-1.3	-0.4	0.0	-0.1	-3.3	-7.2	-11.8
H26	-13.3	-13.3	-13.3	-10.6	-6.5	-3.2	-2.3	-2.0	-2.0	-5.2	-9.1	-13.7
H27	-11.8	-11.8	-11.8	-9.1	-5.0	-1.7	-0.9	-0.5	-0.5	-3.7	-7.6	-12.2
H28	-12.2	-12.2	-12.2	-9.5	-5.4	-2.1	-1.3	-0.9	-0.9	-4.1	-8.0	-12.6
H29	-14.2	-14.2	-14.2	-11.5	-7.4	-4.1	-3.2	-2.9	-2.9	-6.1	-10.0	-14.6
H30	-13.2	-13.2	-13.2	-10.5	-6.4	-3.0	-2.2	-1.9	-1.9	-5.1	-9.0	-13.5
H31	-14.0	-14.0	-14.0	-11.3	-7.2	-3.9	-3.0	-2.7	-2.8	-6.0	-9.8	-14.4
H32	-13.9	-13.9	-13.8	-11.1	-7.1	-3.7	-2.9	-2.5	-2.6	-5.8	-9.7	-14.2
H33	-17.5	-17.5	-17.5	-14.8	-10.7	-7.4	-6.5	-6.2	-6.3	-9.4	-13.3	-17.9
H34	-19.0	-19.0	-19.0	-16.3	-12.2	-8.9	-8.3	-8.0	-6.3	-6.0	-6.0	-9.2
H35	-13.2	-13.2	-13.2	-10.5	-6.4	-3.1	-2.2	-1.9	-2.0	-5.1	-9.0	-13.6
H36	-15.1	-15.1	-15.1	-12.4	-8.3	-5.0	-4.1	-3.8	-3.9	-7.0	-10.9	-15.5
H37	-17.1	-17.1	-17.1	-14.4	-10.3	-6.9	-6.1	-5.7	-5.8	-9.0	-12.9	-17.4
H38	-13.0	-13.0	-13.0	-10.2	-6.2	-2.8	-1.9	-1.6	-1.7	-4.9	-8.8	-13.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H39	-13.1	-13.1	-13.0	-10.1	-5.7	-2.8	-1.3	-0.4	-2.1	-5.6	-8.5	-10.8
H40	-12.8	-12.8	-12.7	-10.0	-5.9	-2.6	-1.7	-1.4	-1.5	-4.7	-8.5	-13.1
H41	-16.2	-16.2	-16.2	-13.5	-9.4	-6.0	-5.1	-4.8	-4.9	-8.1	-12.0	-16.5
H42	-15.4	-15.4	-15.4	-12.7	-8.6	-5.3	-4.4	-4.1	-4.2	-7.3	-11.2	-15.7
H43	-17.0	-17.0	-17.0	-14.3	-10.2	-6.9	-6.0	-5.7	-5.7	-8.9	-12.8	-17.3
H44	-13.6	-13.6	-13.6	-10.9	-6.8	-3.4	-2.6	-2.2	-2.3	-5.5	-9.4	-13.9
H45	-15.7	-15.7	-15.7	-13.0	-8.9	-5.6	-4.7	-4.4	-4.5	-7.6	-11.5	-16.1
H46	-16.4	-16.4	-16.4	-13.6	-9.6	-6.2	-5.3	-5.0	-5.1	-8.3	-12.2	-16.7
H47	-16.4	-16.4	-16.4	-13.7	-9.6	-6.3	-5.4	-5.1	-5.2	-8.3	-12.2	-16.8
H48	-18.4	-18.3	-18.2	-15.3	-10.9	-7.7	-6.1	-5.4	-7.4	-10.8	-13.7	-16.0
H49	-22.6	-22.6	-22.4	-19.5	-15.0	-11.7	-10.1	-9.4	-11.5	-14.9	-17.9	-20.2
H50	-23.0	-23.0	-22.9	-19.9	-15.4	-12.1	-10.5	-9.7	-11.9	-15.3	-18.3	-20.6
H52	-22.6	-22.5	-22.4	-19.4	-14.9	-11.5	-9.8	-9.0	-11.3	-14.8	-17.8	-20.2
H53	-22.7	-22.7	-22.6	-19.6	-15.1	-11.7	-10.1	-9.3	-11.5	-15.0	-18.0	-20.3
H54	-23.9	-23.9	-23.7	-20.7	-16.2	-12.9	-11.2	-10.3	-12.6	-16.2	-19.2	-21.5
H55	-24.0	-23.9	-23.7	-20.7	-16.2	-12.8	-12.3	-15.4	-17.2	-20.8	-24.7	-28.9
H56	-23.4	-23.4	-23.2	-20.3	-15.8	-12.4	-11.9	-14.9	-16.7	-20.3	-24.2	-28.4
H57	-23.2	-23.2	-23.1	-20.1	-15.6	-12.3	-11.8	-14.8	-16.6	-20.1	-24.0	-28.2
H58	-23.6	-23.6	-23.5	-20.5	-16.0	-12.6	-12.1	-15.2	-16.9	-20.5	-24.4	-28.6
H59	-23.6	-23.6	-23.5	-20.5	-16.0	-12.6	-12.1	-15.2	-16.9	-20.5	-24.4	-28.6
H60	-23.6	-23.6	-23.4	-20.4	-15.9	-12.6	-12.1	-15.1	-16.9	-20.5	-24.4	-28.6
H61	-23.6	-23.5	-23.4	-20.4	-15.9	-12.6	-12.0	-15.1	-16.9	-20.4	-24.3	-28.5
H62	-23.4	-23.4	-23.3	-20.3	-15.8	-12.5	-11.9	-15.0	-16.8	-20.3	-24.2	-28.4
H63	-23.9	-23.9	-23.7	-20.7	-16.2	-12.9	-12.4	-15.5	-17.2	-20.8	-24.7	-28.8
H64	-23.9	-23.9	-23.7	-20.7	-16.2	-12.9	-12.4	-15.4	-17.2	-20.7	-24.6	-28.8
H65	-23.9	-23.8	-23.7	-20.7	-16.2	-12.9	-12.4	-15.4	-17.2	-20.7	-24.6	-28.8
H66	-23.8	-23.8	-23.6	-20.7	-16.2	-12.9	-12.4	-15.4	-17.2	-20.7	-24.6	-28.8
H67	-23.5	-23.5	-23.3	-20.4	-15.9	-12.5	-12.0	-15.1	-16.8	-20.3	-24.2	-28.4
H68	-17.7	-17.7	-17.6	-14.7	-10.0	-6.2	-5.0	-8.6	-11.1	-14.8	-18.7	-23.0
H69	-27.6	-27.6	-27.6	-24.9	-20.8	-17.4	-15.9	-15.6	-14.3	-14.1	-14.1	-16.2
H70	-20.9	-20.9	-20.8	-17.9	-13.5	-10.0	-9.4	-12.4	-14.3	-17.8	-21.7	-25.9
H71	-25.2	-25.2	-25.0	-22.0	-17.5	-14.2	-13.6	-16.7	-18.5	-22.1	-26.0	-30.1
H72	-19.3	-19.3	-19.3	-16.6	-12.5	-9.1	-8.7	-11.1	-12.8	-16.1	-19.8	-24.0
H73	-20.2	-20.2	-20.1	-17.2	-12.6	-8.8	-8.0	-11.4	-13.7	-17.4	-21.4	-25.6
H74	-20.0	-20.0	-19.8	-16.9	-12.3	-8.5	-7.6	-11.2	-13.5	-17.3	-21.2	-25.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H75	-15.0	-15.0	-14.9	-12.2	-7.9	-4.4	-3.7	-6.4	-8.4	-11.9	-15.7	-19.8
H76	-21.0	-21.0	-20.9	-18.0	-13.5	-9.9	-9.2	-12.5	-14.7	-18.3	-22.2	-26.4
H77	-21.0	-21.0	-20.8	-18.0	-13.5	-9.8	-9.2	-12.5	-14.6	-18.3	-22.2	-26.4
H78	-15.8	-15.8	-15.7	-12.9	-8.6	-4.9	-4.2	-7.0	-9.2	-12.8	-16.6	-20.8
H79	-16.8	-16.8	-16.7	-13.9	-9.5	-5.6	-4.9	-8.0	-10.3	-13.9	-17.9	-22.0
H80	-18.3	-18.2	-18.2	-15.4	-10.7	-6.5	-5.8	-8.8	-11.6	-15.5	-19.6	-23.8
H81	-21.3	-21.3	-21.2	-18.4	-14.0	-10.5	-10.1	-13.1	-15.0	-18.5	-22.4	-26.6
H82	-18.7	-18.7	-18.7	-15.8	-10.8	-7.1	-6.7	-9.1	-12.0	-16.2	-20.3	-24.6
H83	-18.7	-18.7	-18.7	-15.8	-10.8	-7.1	-6.7	-9.1	-12.0	-16.2	-20.3	-24.6
H84	-21.2	-21.2	-21.2	-18.5	-14.5	-11.2	-10.9	-13.3	-14.8	-18.0	-23.6	-28.4
H85	-26.0	-26.0	-25.9	-23.1	-18.8	-15.4	-15.1	-17.8	-19.5	-22.9	-26.8	-30.9
H86	-26.3	-26.3	-26.2	-23.4	-19.1	-15.8	-15.4	-18.2	-19.8	-23.2	-27.0	-31.2
H87	-26.2	-26.2	-26.1	-23.3	-19.0	-15.7	-15.3	-18.0	-19.7	-23.1	-26.9	-31.1
H88	-12.4	-12.4	-12.4	-9.7	-5.6	-2.2	-1.3	-1.0	-1.1	-4.3	-8.2	-12.8
H89	-11.6	-11.6	-11.6	-8.9	-4.8	-1.4	-0.5	-0.2	-0.3	-3.5	-7.4	-12.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-22.3	-22.3	-22.3	-19.5	-15.3	-11.5	-9.4	-9.0	-9.0	-8.8	-12.3	-17.7
H2	-22.3	-22.3	-22.3	-19.5	-15.3	-11.5	-9.4	-9.0	-9.0	-8.8	-12.3	-17.7
H3	-22.2	-22.2	-22.2	-19.4	-15.2	-11.4	-9.3	-8.9	-8.8	-8.7	-12.2	-17.6
H4	-22.2	-22.2	-22.2	-19.3	-15.1	-11.4	-9.2	-8.9	-8.8	-8.7	-12.2	-17.6
H5	-22.0	-22.0	-22.0	-19.2	-15.0	-11.2	-9.1	-8.8	-8.7	-8.5	-12.1	-17.5
H6	-22.4	-22.4	-22.4	-19.6	-15.6	-11.8	-9.7	-9.4	-9.3	-9.3	-12.6	-17.8
H7	-19.9	-19.9	-19.9	-17.1	-12.8	-9.0	-6.9	-6.5	-6.4	-6.4	-10.2	-14.3
H8	-22.1	-22.1	-22.1	-19.2	-14.8	-11.0	-8.8	-8.4	-8.3	-8.2	-12.2	-16.5
H9	-21.3	-21.3	-21.3	-18.4	-14.2	-10.4	-8.3	-7.9	-7.8	-7.8	-11.6	-15.6
H10	-18.5	-18.5	-18.5	-15.7	-11.5	-7.7	-5.5	-5.1	-5.0	-5.0	-8.8	-12.9
H11	-18.5	-18.5	-18.5	-15.6	-11.4	-7.6	-5.4	-5.0	-4.9	-4.9	-8.7	-12.8
H12	-17.6	-17.6	-17.6	-14.7	-10.5	-6.7	-4.5	-4.1	-4.0	-4.0	-7.8	-11.9
H13	-20.3	-20.3	-20.3	-17.6	-13.5	-9.7	-7.7	-7.3	-7.3	-7.2	-10.5	-15.7
H14	-20.6	-20.6	-20.6	-17.8	-13.6	-9.7	-7.6	-7.2	-7.1	-7.2	-10.9	-15.0
H15	-20.3	-20.3	-20.3	-17.5	-13.3	-9.5	-7.4	-7.0	-6.9	-6.9	-10.7	-14.7
H16	-20.2	-20.2	-20.2	-17.5	-13.4	-9.6	-7.5	-7.2	-7.2	-7.1	-10.4	-15.6

Table 10.15.13: Margins in 0 Degree Sector - Night

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H17	-16.4	-16.4	-16.4	-13.7	-9.7	-5.9	-3.8	-3.4	-3.4	-3.3	-6.7	-11.8
H18	-15.5	-15.5	-15.5	-12.8	-8.8	-5.0	-2.9	-2.5	-2.5	-2.4	-5.7	-10.9
H19	-16.5	-16.5	-16.5	-13.8	-9.7	-5.9	-3.8	-3.5	-3.4	-3.4	-6.7	-11.9
H20	-15.3	-15.3	-15.3	-12.5	-8.5	-4.7	-2.6	-2.2	-2.2	-2.1	-5.5	-10.7
H21	-16.7	-16.7	-16.7	-14.0	-9.9	-6.1	-4.0	-3.7	-3.6	-3.6	-6.9	-12.1
H22	-16.1	-16.1	-16.1	-13.4	-9.4	-5.6	-3.5	-3.2	-3.1	-3.1	-6.4	-11.5
H23	-16.0	-16.0	-16.0	-13.3	-9.2	-5.4	-3.3	-3.0	-2.9	-2.9	-6.2	-11.4
H24	-15.0	-15.0	-15.0	-12.3	-8.1	-4.2	-2.1	-1.7	-1.4	-1.4	-5.3	-9.4
H25	-14.5	-14.5	-14.5	-11.8	-7.7	-3.9	-1.9	-1.5	-1.4	-1.4	-4.7	-9.9
H26	-16.4	-16.4	-16.4	-13.7	-9.6	-5.8	-3.7	-3.4	-3.3	-3.3	-6.6	-11.8
H27	-14.9	-14.9	-14.9	-12.2	-8.1	-4.3	-2.3	-1.9	-1.8	-1.8	-5.1	-10.3
H28	-15.3	-15.3	-15.3	-12.6	-8.5	-4.7	-2.7	-2.3	-2.3	-2.2	-5.5	-10.7
H29	-17.5	-17.5	-17.5	-14.8	-10.7	-6.9	-4.8	-4.5	-4.4	-4.4	-7.7	-12.9
H30	-16.4	-16.4	-16.4	-13.7	-9.7	-5.9	-3.8	-3.5	-3.4	-3.4	-6.7	-11.8
H31	-17.3	-17.3	-17.3	-14.6	-10.5	-6.7	-4.7	-4.3	-4.3	-4.2	-7.5	-12.7
H32	-17.1	-17.1	-17.1	-14.4	-10.3	-6.6	-4.5	-4.1	-4.1	-4.0	-7.3	-12.5
H33	-20.8	-20.8	-20.8	-18.1	-14.0	-10.2	-8.1	-7.8	-7.7	-7.7	-11.0	-16.1
H34	-19.2	-19.2	-19.2	-16.5	-12.4	-8.7	-6.6	-6.2	-6.2	-6.2	-6.2	-7.5
H35	-16.4	-16.4	-16.4	-13.7	-9.7	-5.9	-3.8	-3.5	-3.4	-3.4	-6.7	-11.8
H36	-18.3	-18.3	-18.3	-15.6	-11.6	-7.8	-5.7	-5.4	-5.3	-5.3	-8.6	-13.7
H37	-20.3	-20.3	-20.3	-17.6	-13.6	-9.8	-7.7	-7.3	-7.3	-7.2	-10.5	-15.7
H38	-16.2	-16.2	-16.2	-13.5	-9.4	-5.6	-3.5	-3.2	-3.1	-3.1	-6.4	-11.6
H39	-13.9	-13.9	-13.9	-11.2	-7.1	-3.1	-1.0	-0.5	-0.3	-0.2	-4.2	-8.3
H40	-16.0	-16.0	-16.0	-13.3	-9.2	-5.4	-3.3	-3.0	-2.9	-2.9	-6.2	-11.4
H41	-19.4	-19.4	-19.4	-16.7	-12.6	-8.9	-6.8	-6.4	-6.4	-6.3	-9.6	-14.8
H42	-18.6	-18.6	-18.6	-15.9	-11.9	-8.1	-6.0	-5.6	-5.6	-5.6	-8.8	-14.0
H43	-20.5	-20.5	-20.5	-17.8	-13.7	-9.9	-7.8	-7.5	-7.4	-7.4	-10.7	-15.8
H44	-16.8	-16.8	-16.8	-14.1	-10.0	-6.3	-4.2	-3.8	-3.8	-3.7	-7.0	-12.2
H45	-19.1	-19.1	-19.1	-16.4	-12.4	-8.6	-6.5	-6.2	-6.1	-6.1	-9.4	-14.5
H46	-19.8	-19.8	-19.8	-17.1	-13.1	-9.3	-7.2	-6.8	-6.8	-6.7	-10.0	-15.2
H47	-19.9	-19.9	-19.9	-17.2	-13.1	-9.3	-7.2	-6.9	-6.8	-6.8	-10.1	-15.2
H48	-17.2	-17.2	-17.2	-14.5	-10.4	-6.4	-4.2	-3.7	-3.4	-3.4	-7.5	-11.6
H49	-21.6	-21.6	-21.6	-18.9	-14.7	-10.8	-8.5	-8.0	-7.5	-7.4	-11.7	-16.0
H50	-22.0	-22.0	-22.0	-19.3	-15.2	-11.2	-8.9	-8.4	-7.9	-7.8	-12.2	-16.4
H52	-21.5	-21.5	-21.5	-18.8	-14.7	-10.6	-8.4	-7.8	-7.3	-7.1	-11.6	-15.9

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H53	-21.7	-21.7	-21.7	-19.0	-14.8	-10.8	-8.5	-8.0	-7.5	-7.3	-11.8	-16.1
H54	-23.4	-23.4	-23.4	-20.6	-16.5	-12.4	-10.1	-9.6	-9.0	-8.8	-13.4	-17.7
H55	-23.6	-23.6	-23.6	-20.9	-16.8	-12.7	-10.4	-9.8	-11.7	-15.9	-20.4	-25.3
H56	-23.3	-23.3	-23.3	-20.6	-16.4	-12.4	-10.2	-9.6	-11.4	-15.5	-20.1	-24.9
H57	-23.1	-23.1	-23.1	-20.4	-16.3	-12.3	-10.0	-9.4	-11.2	-15.4	-19.9	-24.7
H58	-23.5	-23.5	-23.5	-20.8	-16.7	-12.7	-10.4	-9.8	-11.6	-15.8	-20.3	-25.1
H59	-23.5	-23.5	-23.5	-20.8	-16.7	-12.6	-10.4	-9.8	-11.6	-15.8	-20.3	-25.1
H60	-23.5	-23.5	-23.5	-20.8	-16.6	-12.6	-10.3	-9.8	-11.6	-15.7	-20.3	-25.1
H61	-23.4	-23.4	-23.4	-20.7	-16.6	-12.6	-10.3	-9.7	-11.5	-15.7	-20.2	-25.0
H62	-23.3	-23.3	-23.3	-20.6	-16.5	-12.4	-10.2	-9.6	-11.4	-15.6	-20.1	-24.9
H63	-24.1	-24.1	-24.1	-21.4	-17.3	-13.2	-11.0	-10.4	-12.2	-16.4	-20.9	-25.7
H64	-24.1	-24.1	-24.1	-21.4	-17.2	-13.2	-10.9	-10.4	-12.2	-16.3	-20.9	-25.7
H65	-24.1	-24.1	-24.1	-21.4	-17.2	-13.2	-10.9	-10.3	-12.2	-16.3	-20.8	-25.7
H66	-24.1	-24.1	-24.1	-21.3	-17.2	-13.2	-10.9	-10.3	-12.1	-16.3	-20.8	-25.7
H67	-23.7	-23.7	-23.7	-21.0	-16.8	-12.8	-10.6	-10.0	-11.8	-15.9	-20.5	-25.3
H68	-19.3	-19.3	-19.3	-16.6	-12.1	-8.1	-5.9	-5.4	-7.5	-11.8	-16.4	-21.3
H69	-26.5	-26.5	-26.5	-23.8	-19.5	-15.7	-13.6	-13.3	-13.2	-13.1	-13.0	-15.1
H70	-22.2	-22.2	-22.2	-19.5	-15.3	-11.4	-9.2	-8.7	-10.6	-14.6	-19.0	-23.9
H71	-25.9	-25.9	-25.9	-23.2	-19.0	-15.0	-12.8	-12.3	-14.1	-18.1	-22.6	-27.4
H72	-27.0	-27.0	-27.0	-24.3	-20.2	-16.4	-14.4	-14.0	-15.7	-19.4	-23.6	-28.3
H73	-22.5	-22.5	-22.5	-19.8	-15.6	-11.6	-9.3	-8.7	-10.7	-14.9	-19.4	-24.3
H74	-22.4	-22.4	-22.4	-19.7	-15.4	-11.4	-9.1	-8.5	-10.4	-14.7	-19.3	-24.2
H75	-19.5	-19.5	-19.5	-16.8	-12.7	-8.8	-6.6	-6.2	-8.0	-11.8	-16.1	-20.9
H76	-23.4	-23.4	-23.4	-20.7	-16.5	-12.6	-10.4	-9.8	-11.7	-15.8	-20.3	-25.1
H77	-23.4	-23.4	-23.4	-20.7	-16.5	-12.6	-10.3	-9.8	-11.7	-15.8	-20.3	-25.1
H78	-19.9	-19.9	-19.9	-17.2	-13.1	-9.2	-6.9	-6.3	-8.2	-12.2	-16.6	-21.4
H79	-20.8	-20.8	-20.8	-18.1	-13.9	-10.0	-7.7	-7.1	-9.0	-13.1	-17.5	-22.3
H80	-23.2	-23.2	-23.2	-20.4	-16.2	-12.1	-9.6	-8.5	-10.8	-15.4	-20.0	-24.8
H81	-24.9	-24.9	-24.9	-22.2	-18.0	-14.1	-11.9	-11.4	-13.3	-17.3	-21.7	-26.5
H82	-24.0	-24.0	-24.0	-21.3	-16.9	-12.7	-9.9	-8.8	-11.0	-16.1	-20.9	-25.8
H83	-24.0	-24.0	-24.0	-21.3	-16.9	-12.7	-9.9	-8.8	-11.0	-16.1	-20.9	-25.8
H84	-23.8	-23.8	-23.8	-21.1	-17.1	-13.3	-11.3	-10.9	-12.6	-16.2	-22.1	-27.7
H85	-28.3	-28.3	-28.3	-25.6	-21.5	-17.6	-15.5	-15.1	-16.9	-20.7	-25.0	-29.8
H86	-28.6	-28.6	-28.6	-25.9	-21.8	-18.0	-15.8	-15.4	-17.2	-21.0	-25.3	-30.0
H87	-28.7	-28.7	-28.7	-26.0	-21.9	-18.0	-15.9	-15.5	-17.3	-21.1	-25.4	-30.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H88	-15.8	-15.8	-15.8	-13.1	-9.0	-5.3	-3.2	-2.8	-2.8	-2.7	-6.0	-11.2
H89	-15.1	-15.1	-15.1	-12.4	-8.4	-4.6	-2.5	-2.1	-2.0	-2.0	-5.3	-10.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-22.4	-22.4	-22.4	-19.6	-15.5	-11.8	-9.7	-9.3	-9.3	-9.2	-12.6	-17.8
H2	-22.4	-22.4	-22.4	-19.6	-15.5	-11.7	-9.6	-9.3	-9.2	-9.2	-12.5	-17.8
H3	-22.2	-22.2	-22.2	-19.5	-15.4	-11.6	-9.5	-9.2	-9.1	-9.1	-12.4	-17.6
H4	-22.2	-22.2	-22.2	-19.5	-15.4	-11.6	-9.5	-9.2	-9.1	-9.0	-12.4	-17.6
H5	-22.1	-22.1	-22.1	-19.4	-15.3	-11.5	-9.4	-9.0	-9.0	-8.9	-12.3	-17.5
H6	-22.4	-22.4	-22.4	-19.7	-15.6	-11.9	-9.8	-9.4	-9.4	-9.4	-12.6	-17.8
H7	-20.0	-20.0	-20.0	-17.2	-13.1	-9.3	-7.2	-6.8	-6.8	-6.9	-10.4	-14.4
H8	-22.3	-22.3	-22.3	-19.5	-15.3	-11.5	-9.4	-9.0	-8.9	-9.0	-12.6	-16.7
H9	-21.3	-21.3	-21.3	-18.6	-14.4	-10.6	-8.5	-8.2	-8.1	-8.2	-11.8	-15.7
H10	-18.6	-18.6	-18.6	-15.9	-11.7	-7.9	-5.8	-5.4	-5.3	-5.4	-9.0	-13.0
H11	-18.5	-18.5	-18.5	-15.8	-11.6	-7.8	-5.7	-5.3	-5.2	-5.3	-8.9	-12.9
H12	-17.6	-17.6	-17.6	-14.9	-10.7	-6.9	-4.8	-4.4	-4.3	-4.3	-8.0	-12.0
H13	-20.7	-20.7	-20.7	-18.0	-13.9	-10.2	-8.1	-7.7	-7.7	-7.7	-10.9	-16.1
H14	-20.6	-20.6	-20.6	-17.9	-13.7	-9.9	-7.8	-7.4	-7.3	-7.4	-11.0	-15.0
H15	-20.4	-20.4	-20.4	-17.6	-13.5	-9.7	-7.5	-7.2	-7.1	-7.2	-10.8	-14.8
H16	-21.0	-21.0	-21.0	-18.3	-14.2	-10.5	-8.4	-8.1	-8.0	-8.0	-11.2	-16.4
H17	-17.3	-17.3	-17.3	-14.6	-10.5	-6.8	-4.7	-4.3	-4.3	-4.3	-7.5	-12.7
H18	-16.4	-16.4	-16.4	-13.7	-9.7	-5.9	-3.8	-3.5	-3.4	-3.4	-6.7	-11.8
H19	-17.3	-17.3	-17.3	-14.6	-10.5	-6.8	-4.7	-4.3	-4.3	-4.3	-7.5	-12.7
H20	-16.1	-16.1	-16.1	-13.4	-9.4	-5.6	-3.5	-3.2	-3.1	-3.1	-6.4	-11.5
H21	-17.4	-17.4	-17.4	-14.7	-10.7	-6.9	-4.8	-4.5	-4.5	-4.4	-7.7	-12.8
H22	-16.9	-16.9	-16.9	-14.2	-10.2	-6.4	-4.3	-4.0	-3.9	-3.9	-7.2	-12.3
H23	-16.7	-16.7	-16.7	-14.0	-10.0	-6.2	-4.1	-3.8	-3.7	-3.7	-7.0	-12.1
H24	-15.1	-15.1	-15.1	-12.3	-8.2	-4.3	-2.2	-1.8	-1.6	-1.6	-5.4	-9.5
H25	-15.3	-15.3	-15.3	-12.6	-8.6	-4.8	-2.7	-2.4	-2.3	-2.3	-5.6	-10.7
H26	-17.4	-17.4	-17.4	-14.7	-10.6	-6.8	-4.8	-4.4	-4.4	-4.4	-7.6	-12.8
H27	-15.9	-15.9	-15.9	-13.2	-9.2	-5.4	-3.3	-3.0	-2.9	-2.9	-6.2	-11.3
H28	-16.5	-16.5	-16.5	-13.8	-9.8	-6.0	-3.9	-3.6	-3.5	-3.5	-6.8	-11.9
H29	-19.2	-19.2	-19.2	-16.5	-12.4	-8.6	-6.6	-6.2	-6.2	-6.1	-9.4	-14.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H30	-17.5	-17.5	-17.5	-14.8	-10.8	-7.0	-4.9	-4.5	-4.5	-4.5	-7.7	-12.9
H31	-18.9	-18.9	-18.9	-16.2	-12.2	-8.4	-6.3	-6.0	-6.0	-5.9	-9.2	-14.3
H32	-18.7	-18.7	-18.7	-16.0	-12.0	-8.2	-6.1	-5.8	-5.7	-5.7	-9.0	-14.1
H33	-24.3	-24.3	-24.3	-21.6	-17.6	-13.8	-11.7	-11.4	-11.3	-11.3	-14.5	-19.7
H34	-19.9	-19.9	-19.9	-17.2	-13.1	-9.4	-7.3	-7.0	-6.9	-6.9	-6.9	-8.2
H35	-18.0	-18.0	-18.0	-15.3	-11.3	-7.5	-5.4	-5.1	-5.0	-5.0	-8.3	-13.4
H36	-20.2	-20.2	-20.2	-17.5	-13.4	-9.7	-7.6	-7.2	-7.2	-7.2	-10.4	-15.6
H37	-23.8	-23.8	-23.8	-21.1	-17.1	-13.3	-11.2	-10.9	-10.8	-10.8	-14.1	-19.2
H38	-17.7	-17.7	-17.7	-15.0	-11.0	-7.2	-5.1	-4.8	-4.8	-4.7	-8.0	-13.1
H39	-13.7	-13.7	-13.7	-11.0	-6.8	-3.0	-0.8	-0.4	-0.3	-0.3	-4.1	-8.1
H40	-17.7	-17.7	-17.7	-15.0	-11.0	-7.2	-5.1	-4.8	-4.7	-4.7	-8.0	-13.1
H41	-22.9	-22.9	-22.9	-20.2	-16.1	-12.4	-10.3	-9.9	-9.9	-9.9	-13.1	-18.3
H42	-22.1	-22.1	-22.1	-19.4	-15.4	-11.6	-9.5	-9.2	-9.1	-9.1	-12.4	-17.5
H43	-23.9	-23.9	-23.9	-21.2	-17.2	-13.4	-11.3	-11.0	-10.9	-10.9	-14.1	-19.3
H44	-18.5	-18.5	-18.5	-15.8	-11.8	-8.0	-5.9	-5.6	-5.6	-5.5	-8.8	-13.9
H45	-22.6	-22.6	-22.6	-19.9	-15.8	-12.0	-10.0	-9.6	-9.6	-9.6	-12.8	-17.9
H46	-23.2	-23.2	-23.2	-20.5	-16.5	-12.7	-10.6	-10.3	-10.2	-10.2	-13.4	-18.6
H47	-23.2	-23.2	-23.2	-20.6	-16.5	-12.7	-10.6	-10.3	-10.3	-10.2	-13.5	-18.6
H48	-15.7	-15.7	-15.7	-13.0	-8.9	-5.0	-2.8	-2.4	-2.2	-2.2	-6.0	-10.1
H49	-18.5	-18.5	-18.5	-15.8	-11.7	-7.8	-5.6	-5.1	-4.9	-4.9	-8.8	-12.9
H50	-19.0	-19.0	-19.0	-16.3	-12.1	-8.2	-6.0	-5.6	-5.3	-5.3	-9.3	-13.4
H52	-18.5	-18.5	-18.5	-15.8	-11.7	-7.8	-5.6	-5.1	-4.9	-4.9	-8.8	-12.9
H53	-18.7	-18.7	-18.7	-16.0	-11.9	-8.0	-5.8	-5.3	-5.1	-5.1	-9.0	-13.1
H54	-19.3	-19.3	-19.3	-16.5	-12.4	-8.5	-6.3	-5.8	-5.5	-5.6	-9.5	-13.6
H55	-19.8	-19.8	-19.8	-17.1	-13.0	-9.1	-6.9	-6.5	-8.3	-12.1	-16.5	-21.2
H56	-19.0	-19.0	-19.0	-16.3	-12.2	-8.3	-6.1	-5.7	-7.5	-11.3	-15.7	-20.4
H57	-18.8	-18.8	-18.8	-16.1	-12.0	-8.1	-6.0	-5.5	-7.3	-11.1	-15.5	-20.2
H58	-19.2	-19.2	-19.2	-16.5	-12.4	-8.5	-6.4	-5.9	-7.7	-11.5	-15.9	-20.7
H59	-19.2	-19.2	-19.2	-16.5	-12.4	-8.5	-6.4	-5.9	-7.7	-11.5	-15.9	-20.7
H60	-19.2	-19.2	-19.2	-16.5	-12.4	-8.5	-6.3	-5.9	-7.7	-11.5	-15.9	-20.6
H61	-19.1	-19.1	-19.1	-16.4	-12.3	-8.4	-6.3	-5.8	-7.6	-11.4	-15.8	-20.6
H62	-19.0	-19.0	-19.0	-16.3	-12.2	-8.3	-6.2	-5.7	-7.5	-11.3	-15.7	-20.4
H63	-19.8	-19.8	-19.8	-17.1	-13.0	-9.1	-6.9	-6.5	-8.3	-12.1	-16.5	-21.2
H64	-19.8	-19.8	-19.8	-17.0	-12.9	-9.1	-6.9	-6.5	-8.2	-12.1	-16.4	-21.2
H65	-19.7	-19.7	-19.7	-17.0	-12.9	-9.0	-6.9	-6.5	-8.2	-12.1	-16.4	-21.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H66	-19.7	-19.7	-19.7	-17.0	-12.9	-9.0	-6.9	-6.4	-8.2	-12.0	-16.4	-21.2
H67	-19.3	-19.3	-19.3	-16.6	-12.5	-8.7	-6.5	-6.1	-7.8	-11.7	-16.0	-20.8
H68	-16.4	-16.4	-16.4	-13.7	-9.3	-5.5	-3.3	-2.8	-4.9	-9.0	-13.5	-18.3
H69	-24.0	-24.0	-24.0	-21.3	-17.1	-13.3	-11.2	-10.8	-10.7	-10.7	-10.6	-12.6
H70	-18.6	-18.6	-18.6	-15.9	-11.7	-7.8	-5.7	-5.3	-7.2	-11.1	-15.5	-20.3
H71	-21.6	-21.6	-21.6	-18.9	-14.8	-11.0	-8.8	-8.4	-10.2	-14.0	-18.3	-23.1
H72	-30.3	-30.3	-30.3	-27.6	-23.6	-19.8	-17.7	-17.4	-19.1	-22.7	-26.9	-31.6
H73	-19.1	-19.1	-19.1	-16.4	-11.9	-7.8	-5.3	-4.2	-6.5	-11.3	-16.2	-21.2
H74	-19.1	-19.1	-19.1	-16.4	-11.9	-7.7	-5.1	-4.2	-6.1	-11.1	-16.0	-21.1
H75	-19.7	-19.7	-19.7	-17.0	-12.9	-9.1	-6.9	-6.5	-8.2	-12.1	-16.4	-21.1
H76	-20.1	-20.1	-20.1	-17.4	-13.2	-9.2	-6.9	-6.1	-8.1	-12.4	-17.0	-21.9
H77	-20.1	-20.1	-20.1	-17.4	-13.1	-9.1	-6.8	-6.1	-8.1	-12.4	-17.0	-21.9
H78	-19.8	-19.8	-19.8	-17.1	-13.0	-9.1	-6.9	-6.3	-8.2	-12.1	-16.5	-21.3
H79	-20.3	-20.3	-20.3	-17.5	-13.4	-9.5	-7.3	-6.7	-8.6	-12.6	-17.0	-21.7
H80	-23.1	-23.1	-23.1	-20.4	-16.2	-12.1	-9.6	-8.6	-10.8	-15.3	-19.9	-24.7
H81	-23.5	-23.5	-23.5	-20.8	-16.7	-12.8	-10.6	-10.1	-12.0	-15.9	-20.2	-25.0
H82	-24.0	-24.0	-24.0	-21.3	-17.0	-12.8	-10.0	-8.7	-11.1	-16.1	-20.9	-25.7
H83	-24.0	-24.0	-24.0	-21.3	-17.0	-12.8	-10.0	-8.7	-11.1	-16.1	-20.9	-25.7
H84	-21.5	-21.5	-21.5	-18.8	-14.7	-11.0	-8.9	-8.6	-10.3	-13.9	-19.7	-25.3
H85	-25.3	-25.3	-25.3	-22.6	-18.5	-14.7	-12.6	-12.2	-14.0	-17.8	-22.1	-26.9
H86	-25.7	-25.7	-25.7	-23.0	-18.9	-15.1	-12.9	-12.5	-14.3	-18.1	-22.4	-27.1
H87	-25.9	-25.9	-25.9	-23.2	-19.1	-15.3	-13.2	-12.8	-14.6	-18.4	-22.7	-27.5
H88	-17.3	-17.3	-17.3	-14.6	-10.6	-6.8	-4.7	-4.4	-4.4	-4.3	-7.6	-12.7
H89	-17.6	-17.6	-17.6	-14.9	-10.9	-7.1	-5.0	-4.7	-4.6	-4.6	-7.9	-13.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-22.4	-22.4	-22.4	-19.7	-15.6	-11.8	-9.8	-9.4	-9.4	-9.4	-12.6	-17.8
H2	-22.4	-22.4	-22.4	-19.7	-15.6	-11.8	-9.7	-9.4	-9.4	-9.3	-12.6	-17.8
H3	-22.3	-22.3	-22.3	-19.6	-15.5	-11.7	-9.6	-9.3	-9.3	-9.2	-12.5	-17.7
H4	-22.3	-22.3	-22.3	-19.5	-15.5	-11.7	-9.6	-9.3	-9.2	-9.2	-12.5	-17.7
H5	-22.1	-22.1	-22.1	-19.4	-15.4	-11.6	-9.5	-9.2	-9.1	-9.1	-12.4	-17.5
H6	-23.9	-23.9	-23.9	-21.2	-17.2	-13.4	-11.3	-11.0	-10.9	-10.9	-14.2	-19.3
H7	-20.1	-20.1	-20.1	-17.3	-13.2	-9.4	-7.4	-7.0	-7.0	-7.1	-10.6	-14.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H8	-22.3	-22.3	-22.3	-19.6	-15.4	-11.6	-9.5	-9.2	-9.1	-9.2	-12.8	-16.7
H9	-21.4	-21.4	-21.4	-18.6	-14.5	-10.7	-8.6	-8.3	-8.2	-8.4	-11.9	-15.8
H10	-18.7	-18.7	-18.7	-15.9	-11.8	-8.1	-6.0	-5.6	-5.6	-5.7	-9.2	-13.1
H11	-18.6	-18.6	-18.6	-15.9	-11.8	-8.0	-5.9	-5.5	-5.5	-5.6	-9.1	-13.0
H12	-17.7	-17.7	-17.7	-15.0	-10.9	-7.1	-5.0	-4.6	-4.6	-4.7	-8.2	-12.1
H13	-23.2	-23.2	-23.2	-20.5	-16.5	-12.7	-10.6	-10.3	-10.3	-10.2	-13.5	-18.6
H14	-20.7	-20.7	-20.7	-17.9	-13.8	-10.0	-7.9	-7.6	-7.5	-7.6	-11.1	-15.0
H15	-20.4	-20.4	-20.4	-17.7	-13.6	-9.8	-7.7	-7.3	-7.2	-7.4	-10.9	-14.8
H16	-24.6	-24.6	-24.6	-21.9	-17.8	-14.1	-12.0	-11.7	-11.6	-11.6	-14.8	-20.0
H17	-19.3	-19.3	-19.3	-16.6	-12.6	-8.8	-6.7	-6.4	-6.4	-6.3	-9.6	-14.7
H18	-18.5	-18.5	-18.5	-15.8	-11.7	-8.0	-5.9	-5.6	-5.5	-5.5	-8.7	-13.9
H19	-20.9	-20.9	-20.9	-18.2	-14.2	-10.4	-8.3	-8.0	-8.0	-7.9	-11.2	-16.3
H20	-18.2	-18.2	-18.2	-15.5	-11.4	-7.6	-5.6	-5.2	-5.2	-5.2	-8.4	-13.6
H21	-21.1	-21.1	-21.1	-18.4	-14.3	-10.5	-8.5	-8.1	-8.1	-8.1	-11.3	-16.4
H22	-20.5	-20.5	-20.5	-17.8	-13.8	-10.0	-8.0	-7.6	-7.6	-7.6	-10.8	-15.9
H23	-20.3	-20.3	-20.3	-17.6	-13.6	-9.8	-7.7	-7.4	-7.4	-7.4	-10.6	-15.7
H24	-15.2	-15.2	-15.2	-12.4	-8.3	-4.5	-2.4	-2.1	-2.0	-2.1	-5.6	-9.6
H25	-17.2	-17.2	-17.2	-14.5	-10.5	-6.7	-4.6	-4.3	-4.2	-4.2	-7.5	-12.6
H26	-20.9	-20.9	-20.9	-18.2	-14.1	-10.3	-8.3	-7.9	-7.9	-7.9	-11.1	-16.3
H27	-19.1	-19.1	-19.1	-16.4	-12.4	-8.6	-6.5	-6.2	-6.1	-6.1	-9.4	-14.5
H28	-19.7	-19.7	-19.7	-17.0	-12.9	-9.2	-7.1	-6.7	-6.7	-6.7	-9.9	-15.1
H29	-23.6	-23.6	-23.6	-20.9	-16.9	-13.1	-11.0	-10.7	-10.7	-10.7	-13.9	-19.0
H30	-20.8	-20.8	-20.8	-18.1	-14.0	-10.3	-8.2	-7.8	-7.8	-7.8	-11.0	-16.2
H31	-23.4	-23.4	-23.4	-20.7	-16.7	-12.9	-10.8	-10.5	-10.5	-10.4	-13.7	-18.8
H32	-23.2	-23.2	-23.2	-20.5	-16.5	-12.7	-10.6	-10.3	-10.2	-10.2	-13.5	-18.6
H33	-28.4	-28.4	-28.4	-25.7	-21.6	-17.9	-15.8	-15.5	-15.4	-15.4	-18.6	-23.8
H34	-20.9	-20.9	-20.9	-18.2	-14.2	-10.4	-8.4	-8.0	-8.0	-8.0	-8.0	-9.3
H35	-22.4	-22.4	-22.4	-19.7	-15.7	-11.9	-9.8	-9.5	-9.5	-9.4	-12.7	-17.8
H36	-24.6	-24.6	-24.6	-21.9	-17.8	-14.1	-12.0	-11.6	-11.6	-11.6	-14.8	-20.0
H37	-27.9	-27.9	-27.9	-25.2	-21.2	-17.4	-15.3	-15.0	-15.0	-14.9	-18.2	-23.3
H38	-22.0	-22.0	-22.0	-19.3	-15.3	-11.5	-9.4	-9.1	-9.0	-9.0	-12.3	-17.4
H39	-13.8	-13.8	-13.8	-11.0	-6.9	-3.1	-1.0	-0.7	-0.6	-0.7	-4.2	-8.2
H40	-21.7	-21.7	-21.7	-19.0	-15.0	-11.2	-9.1	-8.8	-8.8	-8.7	-12.0	-17.1
H41	-27.0	-27.0	-27.0	-24.3	-20.3	-16.5	-14.4	-14.1	-14.0	-14.0	-17.2	-22.4
H42	-26.2	-26.2	-26.2	-23.5	-19.5	-15.7	-13.6	-13.3	-13.3	-13.2	-16.5	-21.6

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H43	-27.9	-27.9	-27.9	-25.2	-21.2	-17.4	-15.3	-15.0	-15.0	-14.9	-18.2	-23.3
H44	-22.9	-22.9	-22.9	-20.2	-16.1	-12.3	-10.3	-9.9	-9.9	-9.9	-13.1	-18.3
H45	-26.6	-26.6	-26.6	-23.9	-19.9	-16.1	-14.0	-13.7	-13.7	-13.6	-16.9	-22.0
H46	-27.3	-27.3	-27.3	-24.6	-20.5	-16.8	-14.7	-14.3	-14.3	-14.3	-17.5	-22.7
H47	-27.3	-27.3	-27.3	-24.6	-20.6	-16.8	-14.7	-14.4	-14.3	-14.3	-17.6	-22.7
H48	-15.8	-15.8	-15.8	-13.1	-9.0	-5.2	-3.1	-2.7	-2.6	-2.7	-6.3	-10.2
H49	-18.1	-18.1	-18.1	-15.4	-11.3	-7.5	-5.4	-5.0	-4.9	-5.0	-8.5	-12.5
H50	-18.6	-18.6	-18.6	-15.9	-11.8	-7.9	-5.8	-5.4	-5.3	-5.5	-9.0	-13.0
H52	-18.2	-18.2	-18.2	-15.4	-11.3	-7.5	-5.4	-5.0	-4.9	-5.0	-8.6	-12.5
H53	-18.3	-18.3	-18.3	-15.6	-11.5	-7.7	-5.6	-5.2	-5.1	-5.2	-8.8	-12.7
H54	-18.9	-18.9	-18.9	-16.2	-12.1	-8.3	-6.1	-5.7	-5.6	-5.7	-9.3	-13.3
H55	-18.6	-18.6	-18.6	-15.9	-11.8	-8.0	-5.8	-5.4	-7.2	-10.9	-15.2	-20.0
H56	-17.8	-17.8	-17.8	-15.1	-11.0	-7.2	-5.0	-4.7	-6.4	-10.2	-14.5	-19.2
H57	-17.6	-17.6	-17.6	-14.9	-10.8	-7.0	-4.9	-4.5	-6.2	-10.0	-14.3	-19.0
H58	-18.1	-18.1	-18.1	-15.3	-11.2	-7.4	-5.3	-4.9	-6.7	-10.4	-14.7	-19.5
H59	-18.1	-18.1	-18.1	-15.3	-11.2	-7.4	-5.3	-4.9	-6.6	-10.4	-14.7	-19.5
H60	-18.0	-18.0	-18.0	-15.3	-11.2	-7.4	-5.2	-4.9	-6.6	-10.4	-14.7	-19.4
H61	-18.0	-18.0	-18.0	-15.2	-11.1	-7.3	-5.2	-4.8	-6.6	-10.3	-14.6	-19.4
H62	-17.8	-17.8	-17.8	-15.1	-11.0	-7.2	-5.1	-4.7	-6.4	-10.2	-14.5	-19.2
H63	-18.0	-18.0	-18.0	-15.3	-11.2	-7.4	-5.3	-4.9	-6.6	-10.4	-14.7	-19.4
H64	-18.0	-18.0	-18.0	-15.3	-11.2	-7.4	-5.2	-4.8	-6.6	-10.4	-14.7	-19.4
H65	-18.0	-18.0	-18.0	-15.3	-11.2	-7.3	-5.2	-4.8	-6.6	-10.3	-14.6	-19.4
H66	-17.9	-17.9	-17.9	-15.2	-11.1	-7.3	-5.2	-4.8	-6.5	-10.3	-14.6	-19.4
H67	-17.6	-17.6	-17.6	-14.9	-10.8	-6.9	-4.8	-4.4	-6.2	-9.9	-14.3	-19.0
H68	-14.2	-14.2	-14.2	-11.5	-7.1	-3.3	-1.1	-0.7	-2.7	-6.8	-11.3	-16.1
H69	-21.0	-21.0	-21.0	-18.4	-14.1	-10.4	-8.3	-7.9	-7.8	-7.8	-7.7	-9.7
H70	-15.9	-15.9	-15.9	-13.2	-9.0	-5.2	-3.0	-2.6	-4.5	-8.4	-12.8	-17.6
H71	-19.0	-19.0	-19.0	-16.3	-12.2	-8.4	-6.3	-5.9	-7.7	-11.4	-15.7	-20.5
H72	-31.5	-31.5	-31.5	-28.8	-24.8	-21.0	-19.0	-18.6	-20.3	-23.9	-28.1	-32.8
H73	-14.7	-14.7	-14.7	-12.0	-7.0	-3.2	-1.2	-0.8	-2.5	-7.5	-12.7	-17.8
H74	-15.1	-15.1	-15.1	-12.4	-7.3	-3.2	-1.2	-0.8	-2.5	-7.5	-12.6	-17.7
H75	-19.2	-19.2	-19.2	-16.5	-12.4	-8.6	-6.5	-6.1	-7.8	-11.6	-15.8	-20.6
H76	-16.2	-16.2	-16.2	-13.5	-8.8	-4.7	-2.2	-1.4	-3.6	-8.5	-13.4	-18.4
H77	-16.1	-16.1	-16.1	-13.4	-8.8	-4.7	-2.1	-1.4	-3.5	-8.5	-13.3	-18.4
H78	-18.8	-18.8	-18.8	-16.1	-12.0	-8.1	-5.9	-5.3	-7.2	-11.1	-15.5	-20.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H79	-18.4	-18.4	-18.4	-15.7	-11.6	-7.7	-5.5	-4.9	-6.8	-10.7	-15.1	-19.8
H80	-21.6	-21.6	-21.6	-18.9	-14.7	-10.6	-8.1	-7.1	-9.4	-13.8	-18.4	-23.2
H81	-19.9	-19.9	-19.9	-17.2	-13.1	-9.2	-7.1	-6.6	-8.4	-12.2	-16.6	-21.3
H82	-22.4	-22.4	-22.4	-19.7	-15.4	-11.2	-8.4	-7.1	-9.6	-14.5	-19.3	-24.1
H83	-22.4	-22.4	-22.4	-19.7	-15.4	-11.2	-8.4	-7.1	-9.6	-14.5	-19.3	-24.1
H84	-17.3	-17.3	-17.3	-14.6	-10.6	-6.8	-4.7	-4.4	-6.1	-9.7	-15.7	-21.2
H85	-20.8	-20.8	-20.8	-18.1	-14.0	-10.1	-8.0	-7.5	-9.4	-13.2	-17.6	-22.4
H86	-21.1	-21.1	-21.1	-18.4	-14.3	-10.5	-8.3	-7.9	-9.7	-13.6	-17.9	-22.7
H87	-21.4	-21.4	-21.4	-18.7	-14.6	-10.7	-8.6	-8.1	-9.9	-13.8	-18.2	-23.0
H88	-21.0	-21.0	-21.0	-18.3	-14.2	-10.5	-8.4	-8.0	-8.0	-8.0	-11.2	-16.4
H89	-20.4	-20.4	-20.4	-17.8	-13.7	-9.9	-7.9	-7.5	-7.5	-7.5	-10.7	-15.8

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-25.0	-25.0	-25.0	-22.3	-18.2	-14.5	-13.3	-12.9	-12.6	-12.2	-15.3	-20.4
H2	-25.0	-25.0	-25.0	-22.3	-18.2	-14.5	-13.3	-12.9	-12.5	-12.2	-15.2	-20.4
H3	-24.5	-24.5	-24.5	-21.8	-17.8	-14.1	-12.9	-12.4	-12.1	-11.8	-14.8	-19.9
H4	-24.5	-24.5	-24.5	-21.8	-17.8	-14.0	-12.9	-12.4	-12.0	-11.7	-14.8	-19.9
H5	-24.4	-24.4	-24.4	-21.7	-17.7	-13.9	-12.8	-12.3	-12.0	-11.6	-14.7	-19.8
H6	-28.4	-28.4	-28.4	-25.7	-21.7	-18.0	-16.8	-16.2	-15.8	-15.6	-18.7	-23.8
H7	-20.1	-20.1	-20.1	-17.3	-13.2	-9.5	-8.3	-8.0	-7.6	-7.6	-10.6	-14.5
H8	-22.3	-22.3	-22.3	-19.6	-15.4	-11.7	-10.5	-10.1	-9.8	-9.7	-12.8	-16.7
H9	-21.4	-21.4	-21.4	-18.6	-14.5	-10.8	-9.6	-9.2	-8.9	-8.8	-11.9	-15.8
H10	-18.7	-18.7	-18.7	-16.0	-11.9	-8.1	-6.9	-6.6	-6.3	-6.2	-9.2	-13.1
H11	-18.6	-18.6	-18.6	-15.9	-11.8	-8.0	-6.9	-6.5	-6.2	-6.1	-9.1	-13.0
H12	-17.7	-17.7	-17.7	-15.0	-10.9	-7.1	-5.9	-5.6	-5.3	-5.2	-8.2	-12.1
H13	-27.4	-27.4	-27.4	-24.7	-20.7	-17.0	-15.8	-15.1	-14.7	-14.6	-17.7	-22.8
H14	-20.7	-20.7	-20.7	-17.9	-13.8	-10.0	-8.9	-8.5	-8.2	-8.0	-11.2	-15.1
H15	-20.4	-20.4	-20.4	-17.7	-13.5	-9.8	-8.6	-8.3	-7.9	-7.8	-10.9	-14.8
H16	-28.4	-28.4	-28.4	-25.7	-21.6	-18.0	-16.7	-16.1	-15.7	-15.5	-18.6	-23.8
H17	-23.5	-23.5	-23.5	-20.8	-16.7	-13.2	-11.8	-11.1	-10.7	-10.6	-13.8	-18.9
H18	-22.6	-22.6	-22.6	-19.9	-15.9	-12.3	-11.0	-10.3	-9.9	-9.7	-12.9	-18.0
H19	-24.7	-24.7	-24.7	-22.0	-18.0	-14.3	-13.1	-12.4	-12.0	-11.8	-15.0	-20.1
H20	-22.2	-22.2	-22.2	-19.5	-15.5	-11.9	-10.6	-9.9	-9.4	-9.3	-12.5	-17.6

Table 10.15.16: Margins in 90 Degree Sector - Night

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H21	-24.9	-24.9	-24.9	-22.2	-18.1	-14.5	-13.2	-12.6	-12.1	-12.0	-15.1	-20.3
H22	-24.3	-24.3	-24.3	-21.7	-17.6	-14.0	-12.7	-12.1	-11.6	-11.5	-14.6	-19.7
H23	-24.2	-24.2	-24.2	-21.5	-17.4	-13.8	-12.5	-11.9	-11.4	-11.3	-14.4	-19.5
H24	-15.2	-15.2	-15.2	-12.4	-8.3	-4.6	-3.4	-3.1	-2.8	-2.7	-5.7	-9.6
H25	-20.9	-20.9	-20.9	-18.2	-14.2	-10.6	-9.3	-8.6	-8.1	-8.0	-11.2	-16.3
H26	-24.6	-24.6	-24.6	-21.9	-17.9	-14.3	-13.0	-12.3	-11.9	-11.8	-14.9	-20.0
H27	-22.5	-22.5	-22.5	-19.8	-15.7	-12.1	-10.8	-10.1	-9.7	-9.6	-12.7	-17.9
H28	-23.1	-23.1	-23.1	-20.4	-16.4	-12.8	-11.5	-10.8	-10.4	-10.3	-13.4	-18.5
H29	-26.4	-26.4	-26.4	-23.7	-19.7	-16.1	-14.8	-14.1	-13.7	-13.6	-16.7	-21.8
H30	-24.5	-24.5	-24.5	-21.8	-17.8	-14.2	-12.9	-12.1	-11.7	-11.6	-14.8	-19.9
H31	-26.2	-26.2	-26.2	-23.5	-19.5	-15.9	-14.6	-13.9	-13.5	-13.4	-16.5	-21.6
H32	-26.0	-26.0	-26.0	-23.3	-19.3	-15.7	-14.4	-13.7	-13.3	-13.2	-16.3	-21.4
H33	-30.3	-30.3	-30.3	-27.6	-23.6	-19.9	-18.7	-18.0	-17.6	-17.5	-20.6	-25.7
H34	-22.9	-22.9	-22.9	-20.2	-16.1	-12.5	-11.2	-10.6	-10.0	-10.0	-9.9	-11.2
H35	-25.2	-25.2	-25.2	-22.5	-18.5	-14.9	-13.6	-12.9	-12.5	-12.4	-15.5	-20.6
H36	-27.3	-27.3	-27.3	-24.6	-20.6	-17.0	-15.7	-15.0	-14.6	-14.5	-17.6	-22.7
H37	-29.8	-29.8	-29.8	-27.1	-23.1	-19.5	-18.2	-17.5	-17.1	-17.0	-20.1	-25.2
H38	-24.7	-24.7	-24.7	-22.0	-18.0	-14.4	-13.1	-12.3	-12.0	-11.9	-15.0	-20.1
H39	-13.8	-13.8	-13.8	-11.0	-6.9	-3.1	-2.0	-1.6	-1.3	-1.2	-4.3	-8.2
H40	-24.3	-24.3	-24.3	-21.6	-17.6	-14.0	-12.7	-11.9	-11.5	-11.4	-14.6	-19.7
H41	-28.9	-28.9	-28.9	-26.2	-22.2	-18.6	-17.3	-16.6	-16.2	-16.1	-19.2	-24.3
H42	-28.2	-28.2	-28.2	-25.5	-21.4	-17.8	-16.5	-15.8	-15.4	-15.3	-18.4	-23.6
H43	-29.8	-29.8	-29.8	-27.1	-23.0	-19.4	-18.1	-17.5	-17.1	-16.9	-20.1	-25.2
H44	-25.6	-25.6	-25.6	-22.9	-18.9	-15.3	-14.0	-13.2	-12.9	-12.8	-15.9	-21.0
H45	-28.5	-28.5	-28.5	-25.8	-21.8	-18.2	-16.9	-16.2	-15.8	-15.6	-18.8	-23.9
H46	-29.1	-29.1	-29.1	-26.4	-22.4	-18.8	-17.5	-16.8	-16.4	-16.3	-19.4	-24.5
H47	-29.2	-29.2	-29.2	-26.5	-22.5	-18.9	-17.6	-16.9	-16.5	-16.3	-19.5	-24.6
H48	-15.8	-15.8	-15.8	-13.1	-8.9	-5.2	-4.0	-3.6	-3.2	-3.1	-6.3	-10.2
H49	-18.1	-18.1	-18.1	-15.4	-11.2	-7.5	-6.3	-5.9	-5.4	-5.2	-8.5	-12.5
H50	-18.6	-18.6	-18.6	-15.8	-11.7	-7.9	-6.7	-6.3	-5.9	-5.8	-9.0	-13.0
H52	-18.2	-18.2	-18.2	-15.4	-11.3	-7.5	-6.3	-5.9	-5.4	-5.2	-8.6	-12.5
H53	-18.3	-18.3	-18.3	-15.6	-11.5	-7.7	-6.5	-6.1	-5.6	-5.4	-8.8	-12.7
H54	-18.9	-18.9	-18.9	-16.2	-12.0	-8.3	-7.0	-6.6	-6.1	-6.0	-9.3	-13.3
H55	-18.6	-18.6	-18.6	-15.9	-11.7	-8.0	-6.7	-6.3	-7.7	-11.2	-15.2	-20.0
H56	-17.8	-17.8	-17.8	-15.1	-10.9	-7.2	-6.0	-5.5	-6.9	-10.4	-14.5	-19.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H57	-17.6	-17.6	-17.6	-14.9	-10.8	-7.0	-5.8	-5.3	-6.7	-10.2	-14.3	-19.0
H58	-18.0	-18.0	-18.0	-15.3	-11.2	-7.4	-6.2	-5.8	-7.1	-10.6	-14.7	-19.5
H59	-18.0	-18.0	-18.0	-15.3	-11.2	-7.4	-6.2	-5.8	-7.1	-10.6	-14.7	-19.5
H60	-18.0	-18.0	-18.0	-15.3	-11.1	-7.4	-6.2	-5.7	-7.1	-10.6	-14.7	-19.4
H61	-18.0	-18.0	-18.0	-15.2	-11.1	-7.3	-6.1	-5.7	-7.0	-10.5	-14.6	-19.4
H62	-17.8	-17.8	-17.8	-15.1	-11.0	-7.2	-6.0	-5.5	-6.9	-10.4	-14.5	-19.2
H63	-18.0	-18.0	-18.0	-15.3	-11.1	-7.4	-6.2	-5.7	-7.1	-10.6	-14.7	-19.4
H64	-18.0	-18.0	-18.0	-15.3	-11.1	-7.4	-6.1	-5.7	-7.0	-10.5	-14.7	-19.4
H65	-18.0	-18.0	-18.0	-15.2	-11.1	-7.3	-6.1	-5.7	-7.0	-10.5	-14.6	-19.4
H66	-17.9	-17.9	-17.9	-15.2	-11.1	-7.3	-6.1	-5.6	-7.0	-10.5	-14.6	-19.4
H67	-17.6	-17.6	-17.6	-14.9	-10.7	-7.0	-5.7	-5.3	-6.6	-10.1	-14.2	-19.0
H68	-13.4	-13.4	-13.4	-10.7	-6.3	-2.5	-1.2	-0.7	-2.3	-6.1	-10.4	-15.3
H69	-20.3	-20.3	-20.3	-17.6	-13.4	-9.7	-8.5	-8.0	-7.5	-7.2	-7.0	-9.0
H70	-15.0	-15.0	-15.0	-12.3	-8.0	-4.3	-3.0	-2.6	-3.9	-7.6	-11.9	-16.6
H71	-19.0	-19.0	-19.0	-16.3	-12.2	-8.4	-7.2	-6.7	-8.1	-11.6	-15.7	-20.4
H72	-31.2	-31.2	-31.2	-28.5	-24.5	-20.9	-19.6	-18.9	-20.2	-23.7	-27.8	-32.5
H73	-13.1	-13.1	-13.1	-10.4	-5.4	-1.7	-0.5	-0.1	-1.2	-6.0	-11.1	-16.2
H74	-12.9	-12.9	-12.9	-10.1	-5.5	-1.9	-0.6	-0.2	-1.3	-5.7	-11.0	-16.2
H75	-17.7	-17.7	-17.7	-15.0	-11.0	-7.5	-6.0	-4.9	-6.4	-10.1	-14.3	-19.1
H76	-14.3	-14.3	-14.3	-11.5	-6.6	-2.5	-1.2	-0.7	-1.9	-6.9	-11.8	-16.9
H77	-14.2	-14.2	-14.2	-11.5	-6.5	-2.4	-1.2	-0.7	-1.8	-6.8	-11.8	-16.8
H78	-16.6	-16.6	-16.6	-13.9	-9.9	-6.3	-4.8	-3.6	-5.2	-9.0	-13.3	-18.0
H79	-15.5	-15.5	-15.5	-12.8	-8.6	-5.0	-3.5	-2.4	-3.9	-7.8	-12.1	-16.9
H80	-18.5	-18.5	-18.5	-15.7	-11.5	-7.8	-5.9	-4.3	-6.3	-10.7	-15.2	-20.0
H81	-16.4	-16.4	-16.4	-13.7	-9.6	-5.9	-4.5	-3.7	-5.0	-8.8	-13.1	-17.9
H82	-19.0	-19.0	-19.0	-16.2	-11.9	-8.0	-5.9	-4.0	-6.2	-11.1	-15.8	-20.7
H83	-19.0	-19.0	-19.0	-16.2	-11.9	-8.0	-5.9	-4.0	-6.2	-11.1	-15.8	-20.7
H84	-14.9	-14.9	-14.9	-12.2	-8.2	-4.5	-3.3	-2.8	-3.9	-7.5	-13.5	-18.9
H85	-19.1	-19.1	-19.1	-16.3	-12.2	-8.4	-7.1	-6.5	-7.9	-11.6	-15.9	-20.7
H86	-19.4	-19.4	-19.4	-16.7	-12.5	-8.8	-7.5	-6.9	-8.3	-11.9	-16.2	-20.9
H87	-19.2	-19.2	-19.2	-16.5	-12.3	-8.6	-7.3	-6.7	-8.0	-11.8	-16.0	-20.8
H88	-23.3	-23.3	-23.3	-20.6	-16.6	-13.1	-11.7	-10.8	-10.5	-10.4	-13.6	-18.7
H89	-21.8	-21.8	-21.8	-19.1	-15.1	-11.6	-10.2	-9.3	-9.0	-8.9	-12.1	-17.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-29.4	-29.4	-29.4	-26.7	-22.6	-18.9	-17.7	-17.3	-17.0	-16.7	-19.7	-24.8
H2	-29.4	-29.4	-29.4	-26.7	-22.6	-18.9	-17.7	-17.3	-17.0	-16.7	-19.6	-24.8
H3	-29.0	-29.0	-29.0	-26.2	-22.2	-18.5	-17.3	-16.8	-16.5	-16.2	-19.2	-24.4
H4	-28.9	-28.9	-28.9	-26.2	-22.1	-18.4	-17.3	-16.8	-16.5	-16.2	-19.2	-24.3
H5	-28.8	-28.8	-28.8	-26.1	-22.0	-18.3	-17.1	-16.7	-16.4	-16.1	-19.1	-24.2
H6	-31.4	-31.4	-31.4	-28.7	-24.7	-21.0	-19.8	-19.3	-18.8	-18.6	-21.7	-26.8
H7	-23.9	-23.9	-23.9	-21.2	-17.1	-13.4	-12.2	-11.7	-11.4	-11.3	-14.5	-18.3
H8	-22.6	-22.6	-22.6	-19.8	-15.6	-11.8	-10.6	-10.2	-9.9	-9.8	-13.0	-17.0
H9	-21.6	-21.6	-21.6	-18.8	-14.6	-10.9	-9.7	-9.3	-9.0	-8.9	-12.1	-16.0
H10	-22.7	-22.7	-22.7	-19.9	-15.8	-12.0	-10.8	-10.4	-10.1	-10.0	-13.2	-17.0
H11	-22.6	-22.6	-22.6	-19.8	-15.7	-12.0	-10.8	-10.3	-10.0	-9.9	-13.1	-17.0
H12	-19.5	-19.5	-19.5	-16.7	-12.6	-8.8	-7.6	-7.2	-7.0	-6.9	-10.0	-13.9
H13	-29.8	-29.8	-29.8	-27.1	-23.0	-19.4	-18.1	-17.6	-17.1	-17.0	-20.0	-25.2
H14	-20.6	-20.6	-20.6	-17.8	-13.6	-9.9	-8.7	-8.3	-7.9	-7.8	-11.0	-15.0
H15	-20.4	-20.4	-20.4	-17.5	-13.3	-9.6	-8.4	-8.0	-7.6	-7.5	-10.8	-14.7
H16	-29.9	-29.9	-29.9	-27.2	-23.2	-19.6	-18.3	-17.7	-17.3	-17.2	-20.2	-25.3
H17	-25.8	-25.8	-25.8	-23.1	-19.1	-15.4	-14.2	-13.6	-13.1	-13.0	-16.1	-21.2
H18	-24.9	-24.9	-24.9	-22.2	-18.1	-14.5	-13.2	-12.7	-12.2	-12.1	-15.2	-20.3
H19	-26.3	-26.3	-26.3	-23.6	-19.5	-15.9	-14.6	-14.1	-13.6	-13.5	-16.6	-21.7
H20	-24.5	-24.5	-24.5	-21.8	-17.7	-14.1	-12.8	-12.2	-11.8	-11.6	-14.7	-19.9
H21	-26.4	-26.4	-26.4	-23.8	-19.7	-16.1	-14.8	-14.2	-13.8	-13.6	-16.7	-21.8
H22	-25.9	-25.9	-25.9	-23.2	-19.2	-15.5	-14.3	-13.7	-13.3	-13.1	-16.2	-21.3
H23	-25.7	-25.7	-25.7	-23.0	-19.0	-15.4	-14.1	-13.5	-13.1	-12.9	-16.0	-21.1
H24	-15.1	-15.1	-15.1	-12.3	-8.1	-4.3	-3.2	-2.8	-2.6	-2.4	-5.6	-9.5
H25	-23.0	-23.0	-23.0	-20.3	-16.3	-12.6	-11.4	-10.8	-10.3	-10.2	-13.3	-18.4
H26	-26.2	-26.2	-26.2	-23.5	-19.4	-15.8	-14.5	-13.9	-13.5	-13.3	-16.4	-21.6
H27	-23.9	-23.9	-23.9	-21.2	-17.1	-13.5	-12.2	-11.6	-11.1	-11.0	-14.1	-19.3
H28	-24.5	-24.5	-24.5	-21.8	-17.8	-14.2	-12.9	-12.3	-11.8	-11.7	-14.8	-19.9
H29	-27.2	-27.2	-27.2	-24.5	-20.4	-16.8	-15.5	-14.9	-14.5	-14.4	-17.4	-22.6
H30	-25.9	-25.9	-25.9	-23.2	-19.2	-15.6	-14.3	-13.7	-13.2	-13.1	-16.2	-21.3
H31	-27.0	-27.0	-27.0	-24.3	-20.2	-16.6	-15.3	-14.7	-14.3	-14.2	-17.3	-22.4
H32	-26.8	-26.8	-26.8	-24.1	-20.1	-16.4	-15.2	-14.6	-14.1	-14.0	-17.1	-22.2
H33	-30.4	-30.4	-30.4	-27.7	-23.7	-20.1	-18.8	-18.2	-17.8	-17.6	-20.7	-25.8
H34	-23.9	-23.9	-23.9	-21.2	-17.2	-13.6	-12.3	-11.7	-11.2	-11.1	-11.0	-12.3
H35	-26.0	-26.0	-26.0	-23.3	-19.3	-15.7	-14.4	-13.7	-13.3	-13.2	-16.3	-21.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H36	-28.0	-28.0	-28.0	-25.3	-21.3	-17.7	-16.4	-15.8	-15.4	-15.2	-18.3	-23.4
H37	-30.0	-30.0	-30.0	-27.3	-23.3	-19.6	-18.4	-17.8	-17.3	-17.2	-20.3	-25.4
H38	-25.5	-25.5	-25.5	-22.8	-18.8	-15.2	-13.9	-13.2	-12.8	-12.7	-15.8	-20.9
H39	-13.7	-13.7	-13.7	-10.9	-6.7	-2.9	-1.7	-1.4	-1.1	-0.9	-4.1	-8.1
H40	-25.0	-25.0	-25.0	-22.3	-18.3	-14.7	-13.4	-12.7	-12.3	-12.2	-15.3	-20.4
H41	-29.1	-29.1	-29.1	-26.4	-22.4	-18.8	-17.5	-16.9	-16.4	-16.3	-19.4	-24.5
H42	-28.3	-28.3	-28.3	-25.6	-21.6	-18.0	-16.7	-16.1	-15.6	-15.5	-18.6	-23.7
H43	-29.8	-29.8	-29.8	-27.1	-23.1	-19.5	-18.2	-17.6	-17.2	-17.0	-20.1	-25.2
H44	-26.4	-26.4	-26.4	-23.7	-19.6	-16.0	-14.7	-14.1	-13.7	-13.5	-16.7	-21.8
H45	-28.6	-28.6	-28.6	-25.9	-21.8	-18.2	-16.9	-16.3	-15.9	-15.8	-18.9	-24.0
H46	-29.2	-29.2	-29.2	-26.5	-22.5	-18.9	-17.6	-17.0	-16.5	-16.4	-19.5	-24.6
H47	-29.3	-29.3	-29.3	-26.6	-22.6	-18.9	-17.7	-17.0	-16.6	-16.5	-19.6	-24.7
H48	-15.7	-15.7	-15.7	-12.9	-8.6	-4.9	-3.7	-3.3	-2.9	-2.6	-6.1	-10.1
H49	-18.0	-18.0	-18.0	-15.2	-10.9	-7.1	-5.9	-5.4	-5.0	-4.7	-8.3	-12.4
H50	-18.5	-18.5	-18.5	-15.6	-11.3	-7.6	-6.4	-5.9	-5.5	-5.2	-8.8	-12.9
H52	-18.1	-18.1	-18.1	-15.2	-10.9	-7.1	-5.9	-5.4	-4.9	-4.7	-8.3	-12.5
H53	-18.2	-18.2	-18.2	-15.4	-11.1	-7.3	-6.1	-5.6	-5.1	-4.9	-8.5	-12.6
H54	-18.8	-18.8	-18.8	-16.0	-11.7	-7.9	-6.7	-6.2	-5.7	-5.4	-9.1	-13.2
H55	-18.5	-18.5	-18.5	-15.7	-11.4	-7.7	-6.4	-6.0	-7.4	-11.0	-15.2	-20.0
H56	-17.7	-17.7	-17.7	-14.9	-10.7	-6.9	-5.7	-5.2	-6.7	-10.3	-14.4	-19.2
H57	-17.6	-17.6	-17.6	-14.8	-10.5	-6.8	-5.5	-5.0	-6.5	-10.1	-14.3	-19.0
H58	-18.0	-18.0	-18.0	-15.2	-10.9	-7.2	-5.9	-5.4	-6.9	-10.5	-14.7	-19.4
H59	-18.0	-18.0	-18.0	-15.2	-10.9	-7.2	-5.9	-5.4	-6.9	-10.5	-14.7	-19.4
H60	-17.9	-17.9	-17.9	-15.1	-10.9	-7.1	-5.9	-5.4	-6.8	-10.5	-14.6	-19.4
H61	-17.9	-17.9	-17.9	-15.1	-10.8	-7.1	-5.8	-5.3	-6.8	-10.4	-14.6	-19.3
H62	-17.8	-17.8	-17.8	-15.0	-10.7	-7.0	-5.7	-5.2	-6.7	-10.3	-14.5	-19.2
H63	-17.9	-17.9	-17.9	-15.1	-10.9	-7.1	-5.9	-5.4	-6.9	-10.5	-14.6	-19.4
H64	-17.9	-17.9	-17.9	-15.1	-10.9	-7.1	-5.9	-5.4	-6.8	-10.4	-14.6	-19.4
H65	-17.9	-17.9	-17.9	-15.1	-10.8	-7.1	-5.9	-5.4	-6.8	-10.4	-14.6	-19.4
H66	-17.9	-17.9	-17.9	-15.1	-10.8	-7.1	-5.8	-5.3	-6.8	-10.4	-14.6	-19.3
H67	-17.5	-17.5	-17.5	-14.7	-10.5	-6.7	-5.5	-5.0	-6.4	-10.0	-14.2	-19.0
H68	-13.4	-13.4	-13.4	-10.6	-6.1	-2.4	-1.1	-0.6	-2.2	-6.1	-10.4	-15.3
H69	-20.3	-20.3	-20.3	-17.6	-13.4	-9.7	-8.5	-8.0	-7.4	-7.1	-7.0	-9.0
H70	-15.0	-15.0	-15.0	-12.2	-7.9	-4.1	-2.9	-2.4	-3.8	-7.6	-11.8	-16.6
H71	-19.0	-19.0	-19.0	-16.2	-11.9	-8.2	-6.9	-6.4	-7.9	-11.5	-15.7	-20.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H72	-29.1	-29.1	-29.1	-26.4	-22.4	-18.7	-17.5	-16.8	-18.1	-21.6	-25.7	-30.4
H73	-13.2	-13.2	-13.2	-10.4	-5.4	-1.7	-0.5	-0.1	-1.2	-6.0	-11.1	-16.2
H74	-12.8	-12.8	-12.8	-10.0	-5.4	-1.7	-0.5	0.0	-1.2	-5.6	-10.9	-16.0
H75	-15.4	-15.4	-15.4	-12.6	-8.6	-5.1	-3.6	-2.6	-4.1	-7.7	-12.0	-16.7
H76	-14.1	-14.1	-14.1	-11.4	-6.3	-2.3	-1.0	-0.5	-1.7	-6.7	-11.6	-16.7
H77	-14.1	-14.1	-14.1	-11.4	-6.3	-2.3	-1.0	-0.5	-1.7	-6.7	-11.6	-16.6
H78	-14.5	-14.5	-14.5	-11.8	-7.8	-4.2	-2.8	-1.9	-3.3	-6.9	-11.2	-15.9
H79	-13.8	-13.8	-13.8	-11.0	-6.9	-3.2	-1.7	-0.8	-2.3	-6.1	-10.4	-15.2
H80	-15.8	-15.8	-15.8	-13.0	-8.9	-5.1	-3.5	-2.2	-3.9	-8.1	-12.5	-17.3
H81	-15.3	-15.3	-15.3	-12.6	-8.4	-4.6	-3.2	-2.3	-3.7	-7.6	-12.0	-16.8
H82	-16.0	-16.0	-16.0	-13.3	-8.9	-4.9	-2.9	-1.2	-3.2	-8.2	-12.9	-17.7
H83	-16.0	-16.0	-16.0	-13.3	-8.9	-4.9	-2.9	-1.2	-3.2	-8.2	-12.9	-17.7
H84	-14.4	-14.4	-14.4	-11.7	-7.7	-4.1	-2.8	-2.3	-3.5	-7.5	-13.2	-18.4
H85	-19.0	-19.0	-19.0	-16.3	-12.1	-8.3	-7.0	-6.4	-7.8	-11.6	-15.9	-20.7
H86	-19.3	-19.3	-19.3	-16.6	-12.4	-8.6	-7.3	-6.7	-8.1	-11.9	-16.1	-20.9
H87	-19.1	-19.1	-19.1	-16.4	-12.2	-8.4	-7.1	-6.5	-7.9	-11.7	-16.0	-20.8
H88	-24.0	-24.0	-24.0	-21.3	-17.3	-13.7	-12.4	-11.6	-11.2	-11.1	-14.3	-19.4
H89	-21.9	-21.9	-21.9	-19.2	-15.2	-11.7	-10.3	-9.4	-9.1	-9.0	-12.2	-17.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-31.8	-31.8	-31.8	-29.1	-25.0	-21.3	-20.1	-19.8	-19.4	-19.0	-22.0	-27.2
H2	-31.8	-31.8	-31.8	-29.1	-25.0	-21.2	-20.1	-19.8	-19.3	-19.0	-22.0	-27.2
H3	-31.5	-31.5	-31.5	-28.8	-24.7	-21.0	-19.8	-19.5	-19.1	-18.7	-21.8	-27.0
H4	-31.5	-31.5	-31.5	-28.8	-24.7	-21.0	-19.8	-19.5	-19.1	-18.7	-21.7	-26.9
H5	-31.4	-31.4	-31.4	-28.7	-24.6	-20.9	-19.7	-19.4	-18.9	-18.6	-21.6	-26.8
H6	-32.3	-32.3	-32.3	-29.6	-25.6	-21.9	-20.7	-20.4	-19.8	-19.6	-22.6	-27.7
H7	-27.9	-27.9	-27.9	-25.1	-20.9	-17.1	-15.9	-15.6	-15.1	-15.0	-18.3	-22.3
H8	-27.1	-27.1	-27.1	-24.1	-19.6	-15.8	-14.6	-14.1	-13.6	-13.2	-17.2	-21.4
H9	-26.1	-26.1	-26.1	-23.1	-18.7	-14.9	-13.7	-13.2	-12.8	-12.4	-16.2	-20.4
H10	-26.5	-26.5	-26.5	-23.7	-19.4	-15.7	-14.5	-14.1	-13.6	-13.4	-16.9	-20.9
H11	-26.5	-26.5	-26.5	-23.6	-19.3	-15.6	-14.4	-14.0	-13.5	-13.3	-16.8	-20.8
H12	-24.0	-24.0	-24.0	-21.1	-16.8	-13.0	-11.8	-11.4	-11.0	-10.8	-14.3	-18.4
H13	-30.1	-30.1	-30.1	-27.4	-23.4	-19.7	-18.5	-18.2	-17.6	-17.3	-20.4	-25.5

Table 10.15.18: Margins in 150 Degree Sector - Night

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H14	-25.1	-25.1	-25.1	-22.1	-17.6	-13.8	-12.6	-12.1	-11.6	-11.2	-15.2	-19.4
H15	-23.2	-23.2	-23.2	-20.2	-15.7	-12.0	-10.7	-10.2	-9.8	-9.4	-13.3	-17.6
H16	-29.7	-29.7	-29.7	-27.0	-22.9	-19.3	-18.0	-17.8	-17.1	-16.9	-20.0	-25.1
H17	-26.0	-26.0	-26.0	-23.2	-19.2	-15.5	-14.3	-14.0	-13.4	-13.1	-16.2	-21.4
H18	-25.0	-25.0	-25.0	-22.3	-18.2	-14.5	-13.3	-13.0	-12.4	-12.2	-15.3	-20.4
H19	-26.0	-26.0	-26.0	-23.3	-19.3	-15.6	-14.4	-14.1	-13.4	-13.2	-16.3	-21.4
H20	-24.6	-24.6	-24.6	-21.9	-17.8	-14.1	-12.9	-12.6	-12.0	-11.7	-14.8	-20.0
H21	-26.2	-26.2	-26.2	-23.5	-19.5	-15.8	-14.6	-14.3	-13.6	-13.4	-16.5	-21.6
H22	-25.7	-25.7	-25.7	-23.0	-18.9	-15.3	-14.0	-13.8	-13.1	-12.9	-16.0	-21.1
H23	-25.5	-25.5	-25.5	-22.8	-18.8	-15.1	-13.9	-13.6	-12.9	-12.7	-15.8	-20.9
H24	-16.5	-16.5	-16.5	-13.5	-9.0	-5.2	-4.0	-3.4	-3.2	-2.8	-6.6	-10.9
H25	-23.2	-23.2	-23.2	-20.5	-16.4	-12.8	-11.5	-11.3	-10.5	-10.3	-13.5	-18.6
H26	-25.9	-25.9	-25.9	-23.2	-19.1	-15.5	-14.2	-13.9	-13.2	-13.1	-16.1	-21.3
H27	-23.6	-23.6	-23.6	-20.9	-16.9	-13.2	-12.0	-11.7	-10.9	-10.8	-13.9	-19.0
H28	-24.2	-24.2	-24.2	-21.5	-17.4	-13.7	-12.5	-12.2	-11.5	-11.3	-14.4	-19.6
H29	-26.2	-26.2	-26.2	-23.5	-19.4	-15.8	-14.5	-14.2	-13.6	-13.4	-16.4	-21.6
H30	-25.3	-25.3	-25.3	-22.6	-18.6	-14.9	-13.7	-13.4	-12.7	-12.5	-15.6	-20.7
H31	-26.0	-26.0	-26.0	-23.3	-19.3	-15.6	-14.4	-14.1	-13.4	-13.2	-16.3	-21.4
H32	-25.9	-25.9	-25.9	-23.1	-19.1	-15.4	-14.2	-13.9	-13.2	-13.1	-16.1	-21.3
H33	-28.9	-28.9	-28.9	-26.2	-22.2	-18.5	-17.3	-17.0	-16.3	-16.1	-19.2	-24.3
H34	-23.9	-23.9	-23.9	-21.2	-17.2	-13.5	-12.3	-12.0	-11.2	-11.1	-11.0	-12.3
H35	-25.1	-25.1	-25.1	-22.4	-18.4	-14.7	-13.5	-13.2	-12.5	-12.3	-15.4	-20.5
H36	-27.0	-27.0	-27.0	-24.3	-20.2	-16.6	-15.3	-15.1	-14.4	-14.2	-17.3	-22.4
H37	-28.5	-28.5	-28.5	-25.8	-21.8	-18.1	-16.9	-16.6	-15.9	-15.7	-18.8	-23.9
H38	-24.7	-24.7	-24.7	-22.0	-17.9	-14.3	-13.0	-12.8	-12.0	-11.9	-15.0	-20.1
H39	-13.9	-13.9	-13.9	-10.9	-6.4	-2.7	-1.4	-0.9	-0.6	-0.1	-4.0	-8.3
H40	-24.1	-24.1	-24.1	-21.4	-17.4	-13.8	-12.5	-12.2	-11.4	-11.3	-14.4	-19.5
H41	-27.6	-27.6	-27.6	-24.9	-20.9	-17.3	-16.0	-15.7	-15.0	-14.8	-17.9	-23.0
H42	-26.9	-26.9	-26.9	-24.2	-20.1	-16.5	-15.2	-15.0	-14.2	-14.1	-17.1	-22.3
H43	-28.2	-28.2	-28.2	-25.5	-21.4	-17.8	-16.6	-16.3	-15.6	-15.4	-18.5	-23.6
H44	-25.4	-25.4	-25.4	-22.7	-18.7	-15.0	-13.8	-13.5	-12.7	-12.6	-15.7	-20.8
H45	-27.0	-27.0	-27.0	-24.3	-20.2	-16.6	-15.3	-15.0	-14.3	-14.1	-17.2	-22.4
H46	-27.6	-27.6	-27.6	-24.9	-20.9	-17.2	-16.0	-15.7	-15.0	-14.8	-17.9	-23.0
H47	-27.7	-27.7	-27.7	-25.0	-20.9	-17.3	-16.0	-15.8	-15.0	-14.9	-18.0	-23.1
H48	-15.6	-15.6	-15.6	-12.6	-8.2	-4.4	-3.2	-2.7	-2.2	-1.7	-5.7	-10.0

Table 10.15.18: Margins in 150 Degree Sector - Night

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H49	-18.0	-18.0	-18.0	-15.0	-10.6	-6.9	-5.6	-5.1	-4.5	-4.2	-8.1	-12.3
H50	-18.4	-18.4	-18.4	-15.5	-11.1	-7.3	-6.1	-5.6	-5.0	-4.7	-8.6	-12.8
H52	-18.0	-18.0	-18.0	-15.1	-10.7	-6.9	-5.7	-5.2	-4.6	-4.2	-8.2	-12.4
H53	-18.2	-18.2	-18.2	-15.3	-10.9	-7.1	-5.9	-5.4	-4.8	-4.4	-8.3	-12.6
H54	-18.7	-18.7	-18.7	-15.8	-11.4	-7.7	-6.4	-5.9	-5.3	-4.9	-8.9	-13.1
H55	-18.4	-18.4	-18.4	-15.6	-11.2	-7.5	-6.2	-5.8	-7.2	-10.9	-15.2	-20.0
H56	-17.7	-17.7	-17.7	-14.8	-10.5	-6.8	-5.5	-5.0	-6.5	-10.2	-14.4	-19.2
H57	-17.5	-17.5	-17.5	-14.6	-10.3	-6.6	-5.3	-4.9	-6.3	-10.0	-14.2	-19.0
H58	-17.9	-17.9	-17.9	-15.1	-10.7	-7.0	-5.7	-5.3	-6.7	-10.4	-14.6	-19.4
H59	-17.9	-17.9	-17.9	-15.1	-10.7	-7.0	-5.7	-5.3	-6.7	-10.4	-14.6	-19.4
H60	-17.9	-17.9	-17.9	-15.0	-10.7	-7.0	-5.7	-5.3	-6.7	-10.4	-14.6	-19.4
H61	-17.8	-17.8	-17.8	-15.0	-10.7	-6.9	-5.6	-5.2	-6.6	-10.3	-14.5	-19.3
H62	-17.7	-17.7	-17.7	-14.9	-10.5	-6.8	-5.5	-5.1	-6.5	-10.2	-14.4	-19.2
H63	-17.9	-17.9	-17.9	-15.0	-10.7	-7.0	-5.7	-5.3	-6.7	-10.4	-14.6	-19.4
H64	-17.9	-17.9	-17.9	-15.0	-10.7	-6.9	-5.7	-5.2	-6.6	-10.3	-14.6	-19.4
H65	-17.8	-17.8	-17.8	-15.0	-10.7	-6.9	-5.7	-5.2	-6.6	-10.3	-14.6	-19.4
H66	-17.8	-17.8	-17.8	-15.0	-10.7	-6.9	-5.6	-5.2	-6.6	-10.3	-14.5	-19.3
H67	-17.5	-17.5	-17.5	-14.6	-10.3	-6.6	-5.3	-4.8	-6.2	-9.9	-14.2	-19.0
H68	-13.3	-13.3	-13.3	-10.5	-5.9	-2.1	-0.8	-0.3	-1.9	-6.0	-10.4	-15.2
H69	-20.3	-20.3	-20.3	-17.6	-13.4	-9.6	-8.4	-8.1	-7.4	-7.1	-6.9	-8.9
H70	-14.9	-14.9	-14.9	-12.1	-7.7	-3.9	-2.7	-2.2	-3.6	-7.5	-11.8	-16.6
H71	-18.9	-18.9	-18.9	-16.1	-11.8	-8.0	-6.8	-6.3	-7.7	-11.4	-15.6	-20.4
H72	-24.8	-24.8	-24.8	-22.1	-18.1	-14.4	-13.2	-12.9	-13.8	-17.3	-21.4	-26.1
H73	-13.1	-13.1	-13.1	-10.3	-5.4	-1.7	-0.5	-0.3	-1.2	-5.8	-11.0	-16.1
H74	-12.7	-12.7	-12.7	-9.9	-5.4	-1.7	-0.5	-0.2	-1.2	-5.4	-10.8	-16.0
H75	-14.1	-14.1	-14.1	-11.4	-7.3	-3.8	-2.4	-2.1	-2.9	-6.5	-10.8	-15.5
H76	-14.1	-14.1	-14.1	-11.3	-6.2	-2.2	-1.0	-0.7	-1.7	-6.6	-11.6	-16.6
H77	-14.1	-14.1	-14.1	-11.3	-6.1	-2.2	-1.0	-0.7	-1.7	-6.5	-11.5	-16.6
H78	-14.0	-14.0	-14.0	-11.3	-7.2	-3.6	-2.2	-1.9	-2.7	-6.4	-10.6	-15.4
H79	-13.8	-13.8	-13.8	-11.0	-6.9	-3.2	-1.9	-1.5	-2.4	-6.1	-10.4	-15.2
H80	-15.2	-15.2	-15.2	-12.5	-8.3	-4.6	-3.2	-2.7	-3.6	-7.4	-11.8	-16.7
H81	-15.1	-15.1	-15.1	-12.4	-8.1	-4.2	-2.6	-1.8	-3.0	-7.2	-11.8	-16.7
H82	-15.5	-15.5	-15.5	-12.7	-8.5	-4.6	-2.9	-1.9	-2.9	-7.3	-12.0	-17.0
H83	-15.5	-15.5	-15.5	-12.7	-8.5	-4.6	-2.9	-1.9	-2.9	-7.3	-12.0	-17.0
H84	-14.4	-14.4	-14.4	-11.7	-7.7	-4.1	-2.8	-2.6	-3.5	-7.4	-13.1	-18.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H85	-18.9	-18.9	-18.9	-16.2	-11.9	-8.2	-6.8	-6.4	-7.6	-11.5	-15.8	-20.6
H86	-19.3	-19.3	-19.3	-16.5	-12.3	-8.5	-7.2	-6.7	-8.0	-11.8	-16.1	-20.9
H87	-19.1	-19.1	-19.1	-16.3	-12.1	-8.3	-7.0	-6.5	-7.8	-11.6	-16.0	-20.8
H88	-23.1	-23.1	-23.1	-20.4	-16.3	-12.8	-11.4	-11.2	-10.4	-10.2	-13.4	-18.5
H89	-20.8	-20.8	-20.8	-18.0	-14.0	-10.4	-9.1	-8.8	-8.0	-7.8	-11.0	-16.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-32.3	-32.3	-32.3	-29.4	-25.2	-21.5	-20.3	-19.9	-19.5	-19.1	-22.3	-27.7
H2	-32.3	-32.3	-32.3	-29.4	-25.2	-21.5	-20.3	-19.9	-19.5	-19.1	-22.3	-27.6
H3	-32.1	-32.1	-32.1	-29.3	-25.1	-21.3	-20.1	-19.7	-19.3	-18.9	-22.1	-27.5
H4	-32.1	-32.1	-32.1	-29.3	-25.0	-21.3	-20.1	-19.7	-19.3	-18.9	-22.1	-27.5
H5	-32.0	-32.0	-32.0	-29.2	-24.9	-21.2	-20.0	-19.6	-19.2	-18.7	-22.0	-27.4
H6	-31.6	-31.6	-31.6	-28.9	-24.8	-21.1	-19.9	-19.6	-19.0	-18.8	-21.8	-27.0
H7	-29.6	-29.6	-29.6	-26.6	-22.1	-18.3	-17.1	-16.5	-16.0	-15.6	-19.6	-23.9
H8	-30.4	-30.4	-30.4	-27.2	-22.1	-18.4	-17.0	-16.1	-15.6	-15.5	-19.8	-24.6
H9	-29.5	-29.5	-29.5	-26.3	-21.5	-17.7	-16.4	-15.6	-15.1	-14.6	-19.1	-23.8
H10	-28.2	-28.2	-28.2	-25.1	-20.5	-16.8	-15.5	-14.8	-14.3	-13.8	-18.0	-22.5
H11	-28.1	-28.1	-28.1	-25.0	-20.4	-16.7	-15.4	-14.7	-14.2	-13.7	-17.9	-22.4
H12	-26.5	-26.5	-26.5	-23.4	-18.7	-15.0	-13.7	-13.0	-12.6	-12.0	-16.2	-20.8
H13	-28.7	-28.7	-28.7	-25.9	-21.8	-18.1	-16.9	-16.6	-16.1	-15.8	-18.9	-24.1
H14	-28.6	-28.6	-28.6	-25.4	-20.5	-16.8	-15.5	-14.6	-14.1	-13.7	-18.2	-22.9
H15	-27.5	-27.5	-27.5	-24.3	-19.5	-15.7	-14.4	-13.7	-13.2	-12.6	-17.1	-21.7
H16	-27.5	-27.5	-27.5	-24.8	-20.7	-17.0	-15.8	-15.5	-15.0	-14.8	-17.8	-22.9
H17	-24.0	-24.0	-24.0	-21.3	-17.2	-13.4	-12.2	-11.9	-11.4	-11.2	-14.2	-19.4
H18	-23.0	-23.0	-23.0	-20.3	-16.2	-12.4	-11.3	-10.9	-10.4	-10.1	-13.2	-18.4
H19	-23.8	-23.8	-23.8	-21.1	-17.0	-13.3	-12.1	-11.8	-11.3	-11.0	-14.0	-19.2
H20	-22.7	-22.7	-22.7	-19.9	-15.8	-12.1	-10.9	-10.6	-10.1	-9.8	-12.8	-18.1
H21	-24.1	-24.1	-24.1	-21.3	-17.3	-13.6	-12.3	-12.1	-11.5	-11.2	-14.3	-19.5
H22	-23.6	-23.6	-23.6	-20.8	-16.7	-13.0	-11.8	-11.5	-11.0	-10.7	-13.8	-19.0
H23	-23.4	-23.4	-23.4	-20.6	-16.6	-12.9	-11.7	-11.4	-10.8	-10.6	-13.6	-18.8
H24	-19.3	-19.3	-19.3	-16.2	-11.5	-7.7	-6.5	-5.8	-5.6	-5.0	-9.0	-13.6
H25	-21.6	-21.6	-21.6	-18.8	-14.7	-11.0	-9.8	-9.5	-8.9	-8.6	-11.7	-17.0
H26	-23.6	-23.6	-23.6	-20.9	-16.8	-13.2	-11.9	-11.7	-11.0	-10.8	-13.9	-19.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H27	-21.6	-21.6	-21.6	-18.9	-14.8	-11.1	-9.9	-9.6	-8.9	-8.7	-11.8	-17.0
H28	-21.8	-21.8	-21.8	-19.1	-15.0	-11.3	-10.1	-9.8	-9.2	-8.9	-12.1	-17.2
H29	-23.0	-23.0	-23.0	-20.3	-16.2	-12.5	-11.3	-11.1	-10.5	-10.2	-13.3	-18.4
H30	-22.5	-22.5	-22.5	-19.8	-15.7	-12.0	-10.8	-10.5	-10.0	-9.7	-12.7	-17.9
H31	-22.9	-22.9	-22.9	-20.2	-16.1	-12.4	-11.2	-10.9	-10.3	-10.1	-13.1	-18.3
H32	-22.8	-22.8	-22.8	-20.0	-16.0	-12.3	-11.1	-10.8	-10.2	-10.0	-13.0	-18.2
H33	-25.3	-25.3	-25.3	-22.6	-18.5	-14.8	-13.6	-13.3	-12.6	-12.5	-15.5	-20.7
H34	-22.7	-22.7	-22.7	-20.0	-16.0	-12.3	-11.1	-10.8	-10.1	-9.9	-9.7	-11.1
H35	-22.1	-22.1	-22.1	-19.4	-15.3	-11.7	-10.4	-10.1	-9.5	-9.3	-12.4	-17.5
H36	-23.8	-23.8	-23.8	-21.1	-17.0	-13.3	-12.1	-11.8	-11.2	-11.0	-14.0	-19.2
H37	-24.9	-24.9	-24.9	-22.2	-18.1	-14.4	-13.2	-12.9	-12.2	-12.1	-15.1	-20.3
H38	-21.8	-21.8	-21.8	-19.1	-15.0	-11.3	-10.1	-9.8	-9.2	-9.0	-12.0	-17.2
H39	-15.9	-15.9	-15.9	-12.9	-8.3	-4.6	-3.3	-2.7	-2.5	-2.0	-5.8	-10.2
H40	-21.2	-21.2	-21.2	-18.5	-14.4	-10.8	-9.5	-9.2	-8.5	-8.4	-11.4	-16.6
H41	-24.0	-24.0	-24.0	-21.3	-17.2	-13.6	-12.3	-12.1	-11.4	-11.2	-14.3	-19.4
H42	-23.3	-23.3	-23.3	-20.5	-16.5	-12.8	-11.6	-11.3	-10.6	-10.4	-13.5	-18.7
H43	-24.3	-24.3	-24.3	-21.6	-17.6	-13.9	-12.7	-12.4	-11.8	-11.5	-14.6	-19.8
H44	-22.3	-22.3	-22.3	-19.6	-15.5	-11.8	-10.6	-10.3	-9.7	-9.5	-12.5	-17.7
H45	-23.1	-23.1	-23.1	-20.4	-16.4	-12.7	-11.5	-11.2	-10.5	-10.3	-13.4	-18.6
H46	-23.8	-23.8	-23.8	-21.1	-17.0	-13.3	-12.1	-11.8	-11.2	-11.0	-14.0	-19.2
H47	-23.9	-23.9	-23.9	-21.2	-17.1	-13.4	-12.2	-11.9	-11.3	-11.1	-14.1	-19.3
H48	-17.4	-17.4	-17.4	-14.4	-10.0	-6.2	-5.0	-4.4	-4.1	-3.6	-7.4	-11.8
H49	-18.7	-18.7	-18.7	-15.7	-11.3	-7.6	-6.3	-5.8	-5.3	-4.9	-8.8	-13.0
H50	-19.1	-19.1	-19.1	-16.2	-11.8	-8.0	-6.8	-6.3	-5.8	-5.3	-9.2	-13.5
H52	-18.7	-18.7	-18.7	-15.8	-11.4	-7.7	-6.4	-5.9	-5.4	-4.9	-8.8	-13.1
H53	-18.9	-18.9	-18.9	-16.0	-11.6	-7.9	-6.6	-6.1	-5.6	-5.1	-9.0	-13.3
H54	-18.8	-18.8	-18.8	-15.9	-11.5	-7.8	-6.5	-6.0	-5.4	-4.9	-8.9	-13.2
H55	-18.5	-18.5	-18.5	-15.7	-11.3	-7.6	-6.3	-5.9	-7.3	-11.1	-15.3	-20.1
H56	-17.6	-17.6	-17.6	-14.8	-10.5	-6.7	-5.5	-5.0	-6.4	-10.2	-14.4	-19.2
H57	-17.5	-17.5	-17.5	-14.6	-10.3	-6.6	-5.3	-4.9	-6.3	-10.0	-14.2	-19.0
H58	-17.9	-17.9	-17.9	-15.0	-10.7	-7.0	-5.7	-5.3	-6.7	-10.4	-14.6	-19.4
H59	-17.9	-17.9	-17.9	-15.0	-10.7	-7.0	-5.7	-5.2	-6.7	-10.4	-14.6	-19.4
H60	-17.8	-17.8	-17.8	-15.0	-10.7	-6.9	-5.7	-5.2	-6.6	-10.3	-14.6	-19.4
H61	-17.8	-17.8	-17.8	-14.9	-10.6	-6.9	-5.6	-5.2	-6.6	-10.3	-14.5	-19.3
H62	-17.7	-17.7	-17.7	-14.8	-10.5	-6.8	-5.5	-5.1	-6.5	-10.2	-14.4	-19.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H63	-17.8	-17.8	-17.8	-15.0	-10.7	-7.0	-5.7	-5.2	-6.6	-10.3	-14.6	-19.4
H64	-17.8	-17.8	-17.8	-15.0	-10.7	-6.9	-5.7	-5.2	-6.6	-10.3	-14.6	-19.4
H65	-17.8	-17.8	-17.8	-14.9	-10.7	-6.9	-5.6	-5.2	-6.6	-10.3	-14.5	-19.4
H66	-17.8	-17.8	-17.8	-14.9	-10.6	-6.9	-5.6	-5.2	-6.6	-10.3	-14.5	-19.3
H67	-17.4	-17.4	-17.4	-14.6	-10.3	-6.6	-5.3	-4.8	-6.2	-9.9	-14.2	-19.0
H68	-13.6	-13.6	-13.6	-10.8	-6.5	-2.7	-1.4	-1.0	-2.3	-6.1	-10.5	-15.3
H69	-20.5	-20.5	-20.5	-17.8	-13.7	-9.9	-8.7	-8.4	-7.7	-7.5	-7.3	-9.2
H70	-14.9	-14.9	-14.9	-12.1	-7.8	-4.0	-2.8	-2.3	-3.7	-7.5	-11.8	-16.6
H71	-18.8	-18.8	-18.8	-15.9	-11.6	-7.9	-6.6	-6.1	-7.5	-11.3	-15.6	-20.4
H72	-21.5	-21.5	-21.5	-18.8	-14.8	-11.2	-9.9	-9.6	-10.5	-14.0	-18.2	-22.9
H73	-13.0	-13.0	-13.0	-10.1	-5.4	-1.7	-0.5	-0.3	-1.2	-5.7	-10.9	-16.1
H74	-12.6	-12.6	-12.6	-9.7	-5.4	-1.7	-0.5	-0.2	-1.2	-5.2	-10.7	-16.0
H75	-14.1	-14.1	-14.1	-11.4	-7.3	-3.7	-2.3	-1.9	-2.8	-6.5	-10.7	-15.5
H76	-14.0	-14.0	-14.0	-11.2	-6.0	-2.2	-1.0	-0.7	-1.7	-6.5	-11.5	-16.6
H77	-13.9	-13.9	-13.9	-11.1	-5.9	-2.2	-1.0	-0.7	-1.7	-6.4	-11.5	-16.6
H78	-13.9	-13.9	-13.9	-11.2	-7.1	-3.5	-2.1	-1.7	-2.6	-6.3	-10.6	-15.3
H79	-13.7	-13.7	-13.7	-10.9	-6.8	-3.1	-1.7	-1.3	-2.2	-6.0	-10.4	-15.2
H80	-15.2	-15.2	-15.2	-12.5	-8.3	-4.6	-3.2	-2.7	-3.6	-7.5	-11.8	-16.7
H81	-15.1	-15.1	-15.1	-12.3	-8.0	-4.2	-2.7	-1.9	-3.1	-7.3	-11.8	-16.7
H82	-15.5	-15.5	-15.5	-12.8	-8.5	-4.7	-3.1	-2.3	-3.3	-7.5	-12.1	-17.1
H83	-15.5	-15.5	-15.5	-12.8	-8.5	-4.7	-3.1	-2.3	-3.3	-7.5	-12.1	-17.1
H84	-14.4	-14.4	-14.4	-11.7	-7.7	-4.1	-2.8	-2.6	-3.5	-7.3	-13.1	-18.4
H85	-18.8	-18.8	-18.8	-16.1	-11.8	-8.0	-6.7	-6.2	-7.4	-11.4	-15.8	-20.6
H86	-19.2	-19.2	-19.2	-16.4	-12.2	-8.4	-7.0	-6.5	-7.8	-11.7	-16.1	-20.9
H87	-18.9	-18.9	-18.9	-16.1	-11.9	-8.1	-6.7	-6.2	-7.5	-11.5	-15.9	-20.8
H88	-20.2	-20.2	-20.2	-17.5	-13.4	-9.7	-8.5	-8.2	-7.5	-7.3	-10.4	-15.6
H89	-17.9	-17.9	-17.9	-15.2	-11.1	-7.5	-6.2	-5.9	-5.1	-4.9	-8.1	-13.3

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-31.2	-31.2	-31.2	-28.3	-23.9	-20.2	-18.4	-17.9	-17.7	-17.2	-20.9	-26.5
H2	-31.2	-31.2	-31.2	-28.3	-23.9	-20.2	-18.4	-17.9	-17.8	-17.3	-20.9	-26.5
H3	-31.1	-31.1	-31.1	-28.2	-23.9	-20.1	-18.3	-17.8	-17.7	-17.1	-20.8	-26.5
H4	-31.1	-31.1	-31.1	-28.2	-23.8	-20.1	-18.3	-17.8	-17.6	-17.1	-20.8	-26.4

Table 10.15.20: Margins in 210 Degree Sector - Night

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H5	-31.0	-31.0	-31.0	-28.1	-23.7	-20.0	-18.2	-17.6	-17.5	-17.0	-20.7	-26.3
H6	-28.9	-28.9	-28.9	-26.2	-22.1	-18.4	-16.7	-16.2	-16.0	-15.7	-19.1	-24.3
H7	-29.7	-29.7	-29.7	-26.6	-22.0	-18.3	-16.5	-15.8	-15.5	-15.0	-19.4	-23.9
H8	-31.8	-31.8	-31.8	-28.4	-23.1	-19.4	-17.4	-16.8	-16.6	-16.6	-20.5	-25.9
H9	-31.0	-31.0	-31.0	-27.7	-22.8	-19.1	-17.2	-16.3	-16.0	-15.7	-20.2	-25.1
H10	-28.3	-28.3	-28.3	-25.2	-20.5	-16.7	-14.9	-14.1	-13.9	-13.3	-17.8	-22.5
H11	-28.2	-28.2	-28.2	-25.1	-20.4	-16.7	-14.8	-14.0	-13.8	-13.2	-17.7	-22.4
H12	-27.2	-27.2	-27.2	-24.0	-19.3	-15.6	-13.7	-12.9	-12.7	-12.0	-16.7	-21.4
H13	-25.0	-25.0	-25.0	-22.3	-18.2	-14.4	-12.7	-12.3	-12.1	-11.8	-15.2	-20.4
H14	-30.2	-30.2	-30.2	-27.0	-22.1	-18.4	-16.5	-15.6	-15.4	-14.9	-19.5	-24.4
H15	-29.7	-29.7	-29.7	-26.5	-21.6	-17.9	-16.0	-15.2	-14.9	-14.3	-19.0	-23.8
H16	-23.4	-23.4	-23.4	-20.7	-16.7	-12.9	-11.2	-10.8	-10.6	-10.4	-13.7	-18.8
H17	-20.1	-20.1	-20.1	-17.4	-13.3	-9.5	-7.8	-7.4	-7.2	-6.9	-10.3	-15.5
H18	-19.1	-19.1	-19.1	-16.4	-12.3	-8.5	-6.8	-6.4	-6.2	-5.9	-9.3	-14.5
H19	-19.8	-19.8	-19.8	-17.0	-12.9	-9.2	-7.5	-7.0	-6.9	-6.6	-9.9	-15.2
H20	-18.8	-18.8	-18.8	-16.1	-11.9	-8.2	-6.5	-6.1	-5.9	-5.6	-8.9	-14.2
H21	-20.0	-20.0	-20.0	-17.3	-13.2	-9.5	-7.7	-7.3	-7.1	-6.9	-10.2	-15.4
H22	-19.5	-19.5	-19.5	-16.8	-12.7	-9.0	-7.2	-6.8	-6.6	-6.4	-9.7	-14.9
H23	-19.3	-19.3	-19.3	-16.6	-12.5	-8.8	-7.1	-6.6	-6.5	-6.2	-9.5	-14.7
H24	-20.7	-20.7	-20.7	-17.6	-12.9	-9.1	-7.0	-6.3	-6.1	-5.6	-10.2	-14.9
H25	-18.0	-18.0	-18.0	-15.2	-11.1	-7.4	-5.7	-5.2	-5.1	-4.7	-8.1	-13.4
H26	-19.5	-19.5	-19.5	-16.7	-12.7	-8.9	-7.3	-6.8	-6.6	-6.4	-9.7	-14.9
H27	-17.7	-17.7	-17.7	-15.0	-10.9	-7.2	-5.5	-5.0	-4.8	-4.5	-7.9	-13.1
H28	-17.8	-17.8	-17.8	-15.1	-11.0	-7.3	-5.6	-5.2	-5.0	-4.7	-8.0	-13.2
H29	-19.2	-19.2	-19.2	-16.4	-12.4	-8.7	-7.0	-6.5	-6.3	-6.1	-9.4	-14.6
H30	-19.0	-19.0	-19.0	-16.3	-12.2	-8.5	-6.9	-6.4	-6.2	-5.9	-9.2	-14.4
H31	-19.0	-19.0	-19.0	-16.3	-12.2	-8.5	-6.8	-6.3	-6.2	-5.9	-9.2	-14.4
H32	-18.9	-18.9	-18.9	-16.1	-12.1	-8.4	-6.7	-6.2	-6.0	-5.8	-9.1	-14.3
H33	-21.1	-21.1	-21.1	-18.4	-14.3	-10.7	-9.0	-8.4	-8.2	-8.0	-11.3	-16.5
H34	-20.9	-20.9	-20.9	-18.2	-14.2	-10.5	-8.8	-8.3	-8.2	-8.0	-7.9	-9.3
H35	-18.2	-18.2	-18.2	-15.5	-11.4	-7.8	-6.1	-5.6	-5.4	-5.1	-8.5	-13.7
H36	-19.8	-19.8	-19.8	-17.1	-13.1	-9.4	-7.7	-7.2	-7.0	-6.8	-10.1	-15.2
H37	-20.7	-20.7	-20.7	-18.0	-13.9	-10.2	-8.6	-8.0	-7.8	-7.6	-10.9	-16.1
H38	-18.0	-18.0	-18.0	-15.2	-11.2	-7.5	-5.8	-5.3	-5.1	-4.8	-8.2	-13.4
H39	-17.8	-17.8	-17.8	-14.8	-10.2	-6.5	-4.5	-3.8	-3.5	-3.0	-7.6	-12.2

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H40	-17.4	-17.4	-17.4	-14.7	-10.6	-6.9	-5.3	-4.7	-4.5	-4.3	-7.6	-12.8
H41	-19.8	-19.8	-19.8	-17.1	-13.0	-9.4	-7.7	-7.1	-6.9	-6.7	-10.0	-15.2
H42	-19.0	-19.0	-19.0	-16.3	-12.2	-8.6	-6.9	-6.3	-6.1	-6.0	-9.3	-14.4
H43	-20.6	-20.6	-20.6	-17.9	-13.8	-10.2	-8.5	-7.9	-7.7	-7.6	-10.8	-16.0
H44	-18.4	-18.4	-18.4	-15.6	-11.6	-7.9	-6.2	-5.7	-5.5	-5.3	-8.6	-13.8
H45	-19.4	-19.4	-19.4	-16.6	-12.6	-8.9	-7.3	-6.7	-6.5	-6.3	-9.6	-14.8
H46	-20.0	-20.0	-20.0	-17.3	-13.2	-9.6	-7.9	-7.3	-7.1	-7.0	-10.3	-15.4
H47	-20.1	-20.1	-20.1	-17.4	-13.3	-9.7	-8.0	-7.4	-7.2	-7.0	-10.3	-15.5
H48	-21.3	-21.3	-21.3	-18.3	-13.8	-10.1	-8.1	-7.5	-7.1	-6.6	-11.1	-15.7
H49	-22.0	-22.0	-22.0	-19.0	-14.6	-10.8	-8.9	-8.3	-7.9	-7.4	-11.9	-16.4
H50	-22.4	-22.4	-22.4	-19.5	-15.0	-11.3	-9.4	-8.8	-8.3	-7.8	-12.3	-16.9
H52	-22.0	-22.0	-22.0	-19.1	-14.7	-10.9	-9.0	-8.4	-7.8	-7.2	-11.9	-16.5
H53	-22.2	-22.2	-22.2	-19.3	-14.9	-11.1	-9.2	-8.6	-8.1	-7.4	-12.2	-16.7
H54	-22.2	-22.2	-22.2	-19.3	-14.9	-11.1	-9.3	-8.6	-8.0	-7.3	-12.2	-16.8
H55	-20.5	-20.5	-20.5	-17.6	-13.3	-9.5	-7.6	-7.0	-8.8	-12.9	-17.5	-22.4
H56	-19.8	-19.8	-19.8	-16.9	-12.6	-8.8	-7.0	-6.4	-8.2	-12.2	-16.7	-21.6
H57	-19.6	-19.6	-19.6	-16.7	-12.4	-8.6	-6.8	-6.2	-8.0	-12.0	-16.6	-21.4
H58	-20.0	-20.0	-20.0	-17.1	-12.8	-9.0	-7.2	-6.5	-8.4	-12.4	-17.0	-21.9
H59	-20.0	-20.0	-20.0	-17.1	-12.8	-9.0	-7.2	-6.6	-8.4	-12.4	-17.0	-21.9
H60	-19.9	-19.9	-19.9	-17.1	-12.8	-9.0	-7.1	-6.5	-8.4	-12.3	-16.9	-21.8
H61	-19.9	-19.9	-19.9	-17.0	-12.7	-8.9	-7.1	-6.5	-8.3	-12.3	-16.9	-21.8
H62	-19.8	-19.8	-19.8	-16.9	-12.6	-8.9	-7.0	-6.4	-8.2	-12.2	-16.8	-21.7
H63	-19.4	-19.4	-19.4	-16.5	-12.2	-8.5	-6.7	-6.1	-7.8	-11.8	-16.4	-21.3
H64	-19.4	-19.4	-19.4	-16.5	-12.2	-8.4	-6.7	-6.1	-7.8	-11.8	-16.4	-21.3
H65	-19.4	-19.4	-19.4	-16.5	-12.2	-8.4	-6.6	-6.1	-7.8	-11.8	-16.4	-21.2
H66	-19.3	-19.3	-19.3	-16.5	-12.2	-8.4	-6.6	-6.0	-7.8	-11.8	-16.3	-21.2
H67	-19.0	-19.0	-19.0	-16.2	-11.9	-8.1	-6.4	-5.8	-7.5	-11.4	-16.0	-20.9
H68	-14.1	-14.1	-14.1	-11.3	-7.0	-3.2	-1.7	-1.2	-2.7	-6.5	-11.0	-15.9
H69	-20.7	-20.7	-20.7	-18.0	-13.9	-10.2	-8.7	-8.3	-7.9	-7.6	-7.6	-9.5
H70	-15.5	-15.5	-15.5	-12.7	-8.5	-4.7	-3.1	-2.6	-4.2	-7.9	-12.4	-17.3
H71	-19.6	-19.6	-19.6	-16.8	-12.5	-8.7	-6.9	-6.3	-8.1	-12.1	-16.7	-21.5
H72	-21.5	-21.5	-21.5	-18.8	-14.8	-11.2	-9.5	-8.8	-10.3	-13.9	-18.1	-22.9
H73	-13.3	-13.3	-13.3	-10.5	-5.7	-2.0	-0.5	-0.1	-1.4	-6.4	-11.5	-16.5
H74	-13.1	-13.1	-13.1	-10.2	-5.6	-1.9	-0.4	0.0	-1.4	-6.2	-11.4	-16.4
H75	-14.0	-14.0	-14.0	-11.3	-7.2	-3.6	-1.9	-1.1	-2.7	-6.4	-10.7	-15.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H76	-14.3	-14.3	-14.3	-11.5	-6.4	-2.5	-0.9	-0.5	-1.9	-6.9	-11.9	-17.0
H77	-14.2	-14.2	-14.2	-11.4	-6.3	-2.4	-0.9	-0.5	-1.9	-6.9	-11.9	-17.0
H78	-13.9	-13.9	-13.9	-11.1	-7.0	-3.4	-1.7	-0.9	-2.5	-6.2	-10.6	-15.3
H79	-13.6	-13.6	-13.6	-10.9	-6.7	-3.0	-1.3	-0.5	-2.1	-6.0	-10.4	-15.2
H80	-15.1	-15.1	-15.1	-12.4	-8.2	-4.6	-2.8	-1.9	-3.5	-7.4	-11.8	-16.7
H81	-14.9	-14.9	-14.9	-12.2	-7.9	-4.0	-2.2	-1.2	-2.9	-7.1	-11.8	-16.7
H82	-15.5	-15.5	-15.5	-12.7	-8.5	-4.7	-2.8	-1.7	-3.3	-7.5	-12.1	-17.1
H83	-15.5	-15.5	-15.5	-12.7	-8.5	-4.7	-2.8	-1.7	-3.3	-7.5	-12.1	-17.1
H84	-14.4	-14.4	-14.4	-11.7	-7.7	-4.1	-2.5	-2.0	-3.4	-6.8	-13.0	-18.4
H85	-18.8	-18.8	-18.8	-16.1	-11.8	-8.1	-6.4	-5.7	-7.3	-11.3	-15.8	-20.6
H86	-19.2	-19.2	-19.2	-16.4	-12.2	-8.4	-6.7	-6.0	-7.7	-11.6	-16.1	-20.9
H87	-19.0	-19.0	-19.0	-16.2	-12.0	-8.2	-6.5	-5.8	-7.5	-11.4	-15.9	-20.8
H88	-17.0	-17.0	-17.0	-14.3	-10.2	-6.5	-4.9	-4.3	-4.1	-3.9	-7.2	-12.4
H89	-15.1	-15.1	-15.1	-12.4	-8.3	-4.7	-3.0	-2.3	-2.1	-1.9	-5.3	-10.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-28.1	-28.1	-28.1	-25.2	-20.8	-17.0	-14.9	-14.5	-14.4	-14.1	-17.7	-23.4
H2	-28.1	-28.1	-28.1	-25.2	-20.8	-17.0	-14.9	-14.5	-14.4	-14.1	-17.8	-23.4
H3	-28.1	-28.1	-28.1	-25.2	-20.8	-17.0	-14.9	-14.4	-14.4	-14.1	-17.7	-23.4
H4	-28.0	-28.0	-28.0	-25.1	-20.8	-17.0	-14.8	-14.4	-14.3	-14.1	-17.7	-23.4
H5	-27.9	-27.9	-27.9	-25.0	-20.6	-16.8	-14.7	-14.3	-14.2	-13.9	-17.6	-23.3
H6	-24.5	-24.5	-24.5	-21.8	-17.6	-13.9	-11.8	-11.4	-11.4	-11.3	-14.6	-19.9
H7	-28.2	-28.2	-28.2	-25.2	-20.5	-16.7	-14.5	-13.9	-13.8	-13.5	-17.7	-22.5
H8	-31.7	-31.7	-31.7	-28.2	-22.8	-19.0	-16.7	-16.3	-16.3	-16.5	-20.1	-25.7
H9	-30.8	-30.8	-30.8	-27.6	-22.5	-18.8	-16.5	-15.9	-15.7	-15.5	-19.8	-24.9
H10	-26.8	-26.8	-26.8	-23.7	-18.8	-15.1	-12.8	-12.2	-12.0	-11.6	-16.1	-21.0
H11	-26.7	-26.7	-26.7	-23.6	-18.8	-15.0	-12.7	-12.2	-11.9	-11.5	-16.0	-20.9
H12	-26.5	-26.5	-26.5	-23.3	-18.5	-14.7	-12.4	-11.8	-11.6	-11.2	-15.7	-20.7
H13	-21.4	-21.4	-21.4	-18.6	-14.5	-10.7	-8.6	-8.2	-8.2	-8.1	-11.5	-16.7
H14	-30.2	-30.2	-30.2	-27.0	-21.9	-18.2	-15.9	-15.3	-15.1	-14.9	-19.2	-24.3
H15	-30.0	-30.0	-30.0	-26.8	-21.9	-18.1	-15.8	-15.2	-15.0	-14.7	-19.1	-24.1
H16	-20.6	-20.6	-20.6	-17.9	-13.8	-10.0	-7.9	-7.6	-7.6	-7.5	-10.8	-16.0
H17	-17.7	-17.7	-17.7	-14.9	-10.8	-7.0	-4.9	-4.6	-4.5	-4.4	-7.8	-13.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H18	-16.7	-16.7	-16.7	-14.0	-9.8	-6.0	-3.9	-3.6	-3.5	-3.4	-6.8	-12.1
H19	-16.9	-16.9	-16.9	-14.1	-10.0	-6.2	-4.2	-3.8	-3.8	-3.7	-7.0	-12.3
H20	-16.4	-16.4	-16.4	-13.7	-9.5	-5.7	-3.6	-3.3	-3.2	-3.1	-6.5	-11.8
H21	-17.1	-17.1	-17.1	-14.3	-10.2	-6.5	-4.4	-4.0	-4.0	-3.9	-7.2	-12.5
H22	-16.5	-16.5	-16.5	-13.8	-9.7	-5.9	-3.9	-3.5	-3.5	-3.4	-6.7	-12.0
H23	-16.4	-16.4	-16.4	-13.6	-9.5	-5.8	-3.7	-3.3	-3.3	-3.2	-6.5	-11.8
H24	-20.9	-20.9	-20.9	-17.8	-13.0	-9.1	-6.9	-6.2	-5.9	-5.7	-10.2	-15.2
H25	-15.6	-15.6	-15.6	-12.9	-8.7	-5.0	-2.9	-2.5	-2.4	-2.3	-5.7	-11.0
H26	-16.8	-16.8	-16.8	-14.1	-10.0	-6.2	-4.1	-3.8	-3.7	-3.7	-7.0	-12.2
H27	-15.3	-15.3	-15.3	-12.5	-8.4	-4.7	-2.6	-2.2	-2.2	-2.1	-5.4	-10.7
H28	-15.7	-15.7	-15.7	-13.0	-8.9	-5.1	-3.0	-2.7	-2.6	-2.5	-5.9	-11.1
H29	-17.2	-17.2	-17.2	-14.5	-10.4	-6.7	-4.6	-4.2	-4.2	-4.1	-7.4	-12.7
H30	-16.7	-16.7	-16.7	-14.0	-9.9	-6.1	-4.0	-3.7	-3.7	-3.6	-6.9	-12.1
H31	-17.1	-17.1	-17.1	-14.3	-10.3	-6.5	-4.4	-4.0	-4.0	-3.9	-7.2	-12.5
H32	-16.9	-16.9	-16.9	-14.2	-10.1	-6.3	-4.2	-3.9	-3.8	-3.8	-7.1	-12.3
H33	-20.5	-20.5	-20.5	-17.8	-13.8	-10.0	-7.9	-7.6	-7.5	-7.5	-10.7	-15.9
H34	-19.6	-19.6	-19.6	-16.9	-12.9	-9.1	-7.0	-6.7	-6.7	-6.7	-6.6	-8.0
H35	-16.2	-16.2	-16.2	-13.5	-9.4	-5.7	-3.6	-3.2	-3.2	-3.1	-6.4	-11.7
H36	-18.1	-18.1	-18.1	-15.4	-11.4	-7.6	-5.5	-5.1	-5.1	-5.0	-8.3	-13.5
H37	-20.1	-20.1	-20.1	-17.4	-13.3	-9.5	-7.5	-7.1	-7.1	-7.0	-10.3	-15.5
H38	-16.0	-16.0	-16.0	-13.3	-9.2	-5.4	-3.3	-3.0	-2.9	-2.9	-6.2	-11.4
H39	-18.8	-18.8	-18.8	-15.7	-11.1	-7.2	-5.0	-4.4	-4.0	-3.6	-8.3	-13.1
H40	-15.8	-15.8	-15.8	-13.1	-9.0	-5.2	-3.1	-2.8	-2.7	-2.6	-6.0	-11.2
H41	-19.2	-19.2	-19.2	-16.5	-12.4	-8.6	-6.6	-6.2	-6.2	-6.1	-9.4	-14.6
H42	-18.4	-18.4	-18.4	-15.7	-11.6	-7.9	-5.8	-5.4	-5.4	-5.3	-8.6	-13.8
H43	-20.0	-20.0	-20.0	-17.3	-13.2	-9.5	-7.4	-7.0	-7.0	-6.9	-10.2	-15.4
H44	-16.6	-16.6	-16.6	-13.9	-9.8	-6.0	-3.9	-3.6	-3.6	-3.5	-6.8	-12.0
H45	-18.7	-18.7	-18.7	-16.0	-12.0	-8.2	-6.1	-5.8	-5.7	-5.7	-8.9	-14.1
H46	-19.4	-19.4	-19.4	-16.7	-12.6	-8.8	-6.8	-6.4	-6.4	-6.3	-9.6	-14.8
H47	-19.5	-19.5	-19.5	-16.8	-12.7	-8.9	-6.8	-6.5	-6.4	-6.4	-9.7	-14.9
H48	-23.8	-23.8	-23.8	-20.8	-16.2	-12.4	-10.1	-9.5	-9.1	-8.7	-13.4	-18.2
H49	-25.7	-25.7	-25.7	-22.8	-18.2	-14.4	-12.1	-11.5	-11.0	-10.6	-15.4	-20.2
H50	-26.2	-26.2	-26.2	-23.2	-18.7	-14.8	-12.5	-11.9	-11.4	-11.1	-15.8	-20.6
H52	-25.8	-25.8	-25.8	-22.9	-18.3	-14.5	-12.1	-11.6	-11.0	-10.7	-15.5	-20.3
H53	-26.0	-26.0	-26.0	-23.1	-18.5	-14.7	-12.3	-11.8	-11.2	-10.9	-15.7	-20.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H54	-26.3	-26.3	-26.3	-23.3	-18.8	-14.9	-12.6	-12.0	-11.4	-11.2	-15.9	-20.7
H55	-24.9	-24.9	-24.9	-22.0	-17.6	-13.7	-11.4	-10.8	-12.9	-17.2	-21.8	-26.7
H56	-24.2	-24.2	-24.2	-21.3	-16.9	-13.1	-10.8	-10.3	-12.3	-16.5	-21.0	-25.9
H57	-24.0	-24.0	-24.0	-21.2	-16.8	-12.9	-10.7	-10.2	-12.1	-16.3	-20.9	-25.8
H58	-24.4	-24.4	-24.4	-21.6	-17.2	-13.3	-11.0	-10.5	-12.5	-16.7	-21.3	-26.2
H59	-24.4	-24.4	-24.4	-21.6	-17.2	-13.3	-11.0	-10.5	-12.5	-16.7	-21.3	-26.2
H60	-24.4	-24.4	-24.4	-21.5	-17.1	-13.3	-11.0	-10.5	-12.5	-16.7	-21.3	-26.1
H61	-24.3	-24.3	-24.3	-21.5	-17.1	-13.2	-10.9	-10.4	-12.4	-16.6	-21.2	-26.1
H62	-24.2	-24.2	-24.2	-21.4	-17.0	-13.1	-10.9	-10.4	-12.3	-16.5	-21.1	-26.0
H63	-24.0	-24.0	-24.0	-21.2	-16.8	-12.9	-10.7	-10.1	-12.1	-16.3	-20.9	-25.8
H64	-24.0	-24.0	-24.0	-21.2	-16.8	-12.9	-10.6	-10.1	-12.1	-16.3	-20.9	-25.8
H65	-24.0	-24.0	-24.0	-21.2	-16.8	-12.9	-10.6	-10.1	-12.1	-16.3	-20.9	-25.8
H66	-24.0	-24.0	-24.0	-21.1	-16.7	-12.9	-10.6	-10.1	-12.1	-16.3	-20.9	-25.7
H67	-23.7	-23.7	-23.7	-20.8	-16.5	-12.6	-10.3	-9.8	-11.8	-16.0	-20.5	-25.4
H68	-16.2	-16.2	-16.2	-13.4	-9.1	-5.2	-3.0	-2.5	-4.5	-8.5	-13.0	-17.8
H69	-23.0	-23.0	-23.0	-20.2	-16.2	-12.4	-10.3	-9.9	-9.9	-9.8	-9.7	-11.7
H70	-18.0	-18.0	-18.0	-15.2	-10.9	-7.1	-4.9	-4.4	-6.3	-10.4	-14.8	-19.6
H71	-24.3	-24.3	-24.3	-21.5	-17.1	-13.3	-11.0	-10.5	-12.4	-16.7	-21.2	-26.1
H72	-21.5	-21.5	-21.5	-18.8	-14.8	-11.0	-8.9	-8.5	-10.2	-13.9	-18.1	-22.9
H73	-16.1	-16.1	-16.1	-13.3	-8.8	-4.4	-1.9	-1.3	-3.9	-8.5	-13.2	-18.2
H74	-15.6	-15.6	-15.6	-12.8	-7.8	-3.5	-1.4	-1.1	-2.8	-8.1	-13.1	-18.1
H75	-14.0	-14.0	-14.0	-11.3	-7.2	-3.3	-1.2	-0.7	-2.5	-6.3	-10.7	-15.5
H76	-16.6	-16.6	-16.6	-13.8	-9.2	-4.6	-2.0	-1.7	-4.1	-9.0	-13.8	-18.8
H77	-16.6	-16.6	-16.6	-13.8	-9.1	-4.5	-2.0	-1.7	-4.1	-9.0	-13.8	-18.7
H78	-13.9	-13.9	-13.9	-11.1	-7.0	-3.2	-1.0	-0.6	-2.3	-6.2	-10.5	-15.3
H79	-13.6	-13.6	-13.6	-10.9	-6.7	-2.8	-0.6	-0.1	-2.0	-5.9	-10.4	-15.2
H80	-15.1	-15.1	-15.1	-12.4	-8.2	-4.4	-2.1	-1.6	-3.4	-7.4	-11.8	-16.7
H81	-15.4	-15.4	-15.4	-12.6	-8.3	-4.2	-1.8	-1.0	-3.1	-7.6	-12.3	-17.2
H82	-15.5	-15.5	-15.5	-12.8	-8.5	-4.5	-2.1	-1.4	-3.2	-7.5	-12.1	-17.1
H83	-15.5	-15.5	-15.5	-12.8	-8.5	-4.5	-2.1	-1.4	-3.2	-7.5	-12.1	-17.1
H84	-15.6	-15.6	-15.6	-12.9	-8.8	-5.1	-3.0	-2.7	-4.4	-8.0	-13.7	-19.4
H85	-20.9	-20.9	-20.9	-18.1	-13.9	-10.0	-7.8	-7.3	-9.2	-13.3	-17.7	-22.5
H86	-21.2	-21.2	-21.2	-18.4	-14.2	-10.3	-8.1	-7.7	-9.5	-13.5	-18.0	-22.8
H87	-20.7	-20.7	-20.7	-18.0	-13.7	-9.9	-7.6	-7.2	-9.1	-13.1	-17.5	-22.4
H88	-15.4	-15.4	-15.4	-12.7	-8.6	-4.8	-2.8	-2.4	-2.4	-2.3	-5.6	-10.8

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H89	-14.7	-14.7	-14.7	-11.9	-7.8	-4.1	-2.0	-1.6	-1.6	-1.5	-4.8	-10.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-23.5	-23.5	-23.5	-20.6	-16.2	-12.4	-10.3	-9.9	-9.8	-9.6	-13.1	-18.8
H2	-23.5	-23.5	-23.5	-20.6	-16.2	-12.4	-10.3	-9.9	-9.9	-9.6	-13.1	-18.8
H3	-23.5	-23.5	-23.5	-20.6	-16.2	-12.5	-10.3	-10.0	-9.9	-9.6	-13.2	-18.9
H4	-23.5	-23.5	-23.5	-20.6	-16.2	-12.4	-10.3	-9.9	-9.9	-9.6	-13.2	-18.9
H5	-23.4	-23.4	-23.4	-20.5	-16.1	-12.3	-10.1	-9.8	-9.7	-9.4	-13.0	-18.7
H6	-22.3	-22.3	-22.3	-19.6	-15.5	-11.7	-9.6	-9.3	-9.2	-9.1	-12.5	-17.7
H7	-24.7	-24.7	-24.7	-21.7	-16.9	-13.1	-10.9	-10.5	-10.4	-10.1	-14.2	-18.9
H8	-29.8	-29.8	-29.8	-26.4	-20.9	-17.1	-14.8	-14.5	-14.5	-14.7	-18.2	-23.8
H9	-29.0	-29.0	-29.0	-25.8	-20.7	-16.9	-14.6	-14.2	-14.0	-13.7	-18.0	-23.1
H10	-23.2	-23.2	-23.2	-20.1	-15.3	-11.5	-9.2	-8.8	-8.6	-8.2	-12.6	-17.4
H11	-23.2	-23.2	-23.2	-20.0	-15.2	-11.4	-9.1	-8.7	-8.5	-8.1	-12.5	-17.3
H12	-24.0	-24.0	-24.0	-20.8	-15.9	-12.1	-9.9	-9.5	-9.2	-8.8	-13.2	-18.2
H13	-20.3	-20.3	-20.3	-17.5	-13.4	-9.6	-7.5	-7.2	-7.1	-7.0	-10.4	-15.7
H14	-28.6	-28.6	-28.6	-25.3	-20.3	-16.5	-14.2	-13.8	-13.6	-13.3	-17.6	-22.7
H15	-28.8	-28.8	-28.8	-25.6	-20.7	-16.9	-14.6	-14.2	-14.0	-13.6	-18.0	-23.0
H16	-20.1	-20.1	-20.1	-17.4	-13.4	-9.6	-7.5	-7.2	-7.1	-7.1	-10.3	-15.5
H17	-16.4	-16.4	-16.4	-13.7	-9.5	-5.8	-3.6	-3.3	-3.2	-3.2	-6.5	-11.8
H18	-15.5	-15.5	-15.5	-12.7	-8.6	-4.8	-2.7	-2.4	-2.3	-2.2	-5.6	-10.9
H19	-16.4	-16.4	-16.4	-13.7	-9.6	-5.8	-3.7	-3.4	-3.3	-3.2	-6.6	-11.8
H20	-15.2	-15.2	-15.2	-12.5	-8.3	-4.5	-2.4	-2.1	-2.0	-1.9	-5.3	-10.6
H21	-16.6	-16.6	-16.6	-13.9	-9.8	-6.0	-3.9	-3.6	-3.5	-3.5	-6.8	-12.0
H22	-16.1	-16.1	-16.1	-13.4	-9.3	-5.5	-3.4	-3.1	-3.0	-2.9	-6.3	-11.5
H23	-15.9	-15.9	-15.9	-13.2	-9.1	-5.3	-3.2	-2.9	-2.8	-2.7	-6.1	-11.3
H24	-20.5	-20.5	-20.5	-17.4	-12.5	-8.7	-6.4	-5.9	-5.6	-5.3	-9.8	-14.7
H25	-14.5	-14.5	-14.5	-11.7	-7.6	-3.8	-1.7	-1.3	-1.3	-1.2	-4.5	-9.9
H26	-16.3	-16.3	-16.3	-13.6	-9.5	-5.7	-3.6	-3.3	-3.2	-3.2	-6.5	-11.7
H27	-14.9	-14.9	-14.9	-12.1	-8.0	-4.2	-2.1	-1.8	-1.7	-1.6	-5.0	-10.3
H28	-15.3	-15.3	-15.3	-12.5	-8.4	-4.7	-2.6	-2.2	-2.1	-2.1	-5.4	-10.7
H29	-17.2	-17.2	-17.2	-14.5	-10.4	-6.7	-4.6	-4.2	-4.2	-4.1	-7.4	-12.6
H30	-16.2	-16.2	-16.2	-13.5	-9.4	-5.6	-3.5	-3.2	-3.1	-3.0	-6.4	-11.6

Table 10.15.22: Margins in 270 Degree Sector - Night

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H31	-17.1	-17.1	-17.1	-14.3	-10.3	-6.5	-4.4	-4.0	-4.0	-3.9	-7.2	-12.5
H32	-16.9	-16.9	-16.9	-14.2	-10.1	-6.3	-4.2	-3.9	-3.8	-3.7	-7.1	-12.3
H33	-20.5	-20.5	-20.5	-17.8	-13.7	-10.0	-7.9	-7.5	-7.5	-7.4	-10.7	-15.9
H34	-19.0	-19.0	-19.0	-16.2	-12.2	-8.4	-6.3	-6.0	-6.0	-6.0	-5.9	-7.3
H35	-16.2	-16.2	-16.2	-13.5	-9.4	-5.7	-3.6	-3.2	-3.2	-3.1	-6.4	-11.6
H36	-18.1	-18.1	-18.1	-15.4	-11.3	-7.6	-5.5	-5.1	-5.1	-5.0	-8.3	-13.5
H37	-20.1	-20.1	-20.1	-17.4	-13.3	-9.5	-7.4	-7.1	-7.0	-7.0	-10.3	-15.5
H38	-16.0	-16.0	-16.0	-13.3	-9.2	-5.4	-3.3	-3.0	-2.9	-2.8	-6.2	-11.4
H39	-18.9	-18.9	-18.9	-15.9	-11.2	-7.3	-5.0	-4.6	-4.3	-3.8	-8.4	-13.2
H40	-15.8	-15.8	-15.8	-13.1	-9.0	-5.2	-3.1	-2.7	-2.7	-2.6	-5.9	-11.2
H41	-19.2	-19.2	-19.2	-16.5	-12.4	-8.6	-6.5	-6.2	-6.1	-6.0	-9.4	-14.6
H42	-18.4	-18.4	-18.4	-15.7	-11.6	-7.9	-5.8	-5.4	-5.4	-5.3	-8.6	-13.8
H43	-20.0	-20.0	-20.0	-17.3	-13.2	-9.5	-7.4	-7.0	-7.0	-6.9	-10.2	-15.4
H44	-16.6	-16.6	-16.6	-13.9	-9.8	-6.0	-3.9	-3.6	-3.5	-3.5	-6.8	-12.0
H45	-18.7	-18.7	-18.7	-16.0	-12.0	-8.2	-6.1	-5.7	-5.7	-5.6	-8.9	-14.1
H46	-19.4	-19.4	-19.4	-16.7	-12.6	-8.8	-6.7	-6.4	-6.3	-6.2	-9.6	-14.8
H47	-19.5	-19.5	-19.5	-16.7	-12.7	-8.9	-6.8	-6.4	-6.4	-6.3	-9.6	-14.8
H48	-24.6	-24.6	-24.6	-21.7	-17.0	-13.2	-10.9	-10.4	-10.0	-9.6	-14.2	-19.0
H49	-27.4	-27.4	-27.4	-24.5	-19.9	-16.0	-13.7	-13.2	-12.7	-12.3	-17.1	-21.8
H50	-27.8	-27.8	-27.8	-24.9	-20.3	-16.4	-14.1	-13.6	-13.1	-12.7	-17.5	-22.3
H52	-27.4	-27.4	-27.4	-24.5	-19.9	-16.0	-13.7	-13.2	-12.6	-12.4	-17.1	-21.9
H53	-27.6	-27.6	-27.6	-24.7	-20.1	-16.3	-13.9	-13.4	-12.9	-12.5	-17.3	-22.0
H54	-28.1	-28.1	-28.1	-25.2	-20.7	-16.8	-14.4	-13.9	-13.3	-13.1	-17.8	-22.6
H55	-27.4	-27.4	-27.4	-24.6	-20.1	-16.2	-13.9	-13.4	-15.4	-19.7	-24.3	-29.2
H56	-26.8	-26.8	-26.8	-23.9	-19.5	-15.6	-13.3	-12.9	-14.8	-19.0	-23.6	-28.5
H57	-26.6	-26.6	-26.6	-23.7	-19.3	-15.5	-13.2	-12.7	-14.7	-18.9	-23.4	-28.3
H58	-27.0	-27.0	-27.0	-24.1	-19.7	-15.8	-13.5	-13.1	-15.1	-19.3	-23.8	-28.7
H59	-27.0	-27.0	-27.0	-24.1	-19.7	-15.8	-13.5	-13.1	-15.1	-19.3	-23.8	-28.7
H60	-27.0	-27.0	-27.0	-24.1	-19.7	-15.8	-13.5	-13.1	-15.0	-19.2	-23.8	-28.7
H61	-26.9	-26.9	-26.9	-24.1	-19.6	-15.8	-13.5	-13.0	-15.0	-19.2	-23.8	-28.6
H62	-26.8	-26.8	-26.8	-24.0	-19.6	-15.7	-13.4	-12.9	-14.9	-19.1	-23.6	-28.5
H63	-26.8	-26.8	-26.8	-24.0	-19.6	-15.7	-13.4	-12.9	-14.9	-19.1	-23.7	-28.6
H64	-26.8	-26.8	-26.8	-23.9	-19.5	-15.7	-13.4	-12.9	-14.9	-19.1	-23.6	-28.5
H65	-26.8	-26.8	-26.8	-23.9	-19.5	-15.6	-13.4	-12.9	-14.9	-19.1	-23.6	-28.5
H66	-26.8	-26.8	-26.8	-23.9	-19.5	-15.6	-13.3	-12.9	-14.8	-19.1	-23.6	-28.5

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H67	-26.4	-26.4	-26.4	-23.6	-19.2	-15.3	-13.1	-12.6	-14.6	-18.7	-23.3	-28.1
H68	-19.4	-19.4	-19.4	-16.5	-12.2	-8.3	-6.0	-5.5	-7.4	-11.6	-16.1	-21.0
H69	-26.0	-26.0	-26.0	-23.3	-19.2	-15.4	-13.3	-12.9	-12.7	-12.7	-12.6	-14.6
H70	-21.9	-21.9	-21.9	-19.1	-14.8	-10.9	-8.7	-8.2	-10.1	-14.2	-18.6	-23.5
H71	-27.5	-27.5	-27.5	-24.7	-20.3	-16.4	-14.1	-13.6	-15.6	-19.8	-24.4	-29.3
H72	-21.5	-21.5	-21.5	-18.8	-14.8	-11.0	-8.9	-8.5	-10.2	-13.9	-18.1	-22.9
H73	-20.4	-20.4	-20.4	-17.6	-13.2	-9.2	-6.6	-5.6	-7.6	-12.5	-17.2	-22.2
H74	-19.7	-19.7	-19.7	-16.9	-12.5	-8.3	-5.4	-4.5	-6.2	-11.6	-16.6	-21.6
H75	-14.0	-14.0	-14.0	-11.3	-7.1	-3.3	-1.1	-0.5	-2.3	-6.2	-10.7	-15.5
H76	-20.6	-20.6	-20.6	-17.9	-13.5	-9.4	-6.9	-5.8	-7.9	-12.7	-17.4	-22.4
H77	-20.6	-20.6	-20.6	-17.8	-13.4	-9.4	-6.8	-5.7	-7.8	-12.6	-17.4	-22.4
H78	-14.2	-14.2	-14.2	-11.4	-7.3	-3.4	-1.1	-0.6	-2.4	-6.4	-10.9	-15.7
H79	-14.7	-14.7	-14.7	-12.0	-7.8	-3.9	-1.6	-1.0	-2.8	-7.0	-11.5	-16.3
H80	-15.6	-15.6	-15.6	-12.9	-8.7	-4.7	-2.4	-1.7	-3.6	-7.7	-12.3	-17.1
H81	-18.1	-18.1	-18.1	-15.3	-11.0	-6.9	-4.3	-3.2	-5.3	-10.1	-14.9	-19.9
H82	-16.0	-16.0	-16.0	-13.3	-9.0	-5.0	-2.5	-1.6	-3.4	-7.9	-12.7	-17.6
H83	-16.0	-16.0	-16.0	-13.3	-9.0	-5.0	-2.5	-1.6	-3.4	-7.9	-12.7	-17.6
H84	-19.0	-19.0	-19.0	-16.3	-12.2	-8.5	-6.4	-6.1	-7.8	-11.4	-17.0	-22.8
H85	-25.4	-25.4	-25.4	-22.6	-18.4	-14.6	-12.3	-11.9	-13.7	-17.7	-22.2	-27.0
H86	-25.7	-25.7	-25.7	-22.9	-18.7	-14.8	-12.6	-12.2	-14.0	-18.0	-22.4	-27.2
H87	-25.4	-25.4	-25.4	-22.6	-18.4	-14.5	-12.3	-11.9	-13.7	-17.7	-22.1	-26.9
H88	-15.4	-15.4	-15.4	-12.7	-8.6	-4.8	-2.7	-2.4	-2.3	-2.2	-5.6	-10.8
H89	-14.7	-14.7	-14.7	-11.9	-7.8	-4.0	-1.9	-1.6	-1.5	-1.4	-4.8	-10.1

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-22.2	-22.2	-22.2	-19.3	-15.0	-11.2	-9.1	-8.7	-8.7	-8.4	-12.0	-17.6
H2	-22.2	-22.2	-22.2	-19.3	-15.0	-11.2	-9.1	-8.7	-8.7	-8.4	-12.0	-17.6
H3	-22.1	-22.1	-22.1	-19.2	-14.9	-11.1	-8.9	-8.6	-8.5	-8.2	-11.8	-17.5
H4	-22.1	-22.1	-22.1	-19.2	-14.8	-11.1	-8.9	-8.6	-8.5	-8.2	-11.8	-17.4
H5	-22.0	-22.0	-22.0	-19.1	-14.7	-10.9	-8.8	-8.4	-8.3	-8.1	-11.7	-17.3
H6	-22.3	-22.3	-22.3	-19.6	-15.5	-11.7	-9.6	-9.3	-9.2	-9.1	-12.5	-17.7
H7	-20.1	-20.1	-20.1	-17.0	-12.4	-8.6	-6.4	-6.0	-5.9	-5.6	-9.7	-14.3
H8	-25.9	-25.9	-25.9	-22.5	-17.1	-13.3	-11.0	-10.6	-10.6	-10.8	-14.4	-19.9

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H9	-25.1	-25.1	-25.1	-21.8	-16.9	-13.1	-10.8	-10.4	-10.2	-9.8	-14.2	-19.2
H10	-18.6	-18.6	-18.6	-15.5	-10.8	-7.0	-4.7	-4.3	-4.1	-3.8	-8.1	-12.9
H11	-18.5	-18.5	-18.5	-15.4	-10.7	-6.9	-4.6	-4.2	-4.0	-3.7	-8.0	-12.8
H12	-19.4	-19.4	-19.4	-16.3	-11.5	-7.7	-5.4	-5.0	-4.8	-4.4	-8.8	-13.6
H13	-20.3	-20.3	-20.3	-17.5	-13.4	-9.6	-7.5	-7.2	-7.1	-7.0	-10.4	-15.7
H14	-24.9	-24.9	-24.9	-21.7	-16.8	-13.0	-10.7	-10.3	-10.1	-9.6	-14.1	-19.1
H15	-25.6	-25.6	-25.6	-22.5	-17.7	-13.9	-11.6	-11.2	-11.0	-10.6	-15.0	-19.8
H16	-20.1	-20.1	-20.1	-17.4	-13.4	-9.6	-7.5	-7.2	-7.1	-7.1	-10.3	-15.5
H17	-16.4	-16.4	-16.4	-13.7	-9.5	-5.8	-3.7	-3.3	-3.2	-3.2	-6.5	-11.8
H18	-15.5	-15.5	-15.5	-12.7	-8.6	-4.8	-2.7	-2.4	-2.3	-2.2	-5.6	-10.9
H19	-16.4	-16.4	-16.4	-13.7	-9.6	-5.8	-3.7	-3.4	-3.3	-3.2	-6.6	-11.8
H20	-15.2	-15.2	-15.2	-12.5	-8.3	-4.5	-2.4	-2.1	-2.0	-1.9	-5.3	-10.6
H21	-16.6	-16.6	-16.6	-13.9	-9.8	-6.0	-3.9	-3.6	-3.5	-3.4	-6.8	-12.0
H22	-16.1	-16.1	-16.1	-13.4	-9.3	-5.5	-3.4	-3.1	-3.0	-2.9	-6.3	-11.5
H23	-15.9	-15.9	-15.9	-13.2	-9.1	-5.3	-3.2	-2.9	-2.8	-2.7	-6.1	-11.3
H24	-18.9	-18.9	-18.9	-15.8	-11.1	-7.3	-5.0	-4.5	-4.2	-3.8	-8.3	-13.2
H25	-14.5	-14.5	-14.5	-11.7	-7.6	-3.8	-1.7	-1.3	-1.3	-1.2	-4.5	-9.9
H26	-16.3	-16.3	-16.3	-13.6	-9.5	-5.7	-3.6	-3.3	-3.2	-3.2	-6.5	-11.7
H27	-14.9	-14.9	-14.9	-12.1	-8.0	-4.2	-2.1	-1.8	-1.7	-1.6	-5.0	-10.3
H28	-15.3	-15.3	-15.3	-12.5	-8.4	-4.7	-2.6	-2.2	-2.1	-2.1	-5.4	-10.7
H29	-17.2	-17.2	-17.2	-14.5	-10.4	-6.7	-4.6	-4.2	-4.2	-4.1	-7.4	-12.6
H30	-16.2	-16.2	-16.2	-13.5	-9.4	-5.6	-3.5	-3.2	-3.1	-3.0	-6.4	-11.6
H31	-17.1	-17.1	-17.1	-14.3	-10.3	-6.5	-4.4	-4.0	-4.0	-3.9	-7.2	-12.5
H32	-16.9	-16.9	-16.9	-14.2	-10.1	-6.3	-4.2	-3.9	-3.8	-3.7	-7.0	-12.3
H33	-20.5	-20.5	-20.5	-17.8	-13.8	-10.0	-7.9	-7.5	-7.5	-7.4	-10.7	-15.9
H34	-19.0	-19.0	-19.0	-16.2	-12.2	-8.4	-6.3	-6.0	-6.0	-6.0	-5.9	-7.3
H35	-16.2	-16.2	-16.2	-13.5	-9.4	-5.7	-3.6	-3.2	-3.1	-3.1	-6.4	-11.6
H36	-18.1	-18.1	-18.1	-15.4	-11.4	-7.6	-5.5	-5.1	-5.1	-5.0	-8.3	-13.5
H37	-20.1	-20.1	-20.1	-17.4	-13.3	-9.5	-7.4	-7.1	-7.0	-7.0	-10.3	-15.5
H38	-16.0	-16.0	-16.0	-13.3	-9.2	-5.4	-3.3	-3.0	-2.9	-2.8	-6.1	-11.4
H39	-18.2	-18.2	-18.2	-15.2	-10.6	-6.8	-4.5	-4.1	-3.7	-3.3	-7.8	-12.5
H40	-15.8	-15.8	-15.8	-13.1	-9.0	-5.2	-3.1	-2.7	-2.7	-2.6	-5.9	-11.2
H41	-19.2	-19.2	-19.2	-16.5	-12.4	-8.6	-6.5	-6.2	-6.1	-6.1	-9.4	-14.6
H42	-18.4	-18.4	-18.4	-15.7	-11.6	-7.9	-5.8	-5.4	-5.4	-5.3	-8.6	-13.8
H43	-20.0	-20.0	-20.0	-17.3	-13.2	-9.5	-7.4	-7.0	-7.0	-6.9	-10.2	-15.4

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H44	-16.6	-16.6	-16.6	-13.9	-9.8	-6.0	-3.9	-3.6	-3.5	-3.4	-6.8	-12.0
H45	-18.7	-18.7	-18.7	-16.0	-12.0	-8.2	-6.1	-5.7	-5.7	-5.6	-8.9	-14.1
H46	-19.4	-19.4	-19.4	-16.7	-12.6	-8.8	-6.7	-6.4	-6.3	-6.3	-9.6	-14.8
H47	-19.5	-19.5	-19.5	-16.7	-12.7	-8.9	-6.8	-6.5	-6.4	-6.3	-9.6	-14.8
H48	-24.0	-24.0	-24.0	-21.0	-16.6	-12.7	-10.4	-10.0	-9.6	-9.3	-13.7	-18.4
H49	-27.4	-27.4	-27.4	-24.6	-20.2	-16.3	-14.1	-13.6	-13.2	-12.9	-17.4	-21.9
H50	-27.8	-27.8	-27.8	-25.0	-20.6	-16.8	-14.5	-14.0	-13.5	-13.3	-17.8	-22.3
H52	-27.4	-27.4	-27.4	-24.6	-20.2	-16.3	-14.0	-13.6	-13.1	-12.8	-17.4	-21.9
H53	-27.6	-27.6	-27.6	-24.8	-20.4	-16.5	-14.3	-13.8	-13.3	-13.0	-17.6	-22.1
H54	-28.3	-28.3	-28.3	-25.5	-21.2	-17.3	-15.0	-14.5	-14.0	-13.7	-18.3	-22.8
H55	-28.1	-28.1	-28.1	-25.3	-21.0	-17.1	-14.8	-14.3	-16.2	-20.4	-24.9	-29.8
H56	-27.4	-27.4	-27.4	-24.6	-20.4	-16.5	-14.2	-13.8	-15.6	-19.7	-24.3	-29.1
H57	-27.3	-27.3	-27.3	-24.5	-20.2	-16.3	-14.0	-13.6	-15.5	-19.6	-24.1	-28.9
H58	-27.6	-27.6	-27.6	-24.9	-20.6	-16.7	-14.4	-14.0	-15.8	-20.0	-24.5	-29.3
H59	-27.6	-27.6	-27.6	-24.9	-20.6	-16.7	-14.4	-14.0	-15.8	-20.0	-24.5	-29.3
H60	-27.6	-27.6	-27.6	-24.8	-20.6	-16.7	-14.4	-13.9	-15.8	-19.9	-24.4	-29.3
H61	-27.6	-27.6	-27.6	-24.8	-20.5	-16.6	-14.4	-13.9	-15.8	-19.9	-24.4	-29.2
H62	-27.4	-27.4	-27.4	-24.7	-20.4	-16.5	-14.2	-13.8	-15.6	-19.8	-24.3	-29.1
H63	-27.6	-27.6	-27.6	-24.9	-20.6	-16.7	-14.4	-14.0	-15.8	-20.0	-24.5	-29.3
H64	-27.6	-27.6	-27.6	-24.8	-20.6	-16.7	-14.4	-14.0	-15.8	-19.9	-24.5	-29.3
H65	-27.6	-27.6	-27.6	-24.8	-20.6	-16.7	-14.4	-14.0	-15.8	-19.9	-24.4	-29.3
H66	-27.6	-27.6	-27.6	-24.8	-20.5	-16.7	-14.4	-13.9	-15.8	-19.9	-24.4	-29.3
H67	-27.2	-27.2	-27.2	-24.5	-20.2	-16.3	-14.1	-13.6	-15.5	-19.6	-24.1	-28.9
H68	-20.9	-20.9	-20.9	-18.1	-13.8	-9.9	-7.6	-7.0	-8.8	-13.1	-17.7	-22.5
H69	-27.5	-27.5	-27.5	-24.8	-20.7	-16.9	-14.7	-14.3	-14.0	-13.9	-13.9	-16.0
H70	-23.9	-23.9	-23.9	-21.1	-16.9	-13.0	-10.7	-10.3	-12.1	-16.1	-20.6	-25.4
H71	-28.6	-28.6	-28.6	-25.9	-21.6	-17.7	-15.4	-15.0	-16.8	-21.0	-25.5	-30.3
H72	-21.5	-21.5	-21.5	-18.8	-14.8	-11.0	-8.9	-8.5	-10.2	-13.9	-18.1	-22.9
H73	-22.9	-22.9	-22.9	-20.1	-15.8	-11.8	-9.4	-8.5	-10.4	-15.0	-19.7	-24.6
H74	-22.5	-22.5	-22.5	-19.8	-15.4	-11.4	-8.9	-7.9	-9.7	-14.5	-19.4	-24.3
H75	-15.3	-15.3	-15.3	-12.6	-8.4	-4.6	-2.4	-1.8	-3.6	-7.5	-12.0	-16.8
H76	-23.5	-23.5	-23.5	-20.8	-16.5	-12.6	-10.2	-9.5	-11.3	-15.7	-20.4	-25.3
H77	-23.4	-23.4	-23.4	-20.7	-16.4	-12.4	-10.1	-9.3	-11.2	-15.7	-20.3	-25.2
H78	-16.5	-16.5	-16.5	-13.8	-9.6	-5.7	-3.3	-2.7	-4.5	-8.6	-13.2	-18.0
H79	-18.1	-18.1	-18.1	-15.4	-11.2	-7.3	-4.9	-4.3	-6.0	-10.3	-14.8	-19.7

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H80	-18.4	-18.4	-18.4	-15.7	-11.4	-7.4	-4.9	-3.9	-5.7	-10.3	-15.1	-20.0
H81	-22.3	-22.3	-22.3	-19.5	-15.3	-11.3	-8.8	-7.9	-9.8	-14.4	-19.1	-24.1
H82	-19.0	-19.0	-19.0	-16.2	-11.9	-7.8	-5.2	-4.0	-5.8	-10.7	-15.6	-20.6
H83	-19.0	-19.0	-19.0	-16.2	-11.9	-7.8	-5.2	-4.0	-5.8	-10.7	-15.6	-20.6
H84	-22.7	-22.7	-22.7	-20.0	-16.0	-12.2	-10.1	-9.8	-11.5	-15.1	-20.8	-26.5
H85	-28.3	-28.3	-28.3	-25.5	-21.4	-17.5	-15.3	-14.9	-16.7	-20.6	-25.0	-29.8
H86	-28.5	-28.5	-28.5	-25.8	-21.7	-17.8	-15.6	-15.2	-17.0	-20.9	-25.3	-30.1
H87	-28.3	-28.3	-28.3	-25.6	-21.4	-17.6	-15.4	-15.0	-16.8	-20.7	-25.1	-29.9
H88	-15.4	-15.4	-15.4	-12.7	-8.6	-4.8	-2.7	-2.4	-2.3	-2.2	-5.6	-10.8
H89	-14.7	-14.7	-14.7	-11.9	-7.8	-4.0	-1.9	-1.6	-1.5	-1.4	-4.8	-10.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H1	-22.2	-22.2	-22.2	-19.4	-15.0	-11.2	-9.1	-8.8	-8.7	-8.4	-12.1	-17.6
H2	-22.2	-22.2	-22.2	-19.3	-15.0	-11.2	-9.1	-8.8	-8.7	-8.4	-12.1	-17.6
H3	-22.1	-22.1	-22.1	-19.2	-14.9	-11.1	-9.0	-8.6	-8.5	-8.3	-11.9	-17.5
H4	-22.1	-22.1	-22.1	-19.2	-14.9	-11.1	-8.9	-8.6	-8.5	-8.2	-11.9	-17.5
H5	-22.0	-22.0	-22.0	-19.1	-14.7	-10.9	-8.8	-8.4	-8.4	-8.1	-11.8	-17.4
H6	-22.3	-22.3	-22.3	-19.6	-15.5	-11.7	-9.6	-9.3	-9.2	-9.1	-12.5	-17.7
H7	-19.8	-19.8	-19.8	-16.7	-12.2	-8.4	-6.2	-5.8	-5.7	-5.5	-9.6	-14.1
H8	-21.9	-21.9	-21.9	-18.7	-13.8	-10.0	-7.7	-7.3	-7.1	-6.7	-11.3	-16.2
H9	-21.1	-21.1	-21.1	-18.0	-13.4	-9.6	-7.4	-7.0	-6.9	-6.7	-10.9	-15.4
H10	-18.4	-18.4	-18.4	-15.3	-10.8	-6.9	-4.7	-4.3	-4.1	-3.9	-8.1	-12.7
H11	-18.3	-18.3	-18.3	-15.2	-10.7	-6.8	-4.6	-4.2	-4.0	-3.8	-8.1	-12.6
H12	-17.4	-17.4	-17.4	-14.4	-9.8	-5.9	-3.7	-3.3	-3.1	-2.9	-7.2	-11.7
H13	-20.3	-20.3	-20.3	-17.5	-13.4	-9.6	-7.5	-7.2	-7.1	-7.1	-10.4	-15.7
H14	-20.4	-20.4	-20.4	-17.4	-12.8	-9.0	-6.8	-6.4	-6.3	-6.1	-10.2	-14.7
H15	-21.1	-21.1	-21.1	-18.2	-13.7	-9.9	-7.7	-7.3	-7.1	-7.0	-11.1	-15.5
H16	-20.1	-20.1	-20.1	-17.4	-13.4	-9.6	-7.5	-7.2	-7.1	-7.1	-10.4	-15.5
H17	-16.4	-16.4	-16.4	-13.7	-9.6	-5.8	-3.7	-3.3	-3.3	-3.2	-6.6	-11.8
H18	-15.5	-15.5	-15.5	-12.8	-8.7	-4.9	-2.8	-2.4	-2.3	-2.3	-5.6	-10.9
H19	-16.5	-16.5	-16.5	-13.7	-9.6	-5.9	-3.8	-3.4	-3.4	-3.3	-6.6	-11.9
H20	-15.2	-15.2	-15.2	-12.5	-8.4	-4.6	-2.5	-2.1	-2.1	-2.0	-5.4	-10.6
H21	-16.6	-16.6	-16.6	-13.9	-9.8	-6.0	-4.0	-3.6	-3.6	-3.5	-6.8	-12.0

House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H22	-16.1	-16.1	-16.1	-13.4	-9.3	-5.5	-3.4	-3.1	-3.0	-3.0	-6.3	-11.5
H23	-15.9	-15.9	-15.9	-13.2	-9.1	-5.3	-3.2	-2.9	-2.8	-2.8	-6.1	-11.3
H24	-16.1	-16.1	-16.1	-13.2	-8.9	-5.0	-2.8	-2.4	-2.1	-2.0	-6.1	-10.5
H25	-14.5	-14.5	-14.5	-11.8	-7.6	-3.9	-1.7	-1.4	-1.3	-1.2	-4.6	-9.9
H26	-16.3	-16.3	-16.3	-13.6	-9.6	-5.8	-3.7	-3.3	-3.3	-3.2	-6.5	-11.7
H27	-14.9	-14.9	-14.9	-12.2	-8.1	-4.3	-2.2	-1.8	-1.8	-1.7	-5.0	-10.3
H28	-15.3	-15.3	-15.3	-12.6	-8.5	-4.7	-2.6	-2.2	-2.2	-2.1	-5.5	-10.7
H29	-17.3	-17.3	-17.3	-14.5	-10.5	-6.7	-4.6	-4.2	-4.2	-4.1	-7.4	-12.7
H30	-16.2	-16.2	-16.2	-13.5	-9.4	-5.6	-3.5	-3.2	-3.1	-3.1	-6.4	-11.6
H31	-17.1	-17.1	-17.1	-14.4	-10.3	-6.5	-4.4	-4.1	-4.0	-3.9	-7.3	-12.5
H32	-16.9	-16.9	-16.9	-14.2	-10.1	-6.3	-4.2	-3.9	-3.8	-3.8	-7.1	-12.3
H33	-20.5	-20.5	-20.5	-17.8	-13.8	-10.0	-7.9	-7.5	-7.5	-7.4	-10.7	-15.9
H34	-19.0	-19.0	-19.0	-16.3	-12.2	-8.4	-6.4	-6.0	-6.0	-6.0	-6.0	-7.3
H35	-16.3	-16.3	-16.3	-13.5	-9.5	-5.7	-3.6	-3.2	-3.2	-3.1	-6.4	-11.7
H36	-18.1	-18.1	-18.1	-15.4	-11.4	-7.6	-5.5	-5.2	-5.1	-5.0	-8.4	-13.5
H37	-20.1	-20.1	-20.1	-17.4	-13.3	-9.5	-7.4	-7.1	-7.1	-7.0	-10.3	-15.5
H38	-16.0	-16.0	-16.0	-13.3	-9.2	-5.4	-3.3	-3.0	-2.9	-2.9	-6.2	-11.4
H39	-16.3	-16.3	-16.3	-13.5	-9.2	-5.3	-3.1	-2.6	-2.4	-2.3	-6.4	-10.7
H40	-15.8	-15.8	-15.8	-13.1	-9.0	-5.2	-3.1	-2.8	-2.7	-2.6	-6.0	-11.2
H41	-19.2	-19.2	-19.2	-16.5	-12.4	-8.6	-6.5	-6.2	-6.1	-6.1	-9.4	-14.6
H42	-18.4	-18.4	-18.4	-15.7	-11.7	-7.9	-5.8	-5.4	-5.4	-5.3	-8.6	-13.8
H43	-20.0	-20.0	-20.0	-17.3	-13.3	-9.5	-7.4	-7.0	-7.0	-6.9	-10.2	-15.4
H44	-16.6	-16.6	-16.6	-13.9	-9.8	-6.1	-4.0	-3.6	-3.6	-3.5	-6.8	-12.0
H45	-18.7	-18.7	-18.7	-16.0	-12.0	-8.2	-6.1	-5.8	-5.7	-5.7	-9.0	-14.1
H46	-19.4	-19.4	-19.4	-16.7	-12.6	-8.8	-6.7	-6.4	-6.3	-6.3	-9.6	-14.8
H47	-19.5	-19.5	-19.5	-16.8	-12.7	-8.9	-6.8	-6.5	-6.4	-6.3	-9.7	-14.9
H48	-21.5	-21.5	-21.5	-18.7	-14.5	-10.5	-8.3	-7.9	-7.5	-7.4	-11.6	-15.9
H49	-25.7	-25.7	-25.7	-22.9	-18.8	-14.8	-12.5	-12.0	-11.6	-11.5	-15.8	-20.1
H50	-26.1	-26.1	-26.1	-23.4	-19.2	-15.2	-12.9	-12.5	-12.0	-11.9	-16.2	-20.5
H52	-25.6	-25.6	-25.6	-22.9	-18.7	-14.7	-12.4	-11.9	-11.4	-11.2	-15.7	-20.0
H53	-25.8	-25.8	-25.8	-23.1	-18.9	-14.9	-12.6	-12.1	-11.6	-11.5	-15.9	-20.2
H54	-27.0	-27.0	-27.0	-24.3	-20.1	-16.1	-13.8	-13.3	-12.8	-12.6	-17.1	-21.4
H55	-27.0	-27.0	-27.0	-24.3	-20.1	-16.1	-13.8	-13.3	-15.1	-19.2	-23.8	-28.6
H56	-26.5	-26.5	-26.5	-23.8	-19.6	-15.6	-13.3	-12.9	-14.7	-18.7	-23.2	-28.1
H57	-26.3	-26.3	-26.3	-23.6	-19.4	-15.4	-13.2	-12.7	-14.5	-18.6	-23.1	-27.9

Table 10.15.24: Cumulative Predicted Noise Levels in 330 Degree Sector - Night												
House ID	Reference Wind Speed, Standardised v_{10} (ms^{-1})											
	1	2	3	4	5	6	7	8	9	10	11	12
H58	-26.7	-26.7	-26.7	-24.0	-19.8	-15.8	-13.5	-13.1	-14.9	-19.0	-23.5	-28.3
H59	-26.7	-26.7	-26.7	-24.0	-19.8	-15.8	-13.5	-13.1	-14.9	-19.0	-23.5	-28.3
H60	-26.7	-26.7	-26.7	-24.0	-19.8	-15.8	-13.5	-13.0	-14.8	-18.9	-23.4	-28.3
H61	-26.6	-26.6	-26.6	-23.9	-19.7	-15.7	-13.4	-13.0	-14.8	-18.9	-23.4	-28.2
H62	-26.5	-26.5	-26.5	-23.8	-19.6	-15.6	-13.3	-12.9	-14.7	-18.8	-23.3	-28.1
H63	-27.0	-27.0	-27.0	-24.2	-20.1	-16.1	-13.8	-13.3	-15.1	-19.2	-23.7	-28.5
H64	-26.9	-26.9	-26.9	-24.2	-20.1	-16.1	-13.8	-13.3	-15.1	-19.2	-23.7	-28.5
H65	-26.9	-26.9	-26.9	-24.2	-20.1	-16.0	-13.7	-13.3	-15.1	-19.2	-23.7	-28.5
H66	-26.9	-26.9	-26.9	-24.2	-20.0	-16.0	-13.7	-13.3	-15.1	-19.1	-23.6	-28.5
H67	-26.6	-26.6	-26.6	-23.8	-19.7	-15.7	-13.4	-12.9	-14.7	-18.8	-23.3	-28.1
H68	-21.0	-21.0	-21.0	-18.3	-14.0	-9.9	-7.4	-6.8	-8.9	-13.2	-17.8	-22.6
H69	-27.6	-27.6	-27.6	-24.9	-20.8	-16.9	-14.7	-14.3	-14.2	-14.1	-14.1	-16.1
H70	-24.0	-24.0	-24.0	-21.3	-17.2	-13.2	-10.9	-10.4	-12.3	-16.3	-20.8	-25.6
H71	-28.3	-28.3	-28.3	-25.5	-21.4	-17.4	-15.1	-14.6	-16.4	-20.5	-25.0	-29.8
H72	-22.3	-22.3	-22.3	-19.6	-15.6	-11.8	-9.7	-9.3	-11.0	-14.7	-18.9	-23.7
H73	-23.5	-23.5	-23.5	-20.8	-16.6	-12.5	-10.1	-9.5	-11.6	-15.8	-20.4	-25.3
H74	-23.4	-23.4	-23.4	-20.7	-16.4	-12.3	-9.8	-9.2	-11.3	-15.7	-20.3	-25.1
H75	-18.1	-18.1	-18.1	-15.4	-11.3	-7.4	-5.2	-4.7	-6.5	-10.4	-14.8	-19.5
H76	-24.4	-24.4	-24.4	-21.7	-17.5	-13.5	-11.1	-10.6	-12.6	-16.7	-21.3	-26.1
H77	-24.3	-24.3	-24.3	-21.6	-17.4	-13.4	-11.1	-10.5	-12.5	-16.7	-21.2	-26.1
H78	-19.0	-19.0	-19.0	-16.3	-12.1	-8.2	-5.9	-5.2	-7.2	-11.3	-15.7	-20.5
H79	-20.1	-20.1	-20.1	-17.4	-13.2	-9.2	-6.8	-6.1	-8.1	-12.4	-16.9	-21.7
H80	-21.8	-21.8	-21.8	-19.0	-14.8	-10.6	-8.0	-6.8	-9.2	-13.9	-18.6	-23.4
H81	-24.6	-24.6	-24.6	-21.9	-17.8	-13.8	-11.6	-11.1	-13.0	-17.0	-21.4	-26.3
H82	-22.4	-22.4	-22.4	-19.7	-15.3	-11.0	-8.1	-7.3	-9.3	-14.5	-19.4	-24.3
H83	-22.4	-22.4	-22.4	-19.7	-15.3	-11.0	-8.1	-7.3	-9.3	-14.5	-19.4	-24.3
H84	-24.2	-24.2	-24.2	-21.5	-17.5	-13.7	-11.6	-11.3	-13.0	-16.6	-22.4	-28.0
H85	-29.1	-29.1	-29.1	-26.4	-22.3	-18.4	-16.2	-15.8	-17.6	-21.4	-25.8	-30.6
H86	-29.4	-29.4	-29.4	-26.7	-22.6	-18.7	-16.5	-16.1	-17.9	-21.7	-26.1	-30.9
H87	-29.3	-29.3	-29.3	-26.6	-22.5	-18.6	-16.4	-16.0	-17.8	-21.6	-26.0	-30.8
H88	-15.4	-15.4	-15.4	-12.7	-8.7	-4.9	-2.8	-2.4	-2.4	-2.3	-5.6	-10.8
H89	-14.7	-14.7	-14.7	-12.0	-7.9	-4.1	-2.0	-1.6	-1.6	-1.5	-4.8	-10.1